

REQUEST FOR QUOTATION	TROY SCHOOL DISTRICT 1140 RANKIN, TROY, MICHIGAN 48083 248-823-4052 FAX: 248-823-4077	REQUISITION
No. 9588		
DUE DATE 2-11-09 NO LATER THAN 3 p.m.		DATE 1-28-09

REQUEST FOR QUOTE – NOT AN ORDER

THIS FORM MUST BE UTILIZED WHEN RESPONDING TO THIS REQUEST
 BID ENVELOPE ENCLOSED

THE RFQ NUMBER MUST APPEAR ON ALL QUOTATIONS AND RELATED CORRESPONDENCE, THIS IS NOT AN ORDER

Quantity	DESCRIPTION	UNIT PRICE	AMOUNT
	<p>Please supply us with your bid to furnish the Troy School District with GYM FLOORING REPAIRS AT ATHENS HIGH SCHOOL.</p> <p style="text-align: center;">Copies of the bid are available at:</p> <p style="text-align: center;">www.troy.k12.mi.us/purchasing/items_out_for_bid.htm (left column)</p> <p style="text-align: center;">Bid recaps will be available at:</p> <p style="text-align: center;">www.troy.k12.mi.us/purchasing/items_out_for_bid.htm (right column)</p> <p style="text-align: center;"><u>FACSIMILE BID IS NOT ACCEPTABLE</u></p> <p>Bids will not be accepted if submitted after the deadline specified (local time) in the advertisement to bid or in the information to bidders. The late submission of a bid makes the bid nonrepsonsive and is a material defect which shall not be waived by the Board of Education. Delays in the mail will not be considered. All Late bids in the mail will be returned to the bidder unopened.</p> <p>Proposal for the submission of alternatives by vendors will be accepted and reviewed. However, if any substitution or departure is not clearly noted and described, it will be understood that the bid intends to exactly meet the specifications.</p> <p>The Board of Education shall be the sole judge as to whether the proposed goods are "equal" or "approved". Quotations must be mailed or delivered to the Purchasing Office, 1140 Rankin, Troy, MI 48083 no later than 3 p.m. on the date shown above. Michigan State Sales and Use Taxes and Federal Excise Taxes do not apply unless otherwise indicated. Exemption certificates will be furnished when necessary. This request imposes no obligations on the buyer. The Board of Education reserves the right to accept or reject any or all bids or to split awards by items or to accept bids, which will best serve the Board of Education.</p>		

THIS AREA MUST BE FILLED IN

DELIVERY TIME	PRICES FIRM FOR	NAME OF COMPANY	TELEPHONE NO.
TERMS		NO. & STREET	FAX #
FOB DELIVERED	ALL DELIVERY CHARGES MUST BE INCLUDED IN PRICES SHOWN	CITY, STATE & ZIP CODE	E-MAIL
CONTACT PERSON (PLEASE PRINT)		SIGNATURE	DATE

Note: All bidders are specifically reminded that a completed Affidavit of Bidder (Familial Disclosure) MUST be completed and submitted with the bid response. Failure to include a completed copy will be grounds for disqualification of bid. The Affidavit of Bidder is required to be notarized for construction bids only. All others only require completion and signature.

AFFIDAVIT OF BIDDER

The undersigned, the owner or authorized officer of _____(the "Bidder), pursuant to the familial disclosure requirement provided in the _____(the "School District") advertisement for construction bids, hereby represent and warrant except as provided below, that no familial relationships exist between the over(s) or any employee of _____ and any member of the Board of Education of the School District or the Superintendent of the School District.

List any Familial Relationships:

BIDDER:

By: _____

Its: _____

STATE OF MICHIGAN)
)ss.
COUNTY OF _____)

This instrument was acknowledged before me on the _____ day of _____, 2009, by _____.

,Notary Public

_____County, Michigan

My Commission Expires: _____

Acting in the County of: _____

ADVERTISEMENT TO BID

The **Troy School District** is seeking qualified bids for the repair of water damaged gymnasium flooring at Athens High School, 4333 John R, Troy MI, 48085. Bid proposals will be received by Troy School District, 1140 Rankin, Troy, MI 48083 delivery or mail, to the attention of Frank Lams by 3:00 p.m. local time on Wednesday, February 11, 2009. (The clock used for receiving bids is located at the Rankin office in the main office area). Proposals must be sealed with Bidder's name on the outside of the envelope and designated as follows:

Sealed Proposal
Athens Gym Flooring Repairs
Bid # 9588
Contractor Name, Address, Phone Number

Proposals shall be based on the requirements set forth in this bid package specification. Any resultant contract shall be based on these specifications.

Accepted Bidders will be required, as a condition precedent to award of Contract, to furnish in the amount of 100% of the contract price, satisfactory Performance Bond and Payment Bond and Certificates of Insurance as required.

Unless otherwise specifically set forth, this Project is subject to state sales and/or use taxes and Bidder is required to include such taxes in its Bid Proposal.

Bid Proposals will be publicly opened immediately following receipt of bids by the Troy School District and evaluated by Owner with awards subsequently made by Troy School District.

The Owner shall not open, consider or accept a Bid Proposal that is received after the date and time specified for bid submission in this Advertisement for Bids.

Bidding Documents will be available for examination and distribution on or after Thursday, January 29, 2009. Examination made be made at the following locations:

- Troy School District, 1140 Rankin, Troy, MI 48083
- Construction Association of Michigan, 43636 Woodward Ave., Bloomfield, MI 48302
- F.W. Dodge, 21415 Civic Center Drive, Suite 115, Southfield, MI 48076

A pre-bid meeting will be held on-site on Thursday, February 5, 2009 at 9:00. All interested bidders are STRONGLY encouraged to attend. The Gym MAY be made available for inspection subsequent to this day/time ONLY with the express permission of the Director of Operations, Troy School District. Athens High School will NOT be made available during scheduled student hours for inspection.

Bid Proposals shall be on forms furnished by **Troy School District**. **Bidders will be required to submit with their Bid Proposals, a notarized Familial Relationship Disclosure Form**, a Bid Security by a qualified surety authorized to do business in the State of Michigan where the Project is located, an OSHA Form 300 for the most recent completed year, their worker's compensation Experience Modification Rate (EMR) factor and any other information required in the Instructions to Bidders. Bidders shall not withdraw Bid Proposals for a period of **ninety (90)** days after date for receipt of Bid Proposals.

The right to accept or reject any or all Bid Proposals, either in whole or in part, to waive any informalities or irregularities therein and to award the contract to other than the low bidder is reserved by Troy School District.

All Bid Proposals shall be accompanied by the sworn and notarized statement disclosing any familial relationship that exists between the owner or any employee of the Bidder and any member of the School Board or the superintendent of the School District. Bid proposals that do not include this sworn and notarized disclosure statement will not be considered accepted.

End of Advertisement

TROY SCHOOL DISTRICT
Bid # 9588
ATHENS HIGH SCHOOL
AUXILIARY GYMNASIUM - FLOOR REPAIRS

Project Summary

The Troy School District is seeking qualified bids for the repair of water damaged wood gymnasium flooring at its Athens High School, 4333 John R, Troy, MI 48085.

The base bid will consist of repairing three separate areas of the floor that were damaged by water (two areas at each end of the main basketball court and the third area around the main entrance to the gymnasium).

Bidders will be required to remove and dispose of the existing water damaged tongue and groove maple flooring and plywood sub-floor and replace with Robbins 25/32" x 2-1/4" 2nd and better MFMA-RL northern hard maple flooring nailed over two layers of new plywood and 3/8" neoprene pads spaced 12" on center below.

Once the maple flooring is removed there will be an inspection meeting with all parties to determine if any additional course of action is required and to confirm that all of the wet sub-floor and maple is removed before proceeding ahead with the repairs.

The plywood and maple will need to be laced into the adjacent sub-floor and maple flooring to ensure sound construction. Once the floor is repaired, awarded bidder will spot sand and finish the areas repaired to attempt to blend it in as best as possible. (Slight color variation until the floor is either re-sanded completely or when the floor finish will amber and blend in naturally will be acceptable).

Once the areas are sanded, Awarded bidder shall apply two coats of oil-based sealer, repaint the game lines affected by the repairs and then prep (screen) and apply two coats of finish over the entire floor. There is approximately 800 square feet of damaged area that needs to be replaced, however, all bidders are expected to visit the site prior to bid response to field measure the areas in question to determine necessary work to properly remedy the situation.

Alternate #1: Provide a price to sand and re-finish the entire floor wall to wall, seal, repaint all lines, and finish using a 4-coat oil-modified MFMA Group-3 systems equal to the specified product below.

BID SECURITY

- A. Bid security in the form of a bid bond issued by a qualified surety, certified check or cashier's check in the amount of five percent (5%) of the Base Bid amount will be required at the time of submission of the Bid Proposal. Bid bonds shall be duly executed by the bidder, as principal and by a surety that is properly licensed and authorized to do business in the state in which the Work is to be performed. All sureties providing bonds for this Project must be listed in the latest version of the Department of Treasury's Circular 570, entitled "Companies Holding Certificates of Authority as Acceptable Sureties on Federal bonds and as Acceptable Reinsuring Companies", with the bond amount less than or equal to the underwriting limitation, and/or have an A.M. best rating of A- or better.
- B. Bid bond shall pledge that the Bidder, with the understanding that if its Bid Proposal is accepted, will enter into the Agreement with Troy School District for any of the Bid Category(ies) accepted from its Bid Proposal and will, if required, furnish performance and payment bonds covering the faithful performance of the Agreement and the payment of all obligations arising there under. The attorney-in-fact, who signs the surety bond, must submit along with the bond, a certified and effectively dated copy of his/her power of attorney.
- C. Bid bond form AIA Document A310 is approved for use on this Project.
- D. The bid security obligees shall be **Troy School District** and the amount of the bid security shall become their property in the event that the Bidder fails, within Sixty (60) days of notice of award or receipt of the Agreement form, to execute the Agreement, and deliver the performance and payment bonds as described. In such case, the bid security shall be forfeited to Troy School District as liquidated damages, not as a penalty.
- E. The Owner will have the right to retain the bid security(ies) of Bidders to whom an award is being considered until either (a) the Agreement has been executed and bonds, if required, have been furnished, or (b) the specified time has elapsed so that Bid Proposals may be withdrawn, or (c) all Bid Proposals have been rejected.
- F. Bid security will be returned to the successful bidders after the Agreement has been executed, and acceptance of required performance and payment bonds. The bid security of Bidders that are not under consideration for award of the Agreement will be returned to those Bidders.

SUBMISSION OF BIDS

- A. All copies of the Bid Proposal, the bid security and any other documents required to be submitted with the Bid Proposal shall be enclosed in a sealed opaque envelope. The envelope shall be addressed to the party receiving the bids and shall be identified with the Project name, the bidder's name and address, if applicable, the designated portion of the Work for which the Bid Proposal is submitted. If the Bid Proposal is sent by mail, the sealed envelope shall be enclosed in a separate mailing envelope with the notation "SEALED BID ENCLOSED" on the face of the envelope.

- B. Bid Proposals shall be deposited at the designated location prior to the time and date for receipt of Bid Proposals indicated in the Advertisement to Bid, or any extension thereof made by Addendum. Bid Proposals received after the date and time for receipt of bids will be returned unopened.
- C. The Bidder shall assume full responsibility for timely delivery at the location designated for receipt of Bid Proposals.
- D. Oral, telephonic, facsimile, emailed or telegraphic Bid Proposals or bid securities are invalid and will not receive consideration.

MODIFICATION OR WITHDRAWAL OF BID PROPOSAL

- A. A Bid Proposal may not be modified, withdrawn or canceled by the Bidder after the stipulated time period and date designated for the receipt of Bid Proposals, and each Bidder so agrees in submitting its Bid.
- B. Prior to the time and date designated for receipt of Bid Proposals, any Bid Proposal submitted may be modified or withdrawn by notice to the party receiving Bid Proposals at the place designated for their receipt. Such notice shall be in writing over the signature of the Bidder.
- C. Withdrawn Bid Proposals may be submitted up to the time designated for the receipt of bids provided that they are then fully in conformance with these Instructions to Bidders.
- D. Bid security under B. or C., above shall be in an amount for the Base Bid as modified or resubmitted.

CONSIDERATION OF BIDS

OPENING OF BIDS

- A. Bid Proposals received on time will be open publicly.
- B. Bid Proposals shall be held open and irrevocable for **Forty-five (45)** days after the receipt of bids.

REJECTION OF BIDS

- A. **Troy School District** shall have the right to reject any or all bid Proposals and to reject a Bid Proposal not accompanied by the required bid security or by other information required by the Bidding Documents, or to reject a Bid Proposal which is in any way incomplete or irregular.
- B. Bid Proposals are considered irregular and may be rejected for any of the following reasons unless otherwise provided by law:
 - 1. If Bid Proposal Form furnished is not used or is altered.
 - 2. If there are unauthorized additions, qualified or conditional Bid Proposals, or irregularities of any kind which may make the Bid Proposal incomplete, indefinite, or ambiguous as to its meaning.

3. If Bidder adds any provisions reserving right to accept or reject any award, or enter into the Agreement pursuant to an award.
4. If Unit or Lump Sum prices or Alternates contained in the Bid Proposal are obviously unbalanced either in excess of, or below, reasonable cost analysis values.
5. If Bidder fails to complete the Bid Proposal Form where information is requested so the Bid Proposal form cannot be properly evaluated.
6. Bidder is deemed to not be the Lowest Responsive, Responsible Bidder by definition and prevailing statutes.
7. Bidder does not submit with its Bid Proposal a sworn and notarized statement of Familial Disclosure.

ACCEPTANCE OF BID (AWARD)

- A. It is the intent of the **Troy School District** to award the Agreement to the Lowest Responsive and Responsible Bidder provided the Bid Proposal has been submitted in accordance with the requirements of the bidding Documents and does not exceed the funds available. **Troy School District** shall have the right to waive any informality or irregularity in any bid Proposal received and to accept Bid Proposals which, in its judgment, are in its own best interest which includes not awarding to the low bidder. **Troy School District** reserves the right to reject any bid Proposal in its sole discretion except where otherwise provided by law.
- B. **Troy School District** shall have the right to accept any Alternates in any order or combination and to determine the low bidder on the basis of the sum of the Base Bid, Voluntary Alternates and Alternates accepted.

INSURANCE REQUIREMENTS

As a condition of performing work under the Agreement, Contractor will keep in force, at all times during performance of the Work, policies of insurance covering all Basic Insurance Requirements and any applicable Supplemental Insurance Requirements. The requirements identified below are minimum requirements. If the Agreement or other Contract Documents impose additional or higher standards, contractor shall meet those as well. Where a Controlled Insurance Program ("CIP") is specified in the Contract Documents, these insurance requirements shall not apply to coverage supplied by the CIP, but shall apply to coverage which Contractor is required to carry outside the scope of the CIP.

Basic Insurance Requirements

Workers' Compensation covering Contractor's statutory obligations in the State(s) in which the Work is to be performed or Federal statutory obligations, if applicable to the Project and Employers' Liability insurance with limits of liability of \$1,000,000 per accident. Where applicable, a US Longshore and Harborworker's Compensation Act endorsement must be included.

If Contractor employs the services of leased employees for the Work or for a portion of the Work, it will be required to submit evidence, to the satisfaction of the Troy School District, that such leased employees are fully covered by the minimum limits of Workers' Compensation and Employers' Liability Insurance. Such evidence shall include, but not be limited to, submission of the applicable leasing agreement.

Automobile Liability insurance with the limit of \$1,000,000 per accident covering Contractor's owned, non-owned and hired automobiles.

Commercial General Liability Insurance written on the 1988 ISO OCCURRENCE policy form or subsequent versions with the limits of liability as follows:

General Aggregate	\$2,000,000
Products-Completed Operations Aggregate	\$2,000,000
Personal/Advertising Injury	\$2,000,000
Each Occurrence	\$2,000,000

This coverage shall include coverage for premises-operations, independent contractors' protective products and completed operations, personal injury and broad form property damage (including coverage for explosion, collapse, and underground hazards), and Contractual Liability protection with respect to Contractor's indemnification obligations under the Contract Documents. Products-completed operations coverage must be maintained for at least two years after final completion of the Project.

GENERAL PROVISIONS

Every policy must be written by an insurance company licensed in the state of Michigan and is reasonably acceptable to the Troy School District.

For Employer's Liability, Commercial General Liability and Automobile Liability may be attained by a combination of an underlying policy with an umbrella or excess liability policy.

The Troy School District shall be endorsed as additional insureds on Contractor's liability insurance (including general liability, excess liability, automobile liability and pollution liability, where applicable, with respect to liability arising out of activities performed by or on behalf of Contractor. The coverage provided by the additional insured endorsement shall be at least as broad as the Insurance Service Office, Inc.'s Additional insured, Form B CG 20 10 11 85 or CG 20 26 11 85. Forms that do not provide additional insured status for completed operations will not be accepted.

Contractor will furnish, before any work is started, certificates of insurance showing the required coverage Receipt by Troy School District of a non-conforming certificate of insurance without objection, or Troy School District's failure to collect a certificate of insurance, shall not waive or alter Contractor's duty to comply with the insurance requirements. Modifications to these insurance will not be effective unless made in a writing executed by an authorized representative of the Troy School District. Upon written request by Troy School District, contractor will provide copies of its insurance policies.

Evidence of the required insurance is to be provided to Troy School District on ACORD Certificate Form 25-S and must indicate:

Any coverage exclusions or deviations from the 1988 ISO commercial general liability form or subsequent versions;

Best's rating for each insurance carrier at A minus VII or better;

That the issuing insurance company will provide thirty (30) days written notice of cancellation to the certificate holder and the words "endeavor to" and "but failure to mail such notice shall impose no obligation or liability of any kind upon the company, its agents or representatives" do not apply or have been removed;

That additional insured endorsements have been provided as required under the Contract Documents;

and

Any deductibles over \$10,000 applicable to any coverage.

All coverage must be primary and not excess over or contributory with any other valid, applicable and collectible insurance in force for Troy School District, or other insureds.

Contractor will provide full coverage for all of Contractor's equipment, property and tools used in the Work.

Contractor shall waive, and shall require (by endorsement or otherwise) its insurers providing the coverage required by these insurance requirements to waive, subrogation rights against Troy School District, and all other additional insureds for losses and damages incurred and/or paid under the insurance policies required by these insurance requirements or other insurance applicable to Contractor or its Subordinate Parties, and will include this same requirement in contracts with its Subordinate Parties. If the policies of insurance referred to in this paragraph require an endorsement to provide for continued coverage where there is a waiver of subrogation, the owners of each policies will cause them to be so endorsed.

Contractor will send or fax a copy of these insurance requirements to its agent when an insurance certificate is requested to assure that the policies comply with the insurance requirements.

If Contractor requires its Subordinate Parties to provide additional insured endorsements in favor of Contractor, those endorsements shall be extended to Troy School District and all other required additional insureds.

Contractor's duty to provide the insurance coverage set forth in these insurance requirements is a severable obligation from Contractor's indemnification obligations under the Contract Documents. Nothing in these insurance requirements shall be deemed to limit Contractor's liability under the Agreement.

TROY SCHOOL DISTRICT
Bid # 9588
ATHENS HIGH SCHOOL
AUXILIARY GYMNASIUM - FLOOR REPAIRS

Part 1-GENERAL

1.01 DESCRIPTION

A. Related work specified under other sections. (A cross reference should be incorporated in these sections.)

1. Concrete Slab Depression: Existing
2. Concrete Tolerance: Not applicable

1.02 QUALITY ASSURANCE

A. Floor System Manufacturer Qualifications

- Manufacturer shall be an established firm experienced in field and have been in business for a minimum of ten (10) years; Robbins, Inc. or an approved equal.

B. Floor Contractor/Installer Qualifications

- Flooring contractor shall be a firm experienced in flooring field and approved by manufacturer.
- Submit a list of at least three (3) completed projects of similar magnitude and complexity.

1.03 SUBMITTALS

A. Manufacturer's Product Data

- Submit three (3) Robbins' **MFMA-RL maple** Specifications.

B. Samples

- Submit one (1) sample of Robbins MFMA-RL MAPLE, to Ken Miller, Director of Operations, Troy School District, 1140 Rankin, Troy, MI 48083.

C. Maintenance Literature

- Submit three (3) copies of "MFMA Care and Preservation of Your Wood Floors".

D. Certification

- Suppliers shall submit certificates attesting that materials furnished will meet specifications for grade, quality, dryness and treatment, if required.

1.04 DELIVERY, STORAGE AND HANDLING

A. Delivery of Materials

- Materials shall not be delivered unless Room temperature is at least 55-80 degrees Fahrenheit and relative humidity of 35-50%, and are to be maintained. Ideal installation/storage conditions are the same as those which will prevail when building is occupied.

1.05 JOB CONDITIONS-SEQUENCY

A. Permanent heat, light and ventilation shall be installed and operating during and after installation. Maintaining a temperature range of 55-80 degrees Fahrenheit and a relative humidity range of 35-50%.

B. After floors are finished, area to be kept locked by general contractor to allow curing time for the finish. If after required curing time the general contractor or owner requires use of the gym, he shall protect the floor by covering with non-fibered kraft paper or red rosin paper with taped joints, until acceptance by owner (or owner's agent) of complete gymnasium floor.

1.06 GUARANTEE

A. Guarantee shall not cover damage caused in whole or in part by casualty, ordinary wear and tear, abuse, use for which materials is not designed, faulty construction of the building, settlement of the building walls, failure of the other contractors to adhere to specifications, separation of the concrete slab and excessive dryness or excessive moisture from humidity, spillage, migration through the slab or wall, or any other source.

B. Robbins, Inc. hereby warrants their **MFMA-RL maple** system material to be free from manufacturing defects for a period of one (1) year. This warranty is in lieu of all other warranties, express or implied, including but not limited to any warranty of merchantability or fitness for a particular purpose, and of any other obligations on the part of Robbins. In the event of breach of any warranty, the liability of Robbins shall be limited to repairing or replacing the **MFMA-RL maple** system material and system components supplied by Robbins and proven to be defective in manufacture, and shall not include any other damages, either direct or consequential.

Part 2-PRODUCTS

2.01 MATERIALS

A. Membrane – N/A

B. Plywood Subfloor – 2 layers of 15/32" CDX

1. Fasteners

a. Flooring - 2" barbed cleats or equivalent.

b. Sub-Floor – 1" epoxy coated staples

c. Pads – 1/2" staples

2. Flooring a. 25/32" thick x 2-1/4" width. Second and Better, T&G and EM, KD Northern Hard MFMA-RL Maple Flooring as manufactured by Robbins and graded in accordance with MFMA standards.

3. 3/8" Perma-Cushion Pads (spaced 12" on center)

C. Finishing Materials

1. Bona Kemi "Sport Seal" oil modified polyurethane sealer and "Allcourt" floor finish.

2. Game line paint shall be manufactured by the finishing materials manufacturer, thus compatible with the finish system.

Part 3--EXECUTION

3.01 INSPECTION

A. Inspect existing sub-floor for proper tolerance and dryness, and report any discrepancies to the owner's agent in writing.

B. All work required to put the sub-floor in acceptable condition shall be included in the pricing.

3.02 INSTALLATION

A. Robbins Perma-Cushion Panel System.

- Lay new 6mil visqueen on concrete below sealing the seams using Super 77 spray adhesive over lapping the seams a minimum of 6”.
- Staple pads 12” on center below lower layer of plywood lacing in perpendicular to the direction of the finished flooring, staggering the seams 4ft while leaving ¼” gaps between sheets.
- Install the second sheet of plywood at a 45 degree angle to the first layer gluing and stapling to the lower layer.
- Machine nail maple finish flooring running the direction of the main playing court with end joints properly driven up and proper spacing provided for humidity conditions in the specific regions. (Consult your local Robbins "Certified" contractor). Provide 1-1/2” expansion voids at perimeter and at all vertical obstructions.

B. Sanding

- Sand flooring with drum sander, edger, buffer, and hand scraper.
 - a. Use coarse, medium and fine grade sandpaper.
 - b. After sanding with drum sander, buff entire floor using 100 grit screen-back or equal grit sandpaper, with a heavy-duty buffing machine.
 - c. Vacuum and/or tack floor before first coat of finish.
 - d. Floor shall present a smooth surface without drum stop marks, gouges, streaks or shiners.

C. Finishing Gymnasiums

- Apply 2 coats of Bona Kemi “Sport Seal” floor sealer and 2 coats of Bona Kemi “Allcourt” floor finish.
- Screen and/or steel wool and vacuum and/or tack between each coat after it dry.
- Game Lines: Apply game lines accurately after the seal coats, after buffing and vacuuming. For game lines, use current rules of association having jurisdiction. Lines shall be straight with sharp edges in colors selected by the owner’s agent.
- Must provide a copy of the MSDS for each product utilized as part of the bid package and a set must be posted during the project at the job site.

D. Clean up all unused materials and debris and dispose of properly.

Troy School District
Bid 9588

PRICING SHEET

Base Bid \$ _____

Alternate 1:
Complete Floor Refinishing \$ _____

Company: _____

Address: _____

City: _____ State: _____ Zip: _____

Phone: _____

REFERENCES

1. Company: _____

Contact: _____

Address: _____

City: _____ State: _____ Zip: _____

Phone: _____

Brief description of work performed: _____

2. Company: _____

Contact: _____

Address: _____

City: _____ State: _____ Zip: _____

Phone: _____

Brief Description of work performed: _____

3. Company: _____

Contact: _____

Address: _____

City: _____ State: _____ Zip: _____

Phone: _____

Brief Description of work performed: _____

**Troy School District
Athens Gym Floor Repairs
Bid 9588**

	<u>BASE BID</u>	<u>ALTERNATE 1:</u> COMPLETE FLOOR REFINISHING
Legendary Hardwood Floors	\$ 12,350.00	\$ 20,150.00
Varsity Flooring Inc.	12,425.00	29,197.00
All Court	13,660.00	30,530.00
Foster Specialty Floors	14,900.00	32,000.00
Bay Area Specialty Flooring	19,493.00	25,149.00

BRYCO Inc.- No Response
 Mid America Sports Surfacing - No Response
 Trinity Custom Floors - No Response
 Goddard Coatings Co. - No Response
 Cedar Creek Flooring - No Response
 Specialty Floors - No Response
 Flooring Services Inc. - No Response
 Cameron The Sandman - No Response