

REQUEST FOR QUOTATION	TROY SCHOOL DISTRICT 1140 RANKIN, TROY, MICHIGAN 48083 248-823-4052 FAX: 248-823-4077	REQUISITION
No. 9441		
DUE DATE 8-2-07 NO LATER THAN 3 p.m.		DATE 7-18-07

REQUEST FOR QUOTE – NOT AN ORDER

THIS FORM MUST BE UTILIZED WHEN RESPONDING TO THIS REQUEST
 BID ENVELOPE ENCLOSED

THE RFQ NUMBER MUST APPEAR ON ALL QUOTATIONS AND RELATED CORRESPONDENCE, THIS IS NOT AN ORDER

Quantity	DESCRIPTION	UNIT PRICE	AMOUNT
	<p>Please supply us with your bid to furnish the Troy School District with MOWERS per the attached specifications.</p> <p style="text-align: center;">Copies of the bid are available at: www.troy.k12.mi.us/purchasing/items_out_for_bid.htm</p> <p style="text-align: center;">Bid recaps will be available at: troy.k12.mi.us/purchasing/index.htm</p> <p style="text-align: center;"><u>FACSIMILE BID IS NOT ACCEPTABLE</u></p> <p>Bids will not be accepted if submitted after the deadline specified (local time) in the advertisement to bid or in the information to bidders. The late submission of a bid makes the bid nonrepsonsive and is a material defect which shall not be waived by the Board of Education. Delays in the mail will not be considered. All Late bids in the mail will be returned to the bidder unopened.</p> <p>Proposal for the submission of alternatives by vendors will be accepted and reviewed. However, if any substitution or departure is not clearly noted and described, it will be understood that the bid intends to exactly meet the specifications.</p> <p>The Board of Education shall be the sole judge as to whether the proposed goods are "equal" or "approved". Quotations must be mailed or delivered to the Purchasing Office, 1140 Rankin, Troy, MI 48083 no later than 3 p.m. on the date shown above. Michigan State Sales and Use Taxes and Federal Excise Taxes do not apply unless otherwise indicated. Exemption certificates will be furnished when necessary. This request imposes no obligations on the buyer. The Board of Education reserves the right to accept or reject any or all bids or to split awards by items or to accept bids, which will best serve the Board of Education.</p>		

THIS AREA MUST BE FILLED IN

DELIVERY TIME	PRICES FIRM FOR	NAME OF COMPANY	TELEPHONE NO.
TERMS		NO. & STREET	FAX #
FOB DELIVERED	ALL DELIVERY CHARGES MUST BE INCLUDED IN PRICES SHOWN	CITY, STATE & ZIP CODE	E-MAIL
CONTACT PERSON (PLEASE PRINT)		SIGNATURE	DATE

Product Specification: **ExMark Lazer ZXS and/or Equal**
Two (2) Units with Accessories

MODEL	BLADES	WEIGHT (without gas)	WIDTH (deflector down)	LENGTH	HEIGHT
LXS35BV665	3-22.75 in. (57.8 cm)	1560 lbs.	79.4 in. (201.7 cm)	86.1 in. (218.7 cm)	72.7 in. (184.7 cm)

DECKS	STYLE	Triton™ High-Capacity Cutting Platform side-discharge standard with option to bag or mulch.
	WIDTHS AVAILABLE	66 inches - 10-gauge top that is formed and continuously seam welded, with 10-gauge top reinforcement plate, 7-gauge side skirt and 7-gauge reinforcement rings at spindle assembly. 6" deep, 4-point suspension, full-floating platform with 6 adjustable cone-shaped, anti-scalp rollers.
	CUTTING HEIGHTS	1.0" (2.5 cm) to 5" (12.7 cm) in 0.25" (0.64 cm) increments and adjustable from operator's seat.
	BLADE-TIP SPEED	Approximately 18,500 fpm.

EQUIPMENT	TRACTOR FRAME	Welded, heavy-duty tubular steel.
	STEERING & MOTION CONTROL	Hydraulically dampened twin levers adjust fore and aft. Adjustable dampeners (3 positions) to customize drive responsiveness. Also adjustable to two height positions.
	FRONT CASTER TIRES	13 x 6.50-6, smooth tread, semi-pneumatic tires.
	DRIVE TIRES	26 x 12-12, 4-ply MultiTrac®
	TURNING RADIUS	True zero-turn.
	PARKING BRAKE	Lever-actuated drum and band integrated with transmission-neutral interlock.
	SEAT	Deluxe, low-profile, full-suspension seat adjusts to individual operator weight and features padded armrests.

POWER COMPONENTS	ENGINES AVAILABLE	35 hp air-cooled Vanguard™ V-Twin, governed to 3750 rpm.
	DRIVE SYSTEM	Two Hydro-Gear 21cc/rev pumps with integral SCR valves, powering two Parker/Ross wheel motors with 1.25" (3.2 cm) diameter tapered shafts.
	SPEED	Infinitely variable speed selection from 0-12 mph (19.3 kmph) forward, 0-8.0 mph (12.9 kmph) reverse.
	PTO ENGAGEMENT	MagStop Electromagnetic 200 ft-lbs clutch; 2-year warranty.
	FUEL CAPACITY	15.5 gal. (58.7-L) twin fuel tanks.

See list of following Accessories (Options) that must be added to bid package.

Lazer Z XS Accessories

UltraVac® Collection Systems

- ▶ **Quick-attach design** enables easy switching from bagging to side-discharge, without tools, in minutes.
- ▶ **Larger diameter, smooth-discharge tube** handles volumes of debris with less clogging.
- ▶ **Compact design** minimizes trailering space and lets you easily maneuver around obstacles.
- ▶ **Sealed hood** reduces dust around the engine and operator.
- ▶ **High-capacity, durable bags and QDS hopper** dramatically improve efficiency:


(3) UltraVac 32-gallon collection bags (13.5 bushels).
Available on select models.

Micro-Mulch™ System

(Available for all Exmark® walk-behind or zero-turn riding mowers.)

The aerodynamically designed deck, baffles and blades create airflow patterns that circulate the leaves and grass for repeated cuttings and even dispersal deep into the turf. Mulching baffles also keep the underside clean, which reduces grass build-up and clumping.

Lazer Z with 3-Bagger Option



Two-Post Foldable Rollover Protection System

Available as an accessory for all compact and full-size Lazer Z models with serial number 439,999 and lower.

- ▶ Two-post non-foldable ROPS
- ▶ Multiple positions provide flexibility to temporarily adjust to mowing and trailering conditions.
- ▶ ROPS can be repositioned quickly and easily without the use of tools.
- ▶ ROPS system includes seat belt and seat latch.



Exmark Turf Striper

Enhances the striping performance of your Exmark® mower to produce a beautifully manicured appearance. Available for all Lazer Z models. Allows you to mow and roll at the same time. Installs quickly using existing mounting points. Easily adjusts for varying cutting-height settings. Constructed of heavy-duty stainless steel. Does not affect your ability to get up and over curbs. Simple to service and maintain.



Trash Container

Conveniently located within easy reach of the operator, this trash container features a 2.5-gallon capacity and a durable, easy-to-clean mesh receptacle.



Operator Controlled Discharge

Innovative foot control delivers greater productivity than traditional hand operated designs. The blocker door opens and closes allowing user to quickly and effectively control discharge when mowing around mulch beds, parked cars, homes and other objects.



Flexible Discharge Chute

Made of durable, molded rubberized polymer, the Flexible Discharge Chute is designed to keep its shape after impact



Full-Suspension Seat

Designed to fit all compact and full-size Lazer Z models and FrontRunner, this low-profile, full-suspension seat enhances operator comfort and lumbar support by adjusting to individual weight and preferred seat-back angle.



Mount Core Plug Aerators: Model 358 Aerator

Features of Trac Vac Front Mount Core Plug Aerators:

- * 48" widths available.
- * 12V electromechanical linear actuator.
- * Easy flip up position for transport.
- * Quick detach feature allows removal by pulling 2 pins and the actuator plug.
- * Fully welded 3/16" angle iron construction.
- * Bronze bushings with grease fittings.

- * Independent core tine cluster rotation.
- * 5/8" tines made of heat treated steel.
- * Penetrates up to 2 1/2".
- * 16" wide frame holds standard blocks if extra weight needed.



COST SHEET

<u>Qty</u>	<u>Description</u>	<u>Alternate</u>	<u>Unit Price</u>	<u>Total Cost</u>
2	ExMark Lazer ZXS and/or Equal Model LXS35BV665 Blades - 3-22.75 in (57.8cm) Weight (without gas) – 1560 lbs. Width - 79.4 in (201.7 cm) Length – 86.1 in. (218.7 cm) Height – 72.7 in (184.7cm)		_____	_____
	<u>Lazer Z XS Accessories:</u>			
2	UltraVac Collections Systems		_____	_____
2	(3) Ultra Vac – 32-gallon collection bags		_____	_____
2	Two-Post Foldable rollover Protection System		_____	_____
2	Exmark Turf Striper		_____	_____
2	Trash Container		_____	_____
2	Operator Controlled Discharge		_____	_____
2	Flexible Discharge Chute		_____	_____
2	Full Suspension Seat		_____	_____
2	Mount Core Plug Aerators: Model 358 Aerator		_____	_____
	SHIPPING			_____
	ANY OTHER CHARGES		_____	_____
			_____	_____
			_____	_____
	TOTAL		=====	=====

**TROY SCHOOL DISTRICT
 BID# 9441
 MOWERS**

	Weingartz Supply Co.		Cutter's Edge	
	ExMark Lazer ZXS Mower	Toro Z-Master 500 Series		
	<u>Cost Ea.</u>	<u>Total</u>	<u>Cost Ea.</u>	<u>Total</u>
Turf Mower	9,270.00	18,540.00	9,699.00	19,398.00
Ultra Vac 32 Gal Collection bags	2,020.56	4,041.12	2,269.03	4,538.06
2-Post Foldable Protection System	-	-	-	-
Exmark Turf Striper	239.20	478.40	299.99	599.98
Trash Container	39.20	78.40	23.00	46.00
Operator Controlled Dischare	279.20	558.40	229.00	458.00
Flexible Discharge Chute	-	-	-	-
Full Suspension Seat	-	-	219.98	439.96
Model 358 Aerator	1,577.00	3,154.00	1,332.00	2,664.00
Shipping	-	-	-	-
TOTAL		26,850.32		28,144.00

W.F. Miller Co - No Response
 Billings Lawn Equip - No Response
 Gravely Tractor Sales - No Response
 Manus Power Mowers - No Response
 Lesco, Inc - No Response
 Foote Tractor Inc - No Response
 Rochester Lawn Equip - No Response