

| | | |
|---|--|--------------------|
| REQUEST FOR QUOTATION | <p style="text-align: center;">TROY SCHOOL DISTRICT</p> <p style="text-align: center;">1140 RANKIN, TROY, MICHIGAN 48083</p> <p style="text-align: center;">248-823-4052</p> <p style="text-align: center;">FAX: 248-823-4077</p> | REQUISITION |
| No. 9514 | | |
| DUE DATE NO LATER THAN 4/21/08 3 p.m. | | DATE 4/1/08 |

REQUEST FOR QUOTE – NOT AN ORDER

THIS FORM MUST BE UTILIZED WHEN RESPONDING TO THIS REQUEST
BID ENVELOPE ENCLOSED

THE RFQ NUMBER MUST APPEAR ON ALL QUOTATIONS AND RELATED CORRESPONDENCE, THIS IS NOT AN ORDER

| Quantity | DESCRIPTION | UNIT PRICE | AMOUNT |
|----------|---|------------|--------|
| | <p>Please supply us with your bid to furnish the Troy School District with PHYSICS PROBES FOR ATHENS AND TROY HIGH SCHOOL.</p> <p style="text-align: center;">Copies of the bid are available at: www.troy.k12.mi.us/purchasing/items_out_for_bid.htm</p> <p style="text-align: center;">Bid recaps will be available at: troy.k12.mi.us/purchasing/index.htm</p> <p style="text-align: center;"><u>FACSIMILE BID IS NOT ACCEPTABLE</u></p> <p>Bids will not be accepted if submitted after the deadline specified (local time) in the advertisement to bid or in the information to bidders. The late submission of a bid makes the bid nonresponsive and is a material defect which shall not be waived by the Board of Education. Delays in the mail will not be considered. All Late bids in the mail will be returned to the bidder unopened.</p> <p>Proposal for the submission of alternatives by vendors will be accepted and reviewed. However, if any substitution or departure is not clearly noted and described, it will be understood that the bid intends to exactly meet the specifications.</p> <p>The Board of Education shall be the sole judge as to whether the proposed goods are "equal" or "approved". Quotations must be mailed or delivered to the Purchasing Office, 1140 Rankin, Troy, MI 48083 no later than 3 p.m. on the date shown above. Michigan State Sales and Use Taxes and Federal Excise Taxes do not apply unless otherwise indicated. Exemption certificates will be furnished when necessary. This request imposes no obligations on the buyer. The Board of Education reserves the right to accept or reject any or all bids or to split awards by items or to accept bids, which will best serve the Board of Education.</p> | | |

THIS AREA MUST BE FILLED IN

| | | | |
|-------------------------------|---|------------------------|---------------|
| DELIVERY TIME | PRICES FIRM FOR | NAME OF COMPANY | TELEPHONE NO. |
| TERMS | | NO. & STREET | FAX # |
| FOB DELIVERED | ALL DELIVERY CHARGES MUST BE INCLUDED IN PRICES SHOWN | CITY, STATE & ZIP CODE | E-MAIL |
| CONTACT PERSON (PLEASE PRINT) | | SIGNATURE | DATE |

Troy School District
Bid 9514

Athens High School
4333 John R.
Troy, MI 48085

| <u>Qty.</u> | <u>Description</u> | <u>Unit Price</u> | <u>Total</u> |
|-------------|--|-------------------|--------------|
| 21 | Pasco PowerLink #PS-2001 | \$_____ | \$_____ |
| 21 | Pasco Motion Sensor #PS-2103A | \$_____ | \$_____ |
| 17 | Pasco Force Sensor #PS-2104 | \$_____ | \$_____ |
| 17 | Pasco Digital Adapter for Photogates #PS-2159 | \$_____ | \$_____ |
| 9 | Pasco Magnetic Field Sensor #PS-2112 | \$_____ | \$_____ |
| 9 | Pasco Pressure Sensor #PS-2114 | \$_____ | \$_____ |
| 9 | Pasco Voltage/Current Sensor #PS-2115 | \$_____ | \$_____ |
| | Shipping | | \$_____ |
| | TOTAL | | \$_____ |

Troy High School
4777 Northfield Parkway
Troy, MI 48098

| <u>Qty.</u> | <u>Description</u> | <u>Unit Price</u> | <u>Total</u> |
|-------------|--|-------------------|--------------|
| 21 | Pasco PowerLink #PS-2001 | \$_____ | \$_____ |
| 21 | Pasco Motion Sensor #PS-2103A | \$_____ | \$_____ |
| 17 | Pasco Force Sensor #PS-2104 | \$_____ | \$_____ |
| 18 | Pasco Digital Adapter for Photogates #PS-2159 | \$_____ | \$_____ |
| 9 | Pasco Magnetic Field Sensor #PS-2112 | \$_____ | \$_____ |
| 9 | Pasco Pressure Sensor #PS-2114 | \$_____ | \$_____ |
| 9 | Pasco Voltage/Current Sensor #PS-2115 | \$_____ | \$_____ |
| | Shipping | | \$_____ |
| | TOTAL | | \$_____ |

Troy School District
Bid# 9514
Physics Probes

Ship to Athens:

| Carolina Biological | | | | Pasco Scientific | | |
|----------------------------|--------------------------------------|---------------|-------------------|-------------------------|-------------------|--------------|
| <u>Qty</u> | <u>Description</u> | <u>Item #</u> | <u>Unit Price</u> | <u>Total</u> | <u>Unit Price</u> | <u>Total</u> |
| 21 | Pasco Powerlink PS-2001 | 41-8402 | \$ 191.80 | \$ 4,027.80 | \$191.04 | \$4,011.84 |
| 21 | Pasco Motion Sensor PS-2103A | 41-8422 | 76.00 | 1,596.00 | 75.84 | 1592.64 |
| 17 | Pasco Force Sensor PS-2104 | 41-8423 | 100.22 | 1,703.74 | 103.68 | 1762.56 |
| 17 | Pasco Digital Adapter PS-2159 | Special | 56.80 | 965.60 | 56.64 | 962.88 |
| 9 | Pasco Magnetic Field Sensor PS-2112 | 41-8428 | 56.80 | 511.20 | 56.64 | 509.76 |
| 9 | Pasco Pressure Sensor PS-2114 | 41-8414 | 85.80 | 772.20 | 85.44 | 768.96 |
| 9 | Pasco Voltage/Current Sensor PS-2115 | 41-8430 | 80.27 | 722.43 | 95.04 | 855.36 |
| | Freight | | | 18.95 | | Included |
| | Athens Total | | | \$ 10,317.92 | | \$10,464.00 |

Ship to Troy High:

| <u>Qty</u> | <u>Description</u> | <u>Item #</u> | <u>Unit Price</u> | <u>Total</u> | <u>Unit Price</u> | <u>Total</u> |
|--------------|--------------------------------------|---------------|-------------------|---------------------|-------------------|--------------------|
| 21 | Pasco Powerlink PS-2001 | 41-8402 | \$ 191.80 | \$ 4,027.80 | \$191.04 | \$4,011.84 |
| 21 | Pasco Motion Sensor PS-2103A | 41-8422 | 76.00 | 1,596.00 | 75.84 | 1592.64 |
| 17 | Pasco Force Sensor PS-2104 | 41-8423 | 100.22 | 1,703.74 | 103.68 | 1762.56 |
| 17 | Pasco Digital Adapter PS-2159 | Special | 56.80 | 965.60 | 56.64 | 962.88 |
| 9 | Pasco Magnetic Field Sensor PS-2112 | 41-8428 | 56.80 | 511.20 | 56.64 | 509.76 |
| 9 | Pasco Pressure Sensor PS-2114 | 41-8414 | 85.80 | 772.20 | 85.44 | 768.96 |
| 9 | Pasco Voltage/Current Sensor PS-2115 | 41-8430 | 80.27 | 722.43 | 95.04 | 855.36 |
| | Freight | | | 18.95 | | Included |
| | Troy High Total | | | \$ 10,317.92 | | \$10,464.00 |
| TOTAL | | | | \$ 20,635.84 | | \$20,928.00 |

Frey Scientific: No Bid

Flinn Scientific: No bid

Arbor Scientific: No Response

School Specialty: No Response

Fisher Scientific: No Response

