



**INVITATION TO BID  
BID NO. 9826  
FOOD SERVICE EQUIPMENT  
AND INSTALLATION  
TROY SCHOOL DISTRICT**

The Troy School District will receive firm, sealed bids for furnishing, delivering and installing new Food Service Equipment at several school locations, for Troy Schools.

Specifications and proposal forms can be obtained online at <http://www.troy.k12.mi.us>. From the main page click the “Business Services” tab listed under “Departments”, then click “Purchasing” and go into the “Current Bids” tab, scroll down to locate and access the bid document.

Your proposal, and one copy marked ‘**Food Service Equipment and Installation**’ must be delivered no later than 2 p.m., Tuesday, August 30, 2016, Purchasing Department, Troy School District, 1140 Rankin, Troy, Michigan 48083, at which time all bids will be publicly opened and read aloud immediately thereafter. Bid proposals received after this time will not be considered or accepted.

All questions regarding the bid specified, or the bid terms and conditions will be accepted in writing ONLY and subsequently answered through an addendum to all interested parties. Any questions must be received no later than noon, Monday, August 22, 2016, at no other time prior to the bid opening will questions/concerns be addressed or accepted and may be faxed to: 248.823.4077, or emailed as a Word document to: [PurchasingOffice@troy.k12.mi.us](mailto:PurchasingOffice@troy.k12.mi.us).

The Troy Board of Education reserves the right to accept or reject any or all bids, either in whole or in part; to award contract to other than the low bidder; to waive any irregularities and/or informalities; and in general to make awards in any manner deemed to be in the best interest of the owner.

Purchasing Department  
Troy School District  
1140 Rankin  
Troy, MI 48083

## INSTRUCTIONS TO BIDDERS

### PROPOSALS

1. The Troy School District will receive firm, sealed bids for furnishing, delivering and installing new Food Service Equipment at several school locations, in accordance with the attached specifications.
2. Proposals will be submitted only on the forms provided, will be enclosed in a sealed envelope marked with the name of the bidder, the title of the work and must be delivered to the Purchasing Department, Troy School District, 1140 Rankin, Troy, Michigan 48083, no later than 2 p. m., Tuesday, August 30, 2016, at which time all bids will be publicly opened and read aloud immediately thereafter. Bid proposals received after this time will not be considered or accepted. Oral, telephone, fax or electronic mail bids are invalid and will not receive consideration. Submit one original and one copy.
3. Proposals will be made in conformity with all the conditions set forth in the specifications. All items of furniture and equipment must conform to the specifications.
4. All questions regarding the bid specified, or the bid terms and conditions will be accepted in writing ONLY and subsequently answered through an addendum to all interested parties. Any questions must be received no later than noon, Monday, August 22, 2016, at no other time prior to the bid opening will questions/concerns be addressed or accepted and may be faxed to: 248.823.4077, or emailed as a Word document to: [PurchasingOffice@troy.k12.mi.us](mailto:PurchasingOffice@troy.k12.mi.us).
5. References in the specifications to any article, product, material, fixture, form or type of construction, etc., by proprietary name, manufacturer, make or catalog number will be interpreted as establishing a standard quality of design and will not be construed as limiting proposals.
6. The Troy Board of Education reserves the right to accept or reject any or all proposals either in whole or in part; to waive any irregularities and/or informalities; and in general to make awards or cancel this proposal, if deemed to be in the best interests of the owner.
7. A completed Familial Disclosure and an Iran Economic Sanctions form must be included with each proposal submitted or the proposal will not be accepted, please note these forms must be notarized.

### SCOPE

This specification includes furnishing, delivering and installing new Food Service Equipment at Barnard, Bemis, Costello, Hamilton, Martell, Schroeder, Troy Union and Wass Elementary Schools, as well as, Smith Middle School, Athens and Troy High Schools, in accordance with the attached specifications. The awarded Vendor must follow the manufacturer recommended installation guidelines, test and provide training for new products, as well as, remove and dispose of the existing old equipment for this project. All work is to be done during normal working hours Monday – Friday 8AM- 5PM.

### CONTRACT AWARD

The contract will be awarded in the form of PURCHASE ORDERS mailed to the Vendor(s) selected. It is the intent to award the bid on September 20, 2016 at the regular monthly meeting of the Board of Education.

### WITHDRAWAL OF BIDS

Any bidder may withdraw their bid at any time prior to the scheduled time for receipt of bids. No proposal may be withdrawn until after 45 days after bid opening

## INSURANCE

Satisfactory Workers' Compensation coverage of at least \$1,000,000.00 and General Liability and Property Damage Insurance of at least \$1,000,000.00 per occurrence and \$1,000,000.00 in Aggregate must be carried and paid for by the contractor(s) who undertakes the work on this contract. Insurance coverage must also include automobile insurance of at least \$1,000,000.00. Bid number and Troy School District as additional insured must be noted on the insurance certificate. Certificate holder will be Troy Schools.

## BID GUARANTEE

Bidders must submit with their proposal a bid bond or certified check for not less than five percent of the bid. Failure to include a five percent bid guarantee will result in the rejection of your bid.

## GUARANTEE BONDS

Prior to the issuance of a purchase order authorizing commencement of this project, and in all cases before beginning work under the contract, the Vendor/Contractor(s) selected will qualify for, sign and deliver to the Purchasing Office, an executed performance bond and executed labor and materials payment bond secured by the surety company. Each bond will be in the amount of 100 percent of the contract. Troy Schools requires that the bonding companies be limited to those listed on the U.S. Department of Treasury Circular 570, and must be licensed in the State of Michigan. The U.S. Department of Treasury Circular 570 can be viewed at the following web site: <http://www.fms.treas.gov/c570/c570.html>. Certificates of such insurance and bonds will be filed with the Purchasing Office within five working days of notification of bid award and before any work begins.

## DELIVERY AND LOCATIONS

All shipments will be F.O.B. delivered to, Barnard Elementary, 3601 Forge, Troy, MI 48083, Bemis Elementary, 3571 Northfield Pkwy, Troy, MI 48084, Costello Elementary, 1333 Hamman, Troy, MI 48085, Hamilton Elementary, 5625 Northfield Parkway, Troy, MI 48098, Martell Elementary, 5666 Livernois, Troy, MI 48098, Schroeder Elementary, 3541 Jack Drive, Troy, MI 48084, Troy Union Elementary, 1340 East Square Lake Rd, Troy, MI 48085 and Wass Elementary Schools, 2340 Willard Dr., Troy, MI 48085, Smith Middle School, 5835 Donaldson, Troy, MI 48085, Athens High School, 4333 John R, Troy, MI 48085 and Troy High Schools, 4777 Northfield Pkwy, Troy, MI 48098.

## WARRANTY

All material and equipment will be guaranteed to be free from defects in both workmanship and materials for no less than one year from date of receipt/installation. If manufacturer warranty exceeds this minimum requirement, the manufacturer warranty will prevail. Any item(s) found to be defective will be replaced or repaired within seven working days at Vendor(s) expense. All items shall be quoted with an additional six month warranty/freight/removal.

## PERMITS

All necessary permits, tests, inspections and approvals will be procured by the contractor(s) and will be included in the proposal.

## PAYMENTS

Payment in full will be due and payable within thirty days after delivery, providing all goods are approved and accepted by the Board of Education and the contract having been fully performed.

## MSDS

COPIES OF MATERIAL SAFETY DATA SHEETS FOR ALL HAZARDOUS MATERIALS MUST BE INCLUDED WITH YOUR INVOICE.

### MATERIAL SAFETY DATA SHEETS

Troy Schools expects MATERIAL SAFETY DATA SHEETS for all appropriate materials ATTACHED TO THE INVOICE and to appropriately label all products delivered according to Section 14 of Act 154, of the Public Acts of 1974 as amended. Any appropriate products not labeled will be refused and the vendor will be responsible for additional freight charges. Payment may be withheld until MSDSs are received by the school district.



**DUE:** 2:00 p.m., Tuesday, August 30, 2016

**PROPOSAL:** BID 9826 Food Service Equipment and Installation

We propose to furnish and all labor, materials, equipment for installing new Food Service Equipment and Installation, in accordance with this specifications;

**Barnard, Bemis, Hamilton, Martell, Schroeder, Troy Union and Wass Elementary Schools  
Dishwasher - Door Type Specifications (one unit per school)**

Quantity	Description	Unit Cost	Total Extended
7 each	- Hobart Model M15T-2 Dimensions: 77.5(h) x 27(w) x 28.5(d) Dishwasher, door type, Tall Chamber, hot water /chemical sanitizing, 58-65 racks/hour, straight-thru or corner, solid-state controls with digital status, with booster heater, electric tank heat, auto-fill, stainless steel tank, frame, doors & feet, 208-240/60/3, sheet pan rack, ENERGY STAR® or Equivalent. - Model SPEC-KIT Single point electrical connect AM15 kit or Equivalent. -DRAIN WATER TEMPERING KIT - Cool Drain Flow DTV120-SV Low Volume Drain Water Tempering Kit - 3/4" Coldwater Supply/1-1/4" DrainConnection or Equivalent.		

**Total** \_\_\_\_\_

**Costello Elementary School  
Dishwasher - Door Type Specifications**

Quantity	Description	Unit Cost	Total Extended
1 each	- Hobart Model AM15T+BUILDUP Dimensions: 77.5(h) x 27(w) x 28.5(d) AM Select Tall Dishwasher, door type, 27" H opening, convertible high/low temperature sanitizing, 58-65 racks/hour capacity, includes pan rack to accommodate 18" x 26" sheet pans or a 60-quart mixing bowl. straight-thru/corner installation, stainless finish, ENERGY STAR® or Equivalent -Model AM15T-ELE0CD 480/60/3 or Equivalent -Model AM15T-BSTYES with electric booster or Equivalent -Model AM15T-HTEELE electric heat or Equivalent -Model SPEC-KIT Single point electrical connect AM15 kit - DRAIN WATER TEMPERING KIT- Cool Drain Flow DTV120-SV Low Volume Drain Water Tempering Kit 3/4" Coldwater Supply/1-1/4" Drain Connection or Equivalent		

**Total** \_\_\_\_\_

**Smith Middle School  
Dishwasher - Door Type Specifications**

Quantity	Description	Unit Cost	Extended Total
1 each	<p>- Hobart Model AM15T-2 Dimensions: 77.5(h) x 27(w) x 8.5(d) AM Select Tall Dishwasher, door type, Tall Chamber, hot water/chemical sanitizing, 58-65 racks/hour, straight-thru or corner, solid-state controls with digital status, with booster heater, electric tank heat, auto-fill, stainless steel tank, frame, doors &amp; feet, 208-240/60/3, sheet pan rack, ENERGY STAR® or Equivalent.</p> <p>- DRAIN WATER TEMPERING KIT- Cool Drain Flow DTV120-SV Low Volume Drain Water Tempering Kit 3/4" Coldwater Supply/1-1/4" Drain Connection or Equivalent.</p>		

**Total** \_\_\_\_\_

**Athens High School  
Convection Steamer Specifications**

Quantity	Description	Unit Cost	Extended Total
1 each	<p>- Solaris model SX-55EC-S Convection Steamer, electric, 24" wide, (2) compartment, (5) 12"x20"x1-1/2" pan capacity per compartment, delimiting port, split water line, type 316 liner, manual controls, power switch, electric timer, audible signal, adjustable legs with rear flanged feet, Everpure water filter, (2) 15 kW, CSA, NS, 480 volt three phase unit to be completely installed or Equivalent.</p>		

**Total** \_\_\_\_\_

**Troy High School  
Convection Steamer and Oven Specifications**

Quantity	Description	Unit Cost	Extended Total
1 each	<p>-Solaris model GSX-10HE-S High Efficient Convection Steamer, gas, 24" cabinet, (2) compartment, (5) 12"X20"X2-1/2" pan capacity per compartment, delimiting port, split water line, type 316 liner, manual controls, power switch, electronic ignition, electric timer, audible signal, bullet feet on front with rear flanged feet, Everpure water filter, 190,000 BTU, CSA Star, CSA Flame, NSF, 120v/60/1ph, 4.0 amps, cord &amp; plug, std, Natural gas, provide 48" gas connector or Equivalent.</p> <p>-Bakers Pride model GDCO-G2 Cyclone Convection Oven, full-size, gas, double-deck, rotary controls, 60 min. timer, 2-speed motor, stainless steel synchronized doors with double pane thermal glass, (5) racks with 11 positions, stainless steel top, front &amp; sides, 8-1/4" stainless steel legs, stacking kit, 60,000 BTU per oven, cULus, UL EPH, natural gas, (2) 115v/60/1-ph, 3.5 amps, Stacking Kit, casters, Single gas manifold, 48" x 3/4' gas hose with quick disconnect kit and per code or Equivalent.</p>		

**Total** \_\_\_\_\_

**Troy High School  
Combi Oven Specifications**

Quantity	Description	Unit Cost	Extended Total
1 each	<p>-Unox model XAVC-1011-EPR, ChefTop MIND.Maps™ Plus Combi Oven, electric, (10) 1/1 GN or (10) 12"x20" hotel size pan capacity, MIND.Maps™ technology, programmable menu, 2-5/8" shelf spacing, glass door, right-to-left door opening, stainless steel interior &amp; exterior, 11.6-15.5 kW, 208v/60/3-ph, UNOX.LONG LIFE4, extended warranty with certified installation. UNOX Long.Life4 program includes the following, which remains subject to UNOX, INC Terms and conditions: Extended Warranty providing a 4yr/10,000 ON hours parts/1 yr labor warranty. Oven must be connected to the internet via Ethernet cable, WIFI OR 3G and must remain accessible for remote login by UNOX service team. Pre-installation site inspection by an UNOX Certified Service Agent, of the site where the UNOX equipment will be installed, and follow-up instructions advising customer of any additional material needed for site preparation required prior to installation of the UNOX equipment. Assembly, setting and leveling of the UNOX equipment &amp; Final Hook-up by Certified UNOX Service Agent. ChefTop MIND.Maps™ Plus WiFi Connection Kit, ChefTop MIND.Maps™ Plus First Installation Kit, includes water drain fittings &amp; U-trap, for single ovens, ChefTop MIND.Maps™ Plus Intermediate Open Stand, for XAVC-1011 &amp; XAVC-0511 models, (5) Grid, 12"x20", stainless steel, UNOX.Pure filtering system, improves the water quality by significantly reducing the carbonate hardness, thus avoiding scale deposits inside the oven, The UNOX oven MASTER.Touch monitors the water consumption and inform the user for the need to cartridge replacement (NET), UNOX Det&amp;Rinse, (10) 1 liter tanks, double concentrate, cleaning chemicals for Rotor.Klean™, or Equivalent.</p>		

**Total \_\_\_\_\_**

**Troy High School**  
**Dishwasher - Conveyor Type Specifications**

Quantity	Description	Unit Cost	Extended Total
1 each	<p>-DISHWASHER, CONVEYOR TYPE Hobart Model CL44E-2  Dimensions: 68.5(h) x 44.75(w) x 31.25(d) R/L 15KW Tank Heat 208/60/3 30KW Booster Conveyor Dishwasher, single tank, 202 racks/hour, insulated hinged doors, .62 gallon/rack, stainless steel enclosure panels, Microprocessor controls with Low Temperature &amp; Dirty Water Indicators, ENERGY STAR® or Equivalent.</p> <p>-DRAIN WATER TEMPERING KIT COOL DRAIN FLOW DTV120-SV Low Volume Drain Water Tempering Kit – 3/4" coldwater Supply/1-1/4" Drain Connection or Equivalent.</p> <p>CLEAN DISHTABLE (1 REQ'D) Advance Tabco Model DTC -S70-84L Dimensions: 44(h) x 83(w) x 30(d) Dishtable, clean, straight design, right-to-left operation, 10-1/2"H backsplash, 3" rolled front &amp; side rims, stainless steel legs, with crossrails, 83"W x 30"D x 34"H, 16/304 stainless steel</p> <p>Model K-460 Installation, disposal cone with 8" x 12" control bracket &amp; faucet holes (each)</p> <p>Model K-37 Anti-Siphon vacuum breaker holes</p> <p>DISPOSER (1 REQ'D) InSinkErator Model SS-200-15A-MRS SS-200™ Complete Disposer Package, with 15" diameter bowl, 6-5/8" diameter inlet, with removable splash baffle &amp; reversible bowl cover, 2 HP motor, stainless steel construction, includes syphon breaker, solenoid valve, flow control valve, manual reverse switch, adjustable leg kit</p> <p>Standard height disposer body 208v/60/3-ph, 3.3 amps Model SYPHON STD Syphon breaker standard 1/2"</p>		

**Total** \_\_\_\_\_

**Grand Total** \_\_\_\_\_



**SWORN AND NOTARIZED FAMILIAL DISCLOSURE STATEMENT**

**FAMILIAR DISCLOSURE AFFIDAVIT**

The undersigned, the owner or authorized office of the below-named contractor (the ‘Contractor’), pursuant to the familial disclosure requirement provided in Troy Schools Request for Proposals, hereby represents and warrants that, excepts as provided below, no familial relationship exists between the owner or key employee of the Contractor, and any member of the Troy School Board or the Troy School Superintendent. A list of the School District’s Board of Education Members and its Superintendent may found at <http://www.troy.k12.mi.us>.

List any Familial Relationships:

**Contractor:**

\_\_\_\_\_  
Print Name of Contractor

By: \_\_\_\_\_

Its: \_\_\_\_\_

Subscribed and sworn before me, this \_\_\_\_\_ Seal:

day of \_\_\_\_\_, 20 \_\_\_\_, a Notary Public

in and for \_\_\_\_\_ County, \_\_\_\_\_

\_\_\_\_\_  
(Signature)  
NOTARY PUBLIC

My Commission expires \_\_\_\_\_

**CERTIFICATION OF COMPLIANCE – IRAN ECONOMIC SANCTIONS ACT**

Michigan Public Act No. 517 of 2012

The undersigned, the owner, or authorized officer of the below-named Company, pursuant to the compliance certification requirement provided in Troy School District’s Request For Proposal, the “RFP”, hereby certifies, represents, and warrants that the Company and its officers, directors and employees, is not an “Iran Linked Business” within the meaning of the Iran Economic Sanctions Act, Michigan Public Act No. 517 of 2012 (the “Act”), and that in the event the Company is awarded a contract by Troy School District as a result of the aforementioned RFP, the Company is not and will not become an “Iran Linked Business” at any time during the course of performing any services under the contract.

The Company further acknowledges that any person who is found to have submitted a false certification is responsible for a civil penalty of not more than \$250,000.00 or two (2) times the amount of the contract or proposed contract for which the false certification was made, whichever is greater, the cost of Troy School District’s investigation, and reasonable attorney fees, in addition to the fine. Moreover, any person who submitted a false certification shall be ineligible to bid on a request for proposal for three (3) years from the date the it is determined that the person has submitted the false certification.

---

NAME OF COMPANY

---

NAME AND TITLE OF AUTHORIZED REPRESENTATIVE

---

SIGNATURE

---

DATE

Acceptance of Proposal

The undersigned agrees to execute a Contract for work covered by this Proposal provided that he is notified of its acceptance within thirty days after the opening of the Proposal.

It is agreed that this bid will not be withdrawn until after forty-five (45) days after receipt of bids.

The undersigned affirms that the bid was developed without any collusion, undertaking, or agreement, either directly or indirectly, with any other bidder(s) to maintain the prices of indicated work or prevent any other bidder(s) from bidding the work.

BIDDER'S FIRM NAME \_\_\_\_\_

BUSINESS ADDRESS \_\_\_\_\_  
\_\_\_\_\_

TELEPHONE NUMBER \_\_\_\_\_

FAX NUMBER \_\_\_\_\_

BY (SIGNATURE) \_\_\_\_\_

PRINTED NAME \_\_\_\_\_

TITLE \_\_\_\_\_

SIGNED THIS \_\_\_\_\_ DAY OF \_\_\_\_\_, 20 \_\_\_\_\_

E-MAIL ADDRESS \_\_\_\_\_

**Bid Tabulation**  
**BID 9826 Food Service Equipment and Installation**

	QTY	Douglas Equipment		Great Lakes Hotel Supply Company		Gold Star Products		Stafford Smith, Inc.	
		Unit Cost	Extended Total	Unit Cost	Extended Total	Unit Cost	Extended Total	Unit Cost	Extended Total
<b>Barnard, Bemis, Hamilton, Martell, Schroeder, Troy Union and Wass Elementary Dishwasher - Door Type Specifications</b>									
- Hobart Model M15T-2 Dimensions: 77.5(h) x 27(w) x 28.5(d) Dishwasher, door type, Tall Chamber, hot water /chemical sanitizing, 58-65 racks/hour, straight-thru or corner, solid-state controls with digital status, with booster heater, electric tank heat, auto-fill, stainless steel tank, frame, doors & feet, 208-240/60/3, sheet pan rack, ENERGY STAR® or Equivalent. - Model SPEC-KIT Single point electrical connect AM15 kit or Equivalent. -DRAIN WATER TEMPERING KIT - Cool Drain Flow DTV120-SV Low Volume Drain Water Tempering Kit - 3/4" Coldwater Supply/1-1/4" DrainConnection or Equivalent.									
	7 ea	\$ 14,830.02	\$ 103,810.14	\$ 13,834.00	\$ 96,838.00	\$ 16,210.00	\$ 113,470.00	\$ 14,400.00	\$ 100,800.00
<b>Costello Elementary School Dishwasher - Door Type Specifications</b>									
- Hobart Model AM15T+BUILDUP Dimensions: 77.5(h) x 27(w) x 28.5(d) AM Select Tall Dishwasher, door type, 27" H opening, convertible high/low temperature sanitizing, 58-65 racks/hour capacity, includes pan rack to accommodate 18" x 26" sheet pans or a 60-quart mixing bowl, straight-thru/corner installation, stainless finish, ENERGY STAR® or Equivalent -Model AM15T-ELE0CD 480/60/3 or Equivalent -Model AM15T-BSTYES with electric booster or Equivalent -Model AM15T-HTEELE electric heat or Equivalent -Model SPEC-KIT Single point electrical connect AM15 kit - DRAIN WATER TEMPERING KIT- Cool Drain Flow DTV120-SV Low Volume Drain Water Tempering Kit 3/4" Coldwater Supply/1-1/4" Drain Connection or Equivalent									
	1 ea	\$ 15,477.76	\$ 15,477.76	\$ 14,437.00	\$ 14,437.00	\$ 15,750.00	\$ 15,750.00	\$ 15,028.00	\$ 15,028.00
<b>Smith Middle School Dishwasher - Door Type Specifications</b>									
- Hobart Model AM15T+BUILDUP Dimensions: 77.5(h) x 27(w) x 28.5(d) AM Select Tall Dishwasher, door type, 27" H opening, convertible high/low temperature sanitizing, 58-65 racks/hour capacity, includes pan rack to accommodate 18" x 26" sheet pans or a 60-quart mixing bowl, straight-thru/corner installation, stainless finish, ENERGY STAR® or Equivalent -DRAIN WATER TEMPERING KIT - Cool Drain Flow DTV120-SV Low Volume Drain Water Tempering Kit - 3/4" Coldwater Supply/1-1/4" DrainConnection or Equivalent.									
	1 ea	\$ 14,731.07	\$ 14,731.07	\$ 13,834.00	\$ 13,834.00	\$ 15,325.00	\$ 15,325.00	\$ 14,400.00	\$ 14,400.00
<b>Athens High School Convection Steamer Specifications</b>									
- Solaris model SX-55EC-S Convection Steamer, electric, 24" wide, (2) compartment, (5) 12"x20"x1-1/2" pan capacity per compartment, deliming port, split water line, type 316 liner, manual controls, power switch, electric timer, audible signal, adjustable legs with rear flanged feet, Everpure water filter, (2) 15 kW, CSA, NS, 480 volt three phase unit to be completely installed or Equivalent.									
	1 ea	\$ 11,857.82	\$ 11,857.82	\$ 14,154.00	\$ 14,154.00	\$ 13,500.00	\$ 13,500.00	\$ 12,380.00	\$ 12,380.00

**Bid Tabulation**  
**BID 9826 Food Service Equipment and Installation**

QTY	Douglas Equipment		Great Lakes Hotel Supply Company		Gold Star Products		Stafford Smith, Inc.	
	Unit Cost	Extended Total	Unit Cost	Extended Total	Unit Cost	Extended Total	Unit Cost	Extended Total
<b>Troy High School</b>								
<b>Convection Steamer and Oven Specifications</b>								
Solaris model GSX-10HE-S High Efficient Convection Steamer, gas, 24" cabinet, (2) compartment, (5) 12"x20"x2-1/2" pan capacity per compartment, delimiting port, split water line, type 316 liner, manual controls, power switch, electronic ignition, electric timer, audible signal, bullet feet on front with rear flanged feet, Everpure water filter, 190,000 BTU, CSA Star, CSA Flame, NSF, 120v/60/1ph, 4.0 amps, cord & plug, std. Natural gas, provide 48" gas connector or Equivalent.								
1 ea	\$ 20,731.99	\$ 20,731.99	\$ 23,088.00	\$ 23,088.00	\$ 22,400.00	\$ 22,400.00	\$ 21,585.00	\$ 21,585.00
-Bakers Pride model GDCO-G2 Cyclone Convection Oven, full-size, gas, double-deck, rotary controls, 60 min. timer, 2-speed motor, stainless steel synchronized doors with double pane thermal glass, (5) racks with 11 positions, stainless steel top, front & sides, 8-1/4" stainless steel legs, stacking kit, 60,000 BTU per oven, cULus, UL EPH, natural gas, (2) 115v/60/1-ph, 3.5 amps, Stacking Kit, casters, Single gas manifold, 48" x 3/4" gas hose with quick disconnect kit and per code or Equivalent.								
<b>Troy High School</b>								
<b>Combi Oven Specifications</b>								
Unox model XAVC-1011-EPR, ChefTop MIND.Maps™ Plus Combi Oven, electric, (10) 1/1 GN or (10) 12"x20" hotel size pan capacity, MIND.Maps™ technology, programmable menu, 2-5/8" shelf spacing, glass door, right-to-left door opening, stainless steel interior & exterior, 11.6-15.5 kW, 208v/60/3-ph, UNOX.LONG LIFE4, extended warranty with certified installation. UNOX Long.Life4 program includes the following, which remains subject to UNOX, INC Terms and conditions: Extended Warranty providing a 4yr/10,000 ON hours parts/1 yr labor warranty. Oven must be connected to the internet via Ethernet cable, WIFI OR 3G and must remain accessible for remote login by UNOX service team. Pre-installation site inspection by an UNOX Certified Service Agent, of the site where the UNOX equipment will be installed, and follow-up instructions advising customer of any additional material needed for site preparation required prior to installation of the UNOX equipment. Assembly, setting and leveling of the UNOX equipment & Final Hook-up by Certified UNOX Service Agent. ChefTop MIND.Maps™ Plus WiFi Connection Kit, ChefTop MIND.Maps™ Plus First Installation Kit, includes water drain fittings & U-trap, for single ovens, ChefTop MIND.Maps™ Plus Intermediate Open Stand, for XAVC-1011 & XAVC-0511 models, (5) Grid, 12"x20", stainless steel, UNOX.Pure filtering system, improves the water quality by significantly reducing the carbonate hardness, thus avoiding scale deposits inside the oven. The UNOX oven MASTER.Touch monitors the water consumption and inform the user for the need to cartridge replacement (NET), UNOX Det&Rinse, (10) 1 liter tanks, double concentrate, cleaning chemicals for Rotor.Klean™, or Equivalent.								
1 ea	\$ 12,282.41	\$ 12,282.41	\$ 10,662.00	\$ 10,662.00	\$ 11,000.00	\$ 11,000.00	\$ 10,686.00	\$ 10,686.00
<b>Troy High School</b>								
<b>Dishwasher - Conveyor Type Specifications</b>								
DISHWASHER, CONVEYOR TYPE Hobart Model CL44E-2 Dimensions: 68.5(h) x 44.75(w) x 31.25(d) R/L 15KW Tank Heat 208/60/3 30KW Booster Conveyor Dishwasher, single tank, 202 racks/hour, insulated hinged doors, .62 gallon/rack, stainless steel enclosure panels, Microprocessor controls with Low Temperature & Dirty Water Indicators, ENERGY STAR® or Equivalent.								
-DRAIN WATER TEMPERING KIT COOL DRAIN FLOW DTV120-SV Low Volume Drain Water Tempering Kit - 3/4" coldwater Supply/1-1/4" Drain Connection or Equivalent.								
1 ea	\$ 28,887.91	\$ 28,887.91	\$ 25,312.00	\$ 25,312.00	\$ 23,895.00	\$ 23,895.00	\$ 25,325.00	\$ 25,325.00
CLEAN DISHTABLE (1 REQ'D) Advance Tabco Model DTC -S70-84L Dimensions: 44(h) x 83(w) x 30(d) Dishtable, clean, straight design, right-to-left operation, 10-1/2"H backsplash, 3" rolled front & side rims, stainless steel legs, with crossrails, 83"W x 30"D x 34"H, 16/304 stainless steel								
Model K-460 Installation, disposal cone with 8" x 12" control bracket & faucet holes (each) Model K-37 Anti-Siphon vacuum breaker holes.								
DISPOSER InSinkErator Model SS-200-15A-MRS SS-200TM Complete Disposer Package, with 15" diameter bowl, 6-5/8" diameter inlet, with removable splash baffle & reversible bowl cover, 2 HP motor, stainless steel construction, includes syphon breaker, solenoid valve, flow control valve, manual reverse switch, adjustable leg kit. Standard height disposerbody 208v/60/3-ph, 3-3 amps Model Syphon STD Syphon Breaker Standard 1/2" , or Equivalent.								
<b>Totals</b>		<u>\$ 207,779.10</u>	<u>\$ 198,325.00</u>	<u>\$ 215,340.00</u>	<u>\$ 200,204.00</u>			