

**COOPERATIVE EDUCATIONAL SERVICES**  
**Standing Orders for 2019-2020 School Year**

The School Nurse under specified conditions may administer the following:

**School Nurse may administer Oxygen when indicated for respiratory distress**

**Allergic Reactions:** Attempt to contact primary physician and parent/guardian prior to administering the following:

- a) For reaction with hives, swelling, puffiness or signs and symptoms of initial allergic reaction administer Diphenhydramine HCL (Benadryl) according to the following dosage:
- |                |                             |                             |                             |
|----------------|-----------------------------|-----------------------------|-----------------------------|
| <b>Age:</b>    | <b><u>Under 1 year</u></b>  | <b><u>1 to 12 years</u></b> | <b><u>Over 6 years</u></b>  |
| <b>Weight:</b> | <b>Under 20 lbs</b>         | <b>20 lbs to 45 lbs</b>     | <b>(1/2 mg/lb per dose)</b> |
| <b>Dose:</b>   | <b>6.25 mg. to 12.5 mg.</b> | <b>12.5 mg. to 25 mg.</b>   | <b>25 mg. to 50 mg.</b>     |
- b) For severe allergic reaction or anaphylactic shock, administer EPI-PEN according to the following dosage:
- |                |                             |                             |
|----------------|-----------------------------|-----------------------------|
| <b>Weight:</b> | <b><u>Under 45 lbs.</u></b> | <b><u>Over 45 lbs.</u></b>  |
| <b>Dose:</b>   | <b>EPI-PEN Jr.</b>          | <b>EPI-PEN ADULT</b>        |
|                | <b>(Adrenaline 0.15mg.)</b> | <b>(Adrenaline 0.3 mg.)</b> |
|                | <b>(1:2000 solution)</b>    | <b>(1:1000 solution)</b>    |

**Minor Cuts or Abrasions:** After cleansing with soap and water apply Bacitracin or Neosporin-type ointment (topically) & DSD prn

**Insect Bites:** Calamine or Caladryl lotion (topically) prn

**Poison Ivy or Other Contact Dermatitis Rash:** Calamine or Caladryl lotion (topically) prn

**Chapped Lips:** Petroleum Jelly (topically) prn

**Minor Burns:** cold water or ice and/or 2<sup>nd</sup> Skin (Moist Gel pads) topically prn

**2<sup>nd</sup> Degree Burns:** After cleansing apply DSD prn and refer for medical treatment

**3<sup>rd</sup> Degree Burns:** Cover with DSD and send to ER or call 911

**\*Headache, Dysmenorrhea, Orthodontal pain, Generalized Pain or Fever of 101 or Above: Acetaminophen and Ibuprofen may only be administered with the permission from the Parent or Guardian.**

**ACETAMINOPHEN:**

<b>AGE:</b>	<b>3 yrs</b>	<b>4-5 yrs</b>	<b>6-8 yrs</b>	<b>9-10 yrs</b>	<b>11 yrs</b>	<b>12yrs &amp; up</b>
<b>Weight:</b>	<b>24-36 lbs</b>	<b>37-47 lbs</b>	<b>48-59 lbs</b>	<b>60-71 lbs</b>	<b>72-95 lbs.</b>	<b>over 95 lbs.</b>
<b>Dose:</b>	<b>160 mg.</b>	<b>240 mg.</b>	<b>320 mg.</b>	<b>400 mg.</b>	<b>480 mg.</b>	<b>650 mg.</b>

**IBUPROFEN:**

<b>AGE:</b>	<b>2-3 yrs.</b>	<b>4-5 yrs.</b>	<b>6-8 yrs.</b>	<b>9-10 yrs.</b>	<b>11 yrs.</b>	<b>12 yrs. &amp; up</b>
<b>WEIGHT:</b>	<b>24-35 lbs.</b>	<b>36-47 lbs.</b>	<b>48-59 lbs.</b>	<b>60-71 lbs.</b>	<b>72-95 lbs.</b>	<b>over 95 lbs.</b>
<b>DOSE</b>	<b>100 mg.</b>	<b>150mg.</b>	<b>200mg.</b>	<b>250 mg</b>	<b>300mg.</b>	<b>400 mg.</b>

- Student weight determines dose of Acetaminophen and Ibuprofen

\_\_\_\_\_  
Robert Chessin MD

\_\_\_\_\_  
Date