


La Porte Elementary School La Porte Junior High School



SITE KEYED NOTES


- 1 SIDEWALK EXPANSION JOINT (TYP), RE: 2/01.05
- 2 SIDEWALK CONTROL JOINT (TYP), RE: 3/01.05
- 3 4" PAINT STRIPING
- 4 EXISTING PAINT STRIPING (4 ROWS-72 SPACES), REPAINT TO MATCH EXISTING, EXCEPT AT NEW ACCESSIBLE PARKING.
- 5 8" HIGH DECORATIVE FENCE
- 6 3W X 8H DECORATIVE SWING GATE
- 7 36W X 8H DECORATIVE ROLLING GATE
- 8 6" HIGH DECORATIVE FENCE ON LOW WALL, RE: SHEET C01.05
- 9 RESURFACE COURTS AND REPAIR FENCE
- 10 DECOMPOSED GRANITE WALKING TRACK
- 11 NOT USED
- 12 STEEL WALKWAY COVERING
- 13 NOT USED
- 14 NEW PORTION OF CONCRETE WALK, MATCH FINISH OF EXISTING, RE: 3/01.05
- 15 NEW TREE, RE: LANDSCAPING PLAN
- 16 DOWNSPOUT BOOT, RE: 16/C01.05

GENERAL NOTES

- 1 CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING ALL EXISTING SITE CONDITIONS, DIMENSIONS, UTILITIES, ETC. WHERE NEW CONSTRUCTION JOINS EXISTING CONDITIONS, THE EXISTING CONDITIONS SHALL CONTROL. ALL DISCREPANCIES SHALL BE SUBMITTED TO THE ARCHITECT FOR CONSIDERATION BEFORE PROCEEDING WITH THE WORK.
- 2 CONTRACTOR SHALL BE RESPONSIBLE FOR MAINTAINING AND MODIFYING EXISTING UTILITY LINES ABOVE AND BELOW GRADE DURING THE ENTIRE CONSTRUCTION PERIOD, INCLUDING ALL NECESSARY TIE-INS AND ELEVATION ADJUSTMENTS, RELOCATION OF ALL UTILITY POLES, LINES AND OTHER EXISTING SERVICES. CONTRACTOR SHALL BE RESPONSIBLE FOR ALL COSTS ASSOCIATED WITH THE WORK INCLUDING VERIFICATION AND COORDINATION WITH THE APPROPRIATE AGENCIES. CONTRACTOR SHALL BE RESPONSIBLE FOR REPAIRING ANY DAMAGE TO EXISTING UTILITIES IMMEDIATELY TO INSURE NO INTERRUPTION OF SERVICE. CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING WITH APPROPRIATE AGENCIES ALL BURIED LINES THAT APPROACH THE CONSTRUCTION AREA.
- 3 CONTRACTOR SHALL BE RESPONSIBLE FOR PROTECTING ALL VEGETATION, SHRUBS, TREES, ETC. INDICATED TO REMAIN FROM ALL CONSTRUCTION ACTIVITIES. DAMAGED LANDSCAPING SHALL BE REPLACED WITH LIKE MATERIALS AND SIZE(S) AT THE DIRECTION OF THE ARCHITECT.
- 4 CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING ANY AND ALL MEANS OF SECURITY INSIDE AND OUTSIDE REQUIRED AND APPROVED BY THE OWNER.
- 5 CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING ANY AND ALL MEANS OF ACCESSING THE CONSTRUCTION AREA REQUIRED AND APPROVED BY THE OWNER.
- 6 CONTRACTOR SHALL BE RESPONSIBLE FOR MODIFYING EXISTING SWALES AND/OR CREATING NEW TEMPORARY SWALES OR BERMS AS REQUIRED TO PROVIDE POSITIVE DRAINAGE AWAY FROM CONSTRUCTION AREAS(S).
- 7 CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING THE FOLLOWING AMERICANS WITH DISABILITIES ACT (A.D.A.) AND TEXAS ACCESSIBILITY STANDARDS (T.A.S.) ACCESSIBLE ROUTE REQUIREMENTS:
 "ACCESSIBLE ROUTE (PARKING LOT AND WALKS): SLOPE SHALL NOT EXCEED 5% (8/1" FOOT)
 CROSS-SLOPE SHALL NOT EXCEED 2% (1/4" FOOT)
 "ACCESSIBLE APPROACH TO EXTERIOR DOORS): IMMEDIATELY OUTSIDE OF DOOR AND FOR A DISTANCE OF 5'-0" MIN. SHALL NOT EXCEED A SLOPE OF 2% (1/4" FOOT)
 MAXIMUM RISE AT THRESHOLD SHALL NOT EXCEED 1/2"


FIRE LANE NOTES

- FIRE LANE INDICATED BY - - - - -
1. ALL FIRE LANE STRIPING IS TO BE REVIEWED WITH THE LA PORTE FIRE MARSHAL PRIOR TO BEGINNING WORK.
 2. ALL PAVEMENT MARKINGS SHALL BE INSTALLED USING RED AND WHITE TRAFFIC PAINT. THE BOUNDARIES OF THE FIRE LANE SHALL BE IDENTIFIED BY A RED STRIPE, 6 IN. WIDE. THE WORDS "FIRE LANE - TOW AWAY ZONE" SHALL APPEAR IN 4IN. WHITE LETTERS EVERY 10 FT.
 3. ALL CURB MARKINGS SHALL BE PAINTED IN RED TRAFFIC PAINT AT THE FACE AND TOP OF CURB. THE WORDS "FIRE LANE - TOW AWAY ZONE" SHALL APPEAR IN 4IN. WHITE LETTERS EVERY 10 FT.



2 SIDEWALK AND FIRE LANE PLAN
SCALE: 1"=40'-0"

REFER TO SHEET C01.05 FOR WALK SCHEDULE
REFER TO SHEET C3.13 FOR PAVING PLAN




1 ARCH. SITE PLAN
SCALE: 1"=70'-0"

CONSULTANTS


Structural
CJG Engineers
 3200 Wilcrest Drive, Suite 305
 Houston, Texas 77042
 (713) 780 3345
 (713) 780 3712 Fax

MEP
KME Salas O'Brien
 10930 W. Sam Houston Pkwy N., Suite 900
 Houston, TX 77064
 (281) 664 1900
 (281) 664 1912
 Civil


Arborleaf Engineering and Survey, Inc.
 1002 Village Square, Suite B
 Tomball, TX 77375
 (281) 655 0624
 (281) 655 0469 Fax



**Renovations and Additions to
 La Porte Elementary School and
 La Porte Junior High School
 La Porte Independent School District**



BAY - IBI GROUP ARCHITECTS
 455 East Medical Center Boulevard - Suite 500
 P.O. Box 891209, Houston TX 77289 USA
 tel 281 286 6605 fax 281 286 9606
 bay-ibigroup.com



PROJECT NO. 201431
 DATE FEBRUARY 20, 2015
 DRAWN LMM
 CHECKED LMM

DATE	ISSUE
02/20/15	BID/PERMIT SET

C01.02
 ARCHITECTURAL
 SITE PLAN


CONSULTANTS

Structural
CJG Engineers
 3300 Wilcrest Drive, Suite 305
 Houston, Texas 77042
 (713) 780 3345
 (713) 780 3712 Fax


MEP
KME Salas O'Brien
 10930 W. Sam Houston Pkwy N., Suite 900
 Houston, TX 77064
 (281) 664 1900
 (281) 664 1912

Civil
Brooks & Sparks, Inc.
 21020 Park Row
 Katy, TX 77449
 (281) 578 9595
 (281) 578 9686 Fax


Landscape
Kudela & Weinheimer
 7155 Old Katy Road, Suite 270
 Houston, Texas 77024
 (713) 869 6967
 (713) 869 0908 Fax



**Renovations and Additions to
 La Porte Elementary School and
 La Porte Junior High School
 La Porte Independent School District**




BAY - IBI GROUP ARCHITECTS
 455 East Medical Center Boulevard – Suite 500
 P.O. Box 891209, Houston TX 77289 USA
 tel 281 286 6605 fax 281 286 9606
 bay-ibigroup.com



PROJECT NO.	2014 31
DATE	FEBRUARY 20, 2015
DRAWN	AS
CHECKED	AS
DATE	ISSUE
02/20/15	BID/PERMIT SET


LA PORTE ELEMENTARY SCHOOL
A01.01E
 COMPOSITE
 FLOOR PLAN




PLAN
 NORTH
 TRUE NORTH
 1 COMPOSITE FLOOR PLAN
 SCALE: 1"=20'-0"

CONSULTANTS


Structural
CJG Engineers
 3200 Wilcrest Drive, Suite 305
 Houston, Texas 77042
 (713) 780 3345
 (713) 780 3712 Fax
MEP
KME Salas O'Brien
 10930 W. Sam Houston Pkwy N., Suite 900
 Houston, TX 77064
 (281) 664 1900
 (281) 664 1912
Civil
Brooks & Sparks, Inc.
 21020 Park Row
 Katy, TX 77449
 (281) 578 9595
 (281) 578 9686 Fax
Landscapes
Kudela & Weinheimer
 7155 Old Katy Road, Suite 270
 Houston, Texas 77024
 (713) 869 6957
 (713) 869 0908 Fax



**Renovations and Additions to
 La Porte Elementary School and
 La Porte Junior High School
 La Porte Independent School District**





BAY - IBI GROUP ARCHITECTS
 455 East Medical Center Boulevard - Suite 500
 P.O. Box 891209, Houston TX 77289 USA
 tel 281 296 6605 fax 281 296 9606
 bay-ibigroup.com



PROJECT NO. 2014 31
 DATE FEBRUARY 20, 2015
 DRAWN RS
 CHECKED RS


DATE 02/20/15 ISSUE BID/PERMIT SET

LA PORTE ELEMENTARY SCHOOL
A07.01E
 INTERIOR
 ELEVATIONS




30 MAIN CORRIDOR / VESTIBULE ELEVATION

1/8" = 1'-0"




18 MAIN CORRIDOR / VESTIBULE ELEVATION

1/8" = 1'-0"




14 MAIN CORRIDOR ELEVATION

1/8" = 1'-0"




12 MAIN CORRIDOR ELEVATION

1/8" = 1'-0"




9 MAIN CORRIDOR ELEVATION

1/8" = 1'-0"




6 MAIN CORRIDOR ELEVATION

1/8" = 1'-0"



1 MAIN CORRIDOR ELEVATION

1/8" = 1'-0"




CONSULTANTS

Structural
CJG Engineers
 3300 Wilcrest Drive, Suite 305
 Houston, Texas 77042
 (713) 780 3345
 (713) 780 3712 Fax
 MEP

KME Salas O'Brien
 10930 W. Sam Houston Pkwy N., Suite 900
 Houston, TX 77064
 (281) 664 1900
 (281) 664 1912
 Civil


Arborleaf Engineering and Survey, Inc.
 1002 Village Square, Suite B
 Tomball, TX 77375
 (281) 655 0634
 (281) 655 0469 Fax



**Renovations and Additions to
 La Porte Elementary School and
 La Porte Junior High School
 La Porte Independent School District**

[BI]

BAY - IBI GROUP ARCHITECTS
 455 East Medical Center Boulevard - Suite 500
 P.O. Box 891209, Houston TX 77289 USA
 tel 281 286 6606 fax 281 286 9606
 bay-ibigroup.com



PROJECT NO.	201431
DATE	FEBRUARY 20, 2015
DRAWN	xx
CHECKED	LMM
DATE	ISSUE
02/20/15	BID/PERMIT SET

LA PORTE JUNIOR HIGH SCHOOL
A01.01J
 COMPOSITE
 FLOOR PLAN

PLAN
 NORTH

TRUE NORTH


1 COMPOSITE FLOOR PLAN
 SCALE: 1"=30'-0"

CONSULTANTS

Structural
CJG Engineers
 3300 Wilcrest Drive, Suite 305
 Houston, Texas 77042
 (713) 780 3345
 (713) 780 3712 Fax
 MEP

KME Salas O'Brien
 10930 W. Sam Houston Pkwy N., Suite 900
 Houston, TX 77064
 (281) 664 1900
 (281) 664 1912
 Civil


Arborleaf Engineering and Survey, Inc.
 1002 Village Square, Suite B
 Tomball, TX 77375
 (281) 655 0634
 (281) 655 0469 Fax



**Renovations and Additions to
 La Porte Elementary School and
 La Porte Junior High School
 La Porte Independent School District**

[BI]


BAY - IBI GROUP ARCHITECTS
 455 East Medical Center Boulevard - Suite 500
 P.O. Box 891209, Houston TX 77289 USA
 tel 281 296 6605 fax 281 296 9606
 bay-ibigroup.com




PROJECT NO. 201431
 DATE FEBRUARY 20, 2015
 DRAWN CKA
 CHECKED LMM

DATE ISSUE
 02/20/15 BID/PERMIT SET


LA PORTE JUNIOR HIGH SCHOOL
A07.01J
 EXTERIOR ELEVATIONS



29 EAST ELEVATION - AREA "D" LPJH-1-elev-201431 1/8"=1'-0"




23 SOUTH ELEVATION - AREA "D" LPJH-1-elev-201431 1/8"=1'-0"



30 WEST ELEVATION - AREA "D" LPJH-1-elev-201431 1/8"=1'-0"




18 WEST ELEVATION - AREA "D" LPJH-1-elev-201431 1/8"=1'-0"




12 WEST ELEVATION - AREA "B" AND "C" LPJH-1-elev-201431 1/8"=1'-0"



6 WEST ELEVATION - AREA "A" AND "B" LPJH-1-elev-201431 1/8"=1'-0"



6 WEST ELEVATION - AREA "A" AND "B" LPJH-1-elev-201431 1/8"=1'-0"



REMOVE EXISTING FINISHES FROM EXISTING (4) TENNIS COURTS. PROVIDE NEW ACRYLIC SYSTEM TENNIS COURTS SURFACE EQUAL TO SPORT MASTER USA - 3 Year Warranty

- Allow concrete to cure for 28 days after water vapor is removed.
- Apply phosphoric acid mixed with water to neutralize concrete.
- Hydro-spray entire surface with water to remove any latent material.
- Apply Acrylic Adhesion Promoter.
- Flood court with water. Allow water to stop draining and mark any area deeper than 1/8". Fill area with Level Master product to reinforce depressions.
- Grind all patched areas to feather into surface.
- Apply two coats of acrylic resurfacer fortified with # 4 sand. This provides the court with an even texture.
- Apply (2) coats of Sport Master Color Plus surface. This provides a medium-speed playing surface.
- Court color to be determined by owner.

▪ Paint 2" wide white lines according to the U.I.L regulations.