

ANALYTICAL REPORT

Job Number: 420-110653-1

SDG Number: Washingtonville CSD-Round Hill Elementar

Job Description: Orange-Ulster BOCES

For:

Orange-Ulster BOCES

53 Gibson Road

Goshen, NY 10924

Attention: Jack DeGraw

Meredith Ruthven

Meredith W Ruthven

Customer Service Manager

mruthven@envirotestlaboratories.com

10/14/2016

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified in the Certification Information section of this report. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOH PH-0554

METHOD SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-110653-1
SDG Number: Washingtonville CSD-Round Hill Elementar

Description	Lab Location	Method	Preparation Method
Matrix: Water			
ICPMS Metals by 200.8	EnvTest	EPA 200.8 Rev.5.4	
200 Series Drinking Water Prep Determination Step	EnvTest		EPA 200

Lab References:

EnvTest = EnviroTest

Method References:

EPA = US Environmental Protection Agency

METHOD / ANALYST SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-110653-1
SDG Number: Washingtonville CSD-Round Hill Elementar

Method	Analyst	Analyst ID
EPA 200.8 Rev.5.4	Pistole, Maria	MP
EPA 200.8 Rev.5.4	Sirico, Derek	DS

SAMPLE SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-110653-1
SDG Number: Washingtonville CSD-Round Hill Elementar

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-110653-1	Kitchen White hand washing sink	Drinking Water	09/20/2016 0442	09/22/2016 1025
420-110653-2	Kitchen sink next to coffee pot	Drinking Water	09/20/2016 0443	09/22/2016 1025
420-110653-3	Kitchen Bathroom sink	Drinking Water	09/20/2016 0444	09/22/2016 1025
420-110653-4	Kitchen kettle pot filler	Drinking Water	09/20/2016 0445	09/22/2016 1025
420-110653-5	Kitchen Sink next to ovens	Drinking Water	09/20/2016 0446	09/22/2016 1025
420-110653-6	Kitchen dishwashing sink on left	Drinking Water	09/20/2016 0446	09/22/2016 1025
420-110653-7	Kitchen dishwashing sink on right	Drinking Water	09/20/2016 0447	09/22/2016 1025
420-110653-8	water fountain across from kitchen	Drinking Water	09/20/2016 0449	09/22/2016 1025
420-110653-9	Library work Room Sink	Drinking Water	09/20/2016 0450	09/22/2016 1025
420-110653-10	Room 305 sink	Drinking Water	09/20/2016 0452	09/22/2016 1025
420-110653-11	Room 304 sink	Drinking Water	09/20/2016 0453	09/22/2016 1025
420-110653-12	300 Wing Boy's Bathroom left Sink	Drinking Water	09/20/2016 0454	09/22/2016 1025
420-110653-13	300 Wing Boy's Bathroom right Sink	Drinking Water	09/20/2016 0455	09/22/2016 1025
420-110653-14	Room 303 sink	Drinking Water	09/20/2016 0456	09/22/2016 1025
420-110653-15	300 wing hallway drinking fountain	Drinking Water	09/20/2016 0457	09/22/2016 1025
420-110653-16	Room 302 sink	Drinking Water	09/20/2016 0457	09/22/2016 1025
420-110653-17	300 wing girl's bathroom left sink	Drinking Water	09/20/2016 0458	09/22/2016 1025
420-110653-18	300 wing girl's bathroom right sink	Drinking Water	09/20/2016 0459	09/22/2016 1025
420-110653-19	Room 300	Drinking Water	09/20/2016 0502	09/22/2016 1025
420-110653-20	Room 301 Sink	Drinking Water	09/20/2016 0503	09/22/2016 1025
420-110653-21	Office Men's bathroom left sink	Drinking Water	09/20/2016 0506	09/22/2016 1025
420-110653-22	Office Men's bathroom right sink	Drinking Water	09/20/2016 0506	09/22/2016 1025
420-110653-23	Office Women's bathroom left sink	Drinking Water	09/20/2016 0507	09/22/2016 1025
420-110653-24	Office Women's bathroom right sink	Drinking Water	09/20/2016 0507	09/22/2016 1025
420-110653-25	Office work room	Drinking Water	09/20/2016 0508	09/22/2016 1025
420-110653-26	Office teacher's lounge	Drinking Water	09/20/2016 0509	09/22/2016 1025
420-110653-27	Office Drinking Fountain	Drinking Water	09/20/2016 0510	09/22/2016 1025
420-110653-28	Art Room	Drinking Water	09/20/2016 0513	09/22/2016 1025
420-110653-29	Room 455 Left Sink	Drinking Water	09/20/2016 0514	09/22/2016 1025
420-110653-30	Room 455 Right Sink	Drinking Water	09/20/2016 0514	09/22/2016 1025
420-110653-31	Room 202 Sink	Drinking Water	09/20/2016 0517	09/22/2016 1025
420-110653-32	Room 203 Sink	Drinking Water	09/20/2016 0518	09/22/2016 1025
420-110653-33	200 Wing boy's bathroom right sink	Drinking Water	09/20/2016 0519	09/22/2016 1025
420-110653-34	200 Wing boy's bathroom left sink	Drinking Water	09/20/2016 0519	09/22/2016 1025
420-110653-35	200 wing drinking fountain	Drinking Water	09/20/2016 0520	09/22/2016 1025

SAMPLE SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-110653-1

SDG Number: Washingtonville CSD-Round Hill Elementar

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-110653-36	200 wing girl's bathroom left sink	Drinking Water	09/20/2016 0521	09/22/2016 1025
420-110653-37	200 wing girl's bathroom right sink	Drinking Water	09/20/2016 0522	09/22/2016 1025
420-110653-38	Room 200 Sink	Drinking Water	09/20/2016 0522	09/22/2016 1025
420-110653-39	Room 201 Sink	Drinking Water	09/20/2016 0523	09/22/2016 1025
420-110653-40	Nurse's Office bathroom	Drinking Water	09/20/2016 0524	09/22/2016 1025
420-110653-41	Nurse's Office sink	Drinking Water	09/20/2016 0525	09/22/2016 1025
420-110653-42	Room 205 sink	Drinking Water	09/20/2016 0527	09/22/2016 1025
420-110653-43	Room 204 sink	Drinking Water	09/20/2016 0527	09/22/2016 1025
420-110653-44	P.E. Boy's locker Room	Drinking Water	09/20/2016 0530	09/22/2016 1025
420-110653-45	Room 100 Sink	Drinking Water	09/20/2016 0531	09/22/2016 1025
420-110653-46	Room 101 Sink	Drinking Water	09/20/2016 0531	09/22/2016 1025
420-110653-47	Room 100 Bathroom sink	Drinking Water	09/20/2016 0532	09/22/2016 1025
420-110653-48	Room 100 Drinking fountain	Drinking Water	09/20/2016 0532	09/22/2016 1025
420-110653-49	Room 101 Bathroom sink	Drinking Water	09/20/2016 0532	09/22/2016 1025
420-110653-50	Room 101 Drinkin Fountain	Drinking Water	09/20/2016 0533	09/22/2016 1025
420-110653-51	Room 108 Sink	Drinking Water	09/20/2016 0536	09/22/2016 1025
420-110653-52	Room 108 Bathroom sink	Drinking Water	09/20/2016 0537	09/22/2016 1025
420-110653-53	Room 108 water fountain	Drinking Water	09/20/2016 0537	09/22/2016 1025
420-110653-54	Room 102 sink	Drinking Water	09/20/2016 0538	09/22/2016 1025
420-110653-55	Room 102 drinking fountain	Drinking Water	09/20/2016 0538	09/22/2016 1025
420-110653-56	Room 102 Bathroom sink	Drinking Water	09/20/2016 0538	09/22/2016 1025
420-110653-57	Room 103 drinkin fountain	Drinking Water	09/20/2016 0539	09/22/2016 1025
420-110653-58	Room 103 sink	Drinking Water	09/20/2016 0539	09/22/2016 1025
420-110653-59	Room 103 Bathroom sink	Drinking Water	09/20/2016 0540	09/22/2016 1025
420-110653-60	Room 104 drinking fountain	Drinking Water	09/20/2016 0541	09/22/2016 1025
420-110653-61	Room 104 sink	Drinking Water	09/20/2016 0541	09/22/2016 1025
420-110653-62	Room 104 Bathroom sink	Drinking Water	09/20/2016 0542	09/22/2016 1025
420-110653-63	Room 105 bathroom sink	Drinking Water	09/20/2016 0543	09/22/2016 1025
420-110653-64	Room 107 sink	Drinking Water	09/20/2016 0545	09/22/2016 1025
420-110653-65	Room 105 drinking fountain	Drinking Water	09/20/2016 0545	09/22/2016 1025
420-110653-66	Room 105 sink	Drinking Water	09/20/2016 0547	09/22/2016 1025
420-110653-67	Room 107 Bathroom sink	Drinking Water	09/20/2016 0548	09/22/2016 1025
420-110653-68	Room 106 drinking fountain	Drinking Water	09/20/2016 0548	09/22/2016 1025
420-110653-69	Room 106 sink	Drinking Water	09/20/2016 0548	09/22/2016 1025
420-110653-70	Room 106 Bathroom sink	Drinking Water	09/20/2016 0549	09/22/2016 1025
420-110653-71	OT/PT sink	Drinking Water	09/20/2016 0552	09/22/2016 1025
420-110653-72	Room 117/116 drinking fountain	Drinking Water	09/20/2016 0555	09/22/2016 1025
420-110653-73	Room 117 Sink	Drinking Water	09/20/2016 0555	09/22/2016 1025
420-110653-74	Room 116 sink	Drinking Water	09/20/2016 0555	09/22/2016 1025
420-110653-75	Room 109 sink	Drinking Water	09/20/2016 0556	09/22/2016 1025
420-110653-76	Room 109/110 drinking fountain	Drinking Water	09/20/2016 0557	09/22/2016 1025
420-110653-77	Room 110 sink	Drinking Water	09/20/2016 0558	09/22/2016 1025

SAMPLE SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-110653-1
SDG Number: Washingtonville CSD-Round Hill Elementar

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-110653-78	Room 115 sink	Drinking Water	09/20/2016 0600	09/22/2016 1025
420-110653-79	Room 114 sink	Drinking Water	09/20/2016 0600	09/22/2016 1025
420-110653-80	Room 114 drinking fountain	Drinking Water	09/20/2016 0600	09/22/2016 1025
420-110653-81	Room 113 sink	Drinking Water	09/20/2016 0602	09/22/2016 1025
420-110653-82	Room 113 Drinking fountain	Drinking Water	09/20/2016 0602	09/22/2016 1025
420-110653-83	Room 111 sink	Drinking Water	09/20/2016 0603	09/22/2016 1025
420-110653-84	Room 111/112 drinking fountain	Drinking Water	09/20/2016 0603	09/22/2016 1025
420-110653-85	Room 112 sink	Drinking Water	09/20/2016 0603	09/22/2016 1025

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Kitchen White hand washing sink
Lab Sample ID: 420-110653-1

Date Sampled: 09/20/2016 0442
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 0553	
Prep Method: 200			Date Prepared:	10/07/2016 0932	
Pb	4.60	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Kitchen sink next to coffee pot
Lab Sample ID: 420-110653-2

Date Sampled: 09/20/2016 0443
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 0607	
Prep Method: 200			Date Prepared:	10/07/2016 0932	
Pb	4.27	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Kitchen Bathroom sink
Lab Sample ID: 420-110653-3

Date Sampled: 09/20/2016 0444
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 0611	
Prep Method: 200			Date Prepared:	10/07/2016 0932	
Pb	7.41	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Kitchen kettle pot filler
Lab Sample ID: 420-110653-4

Date Sampled: 09/20/2016 0445
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 0615	
Prep Method: 200			Date Prepared:	10/07/2016 0932	
Pb	10.6	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Kitchen Sink next to ovens
Lab Sample ID: 420-110653-5

Date Sampled: 09/20/2016 0446
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 0618	
Prep Method: 200			Date Prepared:	10/07/2016 0932	
Pb	3.22	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Kitchen dishwashing sink on left
Lab Sample ID: 420-110653-6

Date Sampled: 09/20/2016 0446
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 0622	
Prep Method: 200			Date Prepared:	10/07/2016 0932	
Pb	19.9 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Kitchen dishwashing sink on right
Lab Sample ID: 420-110653-7

Date Sampled: 09/20/2016 0447
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 0633	
Prep Method: 200			Date Prepared:	10/07/2016 0932	
Pb	2.74	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: water fountain across from kitchen
Lab Sample ID: 420-110653-8

Date Sampled: 09/20/2016 0449
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 10/09/2016 0636		
Prep Method: 200			Date Prepared: 10/07/2016 0932		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Library work Room Sink
Lab Sample ID: 420-110653-9

Date Sampled: 09/20/2016 0450
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 0640	
Prep Method: 200			Date Prepared:	10/07/2016 0932	
Pb	3.81	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 305 sink
Lab Sample ID: 420-110653-10

Date Sampled: 09/20/2016 0452
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 0643	
Prep Method: 200			Date Prepared:	10/07/2016 0932	
Pb	9.47	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 304 sink
Lab Sample ID: 420-110653-11

Date Sampled: 09/20/2016 0453
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 0647	
Prep Method: 200			Date Prepared:	10/07/2016 0932	
Pb	15.6 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: 300 Wing Boy's Bathroom left Sink
Lab Sample ID: 420-110653-12

Date Sampled: 09/20/2016 0454
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 0651	
Prep Method: 200			Date Prepared:	10/07/2016 0932	
Pb	6.88	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: 300 Wing Boy's Bathroom right Sink
Lab Sample ID: 420-110653-13

Date Sampled: 09/20/2016 0455
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 0654	
Prep Method: 200			Date Prepared:	10/07/2016 0932	
Pb	4.39	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 303 sink
Lab Sample ID: 420-110653-14

Date Sampled: 09/20/2016 0456
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 0658	
Prep Method: 200			Date Prepared:	10/07/2016 0932	
Pb	2.09	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: 300 wing hallway drinking fountain
Lab Sample ID: 420-110653-15

Date Sampled: 09/20/2016 0457
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 0701	
Prep Method: 200			Date Prepared:	10/07/2016 0932	
Pb	4.16	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 302 sink
Lab Sample ID: 420-110653-16

Date Sampled: 09/20/2016 0457
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 0705	
Prep Method: 200			Date Prepared:	10/07/2016 0932	
Pb	8.00	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: 300 wing girl's bathroom left sink
Lab Sample ID: 420-110653-17

Date Sampled: 09/20/2016 0458
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1203	
Prep Method: 200			Date Prepared:	10/07/2016 0932	
Pb	6.13	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: 300 wing girl's bathroom right sink
Lab Sample ID: 420-110653-18

Date Sampled: 09/20/2016 0459
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1207	
Prep Method: 200			Date Prepared:	10/07/2016 0932	
Pb	7.12	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 300
Lab Sample ID: 420-110653-19

Date Sampled: 09/20/2016 0502
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1210	
Prep Method: 200			Date Prepared:	10/07/2016 0932	
Pb	3.27	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 301 Sink
Lab Sample ID: 420-110653-20

Date Sampled: 09/20/2016 0503
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 10/09/2016 1214		
Prep Method: 200			Date Prepared: 10/07/2016 0932		
Pb	17.1 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Office Men's bathroom left sink
Lab Sample ID: 420-110653-21

Date Sampled: 09/20/2016 0506
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1217	
Prep Method: 200			Date Prepared:	10/07/2016 1630	
Pb	4.48	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Office Men's bathroom right sink
Lab Sample ID: 420-110653-22

Date Sampled: 09/20/2016 0506
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1238	
Prep Method: 200			Date Prepared:	10/07/2016 1630	
Pb	2.39	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Office Women's bathroom left sink
Lab Sample ID: 420-110653-23

Date Sampled: 09/20/2016 0507
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1242	
Prep Method: 200			Date Prepared:	10/07/2016 1630	
Pb	8.75	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Office Women's bathroom right sink
Lab Sample ID: 420-110653-24

Date Sampled: 09/20/2016 0507
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1245	
Prep Method: 200			Date Prepared:	10/07/2016 1630	
Pb	6.68	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Office work room
Lab Sample ID: 420-110653-25

Date Sampled: 09/20/2016 0508
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1249	
Prep Method: 200			Date Prepared:	10/07/2016 1630	
Pb	7.13	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Office teacher's lounge
Lab Sample ID: 420-110653-26

Date Sampled: 09/20/2016 0509
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1252	
Prep Method: 200			Date Prepared:	10/07/2016 1630	
Pb	7.15	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Office Drinking Fountain
Lab Sample ID: 420-110653-27

Date Sampled: 09/20/2016 0510
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1256	
Prep Method: 200			Date Prepared:	10/07/2016 1630	
Pb	7.95	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Art Room
Lab Sample ID: 420-110653-28

Date Sampled: 09/20/2016 0513
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1259	
Prep Method: 200			Date Prepared:	10/07/2016 1630	
Pb	1.96	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 455 Left Sink
Lab Sample ID: 420-110653-29

Date Sampled: 09/20/2016 0514
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1303	
Prep Method: 200			Date Prepared:	10/07/2016 1630	
Pb	51.5 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 455 Right Sink
Lab Sample ID: 420-110653-30

Date Sampled: 09/20/2016 0514
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1313	
Prep Method: 200			Date Prepared:	10/07/2016 1630	
Pb	9.89	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 202 Sink
Lab Sample ID: 420-110653-31

Date Sampled: 09/20/2016 0517
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1317	
Prep Method: 200			Date Prepared:	10/07/2016 1630	
Pb	4.80	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 203 Sink
Lab Sample ID: 420-110653-32

Date Sampled: 09/20/2016 0518
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1320	
Prep Method: 200			Date Prepared:	10/07/2016 1630	
Pb	4.72	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: 200 Wing boy's bathroom right sink
Lab Sample ID: 420-110653-33

Date Sampled: 09/20/2016 0519
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1324	
Prep Method: 200			Date Prepared:	10/07/2016 1630	
Pb	28.5 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: 200 Wing boy's bathroom left sink
Lab Sample ID: 420-110653-34

Date Sampled: 09/20/2016 0519
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1327	
Prep Method: 200			Date Prepared:	10/07/2016 1630	
Pb	2.05	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: 200 wing drinking fountain
Lab Sample ID: 420-110653-35

Date Sampled: 09/20/2016 0520
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1331	
Prep Method: 200			Date Prepared:	10/07/2016 1630	
Pb	2.90	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: 200 wing girl's bathroom left sink
Lab Sample ID: 420-110653-36

Date Sampled: 09/20/2016 0521
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1334	
Prep Method: 200			Date Prepared:	10/07/2016 1630	
Pb	6.27	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: 200 wing girl's bathroom right sink
Lab Sample ID: 420-110653-37

Date Sampled: 09/20/2016 0522
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1338	
Prep Method: 200			Date Prepared:	10/07/2016 1630	
Pb	6.08	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 200 Sink
Lab Sample ID: 420-110653-38

Date Sampled: 09/20/2016 0522
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1341	
Prep Method: 200			Date Prepared:	10/07/2016 1630	
Pb	4.23	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 201 Sink
Lab Sample ID: 420-110653-39

Date Sampled: 09/20/2016 0523
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1345	
Prep Method: 200			Date Prepared:	10/07/2016 1630	
Pb	11.3	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Nurse's Office bathroom
Lab Sample ID: 420-110653-40

Date Sampled: 09/20/2016 0524
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1355	
Prep Method: 200			Date Prepared:	10/07/2016 1630	
Pb	2.62	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Nurse's Office sink
Lab Sample ID: 420-110653-41

Date Sampled: 09/20/2016 0525
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1359	
Prep Method: 200			Date Prepared:	10/07/2016 1645	
Pb	9.48	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 205 sink
Lab Sample ID: 420-110653-42

Date Sampled: 09/20/2016 0527
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1413	
Prep Method: 200			Date Prepared:	10/07/2016 1645	
Pb	9.00	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 204 sink
Lab Sample ID: 420-110653-43

Date Sampled: 09/20/2016 0527
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1417	
Prep Method: 200			Date Prepared:	10/07/2016 1645	
Pb	9.83	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: P.E. Boy's locker Room
Lab Sample ID: 420-110653-44

Date Sampled: 09/20/2016 0530
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1420	
Prep Method: 200			Date Prepared:	10/07/2016 1645	
Pb	7.23	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 100 Sink
Lab Sample ID: 420-110653-45

Date Sampled: 09/20/2016 0531
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1424	
Prep Method: 200			Date Prepared:	10/07/2016 1645	
Pb	19.7 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 101 Sink
Lab Sample ID: 420-110653-46

Date Sampled: 09/20/2016 0531
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1427	
Prep Method: 200			Date Prepared:	10/07/2016 1645	
Pb	12.9	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 100 Bathroom sink
Lab Sample ID: 420-110653-47

Date Sampled: 09/20/2016 0532
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1438	
Prep Method: 200			Date Prepared:	10/07/2016 1645	
Pb	8.26	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 100 Drinking fountain
Lab Sample ID: 420-110653-48

Date Sampled: 09/20/2016 0532
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1441	
Prep Method: 200			Date Prepared:	10/07/2016 1645	
Pb	5.19	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 101 Bathroom sink
Lab Sample ID: 420-110653-49

Date Sampled: 09/20/2016 0532
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1445	
Prep Method: 200			Date Prepared:	10/07/2016 1645	
Pb	2.38	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 101 Drinkin Fountain
Lab Sample ID: 420-110653-50

Date Sampled: 09/20/2016 0533
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1448	
Prep Method: 200			Date Prepared:	10/07/2016 1645	
Pb	2.62	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 108 Sink
Lab Sample ID: 420-110653-51

Date Sampled: 09/20/2016 0536
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1452	
Prep Method: 200			Date Prepared:	10/07/2016 1645	
Pb	3.19	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 108 Bathroom sink
Lab Sample ID: 420-110653-52

Date Sampled: 09/20/2016 0537
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1455	
Prep Method: 200			Date Prepared:	10/07/2016 1645	
Pb	5.67	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 108 water fountain
Lab Sample ID: 420-110653-53

Date Sampled: 09/20/2016 0537
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1459	
Prep Method: 200			Date Prepared:	10/07/2016 1645	
Pb	2.77	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 102 sink
Lab Sample ID: 420-110653-54

Date Sampled: 09/20/2016 0538
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1502	
Prep Method: 200			Date Prepared:	10/07/2016 1645	
Pb	10.2	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 102 drinking fountain
Lab Sample ID: 420-110653-55

Date Sampled: 09/20/2016 0538
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1506	
Prep Method: 200			Date Prepared:	10/07/2016 1645	
Pb	4.42	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 102 Bathroom sink
Lab Sample ID: 420-110653-56

Date Sampled: 09/20/2016 0538
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1509	
Prep Method: 200			Date Prepared:	10/07/2016 1645	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 103 drinkin fountain
Lab Sample ID: 420-110653-57

Date Sampled: 09/20/2016 0539
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1520	
Prep Method: 200			Date Prepared:	10/07/2016 1645	
Pb	23.2 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 103 sink
Lab Sample ID: 420-110653-58

Date Sampled: 09/20/2016 0539
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 10/09/2016 1523		
Prep Method: 200			Date Prepared: 10/07/2016 1645		
Pb	34.1 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 103 Bathroom sink
Lab Sample ID: 420-110653-59

Date Sampled: 09/20/2016 0540
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1527	
Prep Method: 200			Date Prepared:	10/07/2016 1645	
Pb	6.17	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 104 drinking fountain
Lab Sample ID: 420-110653-60

Date Sampled: 09/20/2016 0541
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1531	
Prep Method: 200			Date Prepared:	10/07/2016 1645	
Pb	12.4	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 104 sink
Lab Sample ID: 420-110653-61

Date Sampled: 09/20/2016 0541
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1534	
Prep Method: 200			Date Prepared:	10/07/2016 1700	
Pb	3.21	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 104 Bathroom sink
Lab Sample ID: 420-110653-62

Date Sampled: 09/20/2016 0542
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 10/13/2016 1701		
Prep Method: 200			Date Prepared: 10/11/2016 1410		
Pb	340 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 105 bathroom sink
Lab Sample ID: 420-110653-63

Date Sampled: 09/20/2016 0543
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1548	
Prep Method: 200			Date Prepared:	10/07/2016 1700	
Pb	2.60	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 107 sink
Lab Sample ID: 420-110653-64

Date Sampled: 09/20/2016 0545
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1552	
Prep Method: 200			Date Prepared:	10/07/2016 1700	
Pb	11.8	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 105 drinking fountain
Lab Sample ID: 420-110653-65

Date Sampled: 09/20/2016 0545
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1602	
Prep Method: 200			Date Prepared:	10/07/2016 1700	
Pb	10.0	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 105 sink
Lab Sample ID: 420-110653-66

Date Sampled: 09/20/2016 0547
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1606	
Prep Method: 200			Date Prepared:	10/07/2016 1700	
Pb	5.89	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 107 Bathroom sink
Lab Sample ID: 420-110653-67

Date Sampled: 09/20/2016 0548
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1609	
Prep Method: 200			Date Prepared:	10/07/2016 1700	
Pb	10.9	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 106 drinking fountain
Lab Sample ID: 420-110653-68

Date Sampled: 09/20/2016 0548
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1613	
Prep Method: 200			Date Prepared:	10/07/2016 1700	
Pb	2.81	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 106 sink
Lab Sample ID: 420-110653-69

Date Sampled: 09/20/2016 0548
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1616	
Prep Method: 200			Date Prepared:	10/07/2016 1700	
Pb	7.67	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 106 Bathroom sink
Lab Sample ID: 420-110653-70

Date Sampled: 09/20/2016 0549
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1620	
Prep Method: 200			Date Prepared:	10/07/2016 1700	
Pb	6.62	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: OT/PT sink
Lab Sample ID: 420-110653-71

Date Sampled: 09/20/2016 0552
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1623	
Prep Method: 200			Date Prepared:	10/07/2016 1700	
Pb	9.53	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 117/116 drinking fountain
Lab Sample ID: 420-110653-72

Date Sampled: 09/20/2016 0555
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1627	
Prep Method: 200			Date Prepared:	10/07/2016 1700	
Pb	5.14	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 117 Sink
Lab Sample ID: 420-110653-73

Date Sampled: 09/20/2016 0555
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1631	
Prep Method: 200			Date Prepared:	10/07/2016 1700	
Pb	8.61	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 116 sink
Lab Sample ID: 420-110653-74

Date Sampled: 09/20/2016 0555
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1634	
Prep Method: 200			Date Prepared:	10/07/2016 1700	
Pb	8.09	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 109 sink
Lab Sample ID: 420-110653-75

Date Sampled: 09/20/2016 0556
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1645	
Prep Method: 200			Date Prepared:	10/07/2016 1700	
Pb	8.60	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 109/110 drinking fountain
Lab Sample ID: 420-110653-76

Date Sampled: 09/20/2016 0557
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1648	
Prep Method: 200			Date Prepared:	10/07/2016 1700	
Pb	1.68	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 110 sink
Lab Sample ID: 420-110653-77

Date Sampled: 09/20/2016 0558
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1652	
Prep Method: 200			Date Prepared:	10/07/2016 1700	
Pb	7.27	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 115 sink
Lab Sample ID: 420-110653-78

Date Sampled: 09/20/2016 0600
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution	
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1655		
Prep Method: 200			Date Prepared:	10/07/2016 1700		
Pb	45.3	g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 114 sink
Lab Sample ID: 420-110653-79

Date Sampled: 09/20/2016 0600
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1659	
Prep Method: 200			Date Prepared:	10/07/2016 1700	
Pb	9.59	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 114 drinking fountain
Lab Sample ID: 420-110653-80

Date Sampled: 09/20/2016 0600
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1702	
Prep Method: 200			Date Prepared:	10/07/2016 1700	
Pb	9.92	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 113 sink
Lab Sample ID: 420-110653-81

Date Sampled: 09/20/2016 0602
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1706	
Prep Method: 200			Date Prepared:	10/07/2016 1700	
Pb	8.30	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 113 Drinking fountain
Lab Sample ID: 420-110653-82

Date Sampled: 09/20/2016 0602
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1709	
Prep Method: 200			Date Prepared:	10/08/2016 0840	
Pb	4.57	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 111 sink
Lab Sample ID: 420-110653-83

Date Sampled: 09/20/2016 0603
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1856	
Prep Method: 200			Date Prepared:	10/08/2016 0840	
Pb	44.6 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 111/112 drinking fountain
Lab Sample ID: 420-110653-84

Date Sampled: 09/20/2016 0603
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1900	
Prep Method: 200			Date Prepared:	10/08/2016 0840	
Pb	3.62	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110653-1
Sdg Number: Washingtonville CSD-Round Hill Elementar

Client Sample ID: Room 112 sink
Lab Sample ID: 420-110653-85

Date Sampled: 09/20/2016 0603
Date Received: 09/22/2016 1025
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/09/2016 1903	
Prep Method: 200			Date Prepared:	10/08/2016 0840	
Pb	9.82	ug/L	1.00	1.00	1.0

DATA REPORTING QUALIFIERS

Client: Orange-Ulster BOCES

Job Number:

Sdg Number: Washingtonville CSD-Round Hill Elementar

Lab Section	Qualifier	Description
Metals		
	g	Result fails applicable NYS drinking water standards
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Certification Information

Client: Orange-Ulster BOCES

Job Number:

Sdg Number: Washingtonville CSD-Round Hill Elementar

The following analytes are Not Part of the ELAP scope of accreditation:

Sulfur, Tungsten, Silicon, Bicarbonate Alkalinity, 7 Day BOD 5210C, 28 Day BOD, Soluble BOD, Carbon Dioxide, Carbonate Alkalinity, CBOD Soluble, Chlorine, Cyanide (WAD), Ferrous Iron, Ferric Iron, Total Nitrogen, Total Organic Nitrogen, Dissolved Oxygen, pH, Phenolphthalien Alkalinity, Solids (Fixed), Solids (Percent), Solids (Percent Moisture) , Solids (Percent Volatile), Solids (Volatile Suspended), Temperature, TKN (Soluble), Total Inorganic Carbon, Volatile Acids as Acetic Acid, 2-Aminopyridine, 3-Picoline, 1-Methyl-2-pyrrilidinone, Aziridine, Dimethyl sulfoxide, 1-Chlorohexane, Iron Bacteria, Salmonella, & Sulfur Reducing Bacteria.

The following analytes are Not Part of ELAP Potable Water scope of accreditation:

Cobalt (200.7, 200.8), Tin (200.7), Strontium (200.7), Gold (200.7), Platinum (200.7), Palladium (200.7), Titanium (200.7), Phosphorus (365.3), Nitrate-Nitrite (10-107-4-1C, 353.2), m-Xylene & p-Xylene (502.2, 524), Naphthalene (502.2), o-Xylene (502.2, 524), & Fecal Coliform (9222D).

The following analytes are Not Part of ELAP Solid and Hazardous Waste scope of accreditation:

Ammonia (SM 4500NH3G), TKN (351.2), Phosphorus (365.3), 1,2-Dichloro-1,1,2-trifluoroethane (8260), & Chlorodifluoromethane (8260).

The following analytes are Not Part of ELAP Non Potable Water scope of accreditation:

Dissolved Organic Carbon (5310C), Mecoprop (8151A), & MCPA (8151A).

Definitions and Glossary

Client: Orange-Ulster BOCES

Job Number:

Sdg Number: Washingtonville CSD-Round Hill Elementar

<u>Abbreviation</u>	<u>These commonly used abbreviations may or may not be present in this report.</u>
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.



CHAIN OF CUSTODY

REPORT# (Lab Use Only)

110653

EnviroTest Laboratories
315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

PROJECT REFERENCE Washingtonville CSD - Round Hill Elementary School		PROJECT LOCATION TOWN	MATRIX TYPE	REQUIRED ANALYSES							PAGE 1 of 1	
ENVIROTEST PROJECT MANAGER Debra Bayer		CLIENT PHONE 845-781-4887	OTHER SPECIFY	40ml Vials HCl	1Ltr Amber HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	1Ltr Plastic	250ml Plastic	Terra Core	Other	TURNAROUND TIME
CLIENT (SITE) PM Jack DeGraw		CLIENT FAX	AQUEOUS (WATER)	1Ltr Amber HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	1Ltr Plastic	250ml Plastic	Terra Core	Other	NORMAL	
CLIENT NAME Orange-Ulster BOCES		christy.fischer@oubooces.org	COMPOSITE (C) OR GRAB (G) INDICATE	1Ltr Amber HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	1Ltr Plastic	250ml Plastic	Terra Core	Other	QUICK	
CLIENT ADDRESS 53 Gibson Road, Goshen, NY 10924			SAMPLE IDENTIFICATION	1Ltr Amber HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	1Ltr Plastic	250ml Plastic	Terra Core	Other	VERBAL	
COMPANY CONTACTING THIS WORK (If applicable)			DATE	1Ltr Amber HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	1Ltr Plastic	250ml Plastic	Terra Core	Other	#OF COOLERS	
1	9/20/2016	0442	Kitchen white hand washing sink	G	D	D	D	D	D	D	1	Lead (DW 200.8)
2	9/20/2016	0443	Kitchen sink next to coffee pot	G	D	D	D	D	D	D	1	Lead (DW 200.8)
3	9/20/2016	0444	Kitchen Bathroom sink	G	D	D	D	D	D	D	1	Lead (DW 200.8)
4	9/20/2016	0445	Kitchen kettle pot filler	G	D	D	D	D	D	D	1	Lead (DW 200.8)
5	9/20/2016	0446	Kitchen sink next to ovens	G	D	D	D	D	D	D	1	Lead (DW 200.8)
6	9/20/2016	0446	Kitchen dishwashing sink on left	G	D	D	D	D	D	D	1	Lead (DW 200.8)
7	9/20/2016	0447	Kitchen dishwashing sink on right	G	D	D	D	D	D	D	1	Lead (DW 200.8)
8	9/20/2016	0449	Water fountain across from kitchen	G	D	D	D	D	D	D	1	Lead (DW 200.8)
9	9/20/2016	0450	Library work room sink	G	D	D	D	D	D	D	1	Lead (DW 200.8)
10	9/20/2016	0452	Room 305 sink	G	D	D	D	D	D	D	1	Lead (DW 200.8)
11	9/20/2016	0453	Room 304 sink	G	D	D	D	D	D	D	1	Lead (DW 200.8)
12	9/20/2016	0454	300 wing Boy's bathroom left sink	G	D	D	D	D	D	D	1	Lead (DW 200.8)
13	9/20/2016	0455	300 wing Boy's bathroom right sink	G	D	D	D	D	D	D	1	Lead (DW 200.8)
RELINQUISHED BY: (SIGNATURE) Nameer B Dehart		COMPANY oubooces	DATE 9/22/16	TIME 0900	RECEIVED BY: (SIGNATURE) Nameer B Dehart	COMPANY oubooces	DATE 9/22/16	TIME 0900	RECEIVED BY: (SIGNATURE)	COMPANY oubooces	DATE 9/22/16	TIME 0900
SAMPLED BY: (SIGNATURE) Nameer B Dehart		COMPANY oubooces	DATE 9/22/16	TIME 0900	RECEIVED BY: (SIGNATURE)	COMPANY oubooces	DATE 9/22/16	TIME 0900	RECEIVED BY: (SIGNATURE)	COMPANY oubooces	DATE 9/22/16	TIME 0900
RELINQUISHED BY: (SIGNATURE) Nameer B Dehart		COMPANY oubooces	DATE 9/22/16	TIME 0900	RECEIVED BY: (SIGNATURE)	COMPANY oubooces	DATE 9/22/16	TIME 0900	RECEIVED BY: (SIGNATURE)	COMPANY oubooces	DATE 9/22/16	TIME 0900

LABORATORY REMARKS: ICE (Y/N) / pH () / CL2 ()

RECEIVED FOR LABORATORY BY: (signature) *W. Moore*

DATE: 9/22/16 TIME: 10:30

CUSTODY INTACT: YES NO

COVER TEMP (C): 118.5



CHAIN OF CUSTODY

EnviroTest Laboratories
315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

REPORT# (Lab Use Only)

2097

PROJECT REFERENCE Washingtonville CSD - Round Hill Elementary School		PROJECT NO	PROJECT LOCATION		MATRIX TYPE		REQUIRED ANALYSES		PAGE 1 of 1	
ENVIROTEST PROJECT MANAGER Debra Bayer		P.O. NUMBER	TOWN	CLIENT FAX		OTHER		TURNAROUND TIME		
CLIENT (SITE) PM Jack DeGraw		CLIENT PHONE 845-781-4887	CLIENT FAX		AQUEOUS (WATER)		250ml Plastic Nitric Acid		NORMAL	
CLIENT NAME Orange-Ulster BOCES		christy.fischer@oubooces.org		COMPOSITE (C) OR GRAB (G) INDICATE		Lter Plastic		QUICK		
CLIENT ADDRESS 53 Gibson Road, Goshen, NY 10924		SAMPLE IDENTIFICATION		OTHER SPECIES		250ml Plastic Sulfuric Acid		VERBAL		
COMPANY CONTRACTING THIS WORK (if applicable)		DATE		SOLID OR SEMISOLID		40ml Vials HCl		# OF COOLERS		
SAMPLE		DATE	TIME	RECEIVED BY: (SIGNATURE)		Lter Amber HCl		REMARKS		
9/20/2016	0456	9/20/2016	0900	RECEIVED BY: (SIGNATURE)		250ml Plastic Nitric Acid		Lead (DW 200.8)		
9/20/2016	0457	9/20/2016	0900	RECEIVED BY: (SIGNATURE)		Lter Plastic		Lead (DW 200.8)		
9/20/2016	0457	9/20/2016	0900	RECEIVED BY: (SIGNATURE)		250ml Plastic Sulfuric Acid		Lead (DW 200.8)		
9/20/2016	0458	9/20/2016	0900	RECEIVED BY: (SIGNATURE)		40ml Vials HCl		Lead (DW 200.8)		
9/20/2016	0459	9/20/2016	0900	RECEIVED BY: (SIGNATURE)		Other		Lead (DW 200.8)		
9/20/2016	0502	9/20/2016	0900	RECEIVED BY: (SIGNATURE)		Other		Lead (DW 200.8)		
9/20/2016	0503	9/20/2016	0900	RECEIVED BY: (SIGNATURE)		Terra Core		Lead (DW 200.8)		
9/20/2016	0506	9/20/2016	0900	RECEIVED BY: (SIGNATURE)		250ml Plastic Nitric Acid		Lead (DW 200.8)		
9/20/2016	0506	9/20/2016	0900	RECEIVED BY: (SIGNATURE)		250ml Plastic Sulfuric Acid		Lead (DW 200.8)		
9/20/2016	0507	9/20/2016	0900	RECEIVED BY: (SIGNATURE)		Lter Amber HCl		Lead (DW 200.8)		
9/20/2016	0507	9/20/2016	0900	RECEIVED BY: (SIGNATURE)		40ml Vials HCl		Lead (DW 200.8)		
9/20/2016	0508	9/20/2016	0900	RECEIVED BY: (SIGNATURE)		Other		Lead (DW 200.8)		
9/20/2016	0508	9/20/2016	0900	RECEIVED BY: (SIGNATURE)		Other		Lead (DW 200.8)		
9/20/2016	0508	9/20/2016	0900	RECEIVED BY: (SIGNATURE)		Other		Lead (DW 200.8)		

RELINQUISHED BY: (SIGNATURE) Nanner S DeBary	DATE 9/22/16	TIME 0900	COMPANY BOCES
SAMPLED BY: (SIGNATURE) Nanner S DeBary	DATE 9/20/16	TIME 0900	COMPANY BOCES
RELINQUISHED BY: (SIGNATURE) [Signature]	DATE 9/22/16	TIME 1025	COMPANY BOCES
RECEIVED FOR LABORATORY BY: (SIGNATURE) [Signature]	DATE 9/22/16	TIME 1025	COMPANY BOCES

LABORATORY REMARKS: ICE (Y/N) pH ___ CL2 ___ Revisited by: _____



CHAIN OF CUSTODY

110653

Lab Name: EnviroTest Laboratories
 Address & Phone: 315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

REPORT# (Lab Use Only)

46F7

PROJECT REFERENCE Washingtonville CSD - Round Hill Elementary School		PROJECT NO		PROJECT LOCATION		MATRIX TYPE		REQUIRED ANALYSES		PAGE 1 of 1	
ENVIROTEST PROJECT MANAGER Debra Bayer		P.O. NUMBER		TOWN		SOLID OR SEMISOLID		250ml Plastic Nitric Acid		TURNAROUND TIME	
CLIENT (SITE) PM Jack DeGraw		CLIENT PHONE 845-781-4887		CLIENT FAX		D (Drinking Water) or W (Waste Water) Indicate		250ml Plastic Sulfuric Acid		NORMAL	
CLIENT NAME Orange-Ulster BOCES		CLIENT EMAIL christy.fischer@oubooces.org		OTHER SPECIFY		AQUEOUS (WATER)		Liter Amber HCl		QUICK	
CLIENT ADDRESS 53 Gibson Road, Goshen, NY 10924		COMPPOSITE (C) OR GRAB (G) INDICATE		OTHER SPECIFY		LITER AMBER HCl		40ml Vials HCl		VERBAL	
COMPANY CONTRACTING THIS WORK (If applicable)		SAMPLE IDENTIFICATION		DATE		TIME		NUMBER OF CONTAINERS SUBMITTED		# OF COOLERS	
		9/20/2016 0524 Nurse's office bathroom		9/22/16		0900		1		Lead (DW 200.8)	
		9/20/2016 0525 Nurse's office sink		9/20/16		0900		1		Lead (DW 200.8)	
		9/20/2016 0527 Room 205 sink		9/22/14		1025		1		Lead (DW 200.8)	
		9/20/2016 0527 Room 204 sink		9/22/14		1025		1		Lead (DW 200.8)	
		9/20/2016 0530 P.E. Boy's locker Room		9/22/16		0900		1		Lead (DW 200.8)	
		9/20/2016 0531 Room 100 sink		9/22/16		0900		1		Lead (DW 200.8)	
		9/20/2016 0531 Room 101 sink		9/22/16		0900		1		Lead (DW 200.8)	
		9/20/2016 0532 Room 100 bathroom sink		9/22/16		0900		1		Lead (DW 200.8)	
		9/20/2016 0532 Room 100 drinking fountain		9/22/16		0900		1		Lead (DW 200.8)	
		9/20/2016 0532 Room 101 bathroom sink		9/22/16		0900		1		Lead (DW 200.8)	
		9/20/2016 0533 Room 101 drinking fountain		9/22/16		0900		1		Lead (DW 200.8)	
		9/20/2016 0536 Room 108 sink		9/22/16		0900		1		Lead (DW 200.8)	
		9/20/2016 0537 Room 108 bathroom sink		9/22/16		0900		1		Lead (DW 200.8)	
RELINQUISHED BY: (SIGNATURE) Nancy O'Doherty		COMPANY oubooces		DATE 9/22/16		TIME 0900		RECEIVED BY: (SIGNATURE) [Signature]		COMPANY oubooces	
SAMPLED BY: (SIGNATURE) Nancy O'Doherty		COMPANY oubooces		DATE 9/20/16		TIME 0900		RECEIVED BY: (SIGNATURE) [Signature]		COMPANY oubooces	
RELINQUISHED BY: (SIGNATURE) [Signature]		COMPANY oubooces		DATE 9/22/14		TIME 1025		RECEIVED BY: (SIGNATURE) [Signature]		COMPANY oubooces	

RECEIVED BY: (SIGNATURE) [Signature]	DATE 9/22/16	TIME 9:00
RECEIVED BY: (SIGNATURE) [Signature]	DATE 9/22/16	TIME 9:00
RECEIVED BY: (SIGNATURE) [Signature]	DATE 9/22/14	TIME 10:25
RECEIVED BY: (SIGNATURE) [Signature]	DATE 9/22/16	TIME 10:25
CUSTODY INTACT YES NO	COOLER TEMP(C): 22.0	LABORATORY REMARKS: ICE (Y_N) PH CL2

EnviroTest Laboratories, Inc.

CHAIN OF CUSTODY

Lab Name: EnviroTest Laboratories
 Address & Phone: 315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

REPORT# (Lab Use Only)

106053

587

PROJECT REFERENCE Washingtonville CSD - Round Hill Elementary School		PROJECT NO		PROJECT LOCATION		MATERIAL TYPE		REQUIRED ANALYSES		PAGE 1 of 1	
ENVIROTEST PROJECT MANAGER Debra Bayer		P.O. NUMBER		TOWN		D (Drinking Water) or W (Waste Water) Indicate		Terra Core		TURNAROUND TIME	
CLIENT (SITE) PM Jack DeGraw		CLIENT PHONE 845-781-4887		CLIENT FAX		AQUEOUS (WATER)		250ml Plastic		NORMAL	
CLIENT NAME Orange-Ulster BOCES		CLIENT ADDRESS 53 Gibson Road, Goshen, NY 10924		christy.fischer@oubooces.org		COMPOSITE (C) OR GRAB (G) INDICATE		250ml Plastic Sulfuric Acid		QUICK	
CLIENT ADDRESS		CLIENT PHONE		CLIENT FAX		OTHER SPECIFY		250ml Plastic Nitric Acid		VERBAL	
COMPANY CONTACTING THIS WORK (if applicable)		SAMPLE IDENTIFICATION		DATE		TIME		40ml Vials HCl		# OF COOLERS	
SAMPLE		DATE		TIME		NUMBER OF CONTAINERS SUBMITTED		Litter Amber HCl		REMARKS	
9/20/2016		05:37		Room 108 water fountain		1		1		Lead (DW 200.8)	
9/20/2016		05:38		Room 102 sink		1		1		Lead (DW 200.8)	
9/20/2016		05:38		Room 102 drinking fountain		1		1		Lead (DW 200.8)	
9/20/2016		05:38		Room 102 bathroom sink		1		1		Lead (DW 200.8)	
9/20/2016		05:39		Room 103 drinking fountain		1		1		Lead (DW 200.8)	
9/20/2016		05:39		Room 103 sink		1		1		Lead (DW 200.8)	
9/20/2016		05:40		Room 103 bathroom sink		1		1		Lead (DW 200.8)	
9/20/2016		05:41		Room 104 drinking fountain		1		1		Lead (DW 200.8)	
9/20/2016		05:41		Room 104 sink		1		1		Lead (DW 200.8)	
9/20/2016		05:42		Room 104 bathroom sink		1		1		Lead (DW 200.8)	
9/20/2016		05:43		Room 105 bathroom sink		1		1		Lead (DW 200.8)	
9/20/2016		05:45		Room 107 sink		1		1		Lead (DW 200.8)	
9/20/2016		05:45		Room 105 drinking fountain		1		1		Lead (DW 200.8)	
RELINQUISHED BY: (SIGNATURE) Travis O'Doherty		DATE 9/22/16		TIME 0900		RECEIVED BY: (SIGNATURE) [Signature]		DATE 9/22/16		TIME 900	
SAMPLED BY: (SIGNATURE) Travis O'Doherty		DATE 9/20/16		TIME 0900		RECEIVED BY: (SIGNATURE) [Signature]		DATE 9/22/16		TIME [Blank]	
RELINQUISHED BY: (SIGNATURE) [Signature]		DATE 9/22/16		TIME [Blank]		RECEIVED BY: (SIGNATURE) [Signature]		DATE [Blank]		TIME [Blank]	
RECEIVED FOR LABORATORY BY: (SIGNATURE) [Signature]		DATE 9/22/16		TIME 1025		CUSTODY INTACT YES		COOLER Temp(C): 22.0		LABORATORY REMARKS: ICE (Y/N) pH Cl2 Reversed by	

53
54
55
56
57
58
59
60
61
62
63
64
65

EnviroTest Laboratories, Inc.



CHAIN OF CUSTODY

Lab Name: EnviroTest Laboratories
 Address & Phone: 315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

REPORT# (Lab Use Only)

110653

6077

PROJECT REFERENCE		PROJECT NO	PROJECT LOCATION	MATRIX TYPE	REQUIRED ANALYSES							PAGE 1 of 1				
Washingtonville CSD - Round Hill Elementary School		P.O. NUMBER	TOWN	Other	Other	Other	Terra Core	250ml Plastic	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic Nitric Acid	40ml Vials HCl	Liter Amber HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	Turnaround Time
ENVIROTEST PROJECT MANAGER		CLIENT PHONE	CLIENT FAX	Other Specify	NUMBER OF CONTAINERS SUBMITTED							# OF COOLERS		REMARKS		
Debra Bayer		845-781-4887			1	1	1	1	1	1	1	1	1	1	1	Lead (DW 200.8)
CLIENT (SITE) PM		christy.fischer@oubooces.org			1	1	1	1	1	1	1	1	1	1	1	Lead (DW 200.8)
CLIENT NAME		Orange-Ulster BOCES			1	1	1	1	1	1	1	1	1	1	1	Lead (DW 200.8)
CLIENT ADDRESS		53 Gibson Road, Goshen, NY 10924			1	1	1	1	1	1	1	1	1	1	1	Lead (DW 200.8)
COMPANY CONTRACTING THIS WORK (if applicable)					1	1	1	1	1	1	1	1	1	1	1	Lead (DW 200.8)
SAMPLE DATE	TIME	SAMPLE IDENTIFICATION		COMPOSITE (C) OR GRAB (G) INDICATE	OTHER SPECIFY	40ml Vials HCl	Liter Amber HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	Liter Plastic	250ml Plastic	Terra Core	Other	Other	TURNAROUND TIME	
9/20/2016	0547	Room 105 sink		G		1										
9/20/2016	0548	Room 107 bathroom sink		G		1										
9/20/2016	0548	Room 106 drinking fountain		G		1										
9/20/2016	0548	Room 106 sink		G		1										
9/20/2016	0549	Room 106 bathroom sink		G		1										
9/20/2016	0552	OT/PT sink		G		1										
9/20/2016	0555	Room 117/116 drinking fountain		G		1										
9/20/2016	0555	Room 117 sink		G		1										
9/20/2016	0555	Room 116 sink		G		1										
9/20/2016	0556	Room 109 sink		G		1										
9/20/2016	0557	Room 109/110 drinking fountain		G		1										
9/20/2016	0558	Room 110 sink		G		1										
9/20/2016	0600	Room 115 sink		G		1										
RELINQUISHED BY: (SIGNATURE)	DATE	COMPANY	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME	COMPANY	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME	COMPANY	DATE	TIME
<i>Travis B. Doherty</i>	9/22/16	oubooces	9/22/16	0900	<i>[Signature]</i>	9/22/16	0900	oubooces	9/22/16	0900	<i>[Signature]</i>	9/22/16	0900	oubooces	9/22/16	0900
<i>Travis B. Doherty</i>	9/20/16	oubooces	9/20/16	0900	<i>[Signature]</i>	9/20/16	0900	oubooces	9/20/16	0900	<i>[Signature]</i>	9/20/16	0900	oubooces	9/20/16	0900
<i>[Signature]</i>	9/22/16	oubooces	9/22/16	1025	<i>[Signature]</i>	9/22/16	1025	oubooces	9/22/16	1025	<i>[Signature]</i>	9/22/16	1025	oubooces	9/22/16	1025

66
67
68
69
70
71
72
73
74
75
76
77
78

LOGIN SAMPLE RECEIPT CHECK LIST

Client: Orange-Ulster BOCES

Job Number: 420-110653-1

SDG Number: Washingtonville CSD-Round Hill Elementar

Login Number: 110653

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	
Cooler Temperature is recorded.	True	22.0 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	False	
If false, was sample received on ice within 6 hours of collection.	False	
Based on above criteria cooler temperature is acceptable.	True	Method does not require cooling
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	NA	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	