

ANALYTICAL REPORT

Job Number: 420-110707-1

SDG Number: Washingtonville CSD-Taft Elementary

Job Description: Orange-Ulster BOCES

For:

Orange-Ulster BOCES

53 Gibson Road

Goshen, NY 10924

Attention: Jack DeGraw



Meredith W Ruthven

Customer Service Manager

mruthven@envirotestlaboratories.com

10/18/2016

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified in the Certification Information section of this report. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOH PH-0554

Job Narrative
420-J110707-1

Comments

Results are compared to NYSDOH drinking water standards other federal regulations may apply.

No additional comments.

Receipt

All samples were received in good condition within temperature requirements.

Metals

No analytical or quality issues were noted.

METHOD SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-110707-1

SDG Number: Washingtonville CSD-Taft Elementary

Description	Lab Location	Method	Preparation Method
Matrix: Water			
ICPMS Metals by 200.8	EnvTest	EPA 200.8 Rev.5.4	
200 Series Drinking Water Prep Determination Step	EnvTest		EPA 200

Lab References:

EnvTest = EnviroTest

Method References:

EPA = US Environmental Protection Agency

METHOD / ANALYST SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-110707-1

SDG Number: Washingtonville CSD-Taft Elementary

Method	Analyst	Analyst ID
EPA 200.8 Rev.5.4	Pistole, Maria	MP

SAMPLE SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-110707-1
SDG Number: Washingtonville CSD-Taft Elementary

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-110707-1	Kitchen wash sink left	Drinking Water	09/22/2016 0434	09/23/2016 0850
420-110707-2	Kitchen wash sink Right	Drinking Water	09/22/2016 0435	09/23/2016 0850
420-110707-3	Kitchen wash sink (spray)	Drinking Water	09/22/2016 0436	09/23/2016 0850
420-110707-4	Kitchen hand wash sink	Drinking Water	09/22/2016 0437	09/23/2016 0850
420-110707-5	Kitchen food prep sink	Drinking Water	09/22/2016 0437	09/23/2016 0850
420-110707-6	Kitchen bathroom sink	Drinking Water	09/22/2016 0438	09/23/2016 0850
420-110707-7	Kitchen sink by refrigerator	Drinking Water	09/22/2016 0438	09/23/2016 0850
420-110707-8	Kitchen sinks by cafeteria right	Drinking Water	09/22/2016 0441	09/23/2016 0850
420-110707-9	Kitchen sinks by cafeteria left	Drinking Water	09/22/2016 0441	09/23/2016 0850
420-110707-10	Kitchen Pot filler	Drinking Water	09/22/2016 0443	09/23/2016 0850
420-110707-11	Kitchen sparyer inside comby oven	Drinking Water	09/22/2016 0443	09/23/2016 0850
420-110707-12	Cafeteria hall water fountain	Drinking Water	09/22/2016 0445	09/23/2016 0850
420-110707-13	Cafeteria hall Left sink	Drinking Water	09/22/2016 0445	09/23/2016 0850
420-110707-14	Cafeteria Hall Right Sink	Drinking Water	09/22/2016 0446	09/23/2016 0850
420-110707-15	Room 3 Drinking Fountain	Drinking Water	09/22/2016 0447	09/23/2016 0850
420-110707-16	Room 3 Bathroom Sink	Drinking Water	09/22/2016 0447	09/23/2016 0850
420-110707-17	Room 3 Island sink	Drinking Water	09/22/2016 0447	09/23/2016 0850
420-110707-18	Room 4 Bathroom sink	Drinking Water	09/22/2016 0448	09/23/2016 0850
420-110707-19	Room 2 Drinking Fountain	Drinking Water	09/22/2016 0449	09/23/2016 0850
420-110707-20	Room 2 Island sink	Drinking Water	09/22/2016 0449	09/23/2016 0850
420-110707-21	Room 2 bathroom sink	Drinking Water	09/22/2016 0449	09/23/2016 0850
420-110707-22	Room 1 Drinking Fountain	Drinking Water	09/22/2016 0450	09/23/2016 0850
420-110707-23	Room 5 Bathroom Sink	Drinking Water	09/22/2016 0450	09/23/2016 0850
420-110707-24	Room 1 Bathroom Sink	Drinking Water	09/22/2016 0451	09/23/2016 0850
420-110707-25	Hall bathroom by Nurse	Drinking Water	09/22/2016 0453	09/23/2016 0850
420-110707-26	Nurse's office sink	Drinking Water	09/22/2016 0454	09/23/2016 0850
420-110707-27	Faculty Bathroom on right across from cafeteria	Drinking Water	09/22/2016 0455	09/23/2016 0850
420-110707-28	Faculty Bathroom on left across from cafeteria	Drinking Water	09/22/2016 0455	09/23/2016 0850
420-110707-29	Office bathroom on left	Drinking Water	09/22/2016 0456	09/23/2016 0850
420-110707-30	Office sink	Drinking Water	09/22/2016 0457	09/23/2016 0850
420-110707-31	Room 100 Island sink	Drinking Water	09/22/2016 0459	09/23/2016 0850
420-110707-32	Room 100 Drinking Fountain	Drinking Water	09/22/2016 0459	09/23/2016 0850
420-110707-33	Room 102 Drinking Fountain	Drinking Water	09/22/2016 0500	09/23/2016 0850
420-110707-34	Room 100 Bathroom sink	Drinking Water	09/22/2016 0500	09/23/2016 0850
420-110707-35	Room 102 Bathroom sink	Drinking Water	09/22/2016 0501	09/23/2016 0850
420-110707-36	Room 102 Island sink	Drinking Water	09/22/2016 0501	09/23/2016 0850
420-110707-37	Room 101 Island sink	Drinking Water	09/22/2016 0502	09/23/2016 0850
420-110707-38	Room 101 Bathroom sink	Drinking Water	09/22/2016 0502	09/23/2016 0850
420-110707-39	Room 101 Drinking Fountain	Drinking Water	09/22/2016 0502	09/23/2016 0850

SAMPLE SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-110707-1
SDG Number: Washingtonville CSD-Taft Elementary

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-110707-40	Room 103 Drinking Fountain	Drinking Water	09/22/2016 0503	09/23/2016 0850
420-110707-41	Room 103 Island Sink	Drinking Water	09/22/2016 0503	09/23/2016 0850
420-110707-42	Room 104 Drinking Fountain	Drinking Water	09/22/2016 0504	09/23/2016 0850
420-110707-43	Room 103 bathroom sink	Drinking Water	09/22/2016 0504	09/23/2016 0850
420-110707-44	Room 104 bathroom sink	Drinking Water	09/22/2016 0505	09/23/2016 0850
420-110707-45	Room 104 Island sink	Drinking Water	09/22/2016 0505	09/23/2016 0850
420-110707-46	Room 106 Drinking Fountain	Drinking Water	09/22/2016 0506	09/23/2016 0850
420-110707-47	Room 106 Bathroom sink	Drinking Water	09/22/2016 0506	09/23/2016 0850
420-110707-48	Room 106 Island sink	Drinking Water	09/22/2016 0506	09/23/2016 0850
420-110707-49	Room 105 Drinking Fountain	Drinking Water	09/22/2016 0507	09/23/2016 0850
420-110707-50	Room 105 Bathroom sink	Drinking Water	09/22/2016 0507	09/23/2016 0850
420-110707-51	Room 105 Island sink	Drinking Water	09/22/2016 0507	09/23/2016 0850
420-110707-52	Room 107 Drinking Fountain	Drinking Water	09/22/2016 0508	09/23/2016 0850
420-110707-53	Room 107 Island Sink	Drinking Water	09/22/2016 0508	09/23/2016 0850
420-110707-54	Room 107 Bathroom sink	Drinking Water	09/22/2016 0509	09/23/2016 0850
420-110707-55	Room 108 Drinking Fountain	Drinking Water	09/22/2016 0509	09/23/2016 0850
420-110707-56	Room 108 Island sink	Drinking Water	09/22/2016 0510	09/23/2016 0850
420-110707-57	Room 108 Bathroom sink	Drinking Water	09/22/2016 0510	09/23/2016 0850
420-110707-58	Room 110 Drinking Fountain	Drinking Water	09/22/2016 0510	09/23/2016 0850
420-110707-59	Room 110 Island Sink	Drinking Water	09/22/2016 0511	09/23/2016 0850
420-110707-60	Room 110 Bathroom sink	Drinking Water	09/22/2016 0511	09/23/2016 0850
420-110707-61	Room 109 Island sink	Drinking Water	09/22/2016 0512	09/23/2016 0850
420-110707-62	Room 109 Drinking Fountain	Drinking Water	09/22/2016 0512	09/23/2016 0850
420-110707-63	Room 109 Bathroom sink	Drinking Water	09/22/2016 0512	09/23/2016 0850
420-110707-64	Room 111 Island sink	Drinking Water	09/22/2016 0513	09/23/2016 0850
420-110707-65	Room 111 Bathroom sink	Drinking Water	09/22/2016 0513	09/23/2016 0850
420-110707-66	Room 112 Drinking Fountain	Drinking Water	09/22/2016 0514	09/23/2016 0850
420-110707-67	Room 112 Island sink	Drinking Water	09/22/2016 0514	09/23/2016 0850
420-110707-68	Room 301 Drinking Fountain	Drinking Water	09/22/2016 0517	09/23/2016 0850
420-110707-69	Room 301 Bathroom sink	Drinking Water	09/22/2016 0517	09/23/2016 0850
420-110707-70	Room 302 Bathroom sink	Drinking Water	09/22/2016 0519	09/23/2016 0850
420-110707-71	Room 303 Bathroom sink	Drinking Water	09/22/2016 0520	09/23/2016 0850
420-110707-72	Upper Wing Boy's bathroom #1 Left sink	Drinking Water	09/22/2016 0522	09/23/2016 0850
420-110707-73	Upper Wing Boy's bathroom #2 Sink	Drinking Water	09/22/2016 0523	09/23/2016 0850
420-110707-74	Upper Wing Boy's bathroom #3 Sink	Drinking Water	09/22/2016 0523	09/23/2016 0850
420-110707-75	Upper Wing Boy's bathroom #4 Right Sink	Drinking Water	09/22/2016 0523	09/23/2016 0850

SAMPLE SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-110707-1
SDG Number: Washingtonville CSD-Taft Elementary

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-110707-76	Upper Wing Girl's bathroom Left Sink	Drinking Water	09/22/2016 0525	09/23/2016 0850
420-110707-77	Upper Wing Girl's bathroom Right sink	Drinking Water	09/22/2016 0525	09/23/2016 0850
420-110707-78	Room 200 Sink	Drinking Water	09/22/2016 0526	09/23/2016 0850
420-110707-79	Water Fountain between 201/203	Drinking Water	09/22/2016 0527	09/23/2016 0850
420-110707-80	Room 202 Sink	Drinking Water	09/22/2016 0528	09/23/2016 0850
420-110707-81	Room 203 Sink	Drinking Water	09/22/2016 0528	09/23/2016 0850
420-110707-82	Room 204 Sink	Drinking Water	09/22/2016 0528	09/23/2016 0850
420-110707-83	Room 205 Sink	Drinking Water	09/22/2016 0529	09/23/2016 0850
420-110707-84	Room 206 Sink	Drinking Water	09/22/2016 0530	09/23/2016 0850
420-110707-85	Room 208 Sink	Drinking Water	09/22/2016 0530	09/23/2016 0850
420-110707-86	Room 209 Sink	Drinking Water	09/22/2016 0531	09/23/2016 0850
420-110707-87	Room 210 Sink	Drinking Water	09/22/2016 0531	09/23/2016 0850
420-110707-88	Room 211 Sink	Drinking Water	09/22/2016 0532	09/23/2016 0850
420-110707-89	Art Room Left Sink	Drinking Water	09/22/2016 0534	09/23/2016 0850
420-110707-90	Art Room Right Sink	Drinking Water	09/22/2016 0534	09/23/2016 0850
420-110707-91	Girl's locker room left sink	Drinking Water	09/22/2016 0535	09/23/2016 0850
420-110707-92	Girl's locker room right sink	Drinking Water	09/22/2016 0535	09/23/2016 0850
420-110707-93	Drinking Fountain Next to Phys. Ed. Office (girl's)	Drinking Water	09/22/2016 0537	09/23/2016 0850
420-110707-94	Girl's Phys.Ed. Office sink	Drinking Water	09/22/2016 0537	09/23/2016 0850
420-110707-95	Room 300B Bathroom Left Sink	Drinking Water	09/22/2016 0538	09/23/2016 0850
420-110707-96	Room 300B Bathroom Right Sink	Drinking Water	09/22/2016 0538	09/23/2016 0850
420-110707-97	Room 300B Drinking Fountain	Drinking Water	09/22/2016 0539	09/23/2016 0850
420-110707-98	Room 300B classroom sink	Drinking Water	09/22/2016 0539	09/23/2016 0850
420-110707-99	Library work room sink	Drinking Water	09/22/2016 0540	09/23/2016 0850
420-110707-100	Boy's Phys.Ed. Office sink	Drinking Water	09/22/2016 0541	09/23/2016 0850
420-110707-101	Water fountain by Phys. Ed. Office (boy's)	Drinking Water	09/22/2016 0541	09/23/2016 0850
420-110707-102	Boy's Locker room left sink	Drinking Water	09/22/2016 0542	09/23/2016 0850
420-110707-103	Boy's Locker room right sink	Drinking Water	09/22/2016 0542	09/23/2016 0850
420-110707-104	Boy's Locker room Drinking Fountain	Drinking Water	09/22/2016 0543	09/23/2016 0850

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Kitchen wash sink left
Lab Sample ID: 420-110707-1

Date Sampled: 09/22/2016 0434
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0040	
Prep Method: 200			Date Prepared:	10/11/2016 1106	
Pb	5.14	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Kitchen wash sink Right
Lab Sample ID: 420-110707-2

Date Sampled: 09/22/2016 0435
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0054	
Prep Method: 200			Date Prepared:	10/11/2016 1106	
Pb	4.60	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Kitchen wash sink (spray)
Lab Sample ID: 420-110707-3

Date Sampled: 09/22/2016 0436
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0058	
Prep Method: 200			Date Prepared:	10/11/2016 1106	
Pb	3.58	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Kitchen hand wash sink
Lab Sample ID: 420-110707-4

Date Sampled: 09/22/2016 0437
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4		Date Analyzed:		10/14/2016 0108	
Prep Method: 200		Date Prepared:		10/11/2016 1106	
Pb	14.4	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Kitchen food prep sink
Lab Sample ID: 420-110707-5

Date Sampled: 09/22/2016 0437
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0112	
Prep Method: 200			Date Prepared:	10/11/2016 1106	
Pb	20.5 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Kitchen bathroom sink
Lab Sample ID: 420-110707-6

Date Sampled: 09/22/2016 0438
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016	0115	
Prep Method: 200			Date Prepared:	10/11/2016	1106	
Pb	83.1	g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Kitchen sink by refrigerator
Lab Sample ID: 420-110707-7

Date Sampled: 09/22/2016 0438
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 1722	
Prep Method: 200			Date Prepared:	10/11/2016 1410	
Pb	1640 g	ug/L	10.0	10.0	10

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Kitchen sinks by cafeteria right
Lab Sample ID: 420-110707-8

Date Sampled: 09/22/2016 0441
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0119	
Prep Method: 200			Date Prepared:	10/11/2016 1106	
Pb	22.0 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Kitchen sinks by cafeteria left
Lab Sample ID: 420-110707-9

Date Sampled: 09/22/2016 0441
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0122	
Prep Method: 200			Date Prepared:	10/11/2016 1106	
Pb	43.2 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Kitchen Pot filler
Lab Sample ID: 420-110707-10

Date Sampled: 09/22/2016 0443
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0126	
Prep Method: 200			Date Prepared:	10/11/2016 1106	
Pb	3.92	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Kitchen sparyer inside comby oven
Lab Sample ID: 420-110707-11

Date Sampled: 09/22/2016 0443
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0130	
Prep Method: 200			Date Prepared:	10/11/2016 1106	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Cafeteria hall water fountain
Lab Sample ID: 420-110707-12

Date Sampled: 09/22/2016 0445
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4				Date Analyzed:	10/14/2016 0133	
Prep Method: 200				Date Prepared:	10/11/2016 1106	
Pb	1.00	U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Cafeteria hall Left sink
Lab Sample ID: 420-110707-13

Date Sampled: 09/22/2016 0445
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0137	
Prep Method: 200			Date Prepared:	10/11/2016 1106	
Pb	6.12	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Cafeteria Hall Right Sink
Lab Sample ID: 420-110707-14

Date Sampled: 09/22/2016 0446
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0140	
Prep Method: 200			Date Prepared:	10/11/2016 1106	
Pb	2.70	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 3 Drinking Fountain
Lab Sample ID: 420-110707-15

Date Sampled: 09/22/2016 0447
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0151	
Prep Method: 200			Date Prepared:	10/11/2016 1106	
Pb	12.3	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 3 Bathroom Sink
Lab Sample ID: 420-110707-16

Date Sampled: 09/22/2016 0447
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0155	
Prep Method: 200			Date Prepared:	10/11/2016 1106	
Pb	4.95	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 3 Island sink
Lab Sample ID: 420-110707-17

Date Sampled: 09/22/2016 0447
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016	0158	
Prep Method: 200			Date Prepared:	10/11/2016	1106	
Pb	42.8	g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 4 Bathroom sink
Lab Sample ID: 420-110707-18

Date Sampled: 09/22/2016 0448
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4		Date Analyzed:		10/14/2016 0202	
Prep Method: 200		Date Prepared:		10/11/2016 1106	
Pb	6.29	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 2 Drinking Fountain
Lab Sample ID: 420-110707-19

Date Sampled: 09/22/2016 0449
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016	0205	
Prep Method: 200			Date Prepared:	10/11/2016	1106	
Pb	32.7	g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 2 Island sink
Lab Sample ID: 420-110707-20

Date Sampled: 09/22/2016 0449
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016	1725	
Prep Method: 200			Date Prepared:	10/11/2016	1410	
Pb	480	g	ug/L	10.0	10.0	10

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 2 bathroom sink
Lab Sample ID: 420-110707-21

Date Sampled: 09/22/2016 0449
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0209	
Prep Method: 200			Date Prepared:	10/11/2016 1106	
Pb	6.85	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 1 Drinking Fountain
Lab Sample ID: 420-110707-22

Date Sampled: 09/22/2016 0450
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016	0213	
Prep Method: 200			Date Prepared:	10/11/2016	1106	
Pb	274	g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 5 Bathroom Sink
Lab Sample ID: 420-110707-23

Date Sampled: 09/22/2016 0450
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0216	
Prep Method: 200			Date Prepared:	10/11/2016 1140	
Pb	5.30	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 1 Bathroom Sink
Lab Sample ID: 420-110707-24

Date Sampled: 09/22/2016 0451
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0238	
Prep Method: 200			Date Prepared:	10/11/2016 1140	
Pb	8.80	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Hall bathroom by Nurse
Lab Sample ID: 420-110707-25

Date Sampled: 09/22/2016 0453
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0241	
Prep Method: 200			Date Prepared:	10/11/2016 1140	
Pb	3.70	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Nurse's office sink
Lab Sample ID: 420-110707-26

Date Sampled: 09/22/2016 0454
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0245	
Prep Method: 200			Date Prepared:	10/11/2016 1140	
Pb	7.28	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Faculty Bathroom on right across from
Lab Sample ID: 420-110707-27

Date Sampled: 09/22/2016 0455
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0248	
Prep Method: 200			Date Prepared:	10/11/2016 1140	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Faculty Bathroom on left across from cafeteria
Lab Sample ID: 420-110707-28

Date Sampled: 09/22/2016 0455
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4		Date Analyzed: 10/14/2016 0252			
Prep Method: 200		Date Prepared: 10/11/2016 1140			
Pb	4.93	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Office bathroom on left
Lab Sample ID: 420-110707-29

Date Sampled: 09/22/2016 0456
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0255	
Prep Method: 200			Date Prepared:	10/11/2016 1140	
Pb	11.7	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Office sink
Lab Sample ID: 420-110707-30

Date Sampled: 09/22/2016 0457
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4		Date Analyzed:		10/14/2016 0259	
Prep Method: 200		Date Prepared:		10/11/2016 1140	
Pb	9.85	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 100 Island sink
Lab Sample ID: 420-110707-31

Date Sampled: 09/22/2016 0459
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016	0303	
Prep Method: 200			Date Prepared:	10/11/2016	1140	
Pb	83.9	g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 100 Drinking Fountain
Lab Sample ID: 420-110707-32

Date Sampled: 09/22/2016 0459
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0306	
Prep Method: 200			Date Prepared:	10/11/2016 1140	
Pb	13.6	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 102 Drinking Fountain
Lab Sample ID: 420-110707-33

Date Sampled: 09/22/2016 0500
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0317	
Prep Method: 200			Date Prepared:	10/11/2016 1140	
Pb	22.3 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 100 Bathroom sink
Lab Sample ID: 420-110707-34

Date Sampled: 09/22/2016 0500
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0321	
Prep Method: 200			Date Prepared:	10/11/2016 1140	
Pb	5.22	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 102 Bathroom sink
Lab Sample ID: 420-110707-35

Date Sampled: 09/22/2016 0501
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0324	
Prep Method: 200			Date Prepared:	10/11/2016 1140	
Pb	8.27	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 102 Island sink
Lab Sample ID: 420-110707-36

Date Sampled: 09/22/2016 0501
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016	0328	
Prep Method: 200			Date Prepared:	10/11/2016	1140	
Pb	192	g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 101 Island sink
Lab Sample ID: 420-110707-37

Date Sampled: 09/22/2016 0502
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016	0331	
Prep Method: 200			Date Prepared:	10/11/2016	1140	
Pb	226	g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 101 Bathroom sink
Lab Sample ID: 420-110707-38

Date Sampled: 09/22/2016 0502
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0335	
Prep Method: 200			Date Prepared:	10/11/2016 1140	
Pb	7.14	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 101 Drinking Fountain
Lab Sample ID: 420-110707-39

Date Sampled: 09/22/2016 0502
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/13/2016 1736	
Prep Method: 200			Date Prepared:	10/11/2016 1410	
Pb	377 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 103 Drinking Fountain
Lab Sample ID: 420-110707-40

Date Sampled: 09/22/2016 0503
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0339	
Prep Method: 200			Date Prepared:	10/11/2016 1140	
Pb	40.0 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 103 Island Sink
Lab Sample ID: 420-110707-41

Date Sampled: 09/22/2016 0503
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016	0342	
Prep Method: 200			Date Prepared:	10/11/2016	1140	
Pb	35.4	g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 104 Drinking Fountain
Lab Sample ID: 420-110707-42

Date Sampled: 09/22/2016 0504
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4		Date Analyzed: 10/14/2016 0346			
Prep Method: 200		Date Prepared: 10/11/2016 1140			
Pb	6.85	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 103 bathroom sink
Lab Sample ID: 420-110707-43

Date Sampled: 09/22/2016 0504
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0349	
Prep Method: 200			Date Prepared:	10/11/2016 1140	
Pb	5.32	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 104 bathroom sink
Lab Sample ID: 420-110707-44

Date Sampled: 09/22/2016 0505
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0400	
Prep Method: 200			Date Prepared:	10/11/2016 1317	
Pb	8.50	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 104 Island sink
Lab Sample ID: 420-110707-45

Date Sampled: 09/22/2016 0505
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016	0415	
Prep Method: 200			Date Prepared:	10/11/2016	1317	
Pb	56.7	g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 106 Drinking Fountain
Lab Sample ID: 420-110707-46

Date Sampled: 09/22/2016 0506
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4		Date Analyzed: 10/14/2016 0418			
Prep Method: 200		Date Prepared: 10/11/2016 1317			
Pb	11.4	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 106 Bathroom sink
Lab Sample ID: 420-110707-47

Date Sampled: 09/22/2016 0506
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0422	
Prep Method: 200			Date Prepared:	10/11/2016 1317	
Pb	6.38	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 106 Island sink
Lab Sample ID: 420-110707-48

Date Sampled: 09/22/2016 0506
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016	0425	
Prep Method: 200			Date Prepared:	10/11/2016	1317	
Pb	174	g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 105 Drinking Fountain
Lab Sample ID: 420-110707-49

Date Sampled: 09/22/2016 0507
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4 Prep Method: 200 Pb			Date Analyzed:	10/13/2016	1739	
			Date Prepared:	10/11/2016	1410	
	743	g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 105 Bathroom sink
Lab Sample ID: 420-110707-50

Date Sampled: 09/22/2016 0507
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0429	
Prep Method: 200			Date Prepared:	10/11/2016 1317	
Pb	7.12	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 105 Island sink
Lab Sample ID: 420-110707-51

Date Sampled: 09/22/2016 0507
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016	0433	
Prep Method: 200			Date Prepared:	10/11/2016	1317	
Pb	485	g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 107 Drinking Fountain
Lab Sample ID: 420-110707-52

Date Sampled: 09/22/2016 0508
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0443	
Prep Method: 200			Date Prepared:	10/11/2016 1317	
Pb	8.79	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 107 Island Sink
Lab Sample ID: 420-110707-53

Date Sampled: 09/22/2016 0508
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4				Date Analyzed:	10/14/2016 0447	
Prep Method: 200				Date Prepared:	10/11/2016 1317	
Pb	92.6	g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 107 Bathroom sink
Lab Sample ID: 420-110707-54

Date Sampled: 09/22/2016 0509
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0451	
Prep Method: 200			Date Prepared:	10/11/2016 1317	
Pb	5.79	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 108 Drinking Fountain
Lab Sample ID: 420-110707-55

Date Sampled: 09/22/2016 0509
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4		Date Analyzed: 10/14/2016 0454			
Prep Method: 200		Date Prepared: 10/11/2016 1317			
Pb	14.0	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 108 Island sink
Lab Sample ID: 420-110707-56

Date Sampled: 09/22/2016 0510
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016	0458	
Prep Method: 200			Date Prepared:	10/11/2016	1317	
Pb	342	g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 108 Bathroom sink
Lab Sample ID: 420-110707-57

Date Sampled: 09/22/2016 0510
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4					
Prep Method: 200					
Pb	22.1 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 110 Drinking Fountain
Lab Sample ID: 420-110707-58

Date Sampled: 09/22/2016 0510
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0505	
Prep Method: 200			Date Prepared:	10/11/2016 1317	
Pb	8.20	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 110 Island Sink
Lab Sample ID: 420-110707-59

Date Sampled: 09/22/2016 0511
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016	0509	
Prep Method: 200			Date Prepared:	10/11/2016	1317	
Pb	136	g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 110 Bathroom sink
Lab Sample ID: 420-110707-60

Date Sampled: 09/22/2016 0511
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0512	
Prep Method: 200			Date Prepared:	10/11/2016 1317	
Pb	8.41	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 109 Island sink
Lab Sample ID: 420-110707-61

Date Sampled: 09/22/2016 0512
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016	0516	
Prep Method: 200			Date Prepared:	10/11/2016	1317	
Pb	18.8	g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 109 Drinking Fountain
Lab Sample ID: 420-110707-62

Date Sampled: 09/22/2016 0512
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0527	
Prep Method: 200			Date Prepared:	10/11/2016 1317	
Pb	29.4 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 109 Bathroom sink
Lab Sample ID: 420-110707-63

Date Sampled: 09/22/2016 0512
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0530	
Prep Method: 200			Date Prepared:	10/11/2016 1317	
Pb	5.99	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 111 Island sink
Lab Sample ID: 420-110707-64

Date Sampled: 09/22/2016 0513
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0534	
Prep Method: 200			Date Prepared:	10/11/2016 1317	
Pb	7.67	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 111 Bathroom sink
Lab Sample ID: 420-110707-65

Date Sampled: 09/22/2016 0513
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0537	
Prep Method: 200			Date Prepared:	10/11/2016 1317	
Pb	41.4 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 112 Drinking Fountain
Lab Sample ID: 420-110707-66

Date Sampled: 09/22/2016 0514
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0552	
Prep Method: 200			Date Prepared:	10/11/2016 1317	
Pb	7.94	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 112 Island sink
Lab Sample ID: 420-110707-67

Date Sampled: 09/22/2016 0514
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4 Prep Method: 200 Pb				Date Analyzed:	10/14/2016	0555
				Date Prepared:	10/11/2016	1317
	20.1	g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 301 Drinking Fountain
Lab Sample ID: 420-110707-68

Date Sampled: 09/22/2016 0517
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016	0559	
Prep Method: 200			Date Prepared:	10/11/2016	1317	
Pb	128	g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 301 Bathroom sink
Lab Sample ID: 420-110707-69

Date Sampled: 09/22/2016 0517
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0610	
Prep Method: 200			Date Prepared:	10/11/2016 1317	
Pb	10.1	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 302 Bathroom sink
Lab Sample ID: 420-110707-70

Date Sampled: 09/22/2016 0519
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0614	
Prep Method: 200			Date Prepared:	10/11/2016 1317	
Pb	17.9 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 303 Bathroom sink
Lab Sample ID: 420-110707-71

Date Sampled: 09/22/2016 0520
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0617	
Prep Method: 200			Date Prepared:	10/11/2016 1317	
Pb	13.6	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Upper Wing Boy's bathroom #1 Left sink
Lab Sample ID: 420-110707-72

Date Sampled: 09/22/2016 0522
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0621	
Prep Method: 200			Date Prepared:	10/11/2016 1317	
Pb	3.87	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Upper Wing Boy's bathroom #2 Sink
Lab Sample ID: 420-110707-73

Date Sampled: 09/22/2016 0523
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0624	
Prep Method: 200			Date Prepared:	10/11/2016 1317	
Pb	3.40	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Upper Wing Boy's bathroom #3 Sink
Lab Sample ID: 420-110707-74

Date Sampled: 09/22/2016 0523
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4				Date Analyzed:	10/14/2016 0628	
Prep Method: 200				Date Prepared:	10/11/2016 1317	
Pb	1.00	U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Upper Wing Boy's bathroom #4 Right Sink
Lab Sample ID: 420-110707-75

Date Sampled: 09/22/2016 0523
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0632	
Prep Method: 200			Date Prepared:	10/11/2016 1317	
Pb	1.54	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Upper Wing Girl's bathroom Left Sink
Lab Sample ID: 420-110707-76

Date Sampled: 09/22/2016 0525
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0635	
Prep Method: 200			Date Prepared:	10/11/2016 1317	
Pb	5.11	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Upper Wing Girl's bathroom Right sink
Lab Sample ID: 420-110707-77

Date Sampled: 09/22/2016 0525
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0639	
Prep Method: 200			Date Prepared:	10/11/2016 1317	
Pb	4.03	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 200 Sink
Lab Sample ID: 420-110707-78

Date Sampled: 09/22/2016 0526
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0642	
Prep Method: 200			Date Prepared:	10/11/2016 1317	
Pb	3.16	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Water Fountain between 201/203
Lab Sample ID: 420-110707-79

Date Sampled: 09/22/2016 0527
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0924	
Prep Method: 200			Date Prepared:	10/11/2016 1317	
Pb	1.18	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 202 Sink
Lab Sample ID: 420-110707-80

Date Sampled: 09/22/2016 0528
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0928	
Prep Method: 200			Date Prepared:	10/11/2016 1317	
Pb	3.15	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 203 Sink
Lab Sample ID: 420-110707-81

Date Sampled: 09/22/2016 0528
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4				Date Analyzed:	10/14/2016 0931	
Prep Method: 200				Date Prepared:	10/11/2016 1317	
Pb	42.0	g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 204 Sink
Lab Sample ID: 420-110707-82

Date Sampled: 09/22/2016 0528
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0935	
Prep Method: 200			Date Prepared:	10/11/2016 1317	
Pb	13.8	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 205 Sink
Lab Sample ID: 420-110707-83

Date Sampled: 09/22/2016 0529
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4				Date Analyzed:	10/14/2016 0938	
Prep Method: 200				Date Prepared:	10/11/2016 1317	
Pb	20.5	g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 206 Sink
Lab Sample ID: 420-110707-84

Date Sampled: 09/22/2016 0530
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4				Date Analyzed:	10/14/2016 0942	
Prep Method: 200				Date Prepared:	10/11/2016 1317	
Pb	22.4	g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 208 Sink
Lab Sample ID: 420-110707-85

Date Sampled: 09/22/2016 0530
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 2006	
Prep Method: 200			Date Prepared:	10/12/2016 0945	
Pb	9.82	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 209 Sink
Lab Sample ID: 420-110707-86

Date Sampled: 09/22/2016 0531
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 0945	
Prep Method: 200			Date Prepared:	10/11/2016 1430	
Pb	5.89	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 210 Sink
Lab Sample ID: 420-110707-87

Date Sampled: 09/22/2016 0531
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 1006	
Prep Method: 200			Date Prepared:	10/11/2016 1430	
Pb	30.0 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 211 Sink
Lab Sample ID: 420-110707-88

Date Sampled: 09/22/2016 0532
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016	1010	
Prep Method: 200			Date Prepared:	10/11/2016	1430	
Pb	36.3	g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Art Room Left Sink
Lab Sample ID: 420-110707-89

Date Sampled: 09/22/2016 0534
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 1013	
Prep Method: 200			Date Prepared:	10/11/2016 1430	
Pb	1.87	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Art Room Right Sink
Lab Sample ID: 420-110707-90

Date Sampled: 09/22/2016 0534
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 1017	
Prep Method: 200			Date Prepared:	10/11/2016 1430	
Pb	1.22	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Girl's locker room left sink
Lab Sample ID: 420-110707-91

Date Sampled: 09/22/2016 0535
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 1020	
Prep Method: 200			Date Prepared:	10/11/2016 1430	
Pb	45.9 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Girl's locker room right sink
Lab Sample ID: 420-110707-92

Date Sampled: 09/22/2016 0535
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 1024	
Prep Method: 200			Date Prepared:	10/11/2016 1430	
Pb	12.4	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Drinking Fountain Next to Phys. Ed. Office
Lab Sample ID: 420-110707-93

Date Sampled: 09/22/2016 0537
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 1027	
Prep Method: 200			Date Prepared:	10/11/2016 1430	
Pb	4.58	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Girl's Phys.Ed. Office sink
Lab Sample ID: 420-110707-94

Date Sampled: 09/22/2016 0537
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 1031	
Prep Method: 200			Date Prepared:	10/11/2016 1430	
Pb	14.4	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 300B Bathroom Left Sink
Lab Sample ID: 420-110707-95

Date Sampled: 09/22/2016 0538
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 1034	
Prep Method: 200			Date Prepared:	10/11/2016 1430	
Pb	20.2 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 300B Bathroom Right Sink
Lab Sample ID: 420-110707-96

Date Sampled: 09/22/2016 0538
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 1045	
Prep Method: 200			Date Prepared:	10/11/2016 1430	
Pb	10.6	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 300B Drinking Fountain
Lab Sample ID: 420-110707-97

Date Sampled: 09/22/2016 0539
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 1048	
Prep Method: 200			Date Prepared:	10/11/2016 1430	
Pb	198 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Room 300B classroom sink
Lab Sample ID: 420-110707-98

Date Sampled: 09/22/2016 0539
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 1052	
Prep Method: 200			Date Prepared:	10/11/2016 1430	
Pb	3.78	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Library work room sink
Lab Sample ID: 420-110707-99

Date Sampled: 09/22/2016 0540
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 1055	
Prep Method: 200			Date Prepared:	10/11/2016 1430	
Pb	11.2	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Boy's Phys.Ed. Office sink
Lab Sample ID: 420-110707-100

Date Sampled: 09/22/2016 0541
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 1059	
Prep Method: 200			Date Prepared:	10/11/2016 1430	
Pb	27.6 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Water fountain by Phys. Ed. Office (boy's)
Lab Sample ID: 420-110707-101

Date Sampled: 09/22/2016 0541
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 1102	
Prep Method: 200			Date Prepared:	10/11/2016 1430	
Pb	4.44	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Boy's Locker room left sink
Lab Sample ID: 420-110707-102

Date Sampled: 09/22/2016 0542
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4				Date Analyzed:	10/14/2016 1106	
Prep Method: 200				Date Prepared:	10/11/2016 1430	
Pb	143	g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Boy's Locker room right sink
Lab Sample ID: 420-110707-103

Date Sampled: 09/22/2016 0542
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 1109	
Prep Method: 200			Date Prepared:	10/11/2016 1430	
Pb	83.8 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110707-1
Sdg Number: Washingtonville CSD-Taft Elementary

Client Sample ID: Boy's Locker room Drinking Fountain
Lab Sample ID: 420-110707-104

Date Sampled: 09/22/2016 0543
Date Received: 09/23/2016 0850
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/14/2016 1113	
Prep Method: 200			Date Prepared:	10/11/2016 1430	
Pb	152 g	ug/L	1.00	1.00	1.0

DATA REPORTING QUALIFIERS

Client: Orange-Ulster BOCES

Job Number:

Sdg Number: Washingtonville CSD-Taft Elementary

Lab Section	Qualifier	Description
Metals		
	g	Result fails applicable NYS drinking water standards
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Certification Information

Client: Orange-Ulster BOCES

Job Number:

Sdg Number: Washingtonville CSD-Taft Elementary

The following analytes are Not Part of the ELAP scope of accreditation:

Sulfur, Tungsten, Silicon, Bicarbonate Alkalinity, 7 Day BOD 5210C, 28 Day BOD, Soluble BOD, Carbon Dioxide, Carbonate Alkalinity, CBOD Soluble, Chlorine, Cyanide (WAD), Ferrous Iron, Ferric Iron, Total Nitrogen, Total Organic Nitrogen, Dissolved Oxygen, pH, Phenolphthalien Alkalinity, Solids (Fixed), Solids (Percent), Solids (Percent Moisture), Solids (Percent Volatile), Solids (Volatile Suspended), Temperature, TKN (Soluble), Total Inorganic Carbon, Volatile Acids as Acetic Acid, 2-Aminopyridine, 3-Picoline, 1-Methyl-2-pyrrilidinone, Aziridine, Dimethyl sulfoxide, 1-Chlorohexane, Iron Bacteria, Salmonella, & Sulfur Reducing Bacteria.

The following analytes are Not Part of ELAP Potable Water scope of accreditation:

Cobalt (200.7, 200.8), Tin (200.7), Strontium (200.7), Gold (200.7), Platinum (200.7), Palladium (200.7), Titanium (200.7), Phosphorus (365.3), Nitrate-Nitrite (10-107-4-1C, 353.2), m-Xylene & p-Xylene (502.2, 524), Naphthalene (502.2), o-Xylene (502.2, 524), & Fecal Coliform (9222D).

The following analytes are Not Part of ELAP Solid and Hazardous Waste scope of accreditation:

Ammonia (SM 4500NH3G), TKN (351.2), Phosphorus (365.3), 1,2-Dichloro-1,1,2-trifluoroethane (8260), & Chlorodifluoromethane (8260).

The following analytes are Not Part of ELAP Non Potable Water scope of accreditation:

Dissolved Organic Carbon (5310C), Mecoprop (8151A), & MCPA (8151A).

Definitions and Glossary

Client: Orange-Ulster BOCES

Job Number:

Sdg Number: Washingtonville CSD-Taft Elementary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.

Lab Name: EnviroTest Laboratories
Address & Phone: 315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

PROJECT REFERENCE Washingtonville CSD - Taft Elementary School		PROJECT NO	MATRIX TYPE	REQUIRED ANALYSES		PAGE 1 of 1	
ENVIROTEST PROJECT MANAGER Debra Bayer		P.O. NUMBER	OTHER SPECIFY	40ml Vials HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	TURNAROUND TIME
CLIENT (SITE) PM Jack DeGraw		CLIENT PHONE 845-781-4887		Liter Amber HCl	Liter Plastic	250ml Plastic	
CLIENT NAME Orange-Ulster BOCES		christy.fischer@oubooces.org	COMPOSITE (C) OR GRAB (G) INDICATE				QUICK
CLIENT ADDRESS 53 Gibson Road, Goshen, NY 10924			AQUEOUS (WATER) INDICATE				VERBAL
COMPANY CONTRACTING LABS WORK (if applicable)			D (Drinking Water) or W (Waste Water) Indicate				
SAMPLE IDENTIFICATION		DATE	TIME				
1	9/22/2016 0434 Kitchen wash sink left						Lead (DW 200.8)
2	9/22/2016 0435 Kitchen wash sink Right						Lead (DW 200.8)
3	9/22/2016 0436 Kitchen wash sink (sprayer)						Lead (DW 200.8)
4	9/22/2016 0437 Kitchen hand wash sink						Lead (DW 200.8)
5	9/22/2016 0437 Kitchen food prep sink						Lead (DW 200.8)
6	9/22/2016 0438 Kitchen bathroom sink						Lead (DW 200.8)
7	9/22/2016 0438 Kitchen sink by refrigerator						Lead (DW 200.8)
8	9/22/2016 0441 Kitchen sinks by cafeteria right						Lead (DW 200.8)
9	9/22/2016 0441 Kitchen sinks by cafeteria left						Lead (DW 200.8)
10	9/22/2016 0443 Kitchen pot filler						Lead (DW 200.8)
11	9/22/2016 0443 Kitchen sprayer inside combi oven						Lead (DW 200.8)
12	9/22/2016 0445 Cafeteria hall water fountain						Lead (DW 200.8)
13	9/22/2016 0445 Cafeteria hall Left sink						Lead (DW 200.8)

SAMPLED BY (SIGNATURE) Nancy B. DeGraw	DATE 9/23/16	TIME 0900
RELINQUISHED BY (SIGNATURE) [Signature]	DATE 9/23/16	TIME 8:50
RECEIVED FOR LABORATORY BY (SIGNATURE) [Signature]		
LABORATORY REMARKS: ICE Y ☒ pH ☒ CL2 ☐ Reviewed by		

IR #3

EnviroTest Laboratories, Inc.

CHAIN OF CUSTODY

Lab Name: EnviroTest Laboratories
Address & Phone: 315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

REPORT# (Lab Use Only)

PROJECT REFERENCE Washingtonville OSD - Taft Elementary School		PROJECT NO.		PROJECT LOCATION		MATRIX TYPE		REQUIRED ANALYSES		PAGE 1 of 1	
ENVIROTEST PROJECT MANAGER Debra Bayer		P.O. NUMBER		TOWN		OTHER SPECIFY		Other		TURNAROUND TIME	
CLIENT (SITE) PM Jack DeGraw		CLIENT PHONE 845-781-4887		CLIENT FAX		AQUEOUS (WATER)		40ml Vials HCl		NORMAL	
CLIENT NAME Orange-Ulster BOCES		christy.fischer@oubooces.org				COMPOSITE (C) OR GRAB (G) INDICATE		Litter Amber HCl		QUICK	
CLIENT ADDRESS 53 Gibson Road, Goshen, NY 10924						OTHER SPECIFY		250ml Plastic Nitric Acid		VERBAL	
COMPANY CONTRACTING THIS WORK (if applicable)						SOLID OR SEMISOLID		250ml Plastic Sulfuric Acid			
						D (Drinking Water) or W (Waste Water) Indicate		Litter Amber HCl			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
								Litter Amber HCl			
								40ml Vials HCl			
								250ml Plastic Sulfuric Acid			
								250ml Plastic Nitric Acid			
</											

IR#3

IR #3




CHAIN OF CUSTODY

Lab Name
Address & Phone
EnviroTest Laboratories
315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

REPORT# (Lab Use Only)

110707

PROJECT REFERENCE Washingtonville CSD - Taft Elementary School		PROJECT NO	PROJECT LOCATION		MATRIX TYPE	REQUIRED ANALYSES						PAGE 1 of 1
ENVIROTEST PROJECT MANAGER Debra Bayer		P.O. NUMBER	TOWN									
CLIENT (SITE) PM Jack DeGraw		CLIENT PHONE 845-781-4887	CLIENT FAX									
CLIENT NAME Orange-Ulster BOCES		christy.fischer@oubores.org										
CLIENT ADDRESS 53 Gibson Road, Goshen, NY 10924												
COMPANY CONTRACTING THIS WORK (if applicable)												
SAMPLE		TIME		SAMPLE IDENTIFICATION		NUMBER OF CONTAINERS SUBMITTED						REMARKS
DATE	TIME											
9/22/2016	0508	Room 107 Island Sink				1						Lead (DW 200.8)
9/22/2016	0509	Room 107 Bathroom Sink				1						Lead (DW 200.8)
9/22/2016	0509	Room 108 Drinking Fountain				1						Lead (DW 200.8)
9/22/2016	0510	Room 108 Island Sink				1						Lead (DW 200.8)
9/22/2016	0510	Room 108 Bathroom Sink				1						Lead (DW 200.8)
9/22/2016	0510	Room 110 Drinking Fountain				1						Lead (DW 200.8)
9/22/2016	0511	Room 110 Island Sink				1						Lead (DW 200.8)
9/22/2016	0511	Room 110 Bathroom Sink				1						Lead (DW 200.8)
9/22/2016	0512	Room 109 Island Sink				1						Lead (DW 200.8)
9/22/2016	0512	Room 109 Drinking Fountain				1						Lead (DW 200.8)
9/22/2016	0512	Room 109 Bathroom Sink				1						Lead (DW 200.8)
9/22/2016	0513	Room 111 Island Sink				1						Lead (DW 200.8)
9/22/2016	0513	Room 111 Bathroom Sink				1						Lead (DW 200.8)
RELINQUISHED BY: (SIGNATURE)		DATE		TIME		RECEIVED BY: (SIGNATURE)						TIME
SAMPLED BY: (SIGNATURE)		DATE		TIME		RECEIVED BY: (SIGNATURE)						TIME
RELINQUISHED BY: (SIGNATURE)		DATE		TIME		RECEIVED BY: (SIGNATURE)						TIME
Nancy O'Doherty		9/22/16		0900		Nancy O'Doherty						0900
Christy Fischer		9/23/16		8:50		Christy Fischer						8:50
RECEIVED FOR LABORATORY BY: (SIGNATURE)		DATE		TIME		CUSTODY INTACT		Cooler Temp (C)		LABORATORY REMARKS		ICE (Y) N () PH
A. Elmendorf		9/23/16		0850		YES		21.0°C		IR#3		



CHAIN OF CUSTODY

REPORT# (Lab Use Only)

Lab Name **EnviroTest Laboratories**
Address & Phone **315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890**

PROJECT NO		PROJECT LOCATION		MATRIX TYPE		REQUIRED ANALYSES		TURNAROUND TIME	
P.O. NUMBER		TOWN		OTHER SPECIES		40ml Vials HCl		NORMAL	
CLIENT PHONE		CLIENT FAX		AQUEOUS (WATER)		250ml Plastic Nitric Acid		QUICK	
CLIENT (SITE) PM		CLIENT NAME		COMPOSITE (C) OR GRAB (G) INDICATE		250ml Plastic Sulfuric Acid		VERBAL	
CLIENT ADDRESS		SAMPLE IDENTIFICATION		SOLID OR SEMISOLID		Liter Amber HCl			
53 Gibson Road, Goshen, NY 10924		DATE		D (Drinking Water) or W (Waste Water) Indicate		250ml Plastic Sulfuric Acid			
COMPANY CONTRACTING THIS WORK (If applicable)		TIME		OTHER SPECIES		Liter Amber HCl			
Orange-Ulster BOCES		DATE		OTHER SPECIES		250ml Plastic Sulfuric Acid			
christy.fischer@oubooces.org		DATE		OTHER SPECIES		250ml Plastic Sulfuric Acid			
845-781-4887		DATE		OTHER SPECIES		250ml Plastic Sulfuric Acid			
Debra Bayer		DATE		OTHER SPECIES		250ml Plastic Sulfuric Acid			
Washingtonville CSD - Taft Elementary School		DATE		OTHER SPECIES		250ml Plastic Sulfuric Acid			
ENVIRONMENTAL PROJECT MANAGER		DATE		OTHER SPECIES		250ml Plastic Sulfuric Acid			
ENVIRONMENTAL PROJECT MANAGER		DATE		OTHER SPECIES		250ml Plastic Sulfuric Acid			
9/22/2016	0527	Water Fountain Between 201/203	G	D					Lead (DW 200.8)
9/22/2016	0528	Room 202 sink	G	D					Lead (DW 200.8)
9/22/2016	0528	Room 203 sink	G	D					Lead (DW 200.8)
9/22/2016	0528	Room 204 sink	G	D					Lead (DW 200.8)
9/22/2016	0529	Room 205 sink	G	D					Lead (DW 200.8)
9/22/2016	0530	Room 206 sink	G	D					Lead (DW 200.8)
9/22/2016	0530	Room 208 sink	G	D					Lead (DW 200.8)
9/22/2016	0531	Room 209 sink	G	D					Lead (DW 200.8)
9/22/2016	0531	Room 210 sink	G	D					Lead (DW 200.8)
9/22/2016	0532	Room 211 sink	G	D					Lead (DW 200.8)
9/22/2016	0534	Art Room Left Sink	G	D					Lead (DW 200.8)
9/22/2016	0534	Art Room Right Sink	G	D					Lead (DW 200.8)
9/22/2016	0535	Girl's locker room left sink	G	D					Lead (DW 200.8)
RELINQUISHED BY: (SIGNATURE)			DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME		
Maurice P. DeBary			9/22/16	0900					
RELINQUISHED BY: (SIGNATURE)			DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME		
Debra Bayer			9/23/16	0850					
RELINQUISHED BY: (SIGNATURE)			DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME		
Debra Bayer			9/23/16	0850					
RELINQUISHED BY: (SIGNATURE)			DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME		
Debra Bayer			9/23/16	0850					
RELINQUISHED BY: (SIGNATURE)			DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME		
Debra Bayer			9/23/16	0850					
RELINQUISHED BY: (SIGNATURE)			DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME		
Debra Bayer			9/23/16	0850					
RELINQUISHED BY: (SIGNATURE)			DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME		
Debra Bayer			9/23/16	0850					
RELINQUISHED BY: (SIGNATURE)			DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME		
Debra Bayer			9/23/16	0850					
RELINQUISHED BY: (SIGNATURE)			DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME		
Debra Bayer			9/23/16	0850					
RELINQUISHED BY: (SIGNATURE)			DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME		
Debra Bayer			9/23/16	0850					
RELINQUISHED BY: (SIGNATURE)			DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME		
Debra Bayer			9/23/16	0850					
RELINQUISHED BY: (SIGNATURE)			DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME		
Debra Bayer			9/23/16	0850					
RELINQUISHED BY: (SIGNATURE)			DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME		
Debra Bayer			9/23/16	0850					
RELINQUISHED BY: (SIGNATURE)			DATE	TIME	RECEIVED BY: (SIGNATURE				

IR #3

IR#3

LOGIN SAMPLE RECEIPT CHECK LIST

Client: Orange-Ulster BOCES

Job Number: 420-110707-1

SDG Number: Washingtonville CSD-Taft Elementary

Login Number: 110707

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	
Cooler Temperature is recorded.	True	21.0 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	False	
If false, was sample received on ice within 6 hours of collection.	False	
Based on above criteria cooler temperature is acceptable.	True	Method does not require cooling
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	NA	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	