

Jones Stohosky Environmental Laboratory, Inc.  
 3315 SE Harrison Street, Ste. C, Milwaukie OR 97222  
 Ph 503-659-8338 Fax 503-659-7577  
 www.jselabs.com

Fax # or Email Address	JSE Use Only		
	Client #	13087-A	
	Due Date	Friday 11-22-19	
	AH Drop	Walk In	Fedex
	USPS	Courier	UPS



## CHAIN OF CUSTODY

Complete as much of the requested information as possible below. For Terms and Conditions - See reverse, visit www.jselabs.com, or call us for a copy. Bulk Asbestos samples are archived for 30 days from lab acceptance prior to disposal. Clients are encouraged to retrieve samples.

Name / Company Name: Ron Landolt / TRC Environmental

Contact Phone / Fax: (503) 407-0734 / (503) 908-1318

Report Mailing Address: 4105 SE International Way, Suite 509, Milwaukie, OR 97222

Project Name: Highland Park Middle School - Dust Project

Project Location: Beaverton, OR Project #: 362317 332367

PO #:

Inspection, Sampling, and Consulting Services Available! Call for Details or Appointment.

<b>Standard Analysis</b> <b>Asbestos Bulk, PLM</b> EPA Method 600 M4-82-020 & EPA 600 R-93 116  <b>Asbestos Air, PCM</b> NIOSH 7400 Method  <b>Asbestos Bulk, PLM-PC</b> Point Count, Quantification
---

<b>Special Analysis (Rush not available)</b> Lead, Pb* *Unless specified by Client, paint will not be separated from Matrix. <b>TCLP</b> Lead only, 3 Metals or 8 Metals <b>RCRA</b> 3 Metals or 8 Metals <b>Respirable Dust</b> NIOSH 0600 <b>Nuisance Dust</b> NIOSH 0500 <b>Total Deisel / Heavy Oil</b> NW-TPH-Dx <b>Hexavalent Chromium</b>		<b>Metals</b> Ag As Ba Cd Cr Hg Pb Se	<b>Mold Bulk</b> Wipe, Tape Lift, swab  <b>Mold Air</b> Air-o-Cell, Allergenco  <b>PCB's</b> General, Oil, or Wipe
--	--	---	---

More Services Available!  
 Call to Discuss Your Specific Needs.

<b>Priority / Turn-Around Time</b> <b>W</b> - Weekend Rush (Double Rush Rate) <b>R</b> - Rush Same Day <b>1</b> - Next Day <b>2</b> - 2 Days <b>3</b> - 3 Days	If priority is not selected, your sample will be read, and charged, as a 1-day turnaround.
---	--

See reverse for terms and conditions.

	Client Sample Description/Location/Identification	Analysis	Priority	Accept / Reject		JSE Labs ID #
				Accept	Reject	
01	Wipe   HPMS-C14-W1	PLM	R	A		1927930
02						
03						
04						
05						
06						
07						
08						
09						
10						

Special Instructions:

Client SIGN Here: [Signature] Date: 11/22/19 AM / PM

JSE, Accepted By: [Signature] Date: 11-22-19 2:00 AM / PM

MC	VI	Disc (last 4):	Appr #	CASH	Check #	Amount \$
Call / Fax / Email:			Lock/Snap: <u>[Signature]</u>	Mail:	Sales#:	

Jones Stohosky Environmental Laboratory, Inc.  
3315 SE Harrison Street, Suite C, Milwaukie, Oregon 97222  
Ph: 503-659-8338 Fax 503-659-7577  
www.jselabs.com



**Asbestos Analysis of Bulk Materials by Polarized Light Microscopy**

TRC Solutions

Project: Highland Park Middle School - Dust, Project,  
Beaverton, Proj #332367

**JSE Project:** 13087

**Analysis Date:** 11/22/2019

**Report Date:** 11/22/2019

Sample	Layer	Description	Binder/Matrix	Other Non-Asbestos	Asbestos (% Type)
<b>Wipe, HPMS-C14-W1</b>	LAYER 1	White woven sheet w/ dust residue	dust		<b>See Comments</b>
AB-1927930			filler		

Only presence or absence of asbestos fibers could be determined due to the nature of the sample. Asbestos was not detected in the sample.

Analyst: Brianna Young

Approved Signatory

A handwritten signature in blue ink, appearing to read "B. Young", is written over a light blue background.

Date 11/22/2019

JSE is accredited by the National Voluntary Laboratory Accreditation Program (NVLAP) for bulk asbestos analysis by EPA-600/M4-82-020 and EPA/600/R-93/116 methods for polarized light microscopy (PLM).

These analysis results apply to the sample(s) as received. Asbestos content for an inhomogeneous sample is reported by layer when it is possible to subsample the discrete strata for individual analysis. Small diameter fibers may not be detected by this method.

Quantification is performed using visual area estimation unless otherwise stated in the report. Qualitative and quantitative transmission electron microscopy (TEM) analysis may be recommended for difficult samples. Quantitative analysis by PLM point count or TEM is recommended for sample(s) testing at < or = to 10% asbestos.

Asbestos includes the following minerals: chrysotile, amosite, crocidolite, tremolite, actinolite, anthophyllite. "Matrix" is defined as non-asbestos, non-binder fibrous and non-fibrous components. "Binder" is defined as a component added for cohesiveness. Non-asbestos sample constituents may not be definite.

This report may not be used to claim product certification, approval or endorsement by NVLAP, NIST or any agency of the Federal Government. If the NVLAP logo does not appear beneath the JSE logo of this report then "This report contains data not covered by the NVLAP accreditation." (NIST Handbook 150, 2006.) Amended reports supercede all previous reports.