








Calculation policy: Addition


Key language: sum, total, parts and wholes, plus, add, altogether, more, 'is equal to' 'is the same as'.

Concrete	Pictorial	Abstract
<p>Combining two parts to make a whole (use other resources too e.g. eggs, shells, teddy bears, cars).</p> 	<p>Children to represent the cubes using dots or crosses. They could put each part on a part whole model too.</p> 	<p>$4 + 3 = 7$ Four is a part, 3 is a part and the whole is seven.</p> 
<p>Counting on using number lines using cubes or Numicon.</p> 	<p>A bar model which encourages the children to count on, rather than count all.</p> 	<p>The abstract number line: What is 2 more than 4? What is the sum of 2 and 4? What is the total of 4 and 2? $4 + 2$</p> 

Use of place value counters to add HTO + TO, HTO + HTO etc. When there are 10 ones in the 1s column- we exchange for 1 ten, when there are 10 tens in the 10s column- we exchange for 1 hundred.



Children to represent the counters in a place value chart, circling when they make an exchange.




243

+368

611

1 1

Conceptual variation; different ways to ask children to solve $21 + 34$



?	
21	34

Word problems:

In year 3, there are 21 children and in year 4, there are 34 children. How many children in total?

$21 + 34 = 55$. Prove it


21

+34

$21 + 34 =$

= $21 + 34$

Calculate the sum of twenty-one and thirty-four.




Missing digit problems:


10s	1s
	?
?	5

Regrouping to make 10; using ten frames and counters/cubes or using Numicon.

$6 + 5$



Children to draw the ten frame and counters/cubes.



Children to develop an understanding of equality e.g.


$6 + \square = 11$

$6 + 5 = 5 + \square$


$6 + 5 = \square + 4$

TO + O using base 10. Continue to develop understanding of partitioning and place value.


$41 + 8$




Children to represent the base 10 e.g. lines for tens and dot/crosses for ones.



$41 + 8$




$1 + 8 = 9$
 $40 + 9 = 49$




TO + TO using base 10. Continue to develop understanding of partitioning and place value.

$36 + 25$



Children to represent the base 10 in a place value chart.



Looking for ways to make 10.







$36 + 25 =$
 $30 + 20 = 50$
 $5 + 5 = 10$
 $50 + 10 + 1 = 61$

Formal method:

$$\begin{array}{r} 36 \\ + 25 \\ \hline 61 \\ \hline 1 \end{array}$$


Calculation policy: Subtraction

Key language: take away, less than, the difference, subtract, minus, fewer, decrease.


Concrete	Pictorial	Abstract
<p>Physically taking away and removing objects from a whole (ten frames, Numicon, cubes and other items such as beanbags could be used).</p> <p>$4 - 3 = 1$</p> 	<p>Children to draw the concrete resources they are using and cross out the correct amount. The bar model can also be used.</p> 	<p>$4 - 3 =$</p> <p></p>
<p>Counting back (using number lines or number tracks) children start with 6 and count back 2.</p> <p>$6 - 2 = 4$</p> 	<p>Children to represent what they see pictorially e.g.</p> 	<p>Children to represent the calculation on a number line or number track and show their jumps. Encourage children to use an empty number line</p> 

Finding the difference (using cubes, Numicon or Cuisenaire rods, other objects can also be used).

Calculate the difference between 8 and 5.



Children to draw the cubes/other concrete objects which they have used or use the bar model to illustrate what they need to calculate.




Find the difference between 8 and 5.

8 - 5, the difference is


Children to explore why
 $9 - 6 = 8 - 5 = 7 - 4$ have the same difference.

Making 10 using ten frames.

14 - 5



Children to present the ten frame pictorially and discuss what they did to make 10.



Children to show how they can make 10 by partitioning the subtrahend.

$$14 - 5 = 9$$


4 1

$$14 - 4 = 10$$


$$10 - 1 = 9$$

Column method using base 10.


48 - 7




Children to represent the base 10 pictorially.




Column method or children could count back 7.



Column method using base 10 and having to exchange.
 $41 - 26$




Represent the base 10 pictorially, remembering to show the exchange.




Formal column method. Children must understand that when they have exchanged the 10 they still have 41 because $41 = 30 + 11$.

$$\begin{array}{r} \overset{3}{\cancel{4}} \overset{1}{1} \\ - 26 \\ \hline 15 \end{array}$$

Column method using place value counters.
 $234 - 88$




Represent the place value counters pictorially; remembering to show what has been exchanged.



Formal column method. Children must understand what has happened when they have crossed out digits.

$$\begin{array}{r} \overset{2}{\cancel{2}} \overset{1}{\cancel{3}} 4 \\ - 88 \\ \hline 6 \end{array}$$

Conceptual variation; different ways to ask children to solve $391 - 186$



391	
186	?

Raj spent £391, Timmy spent £186.
 How much more did Raj spend?

Calculate the difference between 391 and 186.

$$\square = 391 - 186$$

$$\begin{array}{r} 391 \\ - 186 \\ \hline \end{array}$$






What is 186 less than 391?















Missing digit calculations

$$\begin{array}{r} 39\square \\ - \square\square 6 \\ \hline \square 0 5 \end{array}$$

Calculation policy: Multiplication



Key language: double, times, multiplied by, the product of, groups of, lots of, equal groups.




Concrete	Pictorial	Abstract
<p>Repeated grouping/repeated addition 3×4 $4 + 4 + 4$ There are 3 equal groups, with 4 in each group.</p> 	<p>Children to represent the practical resources in a picture and use a bar model.</p> 	<p>$3 \times 4 = 12$ $4 + 4 + 4 = 12$</p>
<p>Number lines to show repeated groups- 3×4</p>  <p>Cuisenaire rods can be used too.</p>	<p>Represent this pictorially alongside a number line e.g.:</p> 	<p>Abstract number line showing three jumps of four.</p> <p>$3 \times 4 = 12$</p> 

<p>Use arrays to illustrate commutativity counters and other objects can also be used.</p> <p>$2 \times 5 = 5 \times 2$</p> <div></div> <p>2 lots of 5 5 lots of 2</p>	<p>Children to represent the arrays pictorially.</p> <div></div>	<p>Children to be able to use an array to write a range of calculations e.g.</p> <p>$10 = 2 \times 5$ $5 \times 2 = 10$ $2 + 2 + 2 + 2 + 2 = 10$ $10 = 5 + 5$</p>						
<p>Partition to multiply using Numicon, base 10 or Cuisenaire rods.</p> <p>4×15</p> <div></div>	<p>Children to represent the concrete manipulatives pictorially.</p> <div></div>	<p>Children to be encouraged to show the steps they have taken.</p> <div></div> <p>$10 \times 4 = 40$ $5 \times 4 = 20$ $40 + 20 = 60$</p> <p>A number line can also be used</p> <div></div>						
<p>Formal column method with place value counters (base 10 can also be used.) 3×23</p> <div><table><tr><th>10s</th><th>1s</th></tr><tr><td></td><td></td></tr><tr><td>6</td><td>9</td></tr></table></div>	10s	1s			6	9	<p>Children to represent the counters pictorially.</p> <div></div>	<p>Children to record what it is they are doing to show understanding.</p> <div></div> <p>23 $\times 3$ $\hline 69$</p>
10s	1s							
								
6	9							


Formal column method with place value counters.

6×23

100s	10s	1s
		

100s	10s	1s
		

Children to represent the counters/base 10, pictorially e.g. the image below.



Formal written method

$6 \times 23 =$

$$\begin{array}{r} 23 \\ \times 6 \\ \hline 138 \\ \hline 11 \end{array}$$

When children start to multiply $3d \times 3d$ and $4d \times 2d$ etc., they should be confident with the abstract:

To get 744 children have solved 6×124 .

To get 2480 they have solved 20×124 .

$$\begin{array}{r} 124 \\ \times 26 \\ \hline 744 \\ 2480 \\ \hline 3224 \end{array}$$

Answer: 3224

Conceptual variation; different ways to ask children to solve 6×23

23	23	23	23	23	23
----	----	----	----	----	----

?

Mai had to swim 23 lengths, 6 times a week.

How many lengths did she swim in one week?

With the counters, prove that $6 \times 23 = 138$

Find the product of 6 and 23



$6 \times 23 =$

$\square = 6 \times 23$

$$\begin{array}{r} 6 \quad 23 \\ \times 23 \\ \hline \end{array} \quad \begin{array}{r} 6 \quad 23 \\ \times 6 \\ \hline \end{array}$$







What is the calculation?

What is the product?




100s	10s	1s
		

Calculation policy: Division

Key language: share, group, divide, divided by, half.


Concrete	Pictorial	Abstract
<p>Sharing using a range of objects. $6 \div 2$</p>  <p>The image shows two green ovals, each containing three yellow diamonds. Below these, there are six red cubes arranged in a single row. Two arrows point from the first and fourth cubes to two separate stacks of two cubes each, illustrating the sharing of 6 objects into 2 groups of 3.</p>	<p>Represent the sharing pictorially.</p>  <p>The image shows two hand-drawn circles, each containing three dots. Below them is a hand-drawn rectangle divided into two equal halves, with three dots in each half. A bracket under the first half is labeled with a question mark, indicating the process of sharing or dividing.</p>	<p>$6 \div 2 = 3$</p>  <p>The image shows a simple number line with two boxes, each containing the number 3, representing the result of the division.</p> <p>Children should also be encouraged to use their 2 times tables facts.</p>
<p>Repeated subtraction using Cuisenaire rods above a ruler. $6 \div 2$</p>  <p>The image shows a ruler with a blue Cuisenaire rod placed above it, spanning from 0 to 6. Three arcs are drawn above the rod, each labeled '-2', indicating the repeated subtraction of 2 from 6. Below the ruler, the text '3 groups of 2' is written.</p>	<p>Children to represent repeated subtraction pictorially.</p>  <p>The image shows a hand-drawn number line from 0 to 6. Three arcs are drawn above the line, each labeled '-2', indicating the repeated subtraction of 2 from 6. Below the line, the text '3 groups' is written.</p>	<p>Abstract number line to represent the equal groups that have been subtracted.</p>  <p>The image shows a hand-drawn number line from 0 to 6. Three arcs are drawn above the line, each labeled '-2', indicating the repeated subtraction of 2 from 6. Below the line, the text '3 groups' is written.</p>

Short division using place value counters to group.
 $615 \div 5$

100s	10s	1s
		
1	2	3

1. Make 615 with place value counters.
2. How many groups of 5 hundreds can you make with 6 hundred counters?
3. Exchange 1 hundred for 10 tens.
4. How many groups of 5 tens can you make with 11 ten counters?
5. Exchange 1 ten for 10 ones.
6. How many groups of 5 ones can you make with 15 ones?

Represent the place value counters pictorially.






Children to the calculation using the short division scaffold.

$$\begin{array}{r} 123 \\ 5 \overline{) 615} \\ \underline{5} \\ 11 \\ \underline{10} \\ 15 \\ \underline{15} \\ 0 \end{array}$$

Long division using place value counters
 $2544 \div 12$


1000s	100s	10s	1s
			

We can't group 2 thousands into groups of 12 so will exchange them.

1000s	100s	10s	1s
			


We can group 24 hundreds into groups of 12 which leaves with 1 hundred.

$$\begin{array}{r} 02 \\ 12 \overline{) 2544} \\ \underline{24} \\ 1 \end{array}$$



After exchanging the hundred, we have 14 tens. We can group 12 tens into a group of 12, which leaves 2 tens.

$$\begin{array}{r} 021 \\ 12 \overline{) 2544} \\ \underline{24} \\ 14 \\ \underline{12} \\ 2 \end{array}$$



After exchanging the 2 tens, we have 24 ones. We can group 24 ones into 2 group of 12, which leaves no remainder.

$$\begin{array}{r} 0212 \\ 12 \overline{) 2544} \\ \underline{24} \\ 14 \\ \underline{12} \\ 24 \\ \underline{24} \\ 0 \end{array}$$

Conceptual variation; different ways to ask children to solve $615 \div 5$

Using the part whole model below, how can you divide 615 by 5 without using short division?



I have £615 and share it equally between 5 bank accounts. How much will be in each account?

615 pupils need to be put into 5 groups. How many will be in each group?

$$5 \overline{) 615}$$

$$615 \div 5 =$$

$$\square = 615 \div 5$$

What is the calculation?
What is the answer?

