2020 Summer Math Packet for Incoming Math 8 Students

The math faculty at Shepaug Valley School would like to welcome you to 2020 - 2021 school year! We are looking forward to helping you achieve your greatest potential. We hope a quality education is one thing you will value.

We have developed the attached review packet to help you prepare for the Grade 8 math class you will be taking this fall. This packet includes material that students are expected to understand before beginning the 8th grade curriculum. The topics covered by the packet are the foundational skills necessary to be successful in Grade 8 math. The completed packet will be collected by the teacher on the first day of school.

Students may use any resources available to them to complete this packet. Helpful websites include:

www.purplemath.com www.math.com www.khanacademy.com

Please spend the time needed to do a quality job on this packet. Show and organize your work for each problem. Use a calculator **where indicated** but write down your calculations and show all of your work!

Enjoy your summer vacation and keep your education moving forward during this break.

For the start of 8th grade, you will need a composition notebook and 3-ring binder for math class.

Objective: Write equations and inequalities - B

An **inequality** is a mathematical sentence that contains the symbols $\langle , \rangle, \leq, \text{ or } \geq$.

Words	Symbols	
m is greater than 7.	m > 7	
r is less than −4.	r < -4	
t is greater than or equal to 6.	t≥6	
y is less than or equal to 1.	y ≤ 1	

Examples:

- 1) Two times a number is greater than 10 2x > 10
- 2) Three less than a number is less than or equal to 7. x-3=7
- 3) The sum of a number and 1 is at least 5. $x + 1 \ge 5$
- 4) Cody has \$50 to spend. How many shirts can he buy at \$16.50 each? 16.50x ≤ 50

Write an inequality for each of the following:

write an inequality for each of the following.	
1.) Five times a number is greater than 25.	2.) The sum of a number and 6 is at least 15.
3.) 24 divided by some number is less than 7.	4.) Five dollars less than two times Chris' pay is at most \$124.
5.) In Ohio, you can get your license when you turn 16. Write an inequality to show the age of all drivers in Ohio.	6.) Suppose a DVD costs \$19 and a CD costs \$14. Write an inequality to find how many CDs you can buy along with one DVD if you have \$65 to spend.

On a scale of 1 – 5 (1: Weak, 5: Strong) rate yourself on this section of math: 1 2 3 4 5

Unit: Knowledge of Algebra, Patterns, and Functions Objective: Determine the unknown in a linear equation with 1 or 2 operations Remember, equations must always remain balanced. . If you add or subtract the same number from each side of an equation, the two sides remain equal. . If you multiply or divide the same number from each side of an equation, the two sides remain equal. Example 1: Solve x + 5 = 11x + 5 = 11Write the equation Write the equation x + 5 = 11Subtract 5 from both sides Replace x with 6 -5 = -56 + 5 = 11x = 6Simplify 11 = 11 ✓ The sentence is true Example 2: Solve - 21 = - 3y - 21 = - 3y Write the equation - 21 = - 3y Write the equation - 21 = - 3(7) Replace the y with 7 Divide each side by - 3 -3 = -3Check 7 = y-21 = - 21? Multiply - is the sentence true? Simplify Example 3: Solve 3x + 2 = 233x + 2 = 23 Write the equation 3x + 2 = 23 Write the equation -2 = -2 Subtract 2 from each side 3(7) + 2 = 23? Replace x with 7 3x = 21 Simplify 21 + 2 = 23? Multiply 3 Divide each side by 3 23 = 23? Add - is the sentence true? x = 7 Simplify 1.) Solve x - 9 = -122.) Solve 48 = - 6r 3.) Solve 2t + 7 = -1 4.) Solve 4t + 3.5 = 12.5 5.) It costs \$12 to attend a golf clinic with a local pro. 6.) An online retailer charges \$6.99 plus \$0.55 per pound Buckets of balls for practice during the clinic cost \$3 each. to ship electronics purchases. How many pounds is a DVD How many buckets can you buy at the clinic if you have player for which the shipping charge is \$11.94? \$30 to spend? On a scale of 1 – 5 (1: Weak, 5: Strong) rate yourself on this section of math: 1 2 3

Objective: Solve for the unknown in an inequality with one variable.

An **inequality** is a mathematical sentence that contains the symbols $\langle , \rangle, \leq, \text{ or } \geq$.

Words	Symbols	
m is greater than 7.	m > 7	
r is less than -4.	r < -4	
t is greater than or equal to 6.	t≥6	
y is less than or equal to 1.	y ≤ 1	

Example 1: Solve v + 3 < 5

v+3<5 Write the inequality

-3 -3 Subtract 3 from each side

v < 2 Simplify

Check: Try 1, a number less than 2

v + 3 < 5 Write the inequality

1+3<5 Replace v with 1 4<5? Is this sentence true? yes Example 2: Solve 2x + 8 < 24

2x + 8 < 24 Write the inequality

-8 -8 Subtract 8 from each side

2x < 16 Simplify

2 Divide each side by 2

x < 8 Simplify

Check: Try 7, a number less than 8

2x + 8 < 24 Write the inequality

2(7) + 8 < 24 Replace x with 7

14 + 8 < 24 Multiply 7 by 2

22 < 24? Is the sentence true? yes


1. Solve $5y + 1 < 36$	2. Solve $4x - 6 > -10$

3. You have \$80. Jeans cost \$29 and shirts cost \$12. Mom told you to buy one pair of jeans and use the rest of the money to buy shirts. Use this information to write and solve an inequality. How many shirts can you buy?


Objective: Identify or graph solutions of inequalities on a number line.

Examples: Graph each inequality on a number line.

x < 2




The open circle means that the number is **not** included in the solution.



The closed circle means that the number is included in the solution.


m < -3




The solution is all numbers less than negative three.

-3 is not included in the solution.


1.) Write an inequality for the graph.




2.) Write an inequality for the graph.



3.) Graph the inequality.




4.) Graph the inequality.




5.) Solve the inequality, then graph it on the number line.

$$y + 9 \le 13$$



6.) Solve the inequality, then graph it on the number line.

$$4x - 6 > -10$$



On a scale of 1 – 5 (1: Weak, 5: Strong) rate yourself on this section of math: 1 2 3 4

Objective: Apply given formulas to a problem-solving situation using formulas having no more than three variables.

Example 1:

The perimeter of a rectangle is twice the length (L) plus twice the width (W). P = 2L + 2W Use the given formula to find the perimeter of the rectangle.



10 cm

8 cm

P = 2L + 2W

Write the equation

Replace L and W with the length and width

P = 2(10) + 2(8) Replace P = 20 + 16 Multiply

P = 36 cm Simplify and add the correct label

Example 2:

The area A of a circle equals the product of pi (π) and the square of its radius (r). A = πr^2 $(\pi \approx 3.14)$ Use the given formula to find the area of the circle.



A = π r 2

Write the equation

 $A = 3.14 \cdot (2)^2$

Replace π with 3.14 and r with 2


A = 3.14 • 4

Square the 2


A = 12.56 ft²

Simplify and add the correct label


1. The formula for finding the area of a rectangle is $A = L \cdot W$. Use this formula to find the area of the rectangle.




2. The formula for finding the area of a triangle is $A = \frac{1}{2}bh$. Find the area of the triangle below.



3. A trapezoid has two bases ($b_1 \& b_2$). The formula for finding the area of a trapezoid is: $A = \frac{1}{2}h(b_1 + b_2)$. Find the area of the trapezoid.



4. The formula for finding the volume of a rectangular prism is $V = L \cdot W \cdot H$. Find the volume of the box.



- 5. Margot planted a rectangular garden that was 18 feet long and 10 feet wide. How many feet of fencing will she need to go all the way around the garden? P = 2L + 2W
- 6. Juan ran all the way around a circular track one time. The diameter(d) of the track is 60 meters. The formula for circumference of a circle is $C = \Pi d$. Use this formula to find out how far Juan ran.

Objective: Graph ordered pairs in a coordinate plane.

The **coordinate plane** is used to locate points. The horizontal number line is the **x-axis**. The vertical number line is the **y-axis**. Their intersection is the **origin**.

Points are located using **ordered pairs**. The first number in an ordered pair is the **x-coordinate**; the second number is the **y-coordinate**.

The coordinate plane is separated into four sections called quadrants.


Example 1: Name the ordered pair for point P. Then identify the quadrant in which P lies. Quadrant 2

uadrant 2 Quadrant 1


- · Start at the origin.
- Move 4 units left along the x-axis.
- Move 3 units up on the y-axis.

The ordered pair for point P is (-4, 3).

P is in the upper left quadrant or quadrant II.



- · Start at the origin.
- Move 0 units along the x-axis.
- · Move 4 units down on the y-axis.
- Draw a dot and label it M(0, -4).




Quadrant 3

Quadrant 4

1.) Name the ordered pair for each point graphed at the right. Then identify the quadrant in which each point lies.

	Coordinates	Quadrant	П	П	(1)	П	Т	Т
P	(,)			S	-3-2-	R	1	
Q	(,)		-4-	3-2	0	1 2	3	4 x
R	(,)		Q	+	-2 -3	P	+	+
S	(,)			Ш	1	Ш	1	




N (3, -1)

P (-2, 4)


Q (-3, -4)

R (0, 0)

S (-5, 0)




Objective: Identify and describe angles formed by intersecting lines, rays, or line segments - B Examples:



When two lines intersect, they form two pairs of opposite angles called **vertical angles**, which are always congruent.

Congruent angles have the same measure.

 \angle 1 \cong \angle 2 means that angle 1 is congruent to angle 2.




Two angle are **supplementary** if the sum of their measures is 180° . $126^{\circ} + 54^{\circ} = 180^{\circ}$




Two angles are **complementary** if the sum of their measures is 90°.


1.) Classify the angles as complementary, supplementary, or neither.




Classify the angles as complementary, supplementary, or neither.




Classify the angles as complementary, supplementary, or neither.




Classify the angles as complementary, supplementary, or neither.



5.) A map shows a railroad crossing a highway, as shown below. Which of the numbered angles are vertical angles?



6.) In a game of pick-upsticks, the last 4 sticks are shown below. Which of the numbered angles are vertical angles?



On a scale of 1 – 5 (1: Weak, 5: Strong) rate yourself on this section of math: 1


Objective: Determine the measure of angles formed by intersecting lines, line segments, and rays.

Example 1: Find the value of x in the figure.

The two angles are supplementary, so the sum of their measures is 180°.

$$\begin{array}{r}
 x + 35 = 180 \\
 \hline
 -35 - 35 \\
 x = 145
 \end{array}$$

Write the equation Subtract 35 from both sides Simplify The angle is 145°



Example 2: Find the value of x in the figure.

The two angles are complementary, so the sum of their measures is 90°.


$$x + 66 = 90$$

 $-66 - 66$
 $x = 24$


Write the equation Subtract 66 from both sides Simplify The angle is 24°




1.) Find the value of x.




2.) Find the value of x.




3.) Find the value of x.




4.) Find the value of x.



5.) A kite string makes an angle of 48° with respect to the ground as shown below. The dashed line is vertical and the ground is horizontal. How are the 48° angle and the unknown angle related? What is the value of x?




6.) A side view of the Great Pyramid at Giza is shown below. The sides of the pyramid make an angle of 52° with respect to the ground. What is the value of x?



On a scale of 1 – 5 (1: Weak, 5: Strong) rate yourself on this section of math: 1 2 3

Objective: Determine a missing angle using the sum of the interior angles in a quadrilateral

Examples of Quadrilaterals:



The sum of the measures of the angles of a quadrilateral is 360°.

$$m \angle 1 + m \angle 2 + m \angle 3 + m \angle 4 = 360^{\circ}$$



Example: Find the missing measure in the quadrilateral.




x = 40

Subtract 320 from each side The missing angle is 40°


Find the missing measure in each of the following quadrilaterals.

Find the missing measure in each of the following quadrilaterals.


1.




2.



3. The top of Mrs. Blum's coffee table is shown below. Find the measure of the missing angle.




4. Maria needs to cut a piece of carpet to fit the space drawn below. What should the measure of the missing angle be?




Objective: Determine the congruent parts of polygons.


Congruent Polygons




Non Congruent Polygons



Congruent Polygons	Polygons that have exactly the same size and the same shape		
Congruent Segments	Segments that have the same length		
Congruent Angles	Angles that have the same measure		
Corresponding Sides of a Polygon	Sides of a polygon that are matched up with sides of another congruent or similar polygon		
Corresponding Angles of a Polygon	Angles of a polygon that match up with angles of another congruent or similar polygon		
ΔABC ≅ ΔDEF A 3cm 3cm	Corresponding sides and angles of congruent polygons are congruent:		
B 7cm C E 7cm F	$\overline{AB} \cong \overline{DE}$ $\angle A \cong \angle D$ $\overline{BC} \cong \overline{EF}$ $\angle B \cong \angle E$ $\overline{AC} \cong \overline{DF}$ $\angle C \cong \angle F$		






Polygon FGHJ ≅ polygon NMLK Complete the following congruence statements.


- a) GH ≅ b) KL ≅

- 2.) Use the figures in problem #1 to complete the following congruence statements.
 - a) ∠G ≅ b) ∠K ≅
 - c) ∠H ≅ _____ d) ∠F ≅ _____

- 3.) Look at the figures in problem #1. Determine the
- measure of each segment or angle.

- 4.) Polygon HJKLMNPQ is congruent to polygon RSTUVXYZ. What is the length, in units, of RZ? (Note: Figures are not drawn to scale.)





2 3 4

5

On a scale of 1 – 5 (1: Weak, 5: Strong) rate yourself on this section of math: 1

Unit: Knowledge of Measurement

Objective: Estimate and determine the area of quadrilaterals using parallelograms or trapezoids - A.

The area A of a parallelogram equals the product of its base b and its height h. Because rectangles, rhombuses, and squares are all parallelograms, the formula for finding the area of a parallelogram is also used to find the areas of each of these figures.

A = bh

The base is any side h of a parallelogram.

The height is the length of the segment perpendicular to the base with endpoints on opposite sides.

Example: Find the area of a parallelogram if the base is 6 inches and the height is 3.7 inches.

Estimate: A = 6 • 4 or 24 in2

Calculate: A =bh Area of a parallelogram


Replace b with 6 and h with 3.7 $A = 6 \cdot 3.7$

A = 22.2Multiply


3.7 in 6 in.

The area of the parallelogram is 22.2 square inches. This is close to the estimate. Check:


Find the area of each parallelogram. Round to the nearest tenth if necessary.



2.)



3.) Joyce wants to construct a sail with the dimensions shown. How much material will be used?



4.) Two parallel streets are cut across by two other parallel streets as shown in the figure. What is the area of the grassy area in the middle?




Unit: Knowledge of Measurement

Objective: Estimate and determine the area of quadrilaterals using parallelograms or trapezoids - B.

A trapezoid has two bases, b_1 and b_2 . The height of a trapezoid is the distance between the two bases. The area A of a trapezoid equals half the product of the height h and the sum of the bases b_1 and b_2 .

$$A = \frac{1}{2} h(b_1 + b_2)$$

Example: Find the area of the trapezoid.





Area of a trapezoid Replace \mathbf{h} with 4, $\mathbf{b_1}$ with 3, and $\mathbf{b_2}$ with 6.

The area of the trapezoid is 18 square centimeters.

2.)

Find the area of each trapezoid. Round to the nearest tenth if necessary.






3. Arkansas has a shape that is similar to a trapezoid with bases of about 182 miles and 267 miles and a height of about 254 miles. Estimate the area of the state.



4. Greta is making a patio with the dimensions given in the figure. What is the area of the patio?




Unit: Knowledge of Measurement

Objective: Determine the distance between 2 points using a drawing and a scale.

A scale drawing represents something that is too large or too small to be drawn at actual size. Similarly, a scale model can be used to represent something that is too large or too small for an actual-size model. The scale gives the relationship between the drawing/model measure and the actual measure.

Example: On this map, each grid unit represents 50 yards. Find the distance from Patrick's Point to Agate Beach.



$$1 \cdot x = 50 \cdot 8$$
 cross multiply

$$x = 400$$
 simplify

It is 400 yards from Patrick's Point to Agate Beach.

1.) On a map, the distance from Los Angeles to San Diego is 6.35 cm. The scale is 1 cm = 20 miles. What is the actual distance?



2.) Lexie is making a model of the Empire State Building. The scale of the model is 1 inch = 9 feet.

The needle at the top is 31.5 feet tall.

Point

How big should the needle be on the model?



3.) A scale drawing of an automobile has a scale of 1 inch = ½ foot. The actual width of the car is 8 feet. What is the width on the scale drawing?




4.) A model ship is built to a scale of 1 cm: 5 meters. The length of the model is 30 centimeters. What is the length of the actual ship?




Actual car

5.) Jose wants to build a model of a 180-meter tall building. He will be using a scale of 1.5 centimeters = 3.5 meters. How tall will the model be? Round your answer to the nearest tenth.



6.) A pond is being dug according to plans that have a scale of 1 inch = 6.5 feet. The maximum distance across the pond is 9.75 inches on the plans. What will be the actual maximum distance across the pond?




On a scale of 1 – 5 (1: Weak, 5: Strong) rate yourself on this section of math: 1 2 3

Unit: Knowledge of Statistics

Objective: Analyze data and recognize the misuses of data

Examples:


Graphs can be misleading for many reasons: No title; the scale does not include 0; there are no labels on either axis; the intervals on a scale are not equal; or the size of the graphics misrepresents the data.



The bar graphs above show the total US National Income (nonfarm). Which graph is misleading? Explain.

Graph B is misleading because the scale on the vertical axis does not have equal intervals. It makes the income appear to be slower.


1. The graph represents points scored by the Baltimore Ravens during the 2003-2004 football season. What makes this graph misleading. Explain.



2. List 4 different situations that make a graph misleading.

3. Loot at #1, what would you change to make this graph not misleading?

4. The graph represents cans collected for a food drive at a Middle School. How would you change the graph to better show the data and not be misleading?



Unit: Knowledge of Statistics

Objective: Determine the best choice of a data display for a given data set.

Examples:

Different types of graphs are better suited for certain types of data.

Bar Graph – Use when comparing data (Ex. Football teams and # of wins)

Line Graph - Use when data is over time (Ex. Rainfall each month for 1 year)

Circle Graph (Pie Graph) - Use when data is dealing with \$ or % (Ex. Allowance - how you spend it)

Stem & Leaf Plot – Use to show individual data (Ex. Class test scores)

Back-to-Back Stem & Leaf Plot – Use when comparing 2 large sets of data & showing individual data scores

Directions: Look at the following situations and tell what type of graph would be the best choice to display the data. Choose BAR, LINE, CIRCLE, or STEM & LEAF.

- How the Federal Government spends each part of your tax dollar
- 2.) You are keeping track of your little sister's/brother's height from age 3 months to 5 years old



3.) Lengths of the 5 largest rivers in the world

 Number of points scored in each game during the 99-00 Season

Redskins: 35 50 27 38 24 20 21 26 21 48 17 28 23 20 17 28

Ravens: 10 20 17 19 11 8 10 41 3

34 23 41 31 31 22 3



5.)

Students w	Students who ride a bus			
YEAR	STUDENTS			
2000	333			
2001	297			
2002	360			
2003	365			

6.)

# of Species at the Zoo			
Z00	SPECIES		
Los Angeles	350		
Lincoln Park	290		
Cincinnati	700		
Bronx	530		
Oklahoma City	600		

On a scale of 1 – 5 (1: Weak, 5: Strong) rate yourself on this section of math: 1 2 3

Unit: Knowledge of Statistics

Objective: Compare the measures of central tendency (mean, median, mode) to determine which is most appropriate.

Examples:

Marie Company	MEAN	MEDIAN	MODE
What is it?	Average	Middle #	# shown the MOST often
How to find it?	Sum of Data (+) # of Data Points (÷)	Order data from least to greatest, then find the middle # 2 middle #s - Average	Look at data & Find the # that appears the most. 2 modes – Bimodal
Most Useful when:	Data has no outliers Outliers are REALLY low & high #s	Data has outliers There are no large gaps in the middle of the data	Data has many identical (same) #s

Use the table at the right.

Find the mean, median, & mode of the data.

Mean: 488.3 Median: 150 Mode: None

	Caribbean Islands					
Island	Area (Sq Mi)	Island	Area (Sq Mi)			
Antiqua	108	Martinique	425			
Aruba	75	Puerto Rico	3,339			
Barbados	166	Tobago	116			
Curacao	171	Virgin Islands, UL	59			
Dominica	290	Virgin Islands, US	134			

Which measure of central tendency would be misleading in describing the size of the islands? Explain.

The mean could be misleading since the areas of all but one of the islands are less than that value.

Which measure would most accurately describe the data? Median

Book Sales: Use the table below that shows the number of books sold each day for 20 days to answer questions 4 – 5.



	Book Sales Per Day					
23	18	23	15			
24	16	0	11			
19	10	13	17			
12	23	11	16			
36	24	12	27			

1. Determine the mean, median and mode of the data.

2. Which measure of central tendency would be misleading in describing the book sales & which measure most accurately describes the data? Explain.

3. Michael & Melissa both claim to be earning a C average, 70% to 79%, in their Latin class. Use the table below to explain their reasoning and determine which student is earning a C average.

GRADES (%)							
	Test 1	Test 2	Test 3	Test 4	Test 5	Test 6	Test 7
Michael	80	76	73	70	40	25	10
Melissa	88	83	75	70	60	65	62

Unit: Knowledge of Probability

Objective: Identify a sample space and determine the number of outcomes using no more than 3 independent events. Examples:

Sample Space is a listing of all the possible outcomes in a probability experiment. One way to determine sample space is to draw a tree diagram.

A family has two children. Draw a tree diagram to show the sample space of the children's genders. Then determine the probability of the family having two girls.



 FUNDAMENTAL COUNTING PRINCIPLE is used to quickly determine the total number of possible outcomes. Multiply the number of possibilities for each event together.

An ice cream sundae at the Ice Cream Shoppe is made from one flavor of ice cream and one topping. For ice cream flavors, you can choose from chocolate, vanilla, and strawberry. For toppings, you can have hot fudge, butterscotch, caramel, and marshmallow. Determine the number of different sundaes that are possible.

of ice cream flavors x # of toppings
(Chocolate, Vanilla, Strawberry) (Hot Fudge, Butterscotch, Caramel, Marshmallow)
3 x 4

12 total possible outcomes

- 1. A certain type of kickboard scooter comes in silver, red, or purple with wheel sizes of 12mm or 180mm. Determine the total number of color-wheel size combinations.
- 2. Draw a tree diagram of the situation in #1 to show the sample space.

3. The table shows the shirts, shorts and shoes in George's wardrobe. How many possible outfits can he choose consisting of one shirt, one pair of shorts and one pair of shoes?

SHIRTS	SHORTS	SHOES
Red	Beige	Black
Blue	Green	Brown
White	Blue	20,500,000
Vallow	10090000	

4. Determine the total number of outcomes by choosing a vowel from the word COMPUTER and a consonant from the word BOOK.

Unit: Knowledge of Probability

Objective: Make predictions and express probability of the results of a survey or simulation as a fraction, decimal, or

percent. - A

Examples: Experimental probability can also be based on past performances and can be used to make

predictions on future events.

In a survey, 100 people were asked to name their favorite Independence Day side dishes. What is the experimental probability of macaroni salad being someone's favorite dish?

There were 100 people surveyed and 12 chose macaroni salad, SO the

experimental probability is $\frac{12}{100} = \frac{3}{25}$.

SIDE DISH	# of People	
Potato Salad	55	
Green Salad	25	
Or vegetables	3-	
Macaroni salad	12	
Coleslaw	8	

Suppose 250 people attend the city's Independence Day barbecue. How many can be expected to choose macaroni salad as their favorite side dish?

Write a proportion.

 $\frac{3}{25} = \frac{x}{250}$

(Use the experimental probability in the proportion.)


Solve by using cross products.

25x = 3(250)

About 30 will choose macaroni salad.

x = 30

- 1. Using the table in the example, what is the experimental probability of potato salad being someone's favorite dish?
- 2. Using the information in example and question 1, about how many people can be expected to choose potato salad as their favorite dish if 400 attend the barbeque?
- 3. The graph shows the results of a survey in which 50 students were asked to name their favorite X Game Sport.
 - A. Suppose 500 people attend the X Games. How many can be expected to choose Inline as their favorite sport?
 - B. Suppose 500 people attend the X Games. How many can be expected to choose speed climbing as their favorite sport?



Objective: Determine equivalent forms of rational numbers expressed as fractions, decimals, percents, and ratios. - A Examples:

To write a decimal as a fraction, divide the numerator of the fraction by the denominator. Use a power of ten in the denominator to change a decimal to a fraction.

Write $\frac{5}{9}$ as a decimal.

$$9)5.000 = 0.5$$
 because 5 repeats forever.
 -45 \downarrow
 50
 -45 \downarrow

Write 0.32 as a fraction in simplest form. $0.32 = \frac{32}{100} = \frac{\div 4}{\div 4} = \frac{8}{25}$

$$0.32 = \frac{32}{100} = \frac{\div 4}{\div 4} = \frac{8}{25}$$

5/1.) Write 0.735353535... using bar notation to represent the repeating decimal.

2.) Write
$$\frac{3}{5}$$
 as a decimal.

3. Write 0.94 as a fraction in simplest form.

4. There were 6 girls and 18 boys in Mr. Johnson's math class. Write a ratio of the # of girls to the # of boys in fraction form. Then write the fraction as a repeating decimal.

Objective: Determine equivalent forms of rational numbers expressed as fractions, decimals, percents, and ratios.- B Examples:

A RATIO is a comparison of two numbers by division. When a ratio compares a number to 100, it can be written as a PERCENT. To write a ratio or fraction as a percent, find an equivalent fraction with a denominator of 100. You can also use the meaning of percent to change percents to fractions.

Write $\frac{19}{20}$ as a percent.

$$\frac{19}{20} \stackrel{\bullet}{\bullet} \stackrel{5}{\circ} = \frac{95}{100} = 95\%$$
 Since 100 ÷ 20 = 5, multiply the numerator and denominator by 5.

Write 92% as a fraction in simplest form.

$$\frac{92}{100} = \frac{\div 4}{\div 4} = \frac{23}{25}$$

Write 92% as a decimal. Move decimal two places to the left. Add zeros if needed.

92.0% = 0.92

Write 0.4 as a percent.

Move decimal two places to the right. Add zeros if needed.

0.4 = 40%

1.) Write $\frac{7}{25}$ as a percent and decimal.

2.) Write 19% as a decimal and fraction in simplest form.

3. Ms. Crest surveyed her class and found that 15 out of 30 students brushed their teeth more than twice a day. Write this ratio as a fraction in simplest form, then write it as a % and a decimal.

4. A local retail store was having a sale and offered all their merchandise at a 25% discount. Write this percent as a fraction in simplest form, then write it as a decimal.

Objective: Compare, order, and describe rational numbers.

Examples:

RATIONAL numbers include fractions, decimal, and percents. To COMPARE or ORDER rational numbers, they must be in the same form (all fraction or all decimals, or all %s)

Example: Order 0.6, 48%, and $\frac{1}{2}$ from least to greatest.

Step 1 - Change all to decimals.

0.6

48% = 0.48 $\frac{1}{2} = 0.5$

Step 2 - Compare decimals & Order.

0.48, 0.5, 0.6

Step 3 – Write using original form. 48%, $\frac{1}{2}$, 0.6

1.) Order from least to greatest.

22%, 0.3, $\frac{1}{5}$

Order from least to greatest.


$$0.74, \frac{3}{4}, 70\%$$

with <, > , or =. 3.) Replace

4.) Which is the largest?

 $1\frac{3}{8}$ $1\frac{3}{10}$ $1\frac{4}{9}$

5.) According to the Pet Food Manufacturer's Association, 11 out of 25 people own large dogs and 13 out of 50 medium dogs. Do more fraction of people own large or medium dogs?



6.) Your PE teacher asked you to run for specific time period. You ran 0.6 of the time. Two of your friends ran

and 72% of the time. Order the amount of time you and your friends ran from least to greatest.



Objective: Add, subtract, multiply and divide integers. - A

Examples:

ADDITION INTEGER RULES:

For integers with the same sign:

- The sum of two positive integers is POSITIVE.
- The sum of two negative integers is NEGATIVE.

For integers with different signs, subtract their absolute value. The sum is:

- Positive IF the positive integer has the greater absolute value.
- Negative IF the negative integers has the greater absolute value.

Examples:

SUBTRACTION INTEGER RULES:

- Keep the first number the same
- Switch the subtraction sign to ADDITION
- Change the second number to it's opposite. Opposite: 6 to 6
- Follow Addition rules above.

Examples:

$$6-9=6+(-9)=-3$$

1.) Add: 2+(-7)

$$-10 - (-12) = -10 + 12 = 2$$

$$-3-7=-3+(-7)=-10$$

- 5.) In Mongolia the temperature can dip down to -45° C in January. The temperature in July may reach 40° C. What is the temperature range in Mongolia?
- 6.) Write an addition expression to describe skateboarding situation. Then determine the sum.

Hank starts at the bottom of a half pipe 6 feet below street level. He rises 14 feet at the top of his kickturn.

Unit: Knowledge of Number Relationships & Computation Objective: Add, subtract, multiply and divide integers. - B Examples:

MULTIPLYING & DIVIDING INTEGER RULES:

- . Two integers with DIFFERENT signs the answer is NEGATIVE.
- Two integers with SAME signs the answer is POSITIVE.

Examples:

5(-2) = 5 times -2, the signs are different so the answer will be negative = -10

(-6) • (-9) = the signs are the same so the answer will be positive = 54

 $30 \div (-5)$ = the signs are different so the answer will be negative = -6

- 100 \div (- 5) = the signs are the same so the answer will be positive = 20

1.	Mulitply:	- 14 (- 7)
----	-----------	--------	-----	---

2.) Divide: 350 ÷ (- 25)

4.) Evaluate if d = - 24, e = - 4, and f = 8

- 3ac

 $\frac{a\epsilon}{f}$

5.) A computer stock decreased 2 points each hour for 6 hours. Determine the total change in the stock value over the 6 hours. **6.)** A submarine descends at a rate of 60 feet each minute. How long will it take it to descend to a depth of 660 feet below the surface?

3

5

Objective: Add, subtract, and multiply positive fractions and mixed numbers. - A

Examples:

To add unlike fractions (fractions with different denominators), rename the fractions so there is a common denominator.

Add:
$$\frac{1}{6} + \frac{2}{5} =$$

$$\frac{1}{6} = \frac{1 \cdot 5}{6 \cdot 5} = \frac{5}{30}$$

$$\frac{2}{5} = \frac{2 \cdot 6}{5 \cdot 6} = \frac{12}{30}$$

$$\frac{3}{20} + \frac{12}{20} - \frac{17}{20}$$

Add:
$$12\frac{1}{2} + 8\frac{2}{3} =$$

Add:
$$12\frac{1}{2} + 8\frac{2}{3} = 12\frac{1 \cdot 3}{2 \cdot 3} = 12\frac{3}{6}$$

$$8\frac{2}{3} = 8\frac{2 \cdot 2}{3 \cdot 2} = 8\frac{4}{6}$$

$$12\frac{3}{6} + 8\frac{4}{6} = 20\frac{7}{6}$$

 $12\frac{3}{6} + 8\frac{4}{6} = 20\frac{7}{6}$ $\frac{7}{6}$ is improper so we must change it to proper. 7 divided by 6 = $1\frac{1}{6}$

$$20 + 1\frac{1}{6} = 21\frac{1}{6}$$

Add.

1.
$$\frac{1}{3} + \frac{1}{9}$$

2.
$$2\frac{1}{2} + 2\frac{2}{3}$$

- 3. The quiche recipe calls for $2\frac{3}{4}$ cups of grated cheese. A recipe for quesadillas requires $1\frac{1}{3}$ cups of grated cheese. What is the total amount of grated cheese needed for both recipes?
- 4. You want to make a scarf and matching hat. The pattern calls for $1\frac{7}{8}$ yards of fabric for the scarf and $2\frac{1}{2}$ yards of fabric for the hat. How much fabric do you need in all?

Objective: Add, subtract, and multiply positive fractions and mixed numbers. - B Examples:

To subtract unlike fractions (fractions with different denominators), rename the fractions so there is a common denominator.

Subtract:
$$\frac{7}{8} - \frac{1}{2} = \frac{7}{8} = \frac{7 \cdot 1}{8 \cdot 1} = \frac{7}{8} = \frac{1 \cdot 4}{2 \cdot 4} = \frac{4}{8} = \frac{7}{8} = \frac{3}{8}$$

$$\frac{7}{8} = \frac{7 \cdot 1}{8 \cdot 1} = \frac{7}{8}$$

$$\frac{1}{2} = \frac{1 \cdot 4}{2 \cdot 4} = \frac{4}{8}$$

$$\frac{7}{8} - \frac{4}{8} = \frac{3}{8}$$

Subtract:
$$5\frac{3}{4} - 2\frac{1}{3} = 5\frac{3 \cdot 3}{4 \cdot 3} = 5\frac{9}{12}$$
 $2\frac{1}{3} = 2\frac{1 \cdot 4}{3 \cdot 4} = 2\frac{4}{12}$

$$5\frac{3}{4} = 5\frac{3 \cdot 3}{4 \cdot 3} = 5\frac{9}{12}$$

$$2\frac{1}{3} = 2\frac{1 \cdot 4}{3 \cdot 4} = 2\frac{4}{12}$$

$$5\frac{9}{12} - 2\frac{4}{12} = 3\frac{5}{12}$$

**Note: If you have to borrow from the whole number change to improper fractions, find a common denominator, subtract, and then change back to proper fractions.

Subtract.

1.
$$\frac{9}{10} - \frac{1}{10}$$

2.
$$5\frac{3}{8} - 4\frac{11}{12}$$

- 3. Melanie had $4\frac{2}{3}$ pounds of chopped walnuts. She used $1\frac{1}{4}$ pounds in a recipe. How many pounds of chopped walnuts did she have left?
- 4. Lois has $3\frac{1}{3}$ pounds of butter. She uses $\frac{3}{4}$ pound in a recipe. How much does she have left? *Hint: Change to improper fractions first.

Objective: Add, subtract, and multiply positive fractions and mixed numbers. - C Examples:

- . To multiply fractions Multiply the numerators & denominators.
- . Be sure to change mixed numbers to improper fractions before multiplying.

$$\frac{1}{3} \cdot \frac{5}{8} = \frac{5}{24}$$

$$1\frac{1}{3} \cdot 3\frac{2}{5} = \frac{4}{3} \cdot \frac{17}{5} = \frac{68}{15} = 4\frac{8}{15}$$

**Remember: Changing mixed numbers to improper fractions. $2\frac{3}{4} = 4 \cdot 2 + 3 = \frac{11}{4}$

$$1\frac{1}{3} \cdot 21 = \frac{4}{3} \cdot \frac{21}{1} = \frac{4 \cdot 21}{3 \cdot 1} = \frac{84}{3} = 28$$

1.)
$$\frac{2}{3} \cdot \frac{4}{5} =$$

2.)
$$\frac{7}{3} \cdot 4\frac{1}{2} =$$

3.)
$$2\frac{1}{2} \cdot 2\frac{1}{3} =$$

4.)
$$3 \cdot 5\frac{2}{9} =$$

- **5.)** Anna wants to make 4 sets of curtains. Each set requires $5\frac{1}{8}$ yards of fabric. How much fabric does she need?
- **6.)** One sixth of the students at a local college are seniors. The number of freshmen students is $2\frac{1}{2}$ times that amount. What fraction of the students are freshmen?

Objective: Determine rate of increase and decrease, discounts, simple interest, commission, sales tax. - B Examples:

SALES TAX is a percent of the purchase price and is an amount paid in addition to the purchase price.

Determine the total price of a \$17.55 soccer ball if the sales tax is 6%.

Determine the sales tax by changing % to a decimal and multiply.

Add price and tax to determine the total price.

17.55 • 0.06 = 1.07 (TAX) 17.55 + 1.07 = 18.82

COMMISSION is the amount a salesman/woman makes for selling items. To determine the amount of commission, change the % to a decimal and multiply by the total amount sold.

Determine the commission for a RV salesman, whose sales for the month of March totaled \$149,000. The salesman earns a 4% commission.

Change 4% to a decimal.

I = prt

4% = 0.04

 $I = 136 \cdot 0.075 \cdot 2$

Multiply decimal and total sold.

0.04 • 149.000 = 5960

The RV salesman/woman will make a total commission of \$5,960 for the month of March.

■ SIMPLE INTEREST the amount of money paid or earned for the use of money. To determine simple interest I, use the formula I = prt. Principal p is the amount of money deposited or invested. Rate r is the annual interest rate written as a decimal. Time t is the amount of time the money is invested in years.

Determine the simple interest earned in a savings account where \$136 is deposited for 2 years if the interest rate is 7.5% per year.

I = 20.40

The simple interest earned is \$20.40

- 1. Blake bought two magazines for \$4.95 each. If the sales tax was 6.75%, what was the total amount that he paid for the magazines?
- 2. How much interest will Hannah earn in 4 years if she deposits \$630 in a savings account at 6.5% simple interest?

- 3. When Melissa was born, her parents put \$8000 into a college fund account that earned 9% simple interest. Determine the total amount in the account after 18 years.
- 4. A car salesman earns 7% commission on his total sales this month. If