

SUMMER ASSIGNMENT FOR AP CHEMISTRY 2020-2021

INSTRUCTOR: Dr. J. Khan Office: A-111 e-mail:jamalkhan@bpsma.org

Welcome to AP Chemistry! I am glad and excited that you have opted to sign-up for this class. Choice of this course is a clear statement on your part that you are ready to take the academic challenge AP Chemistry has to offer. I want to take this opportunity to familiarize you with some of the demands and expectations of this course.

The Summer Assignment is a first but necessary step towards the high level of content learning which needs to take place throughout the coming academic year. The objective behind the summer assignment is two-fold: a) review of concepts covered in the Honors chemistry course, and b) free up some time to cover newer or more difficult topics during the academic year.

We'll be doing pretty high level of learning and even higher level of applying that integrated knowledge throughout the school year. It is clear from your success in the honors chemistry course that you have the necessary background and knowledge base. What we have to do in the AP Chemistry is to build on that. As you might have guessed, a lot more time and effort will be needed to succeed in this college level course. Therefore, getting some of the preliminary work out of the way during summer is necessary to hit the ground running in the fall.

Some of the ways the AP Chemistry is different from Honors Chemistry are listed below:

1. Students must be able to find charges and write formulas of common simple ions and various polyatomic ions on demand. Unlike honors Chemistry, familiarity with the formulas of many more polyatomic ions will be expected from AP Chemistry students. Students are also expected to know the names and formulas of common acids and bases. Proficiency in recognizing transition metals, and proper use of Roman Numerals is also expected.
2. Students must have proficiency in using prefixes in the names of binary covalent compounds. They also need to memorize the formulas of the seven diatomic elements for use in writing chemical equations, and be able to write formulas of some common covalent compounds
3. The AP periodic table itself is different from the one supplied for MCAS exams for the honors Chemistry - The AP periodic table has no element names (only symbols and atomic masses), no period number info, no family names (other than identifying lanthanide and actinide series). Students are expected to correlate element names and

properties from their prior knowledge, and hence you need to practice recognizing symbols of elements (particularly those of similar sounding elements) and their relative positions to explain periodic trends.

4. Students are expected to be able to differentiate between different types of chemical reactions (including the general ideas about the metal activity series), predict expected products, and be able to balance chemical equations. Knowledge about identifying spectator ions is also assumed.
5. Students are expected to develop a good sense about solubility of ionic compounds in water, particularly in double displacement reactions, and hence review of and familiarity with solubility rules is necessary.
6. AP Chemistry is highly quantitative - Students need to be proficient in using TI-83 and TI-84 types of calculators for multistep calculations involving stoichiometry, gas laws, equilibrium constants, conversion factors, etc. Students are expected to know how to write numbers using significant figures and scientific notation.

I hope the discussion above has convinced you on the need of completing this summer problem set handout. Reviewing your Honors Chemistry class notes is also a good idea along with any other books or online resources you can muster. I cannot emphasize it enough that do not wait till the last week before school start to work on this package – you need to have enough time to do the problems with appropriate focus, and review or learn and relearn any concept you may have difficulty with. I am planning to give a test on the concepts covered in the package within couple of weeks of the school opening anyway. I have included a lot of notes and info for you to go over which should help you towards doing the problem sets and also prepare for the test.

I can be reached at the school e-mail address throughout the Summer. I'll try to do my best to answer any questions you may have over the vacation period in a reasonable time frame, the exceptions being travel overseas or the very last week before school opens.

Again, welcome to AP Chemistry and a fast paced learning of interesting chemistry. I cannot wait to get started in the fall!

Dr. Jamal Khan
AP Chemistry Instructor
Brockton High School, A-111
Office phone: (508)580-7403
Jamalkhan@bpsma.org

1. Textbook:

The textbook for AP Chemistry used at BHS is:

Chemistry: The Central Science; Brown, LeMay, Burnsten and Murphy;
11th edition, Pearson Prentice Hall

This book is updated now to the 14th Edition which is more in line with the current AP Exam format. Until BHS acquires the new edition, we'll continue to use the 11th Edition for homework assignments.

2. AP Chemistry Course Details:

If you don't have a User ID for College Board, create one and explore the AP Chemistry website: <https://apstudent.collegeboard.org/apcourse/ap-chemistry>. Familiar yourself with the 2 PDF documents on this page:

- AP Chemistry Course Overview
- AP Chemistry Course and Exam Description

You may want to download the AP Formulas and Equations document which also has the AP Periodic Table.

3. The summer Assignment

The assignment packet contains notes as well as practice problems.

You may want to pay attention to the following checklist from the notes:

-Make sure you are especially familiar with the organization of the periodic table (main group vs. transition elements; what each group is called—alkali metals, halogens, etc.), and naming molecules/compounds

-Memorize the following—these chemistry basics, ESPECIALLY the first four listings, are foundational for success in AP chemistry

- a) Names/symbols of common elements and their phases—recommended you make flashcards, a Quizlet, etc. to practice these.
- b) Common monoatomic/polyatomic ions—be able to match their names with their symbols, plus charge.
- c) Naming molecules and compounds.

- d) Metric prefixes—be able to convert between them also, with basic dimensional analysis.
- e) The basic solubility rules.
- f) Common fraction → decimals—no calculator is allowed on the multiple-choice portion, so knowing these and being able to estimate numbers based on this list will make your life much easier.
- g) Significant figure rules for addition/subtraction and multiplication/division.

Practice problems—required assignment; write your answers on separate notebook or line piece(s) of paper which you can submit on the first day of class. The purpose of these is to refresh your memory of foundational concepts from your past chemistry class so we can hit the ground running with AP Chem.

The assignment is mostly focused on the following topics:

Sig figs & metric conversions

Mental math ☒ Structure of the atom & periodic table

Naming inorganic compounds

Molecular masses ☒ Balancing equations

Stoichiometry

Limiting reactants

Solutions, replacement reactions, & solubility

Names/Symbols of Common Elements & Their Phases

| | | | |
|----|-----------|----|-------------|
| Al | aluminum | Mg | magnesium |
| Ar | argon | Mn | manganese |
| As | arsenic | Hg | mercury |
| Ba | barium | Ne | neon |
| Be | beryllium | Ni | nickel |
| B | boron | N | nitrogen |
| Br | bromine | O | oxygen |
| Cd | cadmium | P | phosphorous |
| Ca | calcium | Pt | platinum |
| C | carbon | Pu | plutonium |
| Cs | cesium | K | potassium |
| Cl | chlorine | Ra | radium |
| Cr | chromium | Rn | radon |
| Co | cobalt | Rb | rubidium |
| Cu | copper | Se | selenium |
| F | fluorine | Si | silicon |
| Fr | francium | Ag | silver |
| Ge | germanium | Na | sodium |
| Au | gold | Sr | strontium |
| He | helium | S | sulfur |
| H | hydrogen | Th | thorium |
| I | iodine | Sn | tin |
| Fe | iron | U | uranium |
| Kr | krypton | Xe | xenon |
| Pb | lead | Zn | zinc |
| Li | lithium | | |

****Please do not mind the misalignment due to formatting**

Phases of Matter:

- All metals are solid, except for mercury, which is a liquid.
- All metalloids are solids.

- Nonmetals: carbon, phosphorus, sulfur, & selenium are solids; bromine is a liquid; and the rest are gases.
- Diatomic elements: Br₂, I₂, N₂, Cl₂, O₂, F₂, H₂ (7-up rule) ⑦
- Other elements with subscripts (they don't exist alone as single atoms): P₄, S₈

Periodic Table

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--|--|--|--|--------------------------|-------------------------|------------------------|-------------------------|--------------------------|----------------------------|
| 1 IA H 1.008 | | | | | | | | | | | 2 IIA He 4.00 | | | | | | | | | | | 13 IIIA B 10.81 | 14 IVA C 12.01 | 15 VA N 14.01 | 16 VIA O 16.00 | 17 VIIA F 19.00 | 18 VIIIA Ne 20.18 |
| 3 Li 6.94 | 4 Be 9.01 | | | | | | | | | | | 5 B 10.81 | 6 C 12.01 | 7 N 14.01 | 8 O 16.00 | 9 F 19.00 | 10 Ne 20.18 | | | | | | | | | | |
| 11 Na 22.99 | 12 Mg 24.31 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 Al 26.98 | 14 Si 28.09 | 15 P 30.97 | 16 S 32.07 | 17 Cl 35.45 | 18 Ar 39.95 | | | | | | | | | | |
| 19 K 39.10 | 20 Ca 40.08 | 21 Sc 44.96 | 22 Ti 47.88 | 23 V 50.94 | 24 Cr 52.00 | 25 Mn 54.94 | 26 Fe 55.85 | 27 Co 58.93 | 28 Ni 58.69 | 29 Cu 63.55 | 30 Zn 65.39 | 31 Ga 69.72 | 32 Ge 72.61 | 33 As 74.92 | 34 Se 78.96 | 35 Br 79.90 | 36 Kr 83.80 | | | | | | | | | | |
| 37 Rb 85.47 | 38 Sr 87.62 | 39 Y 88.91 | 40 Zr 91.22 | 41 Nb 92.91 | 42 Mo 95.94 | 43 Tc (98) | 44 Ru 101.1 | 45 Rh 102.9 | 46 Pd 106.4 | 47 Ag 107.9 | 48 Cd 112.4 | 49 In 114.8 | 50 Sn 118.71 | 51 Sb 121.75 | 52 Te 127.60 | 53 I 126.90 | 54 Xe 131.29 | | | | | | | | | | |
| 55 Cs 132.91 | 56 Ba 137.33 | 57 La 138.9 | 58 Ce 140.12 | 59 Pr 140.91 | 60 Nd 144.24 | 61 Pm (145) | 62 Sm 150.36 | 63 Eu 151.96 | 64 Gd 157.25 | 65 Tb 158.93 | 66 Dy 162.50 | 67 Ho 164.93 | 68 Er 167.26 | 69 Tm 168.93 | 70 Yb 173.05 | 71 Lu 174.97 | 72 Hf 178.49 | | | | | | | | | | |
| 73 Ta 180.95 | 74 W 183.84 | 75 Re 186.21 | 76 Os 190.23 | 77 Ir 192.22 | 78 Pt 195.08 | 79 Au 196.97 | 80 Hg 200.59 | 81 Tl 204.38 | 82 Pb 207.2 | 83 Bi 208.98 | 84 Po (209) | 85 At (210) | 86 Rn (222) | | | | | | | | | | | | | | |

Common Monoatomic & Polyatomic Ions

Mastering the common ions, their formulas, and their charges, is essential to success in AP Chemistry. You are expected to know all of these ions on the first day of class, as part of your test. You will always be allowed a periodic table, which makes identifying the ions on the left “automatic.” Tips on learning these ions follow.

| <i>the Periodic Table</i> | |
|---------------------------|-------------------------------|
| Cations | Ion Name |
| H ⁺ | Hydrogen |
| Li ⁺ | Lithium |
| Na ⁺ | Sodium |
| K ⁺ | Potassium |
| Rb ⁺ | Rubidium |
| Cs ⁺ | Cesium |
| Be ²⁺ | Beryllium |
| Mg ²⁺ | Magnesium |
| Ca ²⁺ | Calcium |
| Ba ²⁺ | Barium |
| Sr ²⁺ | Strontium |
| Al ³⁺ | Aluminum |
| | |
| Anions | Ion Name (-ide suffix) |
| H ⁻ | Hydride |
| F ⁻ | Fluoride |
| Cl ⁻ | Chloride |
| Br ⁻ | Bromide |
| I ⁻ | Iodide |
| O ²⁻ | Oxide |
| S ²⁻ | Sulfide |
| Se ²⁻ | Selenide |
| N ³⁻ | Nitride |
| P ³⁻ | Phosphide |
| | |
| Type II Cations | Ion Name |
| Fe ²⁺ | Iron(II) |
| Fe ³⁺ | Iron(III) |
| Cu ⁺ | Copper(I) |
| Cu ²⁺ | Copper(II) |
| Co ²⁺ | Cobalt(II) |
| Co ³⁺ | Cobalt(III) |
| Sn ²⁺ | Tin(II) |

| <i>Ions to Memorize</i> | |
|---|--------------|
| Cations | Name |
| Ag ⁺ | Silver |
| Zn ²⁺ | Zinc |
| Hg ²⁺ | Mercury(I) |
| | |
| Polyatomic Ions | Name |
| NH ₄ ⁺ | Ammonium |
| NO ₂ ⁻ | Nitrite |
| NO ₃ ⁻ | Nitrate |
| SO ₃ ²⁻ | Sulfite |
| SO ₄ ²⁻ | Sulfate |
| OH ⁻ | Hydroxide |
| CN ⁻ | Cyanide |
| PO ₄ ³⁻ | Phosphate |
| CO ₃ ²⁻ | Carbonate |
| ClO ⁻ | Hypochlorite |
| ClO ₂ ⁻ | Chlorite |
| ClO ₃ ⁻ | Chlorate |
| ClO ₄ ⁻ | Perchlorate |
| C ₂ H ₃ O ₂ ⁻ | Acetate |
| MnO ₄ ⁻ | Permanganate |
| CrO ₄ ²⁻ | Chromate |
| Cr ₂ O ₇ ²⁻ | Dichromate |
| O ₂ ²⁻ | Peroxide |
| C ₂ O ₄ ²⁻ | Oxalate |
| NH ₂ ⁻ | Amide |

| | |
|------------------|-------------|
| Sn^{4+} | Tin(IV) |
| Pb^{2+} | Lead(II) |
| Pb^{4+} | Lead(IV) |
| Hg^{2+} | Mercury(II) |

Tips for Learning the Mono/Polyatomics

“From the Periodic Table”

These ions can be organized into two groups:

1. **Main group (Group A) metals:** Their place on the table suggests the charge on the ion, since the neutral atom gains or loses a predictable number of electrons in order to obtain a noble gas configuration (and satisfy the octet rule). Hopefully you recall this from first year chemistry, but if you are unsure what this means, get help or ask questions BEFORE the start of the year.
 - a. All Group 1 Elements (alkali metals) lose 1 electron to form an ion with a 1+ charge
 - b. All Group 2 Elements (alkaline earth metals) lose 2 electrons to form an ion with a 2+ charge
 - c. Group 13 (or Group 3A) metals like aluminum lose 3 electrons to form an ion with a 3+ charge
 - d. All Group 17 (Group 7A) elements (halogens) gain 1 electron to form an ion with a 1- charge
 - e. All Group 16 (Group 6A) nonmetals gain 2 electrons to form an ion with a 2- charge
 - f. All Group 15 (Group 5A) nonmetals gain 3 electrons to form an ion with a 3- charge

Note that cations keep their name (sodium ion, calcium ion) while anions get an “-ide” ending (chloride ion, oxide ion).

2. **Transition (Group B or Type II) metals:** These charges you cannot predict based on a pattern in the periodic table, so they must be memorized. Also, most can form more than one type of ion, so will have their positive charge denoted by a Roman numeral in parenthesis immediately next to the name of the element (eg. Iron (II) = Fe^{2+}). The possible charges of these Type II metals are noted in the “Type II Cations” section above.
 - a. However, the charges of 3 monoatomic ions (or diatomic, for mercury) CAN be predicted—they have only one possible charge. These are: Ag^+ , Zn^{2+} , and Hg_2^{2+} , in the rightmost table above.

Polyatomic Ions

Most of the needed memorization is with these ions, but there are some patterns that can greatly reduce the amount of memorizing that one must do:

1. “-ate” anions have one more oxygen than the “-ite” ion, but the same charge. If you memorize the “ate” ions, then you should be able to derive the formula for the “-ite” ion and vice-versa:
 - a. Sulfate is SO_4^{2-} so sulfite has the same charge but one less oxygen (SO_3^{2-})
 - b. Nitrate is NO_3^- , so nitrite has the same charge but one less oxygen (NO_2^-)
2. There is a relationship between -ate/ -ite suffixes, and hypo- and per- prefixes.
 - a. The prefix “hypo” means “under” or “too little” (think “hypodermic” or “hypothermia”)
 - i. Hypochlorite is “under” chlorite, meaning it has one less oxygen

- b. The prefix “hyper” means “above” or “too much” (think “hyperactive” or “hypertension”)
- The prefix “per” comes from “hyper” so perchlorate has one more oxygen than chlorate.
- c. Notice how this sequence increases in oxygen while retaining the same charge:
- | | | | |
|----------------|------------------|------------------|------------------|
| ClO^- | ClO_2^- | ClO_3^- | ClO_4^- |
| hypochlorite | chlorite | chlorate | perchlorate |

Common Polyatomic Ions (flashcards to cut out)

| | | |
|------------------|-----------------|-------------------|
| Sulfite | Sulfate | Phosphate |
| Nitrite | Nitrate | Ammonium |
| Carbonate | Chromate | Dichromate |

| | | |
|---------------------|---------------------|-----------------|
| Cyanide | Hypochlorite | Chlorite |
| Chlorate | Perchlorate | Acetate |
| Permanganate | Hydroxide | Peroxide |
| Oxalate | Amide | |

| | | |
|------------------------------------|------------------------------------|------------------------------------|
| SO₃²⁻ | SO₄²⁻ | PO₄³⁻ |
|------------------------------------|------------------------------------|------------------------------------|

| | | |
|------------------------------------|-------------------------------------|---|
| NO₂⁻ | NO₃⁻ | NH₄⁺ |
| CO₃²⁻ | CrO₄²⁻ | Cr₂O₇²⁻ |
| CN⁻ | ClO⁻ | ClO₂⁻ |
| ClO₃⁻ | ClO₄⁻ | C₂H₃O₂⁻ or CH₃COO⁻ |
| MnO₄⁻ | OH⁻ | O₂²⁻ |



Naming Molecules & Compounds

Hopefully this is review for you. Make sure you can name a molecule based on its formula, and write its formula based on its name. Know all 3 types of naming for inorganic compounds:

1. Type I—Ionic bonding, with main group elements
2. Type II—Ionic bonding, with transition elements
3. Type III—Covalent bonding, with nonmetals only

Prefixes for Numbers

| | | | |
|-------|---|-------|----|
| Mono | 1 | Hexa | 6 |
| Di | 2 | Hepta | 7 |
| Tri | 3 | Octa | 8 |
| Tetra | 4 | Nona | 9 |
| Penta | 5 | Deca | 10 |

Metric Prefixes

(All you need to know for AP Chem—there are more!)

| Prefix | Symbol | Numerical | Exponential |
|-------------------------------|---------------|------------------|--------------------|
| kilo | k | 1,000 | 10^3 |
| <u>no prefix</u> (base unit): | | 1 | 10^0 |
| deci | d | 0.1 | 10^{-1} |
| centi | c | 0.01 | 10^{-2} |
| milli | m | 0.001 | 10^{-3} |
| micro | μ | 0.000001 | 10^{-6} |
| nano | n | 0.000000001 | 10^{-9} |

Basic Solubility Rules

Knowledge of the solubility rules is necessary to predict whether a precipitate will form in double replacement reactions. The basic rules, along with their exceptions, can be summarized as follows:

| Rule | Exceptions |
|--|---|
| All compounds of alkali metals (Group 1) and ammonium (NH_4^+) are <u>soluble</u> . | None |
| All nitrates (NO_3^-), chlorates (ClO_3^-), perchlorates (ClO_4^-), and acetates (CH_3COO^- or $\text{C}_2\text{H}_3\text{O}_2^-$) are <u>soluble</u> . | None |
| Chloride (Cl^-), bromide (Br^-), and iodide (I^-) salts are <u>soluble</u> . | Salts of Ag^+ , Pb^{2+} , and Hg_2^{2+} |
| Sulfate (SO_4^{2-}) compounds are <u>soluble</u> . | Salts of Ba^{2+} , Sr^{2+} , Ca^{2+} , Pb^{2+} , Hg_2^{2+} |
| Hydroxides (OH^-) and sulfides (S^{2-}) are <u>insoluble</u> . | Salts of NH_4 , alkali metals, and Ba^{2+} , Ca^{2+} , and Sr^{2+} |
| All sulfites (SO_3^-), carbonates (CO_3^{2-}), chromates (CrO_4^{2-}), and phosphates (PO_4^{3-}) are <u>insoluble</u> . | Salts of NH_4^+ and alkali metals |

Common Fractions 7 Decimals

No calculators are allowed on the multiple-choice part of the AP Chem Exam, and you should not use any time fully working out long division problems. Therefore, knowing the decimal equivalent of these fractions will let you more quickly choose the correct answer based on estimates:

| Fraction | Decimal | Fraction | Decimal |
|-----------------|----------------|-----------------|----------------|
| 1/2 | 0.500 | 3/5 | 0.600 |
| 1/3 | 0.333 | 4/5 | 0.800 |
| 2/3 | 0.667 | 1/6 | 0.167 |
| 1/4 | 0.250 | 5/6 | 0.833 |
| 3/4 | 0.750 | 1/8 | 0.125 |
| 1/5 | 0.200 | 3/8 | 0.375 |
| 2/5 | 0.400 | 5/8 | 0.625 |
| 7/8 | 0.875 | 7/8 | 0.875 |

Significant Figure Rules

Here are the basic rules for what digits in a number are considered significant, and how to keep the proper sig figs in your answer after doing calculations—if you need more guidance here, YouTube videos are your friend.

1. Non-zero digits are always significant. Eg. **322**
2. Zeroes between non-zeroes are significant. Eg. **302**
3. Zeroes at the beginning of a number are not significant—they are placeholder zeroes. Eg. 0.032
4. Final zeroes at the end of a number are significant IF there is a decimal point. Eg. **320.** (320 zero is not)

Addition/subtraction rule: Round answer so it has the same number of digits after the decimal as there are in the number with the least sig figs after the decimal. Eg. $35.48 + 2.4 = 37.88$ 🚫 round to 37.9 (1 sig fig after)

Multiplication/division rules: Round answer so it has the same number of total sig figs as there are in the number with the least total sig figs. Eg. $4.82 \times 2.318 = 11.17276$ 🚫 round to 11.2 (3 total sig figs)

Practice Problems

Directions: Complete these in a notebook or lined paper(s) which you can submit.

I. Significant Figures and Metric Conversions

- Round each of the following numbers to four significant figures. Write the answer in decimal form AND scientific notation.
 - 300.235800
 - 456,500
 - 0.006543210
 - 0.000957830
 - 0.035000
- Carry out the following operations, and provide answers with the correct number of sig figs:
 - $1.24056 + 75.80$
 - $23/67 - 75$
 - $890,000 \times 112.3$
 - $78,132 / 2.50$
- Perform the following conversions. Solve each problem using dimensional analysis, SHOWING YOUR WORK! Every number must have a unit and be expressed with proper significant figures.
 - Convert 50.0 m to mm
 - Convert 25 cm to km
 - Convert 400 mm to m
 - Convert 60 kg to mg
 - Convert 500 nm to km
 - The average speed of helium at 25°C is 1255 m/s. Convert this speed to miles per hour (mph).
- If a megabuck is one million dollars, and a kilobuck is one thousand dollars, how many kilobucks is 342 dollars?
- Normally the human body can endure a temperature of 105°F for only short periods of time without permanent damage to the brain or other vital organs. What is this temperature in °C?

6. The temperature on the surface of the sun is about 6300°C. What is this temperature in degrees Fahrenheit?

II. Mental Math

7. You need practice doing mental math/paper and pencil math for the AP exam, as no calculators are allowed on the multiple-choice section. **Please do not use a calculator to do these!!**

a. $1.62 \times 10^6 + 1.9 \times 10^5$

b. $1.62 \times 10^6 - 1.9 \times 10^5$

$3.72 \times 10^{-8} + 0.211 \times 10^{-7}$

c.

d. $3.72 \times 10^{-8} - 0.211 \times 10^{-7}$ [SEP]

e. $(2.3 \times 10^4)(3.1 \times 10^4)$ [SEP]

f. square root of 9.0×10^{-8}

g. cube root of 8.0×10^{-9}

h. $(0.001)(0.001)$

i. $3.42/342$

III. Structure of the Atom & Periodic Table

8. Fill in the following table, assuming each column represents a neutral atom:

| | | | | | |
|----------------------------------|------------------------|----|----|-----|-----|
| Symbol (nuclear notation) | ${}^{39}_{19}\text{K}$ | | | | |
| Protons | 19 | 25 | | | 82 |
| Neutrons | 20 | 30 | 64 | | |
| Electrons | | | 48 | 56 | |
| Mass # | | | | 137 | 207 |

9. Describe the contributions of the following scientists to our knowledge of atomic structure: a.

J.J. Thomson [SEP]

b. R.A. Millikan [SEP]

c. Ernest Rutherford [SEP]

- d. James Chadwick ¹⁹¹⁹₁₉₂₈
- e. Erwin Schrödinger

10. Describe where the following element groups are located on the periodic table, and give 2 element examples:
- a. Alkaline earth metals
 - b. Halogens
 - c. Alkali metals
 - d. Noble gases
 - e. Metalloids

IV. Naming Inorganic Compounds

11. Write the formula of the common ion derived from each of the following atoms:

- a. Li d. N g. Mg
- b. S e. Al h. Xe
- c. I f. Cs

12. Give the name for each of the following ionic compounds:

- a. AlF_3
- b. $\text{Fe}(\text{OH})_2$
- c. $\text{Cu}(\text{NO}_3)_2$
- d. $\text{Ba}(\text{ClO}_4)_2$
- e. Li_3PO_4
- f. Hg_2S
- g. $\text{Ca}(\text{C}_2\text{H}_3\text{O}_2)_2$
- h. $(\text{NH}_4)_2\text{SO}_4$

13. Write the chemical formula for each of the following compounds:

- a. copper (I) oxide d. zinc nitrate
- b. potassium peroxide e. mercury (I) bromide
- c. aluminum hydroxide f. iron (III) carbonate

14. Fill in the blanks in the following table:


| Cation | Anion | Formula | Name |
|------------------|--------------------|-----------------|-------------------------|
| | | | Magnesium bicarbonate |
| | | SrCl_2 | |
| Fe^{3+} | NO_2^- | | |
| | | | Manganese (II) chlorate |
| | | SnBr_4 | |
| Co^{2+} | PO_4^{3-} | | |

| | | | |
|-------------------------------|-----------------|-------------------|-----------------|
| Hg ₂ ²⁺ | I ⁻ | | |
| | | CuCO ₃ | |
| | | | Lithium nitride |
| Al ³⁺ | S ²⁻ | | |

15. Give the name or chemical formula, as appropriate, for each of the following acids:
- HBrO₃
 - HBr
 - H₃PO₄
 - hypochlorous acid
 - iodic acid
 - sulfurous acid
16. Give the name or chemical formula, as appropriate, for each of the following molecular substances:
- dinitrogen tetroxide
 - SF₆
 - IF₅
 - XeO₃
 - hydrogen cyanide
 - tetraphosphorous hexasulfide
17. Give the name or chemical formula, as appropriate, for the following (types of naming are mixed up here! Make sure you can determine how to name each when the type is not specific):
- sodium hypochlorite
 - Cr₂(CO₃)₃
 - CO
 - Iron(III) oxide
 - nitrogen dioxide
 - K₂CrO₄

V. Molecular Masses

18. Determine the molar mass of each of the following compounds. For extra math practice, don't use a calculator—remember you can't use one on the multiple-choice section of the exam.
- N₂O₅
 - FeCO₃
 - disilicon hexabromide
19. Calculate the percentage by mass of oxygen in the following compounds. (See 3.6 in Zumdahl)
- NO₂
 - Cr(NO₃)₃



20. The empirical formula of a compound is CH. If the molar mass of this compound is about 78 g, what is the molecular formula? (See 3.7 in Zumdahl) [1]









21. Find the empirical formulas of the compounds with the following compositions:

a. 40.1% C, 6.6% H, 53.3% O [1]

b. 18.4% C, 21.5% N, 60.1% K

VI. Balancing Equations

22. Balance the following equations:



VII. Stoichiometry →

Show your work, and box/circle in your final answer please. Keep in mind that your first step with stoichiometry is always to make sure your equation is balanced (if there is an equation)!! (See 3.10 in Zumdahl)


23. How many molecules of ethane (C_2H_6) are present in 0.334 g of ethane? [1]

24. How many moles of cobalt (Co) atoms are there in 6.00×10^9 cobalt atoms? [1]


25. How many moles of calcium (Ca) atoms are in 77.4 g of calcium?

26. How many atoms are present in 3.14 g of copper (Cu)?


27. How many moles of oxygen are necessary to react completely with four moles of propane (C_3H_8)?



28. The fermentation of glucose, $C_6H_{12}O_6$, produces ethyl alcohol, C_2H_5OH , and CO_2 as shown here:




- How many moles of CO_2 are produced when 0.300 mol of $C_6H_{12}O_6$ fully reacts?
 - How many grams of $C_6H_{12}O_6$ are needed to form 2.00 g of C_2H_5OH ?
 - How many molecules of CO_2 form when 2.00 g of C_2H_5OH are produced?
29. How many grams of $Al(OH)_3$ (molar mass = 78.0 g/mol) can be produced from the reaction of 48.6 mL of .15 M KOH with excess $Al_2(SO_4)_3$?




30. Nitrogen gas and hydrogen gas react to produce ammonia (NH_3).
- What volume of hydrogen gas is necessary to react completely with 5 L of nitrogen gas to produce ammonia at STP? (Hint: \rightarrow What is the conversion factor for moles to L of a gas at STP?)
 - What volume (in L) of ammonia is produced in this reaction?

31. If 20 L of oxygen are consumed in this reaction, how many liters of carbon dioxide are produced?




32. How many grams of silver chloride are produced from 5.0 g of barium chloride reacting with an excess of silver nitrate?



VIII. Limiting Reactants

Show your work, and box/circle your final answer please. Again, remember to make sure you have a balanced equation first! (See 3.11 in Zumdahl)


33. The fizz produced when an Alka-Seltzer tablet is dissolved in water is due to the reaction between sodium bicarbonate, $NaHCO_3$, and citric acid, $H_3C_6H_5O_7$:




In an experiment, 2.50 g of sodium bicarbonate and 5.00 g of citric acid are allowed to react.

- Which reactant is the limiting reactant? You must show work to support your answer.
- How many grams of carbon dioxide are formed? How many liters is this if we assume STP conditions?

- c. How much of the limiting reactant is left when the reaction is complete?
d. How much of the excess reactant remains after the reaction is complete?
34. At high temperatures, sulfur combines with iron to form the brown-black iron (II) sulfide. In an experiment, 7.62 g of Fe are allowed to react with 8.67 g of S.




- a. What is the limiting reagent, and what is the reactant in excess?
b. Calculate the mass of FeS formed.
35. Acrylonitrile, $\text{C}_3\text{H}_3\text{N}$, is the starting material for the production of a kind of synthetic fiber (acrylics) and can be made from propylene, C_3H_6 by a reaction with nitric oxide, NO, as follows:



What mass of $\text{C}_3\text{H}_3\text{N}$ can be made when 21.6 g of C_3H_6 react with 21.6 g of nitric oxide?

36. Calculate the percent yield for the reaction below, if 75.0 g of phosphorus reacts with excess chlorine gas to produce 111.0 g of phosphorus trichloride



IX. Solutions, Replacement Reactions, & Solubility

37. Calculate the molarity of each of the following solutions:
- 29.0 g of ethanol ($\text{C}_2\text{H}_5\text{OH}$) in 545 mL of solution
 - 15.4 g of sucrose ($\text{C}_{12}\text{H}_{22}\text{O}_{11}$) in 74.0 mL of solution
 - 9.00 g of sodium chloride (NaCl) in 86.4 mL of solution
38. Predict the outcomes of the single replacement reactions below by using the activity series (you'll have to look up the activity series online). Then balance the equations.
- $\text{Cu (s)} + \text{HCl (aq)} \rightarrow$
 - $\text{I}_2(\text{s}) + \text{NaBr (aq)} \rightarrow$
 - $\text{Mg (s)} + \text{CuSO}_4(\text{aq}) \rightarrow$
 - $\text{Cl}_2(\text{g}) + \text{KBr (aq)} \rightarrow$

39. Characterize the following compounds as soluble or insoluble in water:

- | | | |
|---------------------------------|-------------------------|-------------------------------|
| a. $\text{Ca}_3(\text{PO}_4)_2$ | d. K_2S | g. $\text{Hg}(\text{NO}_3)_2$ |
| b. $\text{Mn}(\text{OH})_2$ | e. CaCO_3 | h. HgSO_4 |
| c. AgClO_3 | f. ZnSO_4 | i. NH_4ClO_4 |

40. Write the net ionic equations for the following reactions:

- $\text{AgNO}_3(\text{aq}) + \text{Na}_2\text{SO}_4(\text{aq}) \rightarrow$
- $\text{BaCl}_2(\text{aq}) + \text{ZnSO}_4(\text{aq}) \rightarrow$
- $(\text{NH}_4)_2\text{CO}_3(\text{aq}) + \text{CaCl}_2(\text{aq}) \rightarrow$