

Expiration Date: **6/25/2009**

Certificate Number: 7020062508MOII13731

Training Date: **6/25/2008**

Missouri State Certificate for Asbestos Related Occupations

issued by Department of Natural Resources

P.O. Box 176

Jefferson City, MO 65102

Phone (573) 751-4817


Berkeley R. Hall

has successfully completed the requirements for certification as a INSPECTOR. This Missouri State Certification is subject to review and the director may deny, suspend or revoke the certification per RSMo chapter 643.230.

10/17/2008

Date


Director of Air Pollution Control Program



Cert # MO1113731
 EXP. 6/25/09

KCMSD 2008 Triennial Re-inspection

350 / Douglas Early Childhood Center
 2640 Bellevue

Inspector: B. Hall
 Inspection Date: 11-13-08

Building: 001 Room: B001 Drawing Group Code: USA: 30 0" OD Quantity: 20 SF
 Floor: T Boiler Room Material: Insulation, Kiln
 Record No.: **3500332** Comment: (1992) -

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)
 Not Found Definitely Not Present

Assessment: Not Assessable
 Friable Covering
 Non-friable Enclosure
 Intact and Undamaged
 Damaged (<10%)
 Significantly Damaged (>10%)
 Potential for Damage
 Potential for Significant Damage

Comment Fit Material? Yes No (Explain In Comment Area)

Justification: Missing TSI Jacketing Student Accessible
 Physical Damage Activity / Movement
 Blistering Deterioration Forced Airstream
 Cracking Water Damage <10% Exposed Surface Area
 Vibration Loose >10% Exposed Surface Area
 Other: _____

Building: 001 Room: 001 Drawing Group Code: 02 USA: 11 0" OD Quantity: 88 SF
 Floor: G Manager's Office Material: Tile, Vinyl Floor, 9X9
 Record No.: **3500607** Comment: (1992) Green

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)
 Not Found Definitely Not Present

Assessment: Not Assessable
 Friable Covering
 Non-friable Enclosure
 Intact and Undamaged
 Damaged (<10%)
 Significantly Damaged (>10%)
 Potential for Damage
 Potential for Significant Damage

Comment Fit Material? Yes No (Explain In Comment Area)

Justification: Missing TSI Jacketing Student Accessible
 Physical Damage Activity / Movement
 Blistering Deterioration Forced Airstream
 Cracking Water Damage <10% Exposed Surface Area
 Vibration Loose >10% Exposed Surface Area
 Other: _____

Building: 001 Room: 002 Drawing Group Code: 02 USA: 13 0" OD Quantity: 96 SF
 Floor: G Corridor Material: Tile, Vinyl Floor, 12X12
 Record No.: **3500618** Comment: (1992) Gray

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)
 Not Found Definitely Not Present

Assessment: Not Assessable
 Friable Covering
 Non-friable Enclosure
 Intact and Undamaged
 Damaged (<10%)
 Significantly Damaged (>10%)
 Potential for Damage
 Potential for Significant Damage

Comment Fit Material? Yes No (Explain In Comment Area)

Justification: Missing TSI Jacketing Student Accessible
 Physical Damage Activity / Movement
 Blistering Deterioration Forced Airstream
 Cracking Water Damage <10% Exposed Surface Area
 Vibration Loose >10% Exposed Surface Area
 Other: _____

KCMSD 2008 Triennial Re-inspection

350 / Douglas Early Childhood Center
2640 Belleview

Inspector: B. Ag. II
Inspection Date: 11-13-08

Building: 001 Room: 002A	Drawing Group Code: 02	USA: 11 0" OD Quantity: 44 SF
Floor: G Toilet	Material: Tile, Vinyl Floor, 9X9	
Record No.: 3500616 Comment: (1992) Green		

Quantity Within 20%? <input type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		Assessment: <input type="radio"/> Not Assessable
	<input type="radio"/> Not Found <input checked="" type="radio"/> Definitely Not Present	<input type="radio"/> Friable <input type="radio"/> Covering
Comment Fit Material? <input type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		<input type="radio"/> Non-friable <input type="radio"/> Enclosure
Justification:	<input type="radio"/> Missing TSI Jacketing <input type="radio"/> Student Accessible	<input type="radio"/> Intact and Undamaged
<input type="radio"/> Blistering	<input type="radio"/> Physical Damage <input type="radio"/> Activity / Movement	<input type="radio"/> Damaged (<10%)
<input type="radio"/> Cracking	<input type="radio"/> Deterioration <input type="radio"/> Forced Airstream	<input type="radio"/> Significantly Damaged (>10%)
<input type="radio"/> Vibration	<input type="radio"/> Water Damage <input type="radio"/> <10% Exposed Surface Area	<input type="radio"/> Potential for Damage
<input type="radio"/> Other: _____	<input type="radio"/> Loose <input type="radio"/> >10% Exposed Surface Area	<input type="radio"/> Potential for Significant Damage

Building: 001 Room: 002B	Drawing Group Code: 02	USA: 11 0" OD Quantity: 36 SF
Floor: G Vestibule	Material: Tile, Vinyl Floor, 9X9	
Record No.: 3500611 Comment: (1992) Green		

Quantity Within 20%? <input type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		Assessment: <input type="radio"/> Not Assessable
	<input type="radio"/> Not Found <input checked="" type="radio"/> Definitely Not Present	<input type="radio"/> Friable <input type="radio"/> Covering
Comment Fit Material? <input type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		<input type="radio"/> Non-friable <input type="radio"/> Enclosure
Justification:	<input type="radio"/> Missing TSI Jacketing <input type="radio"/> Student Accessible	<input type="radio"/> Intact and Undamaged
<input type="radio"/> Blistering	<input type="radio"/> Physical Damage <input type="radio"/> Activity / Movement	<input type="radio"/> Damaged (<10%)
<input type="radio"/> Cracking	<input type="radio"/> Deterioration <input type="radio"/> Forced Airstream	<input type="radio"/> Significantly Damaged (>10%)
<input type="radio"/> Vibration	<input type="radio"/> Water Damage <input type="radio"/> <10% Exposed Surface Area	<input type="radio"/> Potential for Damage
<input type="radio"/> Other: _____	<input type="radio"/> Loose <input type="radio"/> >10% Exposed Surface Area	<input type="radio"/> Potential for Significant Damage

Building: 001 Room: 004	Drawing Group Code: 12	USA: 22 0" OD Quantity: 1 LF
Floor: G Storage	Material: Pipe, Transite	
Record No.: 3500299 Comment: (1992) - (1996) Elev cntrl rm - up to 10' unexposed in wall/ceiling.		

Quantity Within 20%? <input type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		Assessment: <input type="radio"/> Not Assessable
	<input type="radio"/> Not Found <input checked="" type="radio"/> Definitely Not Present	<input type="radio"/> Friable <input type="radio"/> Covering
Comment Fit Material? <input type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		<input type="radio"/> Non-friable <input type="radio"/> Enclosure
Justification:	<input type="radio"/> Missing TSI Jacketing <input type="radio"/> Student Accessible	<input type="radio"/> Intact and Undamaged
<input type="radio"/> Blistering	<input type="radio"/> Physical Damage <input type="radio"/> Activity / Movement	<input type="radio"/> Damaged (<10%)
<input type="radio"/> Cracking	<input type="radio"/> Deterioration <input type="radio"/> Forced Airstream	<input type="radio"/> Significantly Damaged (>10%)
<input type="radio"/> Vibration	<input type="radio"/> Water Damage <input type="radio"/> <10% Exposed Surface Area	<input type="radio"/> Potential for Damage
<input type="radio"/> Other: _____	<input type="radio"/> Loose <input type="radio"/> >10% Exposed Surface Area	<input type="radio"/> Potential for Significant Damage

KCMSD 2008 Triennial Re-inspection

350 / Douglas Early Childhood Center
2640 Bellevue

Inspector: B. Arll
Inspection Date: 11-13-08

Building: 001 Room: 006A Floor: G Freezers Record No.: 3500295 Comment: (1992) -	Drawing Group Code: 12 Material: Pipe, Transite	USA: 22 0" OD Quantity: 11 LF
Quantity Within 20%? <input type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		
Comment Fit Material? <input type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		
Justification:		
<input type="radio"/> Blistering <input type="radio"/> Physical Damage <input type="radio"/> Deterioration <input type="radio"/> Water Damage <input type="radio"/> Loose		
<input type="radio"/> Cracking <input type="radio"/> Student Accessible <input type="radio"/> Activity / Movement <input type="radio"/> Forced Airstream <input type="radio"/> <10% Exposed Surface Area <input type="radio"/> >10% Exposed Surface Area		
<input type="radio"/> Vibration <input type="radio"/> Other: _____		
Assessment:		
<input type="radio"/> Friable <input type="radio"/> Non-friable <input type="radio"/> Intact and Undamaged <input type="radio"/> Damaged (<10%) <input type="radio"/> Significantly Damaged (>10%) <input type="radio"/> Potential for Damage <input type="radio"/> Potential for Significant Damage		
<input type="radio"/> Not Assessable <input type="radio"/> Covering <input type="radio"/> Enclosure		

Building: 001 Room: 008 Floor: G Cafeteria Record No.: 3500628 Comment: (1992) Gray (1996) Rm renvtd - approx. 484 SF to be assigned to rm 002.	Drawing Group Code: 02 Material: Tile, Vinyl Floor, 12X12	USA: 13 0" OD Quantity: 2898 SF
Quantity Within 20%? <input checked="" type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		
Comment Fit Material? <input checked="" type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		
Justification:		
<input type="radio"/> Blistering <input type="radio"/> Physical Damage <input type="radio"/> Deterioration <input type="radio"/> Water Damage <input type="radio"/> Loose		
<input type="radio"/> Cracking <input type="radio"/> Student Accessible <input type="radio"/> Activity / Movement <input type="radio"/> Forced Airstream <input type="radio"/> <10% Exposed Surface Area <input type="radio"/> >10% Exposed Surface Area		
<input type="radio"/> Vibration <input type="radio"/> Other: _____		
Assessment:		
<input type="radio"/> Friable <input checked="" type="radio"/> Non-friable <input type="radio"/> Intact and Undamaged <input type="radio"/> Damaged (<10%) <input type="radio"/> Significantly Damaged (>10%) <input type="radio"/> Potential for Damage <input type="radio"/> Potential for Significant Damage		
<input type="radio"/> Not Assessable <input type="radio"/> Covering <input type="radio"/> Enclosure		

Building: 001 Room: 009 Floor: G Classroom Record No.: 3500313 Comment: (1992) -	Drawing Group Code: 11 Material: Mastic, Baseboard	USA: 24 0" OD Quantity: 9 SF
Quantity Within 20%? <input type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		
Comment Fit Material? <input type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		
Justification:		
<input type="radio"/> Blistering <input type="radio"/> Physical Damage <input type="radio"/> Deterioration <input type="radio"/> Water Damage <input type="radio"/> Loose		
<input type="radio"/> Cracking <input type="radio"/> Student Accessible <input type="radio"/> Activity / Movement <input type="radio"/> Forced Airstream <input type="radio"/> <10% Exposed Surface Area <input type="radio"/> >10% Exposed Surface Area		
<input type="radio"/> Vibration <input type="radio"/> Other: _____		
Assessment:		
<input type="radio"/> Friable <input type="radio"/> Non-friable <input type="radio"/> Intact and Undamaged <input type="radio"/> Damaged (<10%) <input type="radio"/> Significantly Damaged (>10%) <input type="radio"/> Potential for Damage <input type="radio"/> Potential for Significant Damage		
<input type="radio"/> Not Assessable <input type="radio"/> Covering <input type="radio"/> Enclosure		

KCMSD 2008 Triennial Re-inspection

350 / Douglas Early Childhood Center
2640 Bellevue

Inspector: B. Hall
Inspection Date: 11-13-08

Building: 001 Room: PC002A Drawing Group Code: 07 USA: 04 4" OD Quantity: 4 EA
Floor: G Pipe Chase Material: Insulation, MJP on Wrapped Pipe Covering
Record No.: **3500627** Comment: (1992) -

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)
 Not Found Definitely Not Present

Assessment: Not Assessable
 Friable Covering
 Non-friable Enclosure
 Intact and Undamaged
 Damaged (<10%)
 Significantly Damaged (>10%)
 Potential for Damage
 Potential for Significant Damage

Comment Fit Material? Yes No (Explain In Comment Area)

Justification: Missing TSI Jacketing Student Accessible
 Physical Damage Activity / Movement
 Blistering Deterioration Forced Airstream
 Cracking Water Damage <10% Exposed Surface Area
 Vibration Loose >10% Exposed Surface Area
 Other: _____

Building: 001 Room: PC002A Drawing Group Code: 06 USA: 05 4" OD Quantity: 30 LF
Floor: G Pipe Chase Material: Insulation, Pipe, Paper
Record No.: **3500626** Comment: (1992) -

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)
 Not Found Definitely Not Present

Assessment: Not Assessable
 Friable Covering
 Non-friable Enclosure
 Intact and Undamaged
 Damaged (<10%)
 Significantly Damaged (>10%)
 Potential for Damage
 Potential for Significant Damage

Comment Fit Material? Yes No (Explain In Comment Area)

Justification: Missing TSI Jacketing Student Accessible
 Physical Damage Activity / Movement
 Blistering Deterioration Forced Airstream
 Cracking Water Damage <10% Exposed Surface Area
 Vibration Loose >10% Exposed Surface Area
 Other: _____

Building: 001 Room: PC008 Drawing Group Code: 07 USA: 06 4" OD Quantity: 3 EA
Floor: G Pipe Chase Material: Insulation, MJP on Wrapped Pipe Covering
Record No.: **3500635** Comment: (1992) -

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)
 Not Found Definitely Not Present

Assessment: Not Assessable
 Friable Covering
 Non-friable Enclosure
 Intact and Undamaged
 Damaged (<10%)
 Significantly Damaged (>10%)
 Potential for Damage
 Potential for Significant Damage

Comment Fit Material? Yes No (Explain In Comment Area)

Justification: Missing TSI Jacketing Student Accessible
 Physical Damage Activity / Movement
 Blistering Deterioration Forced Airstream
 Cracking Water Damage <10% Exposed Surface Area
 Vibration Loose >10% Exposed Surface Area
 Other: _____

KCMSD 2008 Triennial Re-inspection

350 / Douglas Early Childhood Center
2640 Bellevue

Inspector: B. Davis
Inspection Date: 11-13-08

Building: 001 Room: PC008	Drawing Group Code: 06	USA: 07 4" OD Quantity: 12 LF																									
Floor: G Pipe Chase	Material: Insulation, Pipe, Paper																										
Record No.: 3500634 Comment: (1992) -																											
<p>Quantity Within 20%? <input type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)</p> <p style="margin-left: 150px;"><input type="radio"/> Not Found <input checked="" type="radio"/> Definitely Not Present</p> <p>Comment Fit Material? <input type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)</p> <p>Justification:</p> <table style="width: 100%; border: none;"> <tr> <td><input type="radio"/> Blistering</td> <td><input type="radio"/> Missing TSI Jacketing</td> <td><input type="radio"/> Student Accessible</td> <td><input type="radio"/> Friable</td> <td><input type="radio"/> Not Assessable</td> </tr> <tr> <td><input type="radio"/> Cracking</td> <td><input type="radio"/> Physical Damage</td> <td><input type="radio"/> Activity / Movement</td> <td><input type="radio"/> Non-friable</td> <td><input type="radio"/> Covering</td> </tr> <tr> <td><input type="radio"/> Vibration</td> <td><input type="radio"/> Deterioration</td> <td><input type="radio"/> Forced Airstream</td> <td><input type="radio"/> Intact and Undamaged</td> <td><input type="radio"/> Enclosure</td> </tr> <tr> <td><input type="radio"/> Other: _____</td> <td><input type="radio"/> Water Damage</td> <td><input type="radio"/> <10% Exposed Surface Area</td> <td><input type="radio"/> Damaged (<10%)</td> <td><input type="radio"/> Significantly Damaged (>10%)</td> </tr> <tr> <td></td> <td><input type="radio"/> Loose</td> <td><input type="radio"/> >10% Exposed Surface Area</td> <td><input type="radio"/> Potential for Damage</td> <td><input type="radio"/> Potential for Significant Damage</td> </tr> </table>			<input type="radio"/> Blistering	<input type="radio"/> Missing TSI Jacketing	<input type="radio"/> Student Accessible	<input type="radio"/> Friable	<input type="radio"/> Not Assessable	<input type="radio"/> Cracking	<input type="radio"/> Physical Damage	<input type="radio"/> Activity / Movement	<input type="radio"/> Non-friable	<input type="radio"/> Covering	<input type="radio"/> Vibration	<input type="radio"/> Deterioration	<input type="radio"/> Forced Airstream	<input type="radio"/> Intact and Undamaged	<input type="radio"/> Enclosure	<input type="radio"/> Other: _____	<input type="radio"/> Water Damage	<input type="radio"/> <10% Exposed Surface Area	<input type="radio"/> Damaged (<10%)	<input type="radio"/> Significantly Damaged (>10%)		<input type="radio"/> Loose	<input type="radio"/> >10% Exposed Surface Area	<input type="radio"/> Potential for Damage	<input type="radio"/> Potential for Significant Damage
<input type="radio"/> Blistering	<input type="radio"/> Missing TSI Jacketing	<input type="radio"/> Student Accessible	<input type="radio"/> Friable	<input type="radio"/> Not Assessable																							
<input type="radio"/> Cracking	<input type="radio"/> Physical Damage	<input type="radio"/> Activity / Movement	<input type="radio"/> Non-friable	<input type="radio"/> Covering																							
<input type="radio"/> Vibration	<input type="radio"/> Deterioration	<input type="radio"/> Forced Airstream	<input type="radio"/> Intact and Undamaged	<input type="radio"/> Enclosure																							
<input type="radio"/> Other: _____	<input type="radio"/> Water Damage	<input type="radio"/> <10% Exposed Surface Area	<input type="radio"/> Damaged (<10%)	<input type="radio"/> Significantly Damaged (>10%)																							
	<input type="radio"/> Loose	<input type="radio"/> >10% Exposed Surface Area	<input type="radio"/> Potential for Damage	<input type="radio"/> Potential for Significant Damage																							

Building: 001 Room: PC015A	Drawing Group Code: 07	USA: 06 4" OD Quantity: 6 EA																									
Floor: G Pipe chase	Material: Insulation, MJP on Wrapped Pipe Covering																										
Record No.: 3500261 Comment: (1992) -																											
<p>Quantity Within 20%? <input type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)</p> <p style="margin-left: 150px;"><input type="radio"/> Not Found <input checked="" type="radio"/> Definitely Not Present</p> <p>Comment Fit Material? <input type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)</p> <p>Justification:</p> <table style="width: 100%; border: none;"> <tr> <td><input type="radio"/> Blistering</td> <td><input type="radio"/> Missing TSI Jacketing</td> <td><input type="radio"/> Student Accessible</td> <td><input type="radio"/> Friable</td> <td><input type="radio"/> Not Assessable</td> </tr> <tr> <td><input type="radio"/> Cracking</td> <td><input type="radio"/> Physical Damage</td> <td><input type="radio"/> Activity / Movement</td> <td><input type="radio"/> Non-friable</td> <td><input type="radio"/> Covering</td> </tr> <tr> <td><input type="radio"/> Vibration</td> <td><input type="radio"/> Deterioration</td> <td><input type="radio"/> Forced Airstream</td> <td><input type="radio"/> Intact and Undamaged</td> <td><input type="radio"/> Enclosure</td> </tr> <tr> <td><input type="radio"/> Other: _____</td> <td><input type="radio"/> Water Damage</td> <td><input type="radio"/> <10% Exposed Surface Area</td> <td><input type="radio"/> Damaged (<10%)</td> <td><input type="radio"/> Significantly Damaged (>10%)</td> </tr> <tr> <td></td> <td><input type="radio"/> Loose</td> <td><input type="radio"/> >10% Exposed Surface Area</td> <td><input type="radio"/> Potential for Damage</td> <td><input type="radio"/> Potential for Significant Damage</td> </tr> </table>			<input type="radio"/> Blistering	<input type="radio"/> Missing TSI Jacketing	<input type="radio"/> Student Accessible	<input type="radio"/> Friable	<input type="radio"/> Not Assessable	<input type="radio"/> Cracking	<input type="radio"/> Physical Damage	<input type="radio"/> Activity / Movement	<input type="radio"/> Non-friable	<input type="radio"/> Covering	<input type="radio"/> Vibration	<input type="radio"/> Deterioration	<input type="radio"/> Forced Airstream	<input type="radio"/> Intact and Undamaged	<input type="radio"/> Enclosure	<input type="radio"/> Other: _____	<input type="radio"/> Water Damage	<input type="radio"/> <10% Exposed Surface Area	<input type="radio"/> Damaged (<10%)	<input type="radio"/> Significantly Damaged (>10%)		<input type="radio"/> Loose	<input type="radio"/> >10% Exposed Surface Area	<input type="radio"/> Potential for Damage	<input type="radio"/> Potential for Significant Damage
<input type="radio"/> Blistering	<input type="radio"/> Missing TSI Jacketing	<input type="radio"/> Student Accessible	<input type="radio"/> Friable	<input type="radio"/> Not Assessable																							
<input type="radio"/> Cracking	<input type="radio"/> Physical Damage	<input type="radio"/> Activity / Movement	<input type="radio"/> Non-friable	<input type="radio"/> Covering																							
<input type="radio"/> Vibration	<input type="radio"/> Deterioration	<input type="radio"/> Forced Airstream	<input type="radio"/> Intact and Undamaged	<input type="radio"/> Enclosure																							
<input type="radio"/> Other: _____	<input type="radio"/> Water Damage	<input type="radio"/> <10% Exposed Surface Area	<input type="radio"/> Damaged (<10%)	<input type="radio"/> Significantly Damaged (>10%)																							
	<input type="radio"/> Loose	<input type="radio"/> >10% Exposed Surface Area	<input type="radio"/> Potential for Damage	<input type="radio"/> Potential for Significant Damage																							

Building: 001 Room: PC015A	Drawing Group Code: 07	USA: 04 4" OD Quantity: 6 EA																									
Floor: G Pipe chase	Material: Insulation, MJP on Wrapped Pipe Covering																										
Record No.: 3500262 Comment: (1992) -																											
<p>Quantity Within 20%? <input type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)</p> <p style="margin-left: 150px;"><input type="radio"/> Not Found <input checked="" type="radio"/> Definitely Not Present</p> <p>Comment Fit Material? <input type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)</p> <p>Justification:</p> <table style="width: 100%; border: none;"> <tr> <td><input type="radio"/> Blistering</td> <td><input type="radio"/> Missing TSI Jacketing</td> <td><input type="radio"/> Student Accessible</td> <td><input type="radio"/> Friable</td> <td><input type="radio"/> Not Assessable</td> </tr> <tr> <td><input type="radio"/> Cracking</td> <td><input type="radio"/> Physical Damage</td> <td><input type="radio"/> Activity / Movement</td> <td><input type="radio"/> Non-friable</td> <td><input type="radio"/> Covering</td> </tr> <tr> <td><input type="radio"/> Vibration</td> <td><input type="radio"/> Deterioration</td> <td><input type="radio"/> Forced Airstream</td> <td><input type="radio"/> Intact and Undamaged</td> <td><input type="radio"/> Enclosure</td> </tr> <tr> <td><input type="radio"/> Other: _____</td> <td><input type="radio"/> Water Damage</td> <td><input type="radio"/> <10% Exposed Surface Area</td> <td><input type="radio"/> Damaged (<10%)</td> <td><input type="radio"/> Significantly Damaged (>10%)</td> </tr> <tr> <td></td> <td><input type="radio"/> Loose</td> <td><input type="radio"/> >10% Exposed Surface Area</td> <td><input type="radio"/> Potential for Damage</td> <td><input type="radio"/> Potential for Significant Damage</td> </tr> </table>			<input type="radio"/> Blistering	<input type="radio"/> Missing TSI Jacketing	<input type="radio"/> Student Accessible	<input type="radio"/> Friable	<input type="radio"/> Not Assessable	<input type="radio"/> Cracking	<input type="radio"/> Physical Damage	<input type="radio"/> Activity / Movement	<input type="radio"/> Non-friable	<input type="radio"/> Covering	<input type="radio"/> Vibration	<input type="radio"/> Deterioration	<input type="radio"/> Forced Airstream	<input type="radio"/> Intact and Undamaged	<input type="radio"/> Enclosure	<input type="radio"/> Other: _____	<input type="radio"/> Water Damage	<input type="radio"/> <10% Exposed Surface Area	<input type="radio"/> Damaged (<10%)	<input type="radio"/> Significantly Damaged (>10%)		<input type="radio"/> Loose	<input type="radio"/> >10% Exposed Surface Area	<input type="radio"/> Potential for Damage	<input type="radio"/> Potential for Significant Damage
<input type="radio"/> Blistering	<input type="radio"/> Missing TSI Jacketing	<input type="radio"/> Student Accessible	<input type="radio"/> Friable	<input type="radio"/> Not Assessable																							
<input type="radio"/> Cracking	<input type="radio"/> Physical Damage	<input type="radio"/> Activity / Movement	<input type="radio"/> Non-friable	<input type="radio"/> Covering																							
<input type="radio"/> Vibration	<input type="radio"/> Deterioration	<input type="radio"/> Forced Airstream	<input type="radio"/> Intact and Undamaged	<input type="radio"/> Enclosure																							
<input type="radio"/> Other: _____	<input type="radio"/> Water Damage	<input type="radio"/> <10% Exposed Surface Area	<input type="radio"/> Damaged (<10%)	<input type="radio"/> Significantly Damaged (>10%)																							
	<input type="radio"/> Loose	<input type="radio"/> >10% Exposed Surface Area	<input type="radio"/> Potential for Damage	<input type="radio"/> Potential for Significant Damage																							

KCMSD 2008 Triennial Re-inspection

350 / Douglas Early Childhood Center
2640 Belleview

Inspector: B. Hall
Inspection Date: 11-13-08

Building: 001 Room: PC015A Floor: G Pipe chase Record No.: 3500260 Comment: (1992) -	Drawing Group Code: 06 USA: 05 4" OD Quantity: 15 LF Material: Insulation, Pipe, Paper	
Quantity Within 20%? <input type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		
<input type="radio"/> Not Found <input checked="" type="radio"/> Definitely Not Present		
Comment Fit Material? <input type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		
Justification:		
<input type="radio"/> Missing TSI Jacketing <input type="radio"/> Student Accessible		
<input type="radio"/> Physical Damage <input type="radio"/> Activity / Movement		
<input type="radio"/> Blistering <input type="radio"/> Deterioration <input type="radio"/> Forced Airstream		
<input type="radio"/> Cracking <input type="radio"/> Water Damage <input type="radio"/> <10% Exposed Surface Area		
<input type="radio"/> Vibration <input type="radio"/> Loose <input type="radio"/> >10% Exposed Surface Area		
<input type="radio"/> Other: _____		
Assessment: <input type="radio"/> Not Assessable		
<input type="radio"/> Friable <input type="radio"/> Covering		
<input type="radio"/> Non-friable <input type="radio"/> Enclosure		
<input type="radio"/> Intact and Undamaged		
<input type="radio"/> Damaged (<10%)		
<input type="radio"/> Significantly Damaged (>10%)		
<input type="radio"/> Potential for Damage		
<input type="radio"/> Potential for Significant Damage		

Building: 001 Room: PC015A Floor: G Pipe chase Record No.: 3500259 Comment: (1992) -	Drawing Group Code: 06 USA: 07 4" OD Quantity: 15 LF Material: Insulation, Pipe, Paper	
Quantity Within 20%? <input type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		
<input type="radio"/> Not Found <input checked="" type="radio"/> Definitely Not Present		
Comment Fit Material? <input type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		
Justification:		
<input type="radio"/> Missing TSI Jacketing <input type="radio"/> Student Accessible		
<input type="radio"/> Physical Damage <input type="radio"/> Activity / Movement		
<input type="radio"/> Blistering <input type="radio"/> Deterioration <input type="radio"/> Forced Airstream		
<input type="radio"/> Cracking <input type="radio"/> Water Damage <input type="radio"/> <10% Exposed Surface Area		
<input type="radio"/> Vibration <input type="radio"/> Loose <input type="radio"/> >10% Exposed Surface Area		
<input type="radio"/> Other: _____		
Assessment: <input type="radio"/> Not Assessable		
<input type="radio"/> Friable <input type="radio"/> Covering		
<input type="radio"/> Non-friable <input type="radio"/> Enclosure		
<input type="radio"/> Intact and Undamaged		
<input type="radio"/> Damaged (<10%)		
<input type="radio"/> Significantly Damaged (>10%)		
<input type="radio"/> Potential for Damage		
<input type="radio"/> Potential for Significant Damage		

Building: 001 Room: PC019 Floor: G Pipe chase Record No.: 3500321 Comment: (1992) -	Drawing Group Code: 07 USA: 06 4" OD Quantity: 8 EA Material: Insulation, MJP on Wrapped Pipe Covering	
Quantity Within 20%? <input type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		
<input type="radio"/> Not Found <input checked="" type="radio"/> Definitely Not Present		
Comment Fit Material? <input type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		
Justification:		
<input type="radio"/> Missing TSI Jacketing <input type="radio"/> Student Accessible		
<input type="radio"/> Physical Damage <input type="radio"/> Activity / Movement		
<input type="radio"/> Blistering <input type="radio"/> Deterioration <input type="radio"/> Forced Airstream		
<input type="radio"/> Cracking <input type="radio"/> Water Damage <input type="radio"/> <10% Exposed Surface Area		
<input type="radio"/> Vibration <input type="radio"/> Loose <input type="radio"/> >10% Exposed Surface Area		
<input type="radio"/> Other: _____		
Assessment: <input type="radio"/> Not Assessable		
<input type="radio"/> Friable <input type="radio"/> Covering		
<input type="radio"/> Non-friable <input type="radio"/> Enclosure		
<input type="radio"/> Intact and Undamaged		
<input type="radio"/> Damaged (<10%)		
<input type="radio"/> Significantly Damaged (>10%)		
<input type="radio"/> Potential for Damage		
<input type="radio"/> Potential for Significant Damage		

KCMSD 2008 Triennial Re-inspection

350 / Douglas Early Childhood Center
2640 Belleview

Inspector: B. Hall
Inspection Date: 11-13-08

Building: 001 Room: 101 Floor: 1 Classroom Record No.: 3500152 Comment: (1992) Gray	Drawing Group Code: 02 USA: 13 0" OD Quantity: 1040 SF Material: Tile, Vinyl Floor, 12X12	
Quantity Within 20%? <input checked="" type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		
Comment Fit Material? <input checked="" type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		
Justification:		
<input type="radio"/> Blistering <input type="radio"/> Cracking <input type="radio"/> Vibration <input type="radio"/> Other: _____	<input type="radio"/> Missing TSI Jacketing <input type="radio"/> Physical Damage <input type="radio"/> Deterioration <input type="radio"/> Water Damage <input type="radio"/> Loose	<input type="radio"/> Student Accessible <input type="radio"/> Activity / Movement <input type="radio"/> Forced Airstream <input type="radio"/> <10% Exposed Surface Area <input type="radio"/> >10% Exposed Surface Area
Assessment:		
<input type="radio"/> Friable <input type="radio"/> Not Assessable <input checked="" type="radio"/> Non-friable <input type="radio"/> Covering <input checked="" type="radio"/> Intact and Undamaged <input type="radio"/> Enclosure <input type="radio"/> Damaged (<10%) <input type="radio"/> Significantly Damaged (>10%) <input type="radio"/> Potential for Damage <input type="radio"/> Potential for Significant Damage		

Building: 001 Room: 101B Floor: 1 Closet Record No.: 3500144 Comment: (1992) Gray	Drawing Group Code: 02 USA: 13 0" OD Quantity: 5 SF Material: Tile, Vinyl Floor, 12X12	
Quantity Within 20%? <input type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		
Comment Fit Material? <input type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		
Justification:		
<input type="radio"/> Blistering <input type="radio"/> Cracking <input type="radio"/> Vibration <input type="radio"/> Other: _____	<input type="radio"/> Missing TSI Jacketing <input type="radio"/> Physical Damage <input type="radio"/> Deterioration <input type="radio"/> Water Damage <input type="radio"/> Loose	<input type="radio"/> Student Accessible <input type="radio"/> Activity / Movement <input type="radio"/> Forced Airstream <input type="radio"/> <10% Exposed Surface Area <input type="radio"/> >10% Exposed Surface Area
Assessment:		
<input type="radio"/> Friable <input type="radio"/> Not Assessable <input type="radio"/> Non-friable <input type="radio"/> Covering <input type="radio"/> Intact and Undamaged <input type="radio"/> Enclosure <input type="radio"/> Damaged (<10%) <input type="radio"/> Significantly Damaged (>10%) <input type="radio"/> Potential for Damage <input type="radio"/> Potential for Significant Damage		

Building: 001 Room: 101C Floor: 1 Closet Record No.: 3500147 Comment: (1992) Gray (1996) #101D (not C) concrete floor.	Drawing Group Code: 02 USA: 13 0" OD Quantity: 5 SF Material: Tile, Vinyl Floor, 12X12	
Quantity Within 20%? <input type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		
Comment Fit Material? <input type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		
Justification:		
<input type="radio"/> Blistering <input type="radio"/> Cracking <input type="radio"/> Vibration <input type="radio"/> Other: _____	<input type="radio"/> Missing TSI Jacketing <input type="radio"/> Physical Damage <input type="radio"/> Deterioration <input type="radio"/> Water Damage <input type="radio"/> Loose	<input type="radio"/> Student Accessible <input type="radio"/> Activity / Movement <input type="radio"/> Forced Airstream <input type="radio"/> <10% Exposed Surface Area <input type="radio"/> >10% Exposed Surface Area
Assessment:		
<input type="radio"/> Friable <input type="radio"/> Not Assessable <input type="radio"/> Non-friable <input type="radio"/> Covering <input type="radio"/> Intact and Undamaged <input type="radio"/> Enclosure <input type="radio"/> Damaged (<10%) <input type="radio"/> Significantly Damaged (>10%) <input type="radio"/> Potential for Damage <input type="radio"/> Potential for Significant Damage		

KCMSD 2008 Triennial Re-inspection

350 / Douglas Early Childhood Center
2640 Bellevue

Inspector: B. Hall
Inspection Date: 11-13-08

Building: 001 Room: 103B Floor: 1 Closet Record No.: 3500166 Comment: (1992) Gray	Drawing Group Code: 02 USA: 13 0" OD Quantity: 5 SF Material: Tile, Vinyl Floor, 12X12	
Quantity Within 20%? <input type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		
Comment Fit Material? <input type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		
Justification: <input type="radio"/> Missing TSI Jacketing <input type="radio"/> Student Accessible		
<input type="radio"/> Blistering <input type="radio"/> Cracking <input type="radio"/> Vibration <input type="radio"/> Other: _____		
Assessment: <input type="radio"/> Not Assessable <input type="radio"/> Friable <input type="radio"/> Covering <input type="radio"/> Non-friable <input type="radio"/> Enclosure <input type="radio"/> Intact and Undamaged <input type="radio"/> Damaged (<10%) <input type="radio"/> Significantly Damaged (>10%) <input type="radio"/> Potential for Damage <input type="radio"/> Potential for Significant Damage		

Building: 001 Room: 103C Floor: 1 Closet Record No.: 3500169 Comment: (1992) Gray	Drawing Group Code: 02 USA: 13 0" OD Quantity: 5 SF Material: Tile, Vinyl Floor, 12X12	
Quantity Within 20%? <input type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		
Comment Fit Material? <input type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		
Justification: <input type="radio"/> Missing TSI Jacketing <input type="radio"/> Student Accessible		
<input type="radio"/> Blistering <input type="radio"/> Cracking <input type="radio"/> Vibration <input type="radio"/> Other: _____		
Assessment: <input type="radio"/> Not Assessable <input type="radio"/> Friable <input type="radio"/> Covering <input type="radio"/> Non-friable <input type="radio"/> Enclosure <input type="radio"/> Intact and Undamaged <input type="radio"/> Damaged (<10%) <input type="radio"/> Significantly Damaged (>10%) <input type="radio"/> Potential for Damage <input type="radio"/> Potential for Significant Damage		

Building: 001 Room: 104 Floor: 1 Classroom Record No.: 3500199 Comment: (1992) -	Drawing Group Code: 11 USA: 24 0" OD Quantity: 8 SF Material: Mastic, Baseboard	
Quantity Within 20%? <input type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		
Comment Fit Material? <input type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		
Justification: <input type="radio"/> Missing TSI Jacketing <input type="radio"/> Student Accessible		
<input type="radio"/> Blistering <input type="radio"/> Cracking <input type="radio"/> Vibration <input type="radio"/> Other: _____		
Assessment: <input type="radio"/> Not Assessable <input type="radio"/> Friable <input type="radio"/> Covering <input type="radio"/> Non-friable <input type="radio"/> Enclosure <input type="radio"/> Intact and Undamaged <input type="radio"/> Damaged (<10%) <input type="radio"/> Significantly Damaged (>10%) <input type="radio"/> Potential for Damage <input type="radio"/> Potential for Significant Damage		

KCMSD 2008 Triennial Re-inspection

350 / Douglas Early Childhood Center
2640 Bellevue

Inspector: B. Hall
Inspection Date: 11-13-08

Building: 001 Room: 105 Floor: 1 Classroom Record No.: 3500159 Comment: (1992) -	Drawing Group Code: 11 USA: 24 0" OD Quantity: 8 SF Material: Mastic, Baseboard	
Quantity Within 20%? <input type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		
Comment Fit Material? <input type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		
Justification:		
<input type="radio"/> Blistering <input type="radio"/> Deterioration <input type="radio"/> Water Damage <input type="radio"/> Loose		
<input type="radio"/> Cracking <input type="radio"/> Physical Damage <input type="radio"/> Student Accessible <input type="radio"/> Activity / Movement <input type="radio"/> Forced Airstream <input type="radio"/> <10% Exposed Surface Area <input type="radio"/> >10% Exposed Surface Area		
Assessment: <input type="radio"/> Not Assessable <input type="radio"/> Friable <input type="radio"/> Covering <input type="radio"/> Non-friable <input type="radio"/> Enclosure <input type="radio"/> Intact and Undamaged <input type="radio"/> Damaged (<10%) <input type="radio"/> Significantly Damaged (>10%) <input type="radio"/> Potential for Damage <input type="radio"/> Potential for Significant Damage		

Building: 001 Room: 105 Floor: 1 Classroom Record No.: 3500217 Comment: (1992) Gray	Drawing Group Code: 02 USA: 13 0" OD Quantity: 1040 SF Material: Tile, Vinyl Floor, 12X12	
Quantity Within 20%? <input checked="" type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		
Comment Fit Material? <input checked="" type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		
Justification:		
<input type="radio"/> Blistering <input type="radio"/> Deterioration <input type="radio"/> Water Damage <input type="radio"/> Loose		
<input type="radio"/> Cracking <input type="radio"/> Physical Damage <input type="radio"/> Student Accessible <input type="radio"/> Activity / Movement <input type="radio"/> Forced Airstream <input type="radio"/> <10% Exposed Surface Area <input type="radio"/> >10% Exposed Surface Area		
Assessment: <input type="radio"/> Not Assessable <input type="radio"/> Friable <input type="radio"/> Covering <input checked="" type="radio"/> Non-friable <input type="radio"/> Enclosure <input checked="" type="radio"/> Intact and Undamaged <input type="radio"/> Damaged (<10%) <input type="radio"/> Significantly Damaged (>10%) <input type="radio"/> Potential for Damage <input type="radio"/> Potential for Significant Damage		

Building: 001 Room: 105B Floor: 1 Closet Record No.: 3500207 Comment: (1992) Gray	Drawing Group Code: 02 USA: 13 0" OD Quantity: 5 SF Material: Tile, Vinyl Floor, 12X12	
Quantity Within 20%? <input checked="" type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		
Comment Fit Material? <input type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		
Justification:		
<input type="radio"/> Blistering <input type="radio"/> Deterioration <input type="radio"/> Water Damage <input type="radio"/> Loose		
<input type="radio"/> Cracking <input type="radio"/> Physical Damage <input type="radio"/> Student Accessible <input type="radio"/> Activity / Movement <input type="radio"/> Forced Airstream <input type="radio"/> <10% Exposed Surface Area <input type="radio"/> >10% Exposed Surface Area		
Assessment: <input type="radio"/> Not Assessable <input type="radio"/> Friable <input type="radio"/> Covering <input type="radio"/> Non-friable <input type="radio"/> Enclosure <input type="radio"/> Intact and Undamaged <input type="radio"/> Damaged (<10%) <input type="radio"/> Significantly Damaged (>10%) <input type="radio"/> Potential for Damage <input type="radio"/> Potential for Significant Damage		

KCMSD 2008 Triennial Re-inspection

350 / Douglas Early Childhood Center
2640 Bellevue

Inspector: Berkeley Hall
Inspection Date: 11-13-08

Building: 001 Room: 105C Floor: 1 Closet Record No.: 3500208 Comment: (1992) Gray	Drawing Group Code: 02 USA: 13 0" OD Quantity: 41 SF Material: Tile, Vinyl Floor, 12X12	
Quantity Within 20%? <input type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		
Comment Fit Material? <input type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		
Justification:		
<input type="radio"/> Blistering <input type="radio"/> Physical Damage <input type="radio"/> Deterioration <input type="radio"/> Water Damage <input type="radio"/> Loose		
<input type="radio"/> Cracking <input type="radio"/> Student Accessible <input type="radio"/> Activity / Movement <input type="radio"/> Forced Airstream <input type="radio"/> <10% Exposed Surface Area <input type="radio"/> >10% Exposed Surface Area		
<input type="radio"/> Vibration <input type="radio"/> Other: _____		
Assessment: <input type="radio"/> Not Assessable <input type="radio"/> Friable <input type="radio"/> Covering <input type="radio"/> Non-friable <input type="radio"/> Enclosure <input type="radio"/> Intact and Undamaged <input type="radio"/> Damaged (<10%) <input type="radio"/> Significantly Damaged (>10%) <input type="radio"/> Potential for Damage <input type="radio"/> Potential for Significant Damage		

Building: 001 Room: 110 Floor: 1 Lobby Record No.: 3500671 Comment: (1992)	Drawing Group Code: 02 USA: 13 0" OD Quantity: 215 SF Material: Tile, Vinyl Floor, 9X9	
Quantity Within 20%? <input type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		
Comment Fit Material? <input type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		
Justification:		
<input type="radio"/> Blistering <input type="radio"/> Physical Damage <input type="radio"/> Deterioration <input type="radio"/> Water Damage <input type="radio"/> Loose		
<input type="radio"/> Cracking <input type="radio"/> Student Accessible <input type="radio"/> Activity / Movement <input type="radio"/> Forced Airstream <input type="radio"/> <10% Exposed Surface Area <input type="radio"/> >10% Exposed Surface Area		
<input type="radio"/> Vibration <input type="radio"/> Other: _____		
Assessment: <input type="radio"/> Not Assessable <input type="radio"/> Friable <input type="radio"/> Covering <input type="radio"/> Non-friable <input type="radio"/> Enclosure <input type="radio"/> Intact and Undamaged <input type="radio"/> Damaged (<10%) <input type="radio"/> Significantly Damaged (>10%) <input type="radio"/> Potential for Damage <input type="radio"/> Potential for Significant Damage		

Building: 001 Room: 113 Floor: 1 Library Record No.: 3500573 Comment: (1992) -	Drawing Group Code: 11 USA: 24 0" OD Quantity: 36 SF Material: Mastic, Baseboard	
Quantity Within 20%? <input checked="" type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		
Comment Fit Material? <input checked="" type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		
Justification:		
<input type="radio"/> Blistering <input type="radio"/> Physical Damage <input type="radio"/> Deterioration <input type="radio"/> Water Damage <input type="radio"/> Loose		
<input type="radio"/> Cracking <input type="radio"/> Student Accessible <input type="radio"/> Activity / Movement <input type="radio"/> Forced Airstream <input type="radio"/> <10% Exposed Surface Area <input type="radio"/> >10% Exposed Surface Area		
<input type="radio"/> Vibration <input type="radio"/> Other: _____		
Assessment: <input type="radio"/> Not Assessable <input type="radio"/> Friable <input type="radio"/> Covering <input checked="" type="radio"/> Non-friable <input type="radio"/> Enclosure <input checked="" type="radio"/> Intact and Undamaged <input type="radio"/> Damaged (<10%) <input type="radio"/> Significantly Damaged (>10%) <input type="radio"/> Potential for Damage <input type="radio"/> Potential for Significant Damage		

KCMSD 2008 Triennial Re-inspection

350 / Douglas Early Childhood Center
2640 Belleview

Inspector: B. Hall
Inspection Date: 11-13-08

Building: 001 Room: 116	Drawing Group Code: 11	USA: 24 0" OD Quantity: 4 SF
Floor: 1 IA Office	Material: Mastic, Baseboard	
Record No.: 3500480	Comment: (1992) -	

Quantity Within 20%? <input checked="" type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		Assessment: <input type="radio"/> Not Assessable
	<input type="radio"/> Not Found <input type="radio"/> Definitely Not Present	<input type="radio"/> Friable <input type="radio"/> Covering
Comment Fit Material? <input checked="" type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		<input checked="" type="radio"/> Non-friable <input type="radio"/> Enclosure
Justification:	<input type="radio"/> Missing TSI Jacketing <input type="radio"/> Student Accessible	<input checked="" type="radio"/> Intact and Undamaged
<input type="radio"/> Blistering	<input type="radio"/> Physical Damage <input type="radio"/> Activity / Movement	<input type="radio"/> Damaged (<10%)
<input type="radio"/> Cracking	<input type="radio"/> Deterioration <input type="radio"/> Forced Airstream	<input type="radio"/> Significantly Damaged (>10%)
<input type="radio"/> Vibration	<input type="radio"/> Water Damage <input type="radio"/> <10% Exposed Surface Area	<input type="radio"/> Potential for Damage
<input type="radio"/> Other: _____	<input type="radio"/> Loose <input type="radio"/> >10% Exposed Surface Area	<input type="radio"/> Potential for Significant Damage

Building: 001 Room: 119	Drawing Group Code: 02	USA: 14 0" OD Quantity: 78 SF
Floor: 1 Office	Material: Tile, Vinyl Floor, 12X12	
Record No.: 3500491	Comment: (1992) Green (1996) Under carpet - concrete floor.	

Quantity Within 20%? <input checked="" type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		Assessment: <input checked="" type="radio"/> Not Assessable
	<input type="radio"/> Not Found <input type="radio"/> Definitely Not Present	<input type="radio"/> Friable <input checked="" type="radio"/> Covering
Comment Fit Material? <input checked="" type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		<input checked="" type="radio"/> Non-friable <input type="radio"/> Enclosure
Justification:	<input type="radio"/> Missing TSI Jacketing <input type="radio"/> Student Accessible	<input type="radio"/> Intact and Undamaged
<input type="radio"/> Blistering	<input type="radio"/> Physical Damage <input type="radio"/> Activity / Movement	<input type="radio"/> Damaged (<10%)
<input type="radio"/> Cracking	<input type="radio"/> Deterioration <input type="radio"/> Forced Airstream	<input type="radio"/> Significantly Damaged (>10%)
<input type="radio"/> Vibration	<input type="radio"/> Water Damage <input type="radio"/> <10% Exposed Surface Area	<input type="radio"/> Potential for Damage
<input type="radio"/> Other: _____	<input type="radio"/> Loose <input type="radio"/> >10% Exposed Surface Area	<input type="radio"/> Potential for Significant Damage

Building: 001 Room: 124	Drawing Group Code: 02	USA: 13 0" OD Quantity: 168 SF
Floor: 1 Nurse's Office	Material: Tile, Vinyl Floor, 12X12	
Record No.: 3500523	Comment: (1992) Gray	

Consider Blue + Gray Carpet.

Quantity Within 20%? <input checked="" type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		Assessment: <input type="radio"/> Not Assessable
	<input type="radio"/> Not Found <input type="radio"/> Definitely Not Present	<input type="radio"/> Friable <input checked="" type="radio"/> Covering
Comment Fit Material? <input checked="" type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		<input checked="" type="radio"/> Non-friable <input type="radio"/> Enclosure
Justification:	<input type="radio"/> Missing TSI Jacketing <input type="radio"/> Student Accessible	<input checked="" type="radio"/> Intact and Undamaged
<input type="radio"/> Blistering	<input type="radio"/> Physical Damage <input type="radio"/> Activity / Movement	<input type="radio"/> Damaged (<10%)
<input type="radio"/> Cracking	<input type="radio"/> Deterioration <input type="radio"/> Forced Airstream	<input type="radio"/> Significantly Damaged (>10%)
<input type="radio"/> Vibration	<input type="radio"/> Water Damage <input type="radio"/> <10% Exposed Surface Area	<input type="radio"/> Potential for Damage
<input type="radio"/> Other: _____	<input type="radio"/> Loose <input type="radio"/> >10% Exposed Surface Area	<input type="radio"/> Potential for Significant Damage

KCMSD 2008 Triennial Re-inspection

350 / Douglas Early Childhood Center
2640 Bellevue

Inspector: B. Hall
Inspection Date: 11-13-08

Building: 001 Room: 127 Floor: 1 Gymnasium Record No.: 3500672 Comment: (1992)	Drawing Group Code: 02 USA: 14 0" OD Quantity: 3250 SF Material: Tile, Vinyl Floor, 9X9	
Quantity Within 20%? <input type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		
<input type="radio"/> Not Found <input checked="" type="radio"/> Definitely Not Present		
Comment Fit Material? <input type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		
Justification:		
<input type="radio"/> Missing TSI Jacketing <input type="radio"/> Student Accessible		
<input type="radio"/> Physical Damage <input type="radio"/> Activity / Movement		
<input type="radio"/> Blistering <input type="radio"/> Deterioration <input type="radio"/> Forced Airstream		
<input type="radio"/> Cracking <input type="radio"/> Water Damage <input type="radio"/> <10% Exposed Surface Area		
<input type="radio"/> Vibration <input type="radio"/> Loose <input type="radio"/> >10% Exposed Surface Area		
<input type="radio"/> Other: _____		
Assessment: <input type="radio"/> Not Assessable		
<input type="radio"/> Friable <input type="radio"/> Covering		
<input type="radio"/> Non-friable <input type="radio"/> Enclosure		
<input type="radio"/> Intact and Undamaged		
<input type="radio"/> Damaged (<10%)		
<input type="radio"/> Significantly Damaged (>10%)		
<input type="radio"/> Potential for Damage		
<input type="radio"/> Potential for Significant Damage		

Building: 001 Room: PC103D Floor: 1 Pipe Chase Record No.: 3500201 Comment: (1992) -	Drawing Group Code: 07 USA: 06 4" OD Quantity: 1 EA Material: Insulation, MJP on Wrapped Pipe Covering	
Quantity Within 20%? <input type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		
<input type="radio"/> Not Found <input checked="" type="radio"/> Definitely Not Present		
Comment Fit Material? <input type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		
Justification:		
<input type="radio"/> Missing TSI Jacketing <input type="radio"/> Student Accessible		
<input type="radio"/> Physical Damage <input type="radio"/> Activity / Movement		
<input type="radio"/> Blistering <input type="radio"/> Deterioration <input type="radio"/> Forced Airstream		
<input type="radio"/> Cracking <input type="radio"/> Water Damage <input type="radio"/> <10% Exposed Surface Area		
<input type="radio"/> Vibration <input type="radio"/> Loose <input type="radio"/> >10% Exposed Surface Area		
<input type="radio"/> Other: _____		
Assessment: <input type="radio"/> Not Assessable		
<input type="radio"/> Friable <input type="radio"/> Covering		
<input type="radio"/> Non-friable <input type="radio"/> Enclosure		
<input type="radio"/> Intact and Undamaged		
<input type="radio"/> Damaged (<10%)		
<input type="radio"/> Significantly Damaged (>10%)		
<input type="radio"/> Potential for Damage		
<input type="radio"/> Potential for Significant Damage		

Building: 001 Room: PC105D Floor: 1 Pipe Chase Record No.: 3500215 Comment: (1992) Exhaust	Drawing Group Code: 12 USA: 22 0" OD Quantity: 13 LF Material: Pipe, Transite	
Quantity Within 20%? <input type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		
<input type="radio"/> Not Found <input checked="" type="radio"/> Definitely Not Present		
Comment Fit Material? <input type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		
Justification:		
<input type="radio"/> Missing TSI Jacketing <input type="radio"/> Student Accessible		
<input type="radio"/> Physical Damage <input type="radio"/> Activity / Movement		
<input type="radio"/> Blistering <input type="radio"/> Deterioration <input type="radio"/> Forced Airstream		
<input type="radio"/> Cracking <input type="radio"/> Water Damage <input type="radio"/> <10% Exposed Surface Area		
<input type="radio"/> Vibration <input type="radio"/> Loose <input type="radio"/> >10% Exposed Surface Area		
<input type="radio"/> Other: _____		
Assessment: <input type="radio"/> Not Assessable		
<input type="radio"/> Friable <input type="radio"/> Covering		
<input type="radio"/> Non-friable <input type="radio"/> Enclosure		
<input type="radio"/> Intact and Undamaged		
<input type="radio"/> Damaged (<10%)		
<input type="radio"/> Significantly Damaged (>10%)		
<input type="radio"/> Potential for Damage		
<input type="radio"/> Potential for Significant Damage		

KCMSD 2008 Triennial Re-inspection

350 / Douglas Early Childhood Center
2640 Belleview

Inspector: B. Hall
Inspection Date: 11-13-08

Building: 001 Room: 204A Floor: 2 Closet Record No.: 3500099 Comment: (1992) Green	Drawing Group Code: 02 USA: 14 0" OD Quantity: 10 SF Material: Tile, Vinyl Floor, 12X12																
<p>Quantity Within 20%? <input checked="" type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)</p> <p style="margin-left: 100px;"><input type="radio"/> Not Found <input type="radio"/> Definitely Not Present</p> <p>Comment Fit Material? <input checked="" type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)</p> <p>Justification:</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;"><input type="radio"/> Blistering</td> <td style="width: 33%;"><input type="radio"/> Physical Damage</td> <td style="width: 33%;"><input type="radio"/> Student Accessible</td> </tr> <tr> <td><input type="radio"/> Cracking</td> <td><input type="radio"/> Deterioration</td> <td><input type="radio"/> Activity / Movement</td> </tr> <tr> <td><input type="radio"/> Vibration</td> <td><input type="radio"/> Water Damage</td> <td><input type="radio"/> Forced Airstream</td> </tr> <tr> <td><input type="radio"/> Other: _____</td> <td><input type="radio"/> Loose</td> <td><input type="radio"/> <10% Exposed Surface Area</td> </tr> <tr> <td></td> <td><input type="radio"/> >10% Exposed Surface Area</td> <td></td> </tr> </table>			<input type="radio"/> Blistering	<input type="radio"/> Physical Damage	<input type="radio"/> Student Accessible	<input type="radio"/> Cracking	<input type="radio"/> Deterioration	<input type="radio"/> Activity / Movement	<input type="radio"/> Vibration	<input type="radio"/> Water Damage	<input type="radio"/> Forced Airstream	<input type="radio"/> Other: _____	<input type="radio"/> Loose	<input type="radio"/> <10% Exposed Surface Area		<input type="radio"/> >10% Exposed Surface Area	
<input type="radio"/> Blistering	<input type="radio"/> Physical Damage	<input type="radio"/> Student Accessible															
<input type="radio"/> Cracking	<input type="radio"/> Deterioration	<input type="radio"/> Activity / Movement															
<input type="radio"/> Vibration	<input type="radio"/> Water Damage	<input type="radio"/> Forced Airstream															
<input type="radio"/> Other: _____	<input type="radio"/> Loose	<input type="radio"/> <10% Exposed Surface Area															
	<input type="radio"/> >10% Exposed Surface Area																
<p>Assessment: <input type="radio"/> Not Assessable</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%;"><input type="radio"/> Friable</td> <td style="width: 50%;"><input type="radio"/> Covering</td> </tr> <tr> <td><input checked="" type="radio"/> Non-friable</td> <td><input type="radio"/> Enclosure</td> </tr> <tr> <td><input checked="" type="radio"/> Intact and Undamaged</td> <td></td> </tr> <tr> <td><input type="radio"/> Damaged (<10%)</td> <td></td> </tr> <tr> <td><input type="radio"/> Significantly Damaged (>10%)</td> <td></td> </tr> <tr> <td><input type="radio"/> Potential for Damage</td> <td></td> </tr> <tr> <td><input type="radio"/> Potential for Significant Damage</td> <td></td> </tr> </table>			<input type="radio"/> Friable	<input type="radio"/> Covering	<input checked="" type="radio"/> Non-friable	<input type="radio"/> Enclosure	<input checked="" type="radio"/> Intact and Undamaged		<input type="radio"/> Damaged (<10%)		<input type="radio"/> Significantly Damaged (>10%)		<input type="radio"/> Potential for Damage		<input type="radio"/> Potential for Significant Damage		
<input type="radio"/> Friable	<input type="radio"/> Covering																
<input checked="" type="radio"/> Non-friable	<input type="radio"/> Enclosure																
<input checked="" type="radio"/> Intact and Undamaged																	
<input type="radio"/> Damaged (<10%)																	
<input type="radio"/> Significantly Damaged (>10%)																	
<input type="radio"/> Potential for Damage																	
<input type="radio"/> Potential for Significant Damage																	

Building: 001 Room: 206 Floor: 2 Classroom Record No.: 3500081 Comment: (1992) Green	Drawing Group Code: 02 USA: 14 0" OD Quantity: 728 SF Material: Tile, Vinyl Floor, 12X12																
<p>Quantity Within 20%? <input checked="" type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)</p> <p style="margin-left: 100px;"><input type="radio"/> Not Found <input type="radio"/> Definitely Not Present</p> <p>Comment Fit Material? <input checked="" type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)</p> <p>Justification:</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;"><input type="radio"/> Blistering</td> <td style="width: 33%;"><input type="radio"/> Physical Damage</td> <td style="width: 33%;"><input type="radio"/> Student Accessible</td> </tr> <tr> <td><input type="radio"/> Cracking</td> <td><input type="radio"/> Deterioration</td> <td><input type="radio"/> Activity / Movement</td> </tr> <tr> <td><input type="radio"/> Vibration</td> <td><input type="radio"/> Water Damage</td> <td><input type="radio"/> Forced Airstream</td> </tr> <tr> <td><input type="radio"/> Other: _____</td> <td><input type="radio"/> Loose</td> <td><input type="radio"/> <10% Exposed Surface Area</td> </tr> <tr> <td></td> <td><input type="radio"/> >10% Exposed Surface Area</td> <td></td> </tr> </table>			<input type="radio"/> Blistering	<input type="radio"/> Physical Damage	<input type="radio"/> Student Accessible	<input type="radio"/> Cracking	<input type="radio"/> Deterioration	<input type="radio"/> Activity / Movement	<input type="radio"/> Vibration	<input type="radio"/> Water Damage	<input type="radio"/> Forced Airstream	<input type="radio"/> Other: _____	<input type="radio"/> Loose	<input type="radio"/> <10% Exposed Surface Area		<input type="radio"/> >10% Exposed Surface Area	
<input type="radio"/> Blistering	<input type="radio"/> Physical Damage	<input type="radio"/> Student Accessible															
<input type="radio"/> Cracking	<input type="radio"/> Deterioration	<input type="radio"/> Activity / Movement															
<input type="radio"/> Vibration	<input type="radio"/> Water Damage	<input type="radio"/> Forced Airstream															
<input type="radio"/> Other: _____	<input type="radio"/> Loose	<input type="radio"/> <10% Exposed Surface Area															
	<input type="radio"/> >10% Exposed Surface Area																
<p>Assessment: <input type="radio"/> Not Assessable</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%;"><input type="radio"/> Friable</td> <td style="width: 50%;"><input type="radio"/> Covering</td> </tr> <tr> <td><input checked="" type="radio"/> Non-friable</td> <td><input type="radio"/> Enclosure</td> </tr> <tr> <td><input checked="" type="radio"/> Intact and Undamaged</td> <td></td> </tr> <tr> <td><input type="radio"/> Damaged (<10%)</td> <td></td> </tr> <tr> <td><input type="radio"/> Significantly Damaged (>10%)</td> <td></td> </tr> <tr> <td><input type="radio"/> Potential for Damage</td> <td></td> </tr> <tr> <td><input type="radio"/> Potential for Significant Damage</td> <td></td> </tr> </table>			<input type="radio"/> Friable	<input type="radio"/> Covering	<input checked="" type="radio"/> Non-friable	<input type="radio"/> Enclosure	<input checked="" type="radio"/> Intact and Undamaged		<input type="radio"/> Damaged (<10%)		<input type="radio"/> Significantly Damaged (>10%)		<input type="radio"/> Potential for Damage		<input type="radio"/> Potential for Significant Damage		
<input type="radio"/> Friable	<input type="radio"/> Covering																
<input checked="" type="radio"/> Non-friable	<input type="radio"/> Enclosure																
<input checked="" type="radio"/> Intact and Undamaged																	
<input type="radio"/> Damaged (<10%)																	
<input type="radio"/> Significantly Damaged (>10%)																	
<input type="radio"/> Potential for Damage																	
<input type="radio"/> Potential for Significant Damage																	

Building: 001 Room: 206A Floor: 2 Closet Record No.: 3500080 Comment: (1992) Green	Drawing Group Code: 02 USA: 14 0" OD Quantity: 10 SF Material: Tile, Vinyl Floor, 12X12																
<p>Quantity Within 20%? <input checked="" type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)</p> <p style="margin-left: 100px;"><input type="radio"/> Not Found <input type="radio"/> Definitely Not Present</p> <p>Comment Fit Material? <input checked="" type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)</p> <p>Justification:</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;"><input type="radio"/> Blistering</td> <td style="width: 33%;"><input type="radio"/> Physical Damage</td> <td style="width: 33%;"><input type="radio"/> Student Accessible</td> </tr> <tr> <td><input type="radio"/> Cracking</td> <td><input type="radio"/> Deterioration</td> <td><input type="radio"/> Activity / Movement</td> </tr> <tr> <td><input type="radio"/> Vibration</td> <td><input type="radio"/> Water Damage</td> <td><input type="radio"/> Forced Airstream</td> </tr> <tr> <td><input type="radio"/> Other: _____</td> <td><input type="radio"/> Loose</td> <td><input type="radio"/> <10% Exposed Surface Area</td> </tr> <tr> <td></td> <td><input type="radio"/> >10% Exposed Surface Area</td> <td></td> </tr> </table>			<input type="radio"/> Blistering	<input type="radio"/> Physical Damage	<input type="radio"/> Student Accessible	<input type="radio"/> Cracking	<input type="radio"/> Deterioration	<input type="radio"/> Activity / Movement	<input type="radio"/> Vibration	<input type="radio"/> Water Damage	<input type="radio"/> Forced Airstream	<input type="radio"/> Other: _____	<input type="radio"/> Loose	<input type="radio"/> <10% Exposed Surface Area		<input type="radio"/> >10% Exposed Surface Area	
<input type="radio"/> Blistering	<input type="radio"/> Physical Damage	<input type="radio"/> Student Accessible															
<input type="radio"/> Cracking	<input type="radio"/> Deterioration	<input type="radio"/> Activity / Movement															
<input type="radio"/> Vibration	<input type="radio"/> Water Damage	<input type="radio"/> Forced Airstream															
<input type="radio"/> Other: _____	<input type="radio"/> Loose	<input type="radio"/> <10% Exposed Surface Area															
	<input type="radio"/> >10% Exposed Surface Area																
<p>Assessment: <input type="radio"/> Not Assessable</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%;"><input type="radio"/> Friable</td> <td style="width: 50%;"><input type="radio"/> Covering</td> </tr> <tr> <td><input checked="" type="radio"/> Non-friable</td> <td><input type="radio"/> Enclosure</td> </tr> <tr> <td><input checked="" type="radio"/> Intact and Undamaged</td> <td></td> </tr> <tr> <td><input type="radio"/> Damaged (<10%)</td> <td></td> </tr> <tr> <td><input type="radio"/> Significantly Damaged (>10%)</td> <td></td> </tr> <tr> <td><input type="radio"/> Potential for Damage</td> <td></td> </tr> <tr> <td><input type="radio"/> Potential for Significant Damage</td> <td></td> </tr> </table>			<input type="radio"/> Friable	<input type="radio"/> Covering	<input checked="" type="radio"/> Non-friable	<input type="radio"/> Enclosure	<input checked="" type="radio"/> Intact and Undamaged		<input type="radio"/> Damaged (<10%)		<input type="radio"/> Significantly Damaged (>10%)		<input type="radio"/> Potential for Damage		<input type="radio"/> Potential for Significant Damage		
<input type="radio"/> Friable	<input type="radio"/> Covering																
<input checked="" type="radio"/> Non-friable	<input type="radio"/> Enclosure																
<input checked="" type="radio"/> Intact and Undamaged																	
<input type="radio"/> Damaged (<10%)																	
<input type="radio"/> Significantly Damaged (>10%)																	
<input type="radio"/> Potential for Damage																	
<input type="radio"/> Potential for Significant Damage																	

KCMSD 2008 Triennial Re-inspection

350 / Douglas Early Childhood Center
2640 Belleview

Inspector: B. Hill
Inspection Date: 11-13-08

Building: 001 Room: 212	Drawing Group Code: 13	USA: 16	0" OD Quantity: 7 SF
Floor: 2 Janitor's Closet	Material: Cloth, Vibration Joint		
Record No.: 3500125	Comment: (1992) (2) green		

Quantity Within 20%?	<input checked="" type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		Assessment:
	<input type="radio"/> Not Found <input type="radio"/> Definitely Not Present		<input type="radio"/> Not Assessable
Comment Fit Material?	<input checked="" type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		<input type="radio"/> Friable <input type="radio"/> Covering
			<input checked="" type="radio"/> Non-friable <input type="radio"/> Enclosure
Justification:	<input type="radio"/> Missing TSI Jacketing <input type="radio"/> Student Accessible		<input checked="" type="radio"/> Intact and Undamaged
<input type="radio"/> Blistering	<input type="radio"/> Physical Damage	<input type="radio"/> Activity / Movement	<input type="radio"/> Damaged (<10%)
<input type="radio"/> Cracking	<input type="radio"/> Deterioration	<input type="radio"/> Forced Airstream	<input type="radio"/> Significantly Damaged (>10%)
<input type="radio"/> Vibration	<input type="radio"/> Water Damage	<input type="radio"/> <10% Exposed Surface Area	<input type="radio"/> Potential for Damage
<input type="radio"/> Other:	<input type="radio"/> Loose	<input type="radio"/> >10% Exposed Surface Area	<input type="radio"/> Potential for Significant Damage

Building: 001 Room: 212	Drawing Group Code: 12	USA: 22	0" OD Quantity: 1 LF
Floor: 2 Janitor's Closet	Material: Pipe, Transite		
Record No.: 3500126	Comment: (1992) Exhaust		

Quantity Within 20%?	<input type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		Assessment:
	<input type="radio"/> Not Found <input checked="" type="radio"/> Definitely Not Present		<input type="radio"/> Not Assessable
Comment Fit Material?	<input type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		<input type="radio"/> Friable <input type="radio"/> Covering
			<input type="radio"/> Non-friable <input type="radio"/> Enclosure
Justification:	<input type="radio"/> Missing TSI Jacketing <input type="radio"/> Student Accessible		<input type="radio"/> Intact and Undamaged
<input type="radio"/> Blistering	<input type="radio"/> Physical Damage	<input type="radio"/> Activity / Movement	<input type="radio"/> Damaged (<10%)
<input type="radio"/> Cracking	<input type="radio"/> Deterioration	<input type="radio"/> Forced Airstream	<input type="radio"/> Significantly Damaged (>10%)
<input type="radio"/> Vibration	<input type="radio"/> Water Damage	<input type="radio"/> <10% Exposed Surface Area	<input type="radio"/> Potential for Damage
<input type="radio"/> Other:	<input type="radio"/> Loose	<input type="radio"/> >10% Exposed Surface Area	<input type="radio"/> Potential for Significant Damage

Building: 001 Room: 216	Drawing Group Code: 02	USA: 13	0" OD Quantity: 832 SF
Floor: 2 Computer Lab	Material: Tile, Vinyl Floor, 12X12		
Record No.: 3500044	Comment: (1992) Gray (1996) Classroom - concrete floor.		

Quantity Within 20%?	<input checked="" type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		Assessment:
	<input type="radio"/> Not Found <input type="radio"/> Definitely Not Present		<input type="radio"/> Not Assessable
Comment Fit Material?	<input checked="" type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		<input type="radio"/> Friable <input type="radio"/> Covering
			<input checked="" type="radio"/> Non-friable <input type="radio"/> Enclosure
Justification:	<input type="radio"/> Missing TSI Jacketing <input type="radio"/> Student Accessible		<input checked="" type="radio"/> Intact and Undamaged
<input type="radio"/> Blistering	<input type="radio"/> Physical Damage	<input type="radio"/> Activity / Movement	<input type="radio"/> Damaged (<10%)
<input type="radio"/> Cracking	<input type="radio"/> Deterioration	<input type="radio"/> Forced Airstream	<input type="radio"/> Significantly Damaged (>10%)
<input type="radio"/> Vibration	<input type="radio"/> Water Damage	<input type="radio"/> <10% Exposed Surface Area	<input type="radio"/> Potential for Damage
<input type="radio"/> Other:	<input type="radio"/> Loose	<input type="radio"/> >10% Exposed Surface Area	<input type="radio"/> Potential for Significant Damage

KCMSD 2008 Triennial Re-inspection

350 / Douglas Early Childhood Center
2640 Bellevue

Inspector: B. Hall
Inspection Date: 11-13-08

Building: 001 Room: 216A	Drawing Group Code: 02	USA: 13	0" OD Quantity: 10 SF
Floor: 2 Closet	Material: Tile, Vinyl Floor, 12X12		
Record No.: 3500129	Comment: (1992) Gray		
Quantity Within 20%? <input type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		Assessment: <input type="radio"/> Not Assessable	
		<input type="radio"/> Friable <input type="radio"/> Covering	
		<input type="radio"/> Non-friable <input type="radio"/> Enclosure	
Comment Fit Material? <input type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		<input type="radio"/> Intact and Undamaged	
		<input type="radio"/> Damaged (<10%)	
Justification: <input type="radio"/> Missing TSI Jacketing <input type="radio"/> Student Accessible		<input type="radio"/> Significantly Damaged (>10%)	
<input type="radio"/> Physical Damage <input type="radio"/> Activity / Movement		<input type="radio"/> Potential for Damage	
<input type="radio"/> Blistering <input type="radio"/> Deterioration <input type="radio"/> Forced Airstream		<input type="radio"/> Potential for Significant Damage	
<input type="radio"/> Cracking <input type="radio"/> Water Damage <input type="radio"/> <10% Exposed Surface Area			
<input type="radio"/> Vibration <input type="radio"/> Loose <input type="radio"/> >10% Exposed Surface Area			
<input type="radio"/> Other: _____			

Building: 001 Room: 217	Drawing Group Code: 13	USA: 16	0" OD Quantity: 10 SF
Floor: 2 Storage	Material: Cloth, Vibration Joint		
Record No.: 3500043	Comment: (1992) (2) green		
Quantity Within 20%? <input checked="" type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)		Assessment: <input type="radio"/> Not Assessable	
		<input type="radio"/> Friable <input type="radio"/> Covering	
		<input checked="" type="radio"/> Non-friable <input type="radio"/> Enclosure	
Comment Fit Material? <input checked="" type="radio"/> Yes <input type="radio"/> No (Explain In Comment Area)		<input checked="" type="radio"/> Intact and Undamaged	
		<input type="radio"/> Damaged (<10%)	
Justification: <input type="radio"/> Missing TSI Jacketing <input type="radio"/> Student Accessible		<input type="radio"/> Significantly Damaged (>10%)	
<input type="radio"/> Physical Damage <input type="radio"/> Activity / Movement		<input type="radio"/> Potential for Damage	
<input type="radio"/> Blistering <input type="radio"/> Deterioration <input type="radio"/> Forced Airstream		<input type="radio"/> Potential for Significant Damage	
<input type="radio"/> Cracking <input type="radio"/> Water Damage <input type="radio"/> <10% Exposed Surface Area			
<input type="radio"/> Vibration <input type="radio"/> Loose <input type="radio"/> >10% Exposed Surface Area			
<input type="radio"/> Other: _____			