

Expiration Date: 10/28/2009

Certificate Number: 7020102108MOSR11347

Training Date: 10/21/2008

Missouri State Certificate for Asbestos Related Occupations

issued by Department of Natural Resources

P.O. Box 176

Jefferson City, MO 65102

Phone (573) 751-4817


Patricia J. Garcia

has successfully completed the requirements for certification as a SUPERVISOR. This Missouri State Certification is subject to review and the director may deny, suspend or revoke the certification per RSMo chapter 643.230.

10/28/2008

Date

James L. Karanovich
Director of Air Pollution Control Program



CERTIFICATION NUMBER: 7020102108MOSR11347

THIS CERTIFIES

Patricia J. Garcia

HAS COMPLETED THE CERTIFICATION REQUIREMENTS FOR

Supervisor

APPROVED: 10/28/2008

EXPIRES: 10/28/2009



Missouri
Department of
Natural Resources

James L. Karanovich
Director of Air Pollution Control Program



Cert# MOSR11347
EXP. 10/28/09

KCMSD 2008 Triennial Re-inspection

560 / E.C. Meservey VPA School
4210 E. 45th Street

Inspector: Patricia Garcia
Inspection Date: 11/07/08

Building: 001 Room: 017	Drawing Group Code: 05	USA: 33	0" OD Quantity: 1200 SF
Floor: G Boiler Room	Material: Insulation, Interior Boiler		
Record No.: 5600779	Comment: (1992) Behind metal covering		

Quantity Within 20%?	<input checked="" type="radio"/> Yes	<input type="radio"/> No (Give approximate quantity in Comment Area)		Assessment:	<input checked="" type="radio"/> Not Assessable
		<input type="radio"/> Not Found	<input type="radio"/> Definitely Not Present	<input checked="" type="radio"/> Friable	<input type="radio"/> Covering
Comment Fit Material?	<input checked="" type="radio"/> Yes	<input type="radio"/> No (Explain In Comment Area)		<input type="radio"/> Non-friable	<input checked="" type="radio"/> Enclosure
Justification:	<input type="radio"/> Missing TSI Jacketing <input type="radio"/> Student Accessible <input type="radio"/> Physical Damage <input checked="" type="radio"/> Activity / Movement <input type="radio"/> Deterioration <input checked="" type="radio"/> Forced Airstream <input type="radio"/> Water Damage <input type="radio"/> <10% Exposed Surface Area <input type="radio"/> Loose <input type="radio"/> >10% Exposed Surface Area			<input checked="" type="radio"/> Intact and Undamaged	<input type="radio"/> Damaged (<10%)
<input type="radio"/> Blistering				<input type="radio"/> Significantly Damaged (>10%)	<input type="radio"/> Potential for Damage
<input type="radio"/> Cracking				<input checked="" type="radio"/> Potential for Significant Damage	
<input type="radio"/> Vibration					
<input type="radio"/> Other:					

Building: 001 Room: 019	Drawing Group Code: 13	USA: 10	0" OD Quantity: 14 SF
Floor: G Fan Room	Material: Cloth, Vibration Joint		
Record No.: 5600016	Comment: (1992) 2 each		

Quantity Within 20%?	<input checked="" type="radio"/> Yes	<input type="radio"/> No (Give approximate quantity in Comment Area)		Assessment:	<input type="radio"/> Not Assessable
		<input type="radio"/> Not Found	<input type="radio"/> Definitely Not Present	<input checked="" type="radio"/> Friable	<input checked="" type="radio"/> Covering
Comment Fit Material?	<input checked="" type="radio"/> Yes	<input type="radio"/> No (Explain In Comment Area)		<input type="radio"/> Non-friable	<input type="radio"/> Enclosure
Justification:	<input type="radio"/> Missing TSI Jacketing <input type="radio"/> Student Accessible <input type="radio"/> Physical Damage <input checked="" type="radio"/> Activity / Movement <input type="radio"/> Deterioration <input checked="" type="radio"/> Forced Airstream <input type="radio"/> Water Damage <input type="radio"/> <10% Exposed Surface Area <input type="radio"/> Loose <input checked="" type="radio"/> >10% Exposed Surface Area			<input checked="" type="radio"/> Intact and Undamaged	<input type="radio"/> Damaged (<10%)
<input type="radio"/> Blistering				<input type="radio"/> Significantly Damaged (>10%)	<input type="radio"/> Potential for Damage
<input type="radio"/> Cracking				<input checked="" type="radio"/> Potential for Significant Damage	
<input checked="" type="radio"/> Vibration					
<input type="radio"/> Other:					

Building: 001 Room: 105	Drawing Group Code: 06	USA: 06	4" OD Quantity: 1 LF
Floor: 1 Art Room	Material: Insulation, Pipe, Corrigated		
Record No.: 5600157	Comment: (1992) On low pressure steam lines above ceiling-south end. Possible suspect material in inaccessible areas above ceiling.		

Quantity Within 20%?	<input type="radio"/> Yes	<input type="radio"/> No (Give approximate quantity in Comment Area)		Assessment:	<input checked="" type="radio"/> Not Assessable
		<input type="radio"/> Not Found	<input type="radio"/> Definitely Not Present	<input type="radio"/> Friable	<input type="radio"/> Covering
Comment Fit Material?	<input type="radio"/> Yes	<input type="radio"/> No (Explain In Comment Area)		<input type="radio"/> Non-friable	<input type="radio"/> Enclosure
Justification:	<input type="radio"/> Missing TSI Jacketing <input type="radio"/> Student Accessible <input type="radio"/> Physical Damage <input type="radio"/> Activity / Movement <input type="radio"/> Deterioration <input type="radio"/> Forced Airstream <input type="radio"/> Water Damage <input type="radio"/> <10% Exposed Surface Area <input type="radio"/> Loose <input type="radio"/> >10% Exposed Surface Area			<input type="radio"/> Intact and Undamaged	<input type="radio"/> Damaged (<10%)
<input type="radio"/> Blistering				<input type="radio"/> Significantly Damaged (>10%)	<input type="radio"/> Potential for Damage
<input type="radio"/> Cracking				<input type="radio"/> Potential for Significant Damage	
<input type="radio"/> Vibration					
<input type="radio"/> Other:					

KCMSD 2008 Triennial Re-inspection

560 / E.C. Meservey VPA School

4210 E. 45th Street

Inspector Date: _____

Inspector: _____

Building: 001 Room: 106 Corridor 1
 Drawing Group Code: 09 USA: 14 0" OD Quantity: 2 EA
 Material: Insulation, Fire Door
 Record No.: 5600673
 Comment: (1992) East end

Justification:

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Other: Other:

Blistering Deterioration Physical Damage Missing TSI Jacketing Student Accessible Intact and Undamaged Non-fragile Enclosure

Cracking Water Damage Loose <10% Exposed Surface Area Forced Airstream Activity / Movement Damaged (<10%) Potentially Damaged (>10%) Potential for Damage

Vibration Loose Water Damage >10% Exposed Surface Area Forced Airstream Activity / Movement Damaged (<10%) Potentially Damaged (>10%) Potential for Damage

Assessment: Not Assessable Frangible Covering Enclosure

Building: 001 Room: 107 Classroom 1
 Drawing Group Code: 09 USA: 14 0" OD Quantity: 1 EA
 Material: Insulation, Fire Door
 Record No.: 5600555
 Comment: (1992) -

Justification:

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Other: Other:

Blistering Deterioration Physical Damage Missing TSI Jacketing Student Accessible Intact and Undamaged Non-fragile Enclosure

Cracking Water Damage Loose <10% Exposed Surface Area Forced Airstream Activity / Movement Damaged (<10%) Potentially Damaged (>10%) Potential for Damage

Vibration Loose Water Damage >10% Exposed Surface Area Forced Airstream Activity / Movement Damaged (<10%) Potentially Damaged (>10%) Potential for Damage

Assessment: Not Assessable Frangible Covering Enclosure

Building: 001 Room: 116 Boys Restroom 1
 Drawing Group Code: 02 USA: 13 0" OD Quantity: 100 SF
 Material: Tile, Vinyl Floor
 Record No.: 5600821
 Comment: (1992) Tan

Justification:

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Other: Other:

Blistering Deterioration Physical Damage Missing TSI Jacketing Student Accessible Intact and Undamaged Non-fragile Enclosure

Cracking Water Damage Loose <10% Exposed Surface Area Forced Airstream Activity / Movement Damaged (<10%) Potentially Damaged (>10%) Potential for Damage

Vibration Loose Water Damage >10% Exposed Surface Area Forced Airstream Activity / Movement Damaged (<10%) Potentially Damaged (>10%) Potential for Damage

Assessment: Not Assessable Frangible Covering Enclosure

KCMSD 2008 Triennial Re-inspection

560 / E.C. Meservey VPA School

4210 E. 45th Street

Inspector: _____
Inspection Date: _____

Building: 001 Room: 122 Floor: 1 Corridor
 Record No.: 5600558
 Comment: (1992) North side
 Drawing Group Code: 09 USA: 14 0" OD Quantity: 2 EA
 Material: Insulation, Fire Door

Assessment:
 Not Assessable
 Friable
 Covering
 Enclosure

Justification:
 Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)
 Comment Fit Material? Yes No (Explain in Comment Area)
 Missing TSI Jacketing
 Physical Damage
 Deterioration
 Water Damage
 Loose
 Other:

Assessment:
 Not Assessable
 Friable
 Covering
 Enclosure

Justification:
 Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)
 Comment Fit Material? Yes No (Explain in Comment Area)
 Missing TSI Jacketing
 Physical Damage
 Deterioration
 Water Damage
 Loose
 Other:

Building: 001 Room: 123 Floor: 1 Corridor
 Record No.: 5600429
 Comment: (1992) North & south end
 Drawing Group Code: 09 USA: 27 0" OD Quantity: 4 EA
 Material: Insulation, Fire Door

Assessment:
 Not Assessable
 Friable
 Covering
 Enclosure

Justification:
 Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)
 Comment Fit Material? Yes No (Explain in Comment Area)
 Missing TSI Jacketing
 Physical Damage
 Deterioration
 Water Damage
 Loose
 Other:

Assessment:
 Not Assessable
 Friable
 Covering
 Enclosure

Justification:
 Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)
 Comment Fit Material? Yes No (Explain in Comment Area)
 Missing TSI Jacketing
 Physical Damage
 Deterioration
 Water Damage
 Loose
 Other:

Building: 001 Room: 123 Floor: 1 Corridor
 Record No.: 5600438
 Comment: (1992) -
 Drawing Group Code: 11 USA: 24 0" OD Quantity: 135 SF
 Material: Mastic, Ceiling Tile

Assessment:
 Not Assessable
 Friable
 Covering
 Enclosure

Justification:
 Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)
 Comment Fit Material? Yes No (Explain in Comment Area)
 Missing TSI Jacketing
 Physical Damage
 Deterioration
 Water Damage
 Loose
 Other:

Assessment:
 Not Assessable
 Friable
 Covering
 Enclosure

Justification:
 Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)
 Comment Fit Material? Yes No (Explain in Comment Area)
 Missing TSI Jacketing
 Physical Damage
 Deterioration
 Water Damage
 Loose
 Other:

KCMSD 2008 Triennial Re-inspection

560 / E.C. Meservey VPA School

4210 E. 45th Street

Inspector: _____
Inspection Date: _____

Building: 001 Room: 125 Floor: 1 Entry
 Record No.: 5600436
 Comment: (1992) -
 Drawing Group Code: 11 USA: 24 0" OD Quantity: 30 SF
 Material: Mastic, Ceiling Tile

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

- Blistering
- Cracking
- Vibration
- Other:
- Loose
- Water Damage
- Deterioration
- Physical Damage
- Missing TSI Jacketing
- Student Accessible
- Activity / Movement
- Forced Airstream
- <10% Exposed Surface Area
- >10% Exposed Surface Area

Assessment:

- Not Assessable
- Friable
- Non-friable
- Enclosure
- Covering
- Intact and Undamaged
- Damaged (<10%)
- Significantly Damaged (>10%)
- Potential for Damage
- Potential for Significant Damage

Building: 001 Room: 126 Floor: 1 Storage Food
 Record No.: 5600413
 Comment: (1992) -
 Drawing Group Code: 09 USA: 27 0" OD Quantity: 1 EA
 Material: Insulation, Fire Door

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

- Blistering
- Cracking
- Vibration
- Other:
- Loose
- Water Damage
- Deterioration
- Physical Damage
- Missing TSI Jacketing
- Student Accessible
- Activity / Movement
- Forced Airstream
- <10% Exposed Surface Area
- >10% Exposed Surface Area

Assessment:

- Not Assessable
- Friable
- Enclosure
- Covering
- Intact and Undamaged
- Damaged (<10%)
- Significantly Damaged (>10%)
- Potential for Damage
- Potential for Significant Damage

Building: 001 Room: 126 Floor: 1 Storage Food
 Record No.: 5600409
 Comment: (1992) Light gray
 Drawing Group Code: 02 USA: 26 0" OD Quantity: 9 SF
 Material: Tile, Vinyl Floor, 9X9

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

- Blistering
- Cracking
- Vibration
- Other:
- Loose
- Water Damage
- Deterioration
- Physical Damage
- Missing TSI Jacketing
- Student Accessible
- Activity / Movement
- Forced Airstream
- <10% Exposed Surface Area
- >10% Exposed Surface Area

Assessment:

- Not Assessable
- Friable
- Enclosure
- Covering
- Intact and Undamaged
- Damaged (<10%)
- Significantly Damaged (>10%)
- Potential for Damage
- Potential for Significant Damage

KCMSD 2008 Triennial Re-inspection

560 / E.C. Meservey VPA School

4210 E. 45th Street

Inspector: _____

Inspection Date: _____

Building: 001 Room: 126 Storage Food
 Floor: 1
 Record No.: 5600410
 Comment: (1992) Gray

Drawing Group Code: 02 USA: 29 0" OD Quantity: 119 SF
 Material: Tile, Vinyl Floor, 9X9

Assessment: Not Assessable
 Frangible
 Covering
 Enclosure

Justification:
 Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)
 Comment Fit Material? Yes No (Explain in Comment Area)
 Missing TSI Jacketing
 Physical Damage
 Deterioration
 Water Damage
 Loose
 Blistering
 Cracking
 Vibration
 Other:

Assessment: Not Assessable
 Frangible
 Covering
 Enclosure

Justification:
 Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)
 Comment Fit Material? Yes No (Explain in Comment Area)
 Missing TSI Jacketing
 Physical Damage
 Deterioration
 Water Damage
 Loose
 Blistering
 Cracking
 Vibration
 Other:

Assessment: Not Assessable
 Frangible
 Covering
 Enclosure

Justification:
 Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)
 Comment Fit Material? Yes No (Explain in Comment Area)
 Missing TSI Jacketing
 Physical Damage
 Deterioration
 Water Damage
 Loose
 Blistering
 Cracking
 Vibration
 Other:

Building: 001 Room: 127 Storage
 Floor: 1
 Record No.: 5600414
 Comment: (1992) Gray

Drawing Group Code: 02 USA: 29 0" OD Quantity: 32 SF
 Material: Tile, Vinyl Floor, 9X9

Assessment: Not Assessable
 Frangible
 Covering
 Enclosure

Justification:
 Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)
 Comment Fit Material? Yes No (Explain in Comment Area)
 Missing TSI Jacketing
 Physical Damage
 Deterioration
 Water Damage
 Loose
 Blistering
 Cracking
 Vibration
 Other:

Assessment: Not Assessable
 Frangible
 Covering
 Enclosure

Justification:
 Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)
 Comment Fit Material? Yes No (Explain in Comment Area)
 Missing TSI Jacketing
 Physical Damage
 Deterioration
 Water Damage
 Loose
 Blistering
 Cracking
 Vibration
 Other:

Building: 001 Room: 128 Restroom
 Floor: 1
 Record No.: 5600417
 Comment: (1992) Gray

Drawing Group Code: 02 USA: 29 0" OD Quantity: 48 SF
 Material: Tile, Vinyl Floor, 9X9

Assessment: Not Assessable
 Frangible
 Covering
 Enclosure

Justification:
 Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)
 Comment Fit Material? Yes No (Explain in Comment Area)
 Missing TSI Jacketing
 Physical Damage
 Deterioration
 Water Damage
 Loose
 Blistering
 Cracking
 Vibration
 Other:

Assessment: Not Assessable
 Frangible
 Covering
 Enclosure

Justification:
 Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)
 Comment Fit Material? Yes No (Explain in Comment Area)
 Missing TSI Jacketing
 Physical Damage
 Deterioration
 Water Damage
 Loose
 Blistering
 Cracking
 Vibration
 Other:

KCMSD 2008 Triennial Re-inspection

560 / E.C. Meservey VPA School

Inspector: _____

4210 E. 45th Street

Inspection Date: _____

Building: 001 Room: 129 Floor: 1 Kitchen
 Record No.: 5600408
 Comment: (1992) -
 Material: Insulation, Fire Door
 Drawing Group Code: 09 USA: 27 0" OD Quantity: 1 EA

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

- Other:
- Vibration
- Cracking
- Blistering
- Physical Damage
- Missing TSI Jacketing
- Student Accessible
- Activity / Movement
- Forced Airstream
- <10% Exposed Surface Area
- >10% Exposed Surface Area

Assessment:

- Not Assessable
- Frangible
- Non-frangible
- Intact and Undamaged
- Damaged (<10%)
- Significantly Damaged (>10%)
- Potential for Damage
- Potential for Significant Damage

Building: 001 Room: 129 Floor: 1 Kitchen
 Record No.: 5600404
 Comment: (1992) Gray
 Material: Tile, Vinyl Floor, 9X9
 Drawing Group Code: 02 USA: 29 0" OD Quantity: 630 SF

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Not Found Definitely Not Present Yes No (Explain in Comment Area)

Justification:

- Other:
- Vibration
- Cracking
- Blistering
- Physical Damage
- Missing TSI Jacketing
- Student Accessible
- Activity / Movement
- Forced Airstream
- <10% Exposed Surface Area
- >10% Exposed Surface Area

Assessment:

- Not Assessable
- Frangible
- Non-frangible
- Intact and Undamaged
- Damaged (<10%)
- Significantly Damaged (>10%)
- Potential for Damage
- Potential for Significant Damage

Building: 001 Room: 129 Floor: 1 Kitchen
 Record No.: 5600407
 Comment: (1992) Light gray
 Material: Tile, Vinyl Floor, 9X9
 Drawing Group Code: 02 USA: 26 0" OD Quantity: 12 SF

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes Not Found Definitely Not Present No (Explain in Comment Area)

Justification:

- Other:
- Vibration
- Cracking
- Blistering
- Physical Damage
- Missing TSI Jacketing
- Student Accessible
- Activity / Movement
- Forced Airstream
- <10% Exposed Surface Area
- >10% Exposed Surface Area

Assessment:

- Not Assessable
- Frangible
- Non-frangible
- Intact and Undamaged
- Damaged (<10%)
- Significantly Damaged (>10%)
- Potential for Damage
- Potential for Significant Damage

KCMSD 2008 Triennial Re-inspection

560 / E.C. Meservey VPA School

4210 E. 45th Street

Inspector: _____
 Inspection Date: _____

Building: 001 Room: 130 Floor: 1 Serving
 Record No.: 5600401 Comment: (1992) Gray
 Drawing Group Code: 02 USA: 29 0" OD Quantity: 126 SF
 Material: Tile, Vinyl Floor, 9X9

Justification:
 Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)
 Comment Fit Material? Yes No (Explain in Comment Area)
 Missing TSI Jacketing Student Accessible
 Physical Damage Activity / Movement
 Deterioration Forced Airstream
 Water Damage <10% Exposed Surface Area
 Loose >10% Exposed Surface Area
 Vibration Other:

Assessment:
 Not Assessable Frangible Covering Enclosure
 Intact and Undamaged Damaged (<10%)
 Significantly Damaged (>10%)
 Potential for Damage Potential for Significant Damage

Building: 001 Room: 131 Floor: 1 Cafeteria
 Record No.: 5600393 Comment: (1992) -
 Drawing Group Code: 09 USA: 27 0" OD Quantity: 4 EA
 Material: Insulation, Fire Door

Justification:
 Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)
 Comment Fit Material? Yes No (Explain in Comment Area)
 Missing TSI Jacketing Student Accessible
 Physical Damage Activity / Movement
 Deterioration Forced Airstream
 Water Damage <10% Exposed Surface Area
 Loose >10% Exposed Surface Area
 Vibration Other:

Assessment:
 Not Assessable Frangible Covering Enclosure
 Intact and Undamaged Damaged (<10%)
 Significantly Damaged (>10%)
 Potential for Damage Potential for Significant Damage

Building: 001 Room: 131 Floor: 1 Cafeteria
 Record No.: 5600388 Comment: (1992) Above permanent ceiling-quantity was estimated
 Drawing Group Code: 07 USA: 07 0" OD Quantity: 21 EA
 Material: Insulation, MJP on Corr. Pipe Covering

Justification:
 Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)
 Comment Fit Material? Yes No (Explain in Comment Area)
 Missing TSI Jacketing Student Accessible
 Physical Damage Activity / Movement
 Deterioration Forced Airstream
 Water Damage <10% Exposed Surface Area
 Loose >10% Exposed Surface Area
 Vibration Other:

Assessment:
 Not Assessable Frangible Covering Enclosure
 Intact and Undamaged Damaged (<10%)
 Significantly Damaged (>10%)
 Potential for Damage Potential for Significant Damage

KCMSD 2008 Triennial Re-inspection

560 / E.C. Meservey VPA School

4210 E. 45th Street

Inspector: _____

Inspection Date: _____

Building: 001 Room: 131 Floor: 1 Cafeteria
 Record No.: 5600386
 Comment: (1992) Above permanent ceiling-small access-quantity was estimated

Drawing Group Code: 07 USA: 30 6" OD Quantity: 2 EA
 Material: Insulation, MJP on Non-Suspect Pipe

Assessment: ● Not Assessable
 Frangible
 Covering
 Enclosure

Intact and Undamaged
 Damaged (<10%)
 Significantly Damaged (>10%)
 Potential for Damage
 Potential for Significant Damage

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:
 Missing TSI Jacketing
 Physical Damage
 Deterioration
 Water Damage
 Loose
 Student Accessible
 Activity / Movement
 Forced Airstream
 <10% Exposed Surface Area
 >10% Exposed Surface Area

Other:

Building: 001 Room: 131 Floor: 1 Cafeteria
 Record No.: 5600385
 Comment: (1992) Above permanent ceiling-quantity was estimated

Drawing Group Code: 07 USA: 31 4" OD Quantity: 21 EA
 Material: Insulation, MJP on Non-Suspect Pipe

Assessment: ● Not Assessable
 Frangible
 Covering
 Enclosure

Intact and Undamaged
 Damaged (<10%)
 Significantly Damaged (>10%)
 Potential for Damage
 Potential for Significant Damage

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:
 Missing TSI Jacketing
 Physical Damage
 Deterioration
 Water Damage
 Loose
 Student Accessible
 Activity / Movement
 Forced Airstream
 <10% Exposed Surface Area
 >10% Exposed Surface Area

Other:

Building: 001 Room: 131 Floor: 1 Cafeteria
 Record No.: 5600387
 Comment: (1992) Above permanent ceiling-quantity was estimated

Drawing Group Code: 06 USA: 06 4" OD Quantity: 92 LF
 Material: Insulation, Pipe, Corrugated

Assessment: ● Not Assessable
 Frangible
 Covering
 Enclosure

Intact and Undamaged
 Damaged (<10%)
 Significantly Damaged (>10%)
 Potential for Damage
 Potential for Significant Damage

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:
 Missing TSI Jacketing
 Physical Damage
 Deterioration
 Water Damage
 Loose
 Student Accessible
 Activity / Movement
 Forced Airstream
 <10% Exposed Surface Area
 >10% Exposed Surface Area

Other:

KCMSD 2008 Triennial Re-inspection

560 / E.C. Meservey VPA School

4210 E. 45th Street

Inspector: _____
 Inspection Date: _____

Building: 001	Room: 131	Drawing Group Code: 11	USA: 24	0" OD Quantity: 570 SF																																								
Floor: 1 Cafeteria		Material: Mastic, Ceiling Tile																																										
Record No.: 5600390	Comment: (1992) -																																											
Quantity Within 20%? <input checked="" type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)																																												
Comment Fit Material? <input checked="" type="radio"/> Yes <input type="radio"/> No (Explain in Comment Area)																																												
Justification: <table border="0"> <tr> <td><input type="radio"/> Other:</td> <td><input type="radio"/> Student Accessible</td> <td><input type="radio"/> Loose</td> <td><input type="radio"/> Potential for Significant Damage</td> </tr> <tr> <td><input type="radio"/> Blistering</td> <td><input type="radio"/> Activity / Movement</td> <td><input type="radio"/> Water Damage</td> <td><input checked="" type="radio"/> Potential for Damage</td> </tr> <tr> <td><input type="radio"/> Cracking</td> <td><input type="radio"/> Forced Airstream</td> <td><input type="radio"/> Deterioration</td> <td><input type="radio"/> Significantly Damaged (>10%)</td> </tr> <tr> <td><input type="radio"/> Missing TSI Jacketing</td> <td><input type="radio"/> Physical Damage</td> <td><input type="radio"/> Physical Damage</td> <td><input type="radio"/> Damaged (<10%)</td> </tr> <tr> <td><input type="radio"/> Missing TSI Jacketing</td> <td><input type="radio"/> Student Accessible</td> <td><input type="radio"/> Deterioration</td> <td><input type="radio"/> Intact and Undamaged</td> </tr> <tr> <td><input type="radio"/> Physical Damage</td> <td><input type="radio"/> Activity / Movement</td> <td><input type="radio"/> Water Damage</td> <td><input type="radio"/> Non-friable</td> </tr> <tr> <td><input type="radio"/> Blistering</td> <td><input type="radio"/> Forced Airstream</td> <td><input type="radio"/> Loose</td> <td><input type="radio"/> Friable</td> </tr> <tr> <td><input type="radio"/> Cracking</td> <td><input type="radio"/> <10% Exposed Surface Area</td> <td><input type="radio"/> Loose</td> <td><input type="radio"/> Covering</td> </tr> <tr> <td><input type="radio"/> Vibration</td> <td><input type="radio"/> >10% Exposed Surface Area</td> <td><input type="radio"/> Loose</td> <td><input type="radio"/> Enclosure</td> </tr> <tr> <td><input type="radio"/> Other:</td> <td><input type="radio"/> >10% Exposed Surface Area</td> <td><input type="radio"/> Loose</td> <td><input type="radio"/> Not Assessable</td> </tr> </table>					<input type="radio"/> Other:	<input type="radio"/> Student Accessible	<input type="radio"/> Loose	<input type="radio"/> Potential for Significant Damage	<input type="radio"/> Blistering	<input type="radio"/> Activity / Movement	<input type="radio"/> Water Damage	<input checked="" type="radio"/> Potential for Damage	<input type="radio"/> Cracking	<input type="radio"/> Forced Airstream	<input type="radio"/> Deterioration	<input type="radio"/> Significantly Damaged (>10%)	<input type="radio"/> Missing TSI Jacketing	<input type="radio"/> Physical Damage	<input type="radio"/> Physical Damage	<input type="radio"/> Damaged (<10%)	<input type="radio"/> Missing TSI Jacketing	<input type="radio"/> Student Accessible	<input type="radio"/> Deterioration	<input type="radio"/> Intact and Undamaged	<input type="radio"/> Physical Damage	<input type="radio"/> Activity / Movement	<input type="radio"/> Water Damage	<input type="radio"/> Non-friable	<input type="radio"/> Blistering	<input type="radio"/> Forced Airstream	<input type="radio"/> Loose	<input type="radio"/> Friable	<input type="radio"/> Cracking	<input type="radio"/> <10% Exposed Surface Area	<input type="radio"/> Loose	<input type="radio"/> Covering	<input type="radio"/> Vibration	<input type="radio"/> >10% Exposed Surface Area	<input type="radio"/> Loose	<input type="radio"/> Enclosure	<input type="radio"/> Other:	<input type="radio"/> >10% Exposed Surface Area	<input type="radio"/> Loose	<input type="radio"/> Not Assessable
<input type="radio"/> Other:	<input type="radio"/> Student Accessible	<input type="radio"/> Loose	<input type="radio"/> Potential for Significant Damage																																									
<input type="radio"/> Blistering	<input type="radio"/> Activity / Movement	<input type="radio"/> Water Damage	<input checked="" type="radio"/> Potential for Damage																																									
<input type="radio"/> Cracking	<input type="radio"/> Forced Airstream	<input type="radio"/> Deterioration	<input type="radio"/> Significantly Damaged (>10%)																																									
<input type="radio"/> Missing TSI Jacketing	<input type="radio"/> Physical Damage	<input type="radio"/> Physical Damage	<input type="radio"/> Damaged (<10%)																																									
<input type="radio"/> Missing TSI Jacketing	<input type="radio"/> Student Accessible	<input type="radio"/> Deterioration	<input type="radio"/> Intact and Undamaged																																									
<input type="radio"/> Physical Damage	<input type="radio"/> Activity / Movement	<input type="radio"/> Water Damage	<input type="radio"/> Non-friable																																									
<input type="radio"/> Blistering	<input type="radio"/> Forced Airstream	<input type="radio"/> Loose	<input type="radio"/> Friable																																									
<input type="radio"/> Cracking	<input type="radio"/> <10% Exposed Surface Area	<input type="radio"/> Loose	<input type="radio"/> Covering																																									
<input type="radio"/> Vibration	<input type="radio"/> >10% Exposed Surface Area	<input type="radio"/> Loose	<input type="radio"/> Enclosure																																									
<input type="radio"/> Other:	<input type="radio"/> >10% Exposed Surface Area	<input type="radio"/> Loose	<input type="radio"/> Not Assessable																																									

Building: 001	Room: 131	Drawing Group Code: 02	USA: 29	0" OD Quantity: 2275 SF																																								
Floor: 1 Cafeteria		Material: Tile, Vinyl Floor, 9X9																																										
Record No.: 5600384	Comment: (1992) Gray																																											
Quantity Within 20%? <input type="radio"/> Yes <input checked="" type="radio"/> No (Give approximate quantity in Comment Area)																																												
Comment Fit Material? <input type="radio"/> Yes <input checked="" type="radio"/> No (Explain in Comment Area)																																												
Justification: <table border="0"> <tr> <td><input type="radio"/> Other:</td> <td><input type="radio"/> Student Accessible</td> <td><input type="radio"/> Loose</td> <td><input type="radio"/> Potential for Significant Damage</td> </tr> <tr> <td><input type="radio"/> Blistering</td> <td><input type="radio"/> Activity / Movement</td> <td><input type="radio"/> Water Damage</td> <td><input type="radio"/> Potential for Damage</td> </tr> <tr> <td><input type="radio"/> Cracking</td> <td><input type="radio"/> Forced Airstream</td> <td><input type="radio"/> Deterioration</td> <td><input type="radio"/> Significantly Damaged (>10%)</td> </tr> <tr> <td><input type="radio"/> Missing TSI Jacketing</td> <td><input type="radio"/> Physical Damage</td> <td><input type="radio"/> Deterioration</td> <td><input type="radio"/> Damaged (<10%)</td> </tr> <tr> <td><input type="radio"/> Missing TSI Jacketing</td> <td><input type="radio"/> Student Accessible</td> <td><input type="radio"/> Water Damage</td> <td><input type="radio"/> Intact and Undamaged</td> </tr> <tr> <td><input type="radio"/> Physical Damage</td> <td><input type="radio"/> Activity / Movement</td> <td><input type="radio"/> Loose</td> <td><input type="radio"/> Non-friable</td> </tr> <tr> <td><input type="radio"/> Blistering</td> <td><input type="radio"/> Forced Airstream</td> <td><input type="radio"/> Loose</td> <td><input type="radio"/> Friable</td> </tr> <tr> <td><input type="radio"/> Cracking</td> <td><input type="radio"/> <10% Exposed Surface Area</td> <td><input type="radio"/> Loose</td> <td><input type="radio"/> Covering</td> </tr> <tr> <td><input type="radio"/> Vibration</td> <td><input type="radio"/> >10% Exposed Surface Area</td> <td><input type="radio"/> Loose</td> <td><input type="radio"/> Enclosure</td> </tr> <tr> <td><input type="radio"/> Other:</td> <td><input type="radio"/> >10% Exposed Surface Area</td> <td><input type="radio"/> Loose</td> <td><input type="radio"/> Not Assessable</td> </tr> </table>					<input type="radio"/> Other:	<input type="radio"/> Student Accessible	<input type="radio"/> Loose	<input type="radio"/> Potential for Significant Damage	<input type="radio"/> Blistering	<input type="radio"/> Activity / Movement	<input type="radio"/> Water Damage	<input type="radio"/> Potential for Damage	<input type="radio"/> Cracking	<input type="radio"/> Forced Airstream	<input type="radio"/> Deterioration	<input type="radio"/> Significantly Damaged (>10%)	<input type="radio"/> Missing TSI Jacketing	<input type="radio"/> Physical Damage	<input type="radio"/> Deterioration	<input type="radio"/> Damaged (<10%)	<input type="radio"/> Missing TSI Jacketing	<input type="radio"/> Student Accessible	<input type="radio"/> Water Damage	<input type="radio"/> Intact and Undamaged	<input type="radio"/> Physical Damage	<input type="radio"/> Activity / Movement	<input type="radio"/> Loose	<input type="radio"/> Non-friable	<input type="radio"/> Blistering	<input type="radio"/> Forced Airstream	<input type="radio"/> Loose	<input type="radio"/> Friable	<input type="radio"/> Cracking	<input type="radio"/> <10% Exposed Surface Area	<input type="radio"/> Loose	<input type="radio"/> Covering	<input type="radio"/> Vibration	<input type="radio"/> >10% Exposed Surface Area	<input type="radio"/> Loose	<input type="radio"/> Enclosure	<input type="radio"/> Other:	<input type="radio"/> >10% Exposed Surface Area	<input type="radio"/> Loose	<input type="radio"/> Not Assessable
<input type="radio"/> Other:	<input type="radio"/> Student Accessible	<input type="radio"/> Loose	<input type="radio"/> Potential for Significant Damage																																									
<input type="radio"/> Blistering	<input type="radio"/> Activity / Movement	<input type="radio"/> Water Damage	<input type="radio"/> Potential for Damage																																									
<input type="radio"/> Cracking	<input type="radio"/> Forced Airstream	<input type="radio"/> Deterioration	<input type="radio"/> Significantly Damaged (>10%)																																									
<input type="radio"/> Missing TSI Jacketing	<input type="radio"/> Physical Damage	<input type="radio"/> Deterioration	<input type="radio"/> Damaged (<10%)																																									
<input type="radio"/> Missing TSI Jacketing	<input type="radio"/> Student Accessible	<input type="radio"/> Water Damage	<input type="radio"/> Intact and Undamaged																																									
<input type="radio"/> Physical Damage	<input type="radio"/> Activity / Movement	<input type="radio"/> Loose	<input type="radio"/> Non-friable																																									
<input type="radio"/> Blistering	<input type="radio"/> Forced Airstream	<input type="radio"/> Loose	<input type="radio"/> Friable																																									
<input type="radio"/> Cracking	<input type="radio"/> <10% Exposed Surface Area	<input type="radio"/> Loose	<input type="radio"/> Covering																																									
<input type="radio"/> Vibration	<input type="radio"/> >10% Exposed Surface Area	<input type="radio"/> Loose	<input type="radio"/> Enclosure																																									
<input type="radio"/> Other:	<input type="radio"/> >10% Exposed Surface Area	<input type="radio"/> Loose	<input type="radio"/> Not Assessable																																									

Building: 001	Room: 131	Drawing Group Code: 02	USA: 26	0" OD Quantity: 5 SF																																								
Floor: 1 Cafeteria		Material: Tile, Vinyl Floor, 9X9																																										
Record No.: 5600392	Comment: (1992) Light gray																																											
Quantity Within 20%? <input checked="" type="radio"/> Yes <input type="radio"/> No (Give approximate quantity in Comment Area)																																												
Comment Fit Material? <input checked="" type="radio"/> Yes <input type="radio"/> No (Explain in Comment Area)																																												
Justification: <table border="0"> <tr> <td><input type="radio"/> Other:</td> <td><input type="radio"/> Student Accessible</td> <td><input type="radio"/> Loose</td> <td><input type="radio"/> Potential for Significant Damage</td> </tr> <tr> <td><input type="radio"/> Blistering</td> <td><input type="radio"/> Activity / Movement</td> <td><input type="radio"/> Water Damage</td> <td><input checked="" type="radio"/> Potential for Damage</td> </tr> <tr> <td><input type="radio"/> Cracking</td> <td><input type="radio"/> Forced Airstream</td> <td><input type="radio"/> Deterioration</td> <td><input type="radio"/> Significantly Damaged (>10%)</td> </tr> <tr> <td><input type="radio"/> Missing TSI Jacketing</td> <td><input type="radio"/> Physical Damage</td> <td><input type="radio"/> Deterioration</td> <td><input type="radio"/> Damaged (<10%)</td> </tr> <tr> <td><input type="radio"/> Missing TSI Jacketing</td> <td><input type="radio"/> Student Accessible</td> <td><input type="radio"/> Water Damage</td> <td><input checked="" type="radio"/> Intact and Undamaged</td> </tr> <tr> <td><input type="radio"/> Physical Damage</td> <td><input type="radio"/> Activity / Movement</td> <td><input type="radio"/> Loose</td> <td><input type="radio"/> Non-friable</td> </tr> <tr> <td><input type="radio"/> Blistering</td> <td><input type="radio"/> Forced Airstream</td> <td><input type="radio"/> Loose</td> <td><input type="radio"/> Friable</td> </tr> <tr> <td><input type="radio"/> Cracking</td> <td><input type="radio"/> <10% Exposed Surface Area</td> <td><input type="radio"/> Loose</td> <td><input type="radio"/> Covering</td> </tr> <tr> <td><input type="radio"/> Vibration</td> <td><input type="radio"/> >10% Exposed Surface Area</td> <td><input type="radio"/> Loose</td> <td><input type="radio"/> Enclosure</td> </tr> <tr> <td><input type="radio"/> Other:</td> <td><input type="radio"/> >10% Exposed Surface Area</td> <td><input type="radio"/> Loose</td> <td><input type="radio"/> Not Assessable</td> </tr> </table>					<input type="radio"/> Other:	<input type="radio"/> Student Accessible	<input type="radio"/> Loose	<input type="radio"/> Potential for Significant Damage	<input type="radio"/> Blistering	<input type="radio"/> Activity / Movement	<input type="radio"/> Water Damage	<input checked="" type="radio"/> Potential for Damage	<input type="radio"/> Cracking	<input type="radio"/> Forced Airstream	<input type="radio"/> Deterioration	<input type="radio"/> Significantly Damaged (>10%)	<input type="radio"/> Missing TSI Jacketing	<input type="radio"/> Physical Damage	<input type="radio"/> Deterioration	<input type="radio"/> Damaged (<10%)	<input type="radio"/> Missing TSI Jacketing	<input type="radio"/> Student Accessible	<input type="radio"/> Water Damage	<input checked="" type="radio"/> Intact and Undamaged	<input type="radio"/> Physical Damage	<input type="radio"/> Activity / Movement	<input type="radio"/> Loose	<input type="radio"/> Non-friable	<input type="radio"/> Blistering	<input type="radio"/> Forced Airstream	<input type="radio"/> Loose	<input type="radio"/> Friable	<input type="radio"/> Cracking	<input type="radio"/> <10% Exposed Surface Area	<input type="radio"/> Loose	<input type="radio"/> Covering	<input type="radio"/> Vibration	<input type="radio"/> >10% Exposed Surface Area	<input type="radio"/> Loose	<input type="radio"/> Enclosure	<input type="radio"/> Other:	<input type="radio"/> >10% Exposed Surface Area	<input type="radio"/> Loose	<input type="radio"/> Not Assessable
<input type="radio"/> Other:	<input type="radio"/> Student Accessible	<input type="radio"/> Loose	<input type="radio"/> Potential for Significant Damage																																									
<input type="radio"/> Blistering	<input type="radio"/> Activity / Movement	<input type="radio"/> Water Damage	<input checked="" type="radio"/> Potential for Damage																																									
<input type="radio"/> Cracking	<input type="radio"/> Forced Airstream	<input type="radio"/> Deterioration	<input type="radio"/> Significantly Damaged (>10%)																																									
<input type="radio"/> Missing TSI Jacketing	<input type="radio"/> Physical Damage	<input type="radio"/> Deterioration	<input type="radio"/> Damaged (<10%)																																									
<input type="radio"/> Missing TSI Jacketing	<input type="radio"/> Student Accessible	<input type="radio"/> Water Damage	<input checked="" type="radio"/> Intact and Undamaged																																									
<input type="radio"/> Physical Damage	<input type="radio"/> Activity / Movement	<input type="radio"/> Loose	<input type="radio"/> Non-friable																																									
<input type="radio"/> Blistering	<input type="radio"/> Forced Airstream	<input type="radio"/> Loose	<input type="radio"/> Friable																																									
<input type="radio"/> Cracking	<input type="radio"/> <10% Exposed Surface Area	<input type="radio"/> Loose	<input type="radio"/> Covering																																									
<input type="radio"/> Vibration	<input type="radio"/> >10% Exposed Surface Area	<input type="radio"/> Loose	<input type="radio"/> Enclosure																																									
<input type="radio"/> Other:	<input type="radio"/> >10% Exposed Surface Area	<input type="radio"/> Loose	<input type="radio"/> Not Assessable																																									

KCMSD 2008 Triennial Re-inspection

560 / E.C. Meservey VPA School

Inspector: _____

4210 E. 45th Street

Inspection Date: _____

Building: 001 Room: 132 Teachers' Dining Floor: 1
 Record No.: 5600395
 Comment: (1992) -
 Drawing Group Code: 11 USA: 24 0" OD Quantity: 90 SF
 Material: Mastic, Ceiling Tile

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

- Blistering
- Cracking
- Vibration
- Other:

Assessment:

- Not Assessable
- Friable
- Non-friable
- Enclosure
- Intact and Undamaged
- Damaged (<10%)
- Significantly Damaged (>10%)
- Potential for Damage
- Potential for Significant Damage

Building: 001 Room: 132 Teachers' Dining Floor: 1
 Record No.: 5600397
 Comment: (1992) Gray
 Drawing Group Code: 02 USA: 29 0" OD Quantity: 360 SF
 Material: Tile, Vinyl Floor, 9X9

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

- Blistering
- Cracking
- Vibration
- Other:

Assessment:

- Not Assessable
- Friable
- Non-friable
- Enclosure
- Intact and Undamaged
- Damaged (<10%)
- Significantly Damaged (>10%)
- Potential for Damage
- Potential for Significant Damage

Building: 001 Room: C117 Chase Floor: 1
 Record No.: 5600674
 Comment: (1992) Two abandoned domestic water lines present with suspect pipe covering above ceiling-visible, but not quantifiable
 Drawing Group Code: 06 USA: - 0" OD Quantity: 0 LF
 Material: Insulation, Pipe, Paper

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

- Blistering
- Cracking
- Vibration
- Other:

Assessment:

- Not Assessable
- Friable
- Non-friable
- Enclosure
- Intact and Undamaged
- Damaged (<10%)
- Significantly Damaged (>10%)
- Potential for Damage
- Potential for Significant Damage

KCMSD 2008 Triennial Re-inspection

560 / E.C. Meservey VPA School

4210 E. 45th Street

Inspector: _____
 Inspection Date: _____

Building: 001 Room: PC311 Floor: 1 Pipe chase
 Drawing Group Code: 06 USA: 02 4" OD Quantity: 20 LF
 Material: Insulation, Pipe, Paper
 Record No.: 5600616
 Comment: (1992) Small access-quantity was estimated

Justification:

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Other: Blistering Cracking Vibration Other:

Assessment: Not Assessable Frangible Covering Enclosure Intact and Undamaged Damaged (<10%) Significantly Damaged (>10%) Potential for Damage Potential for Significant Damage

Building: 001 Room: 207 Floor: 2 Resource Center
 Drawing Group Code: 09 USA: 14 0" OD Quantity: 1 EA
 Material: Insulation, Fire Door
 Record No.: 5600279
 Comment: (1992) -

Justification:

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Other: Blistering Cracking Vibration Other:

Assessment: Not Assessable Frangible Covering Enclosure Intact and Undamaged Damaged (<10%) Significantly Damaged (>10%) Potential for Damage Potential for Significant Damage

Building: 001 Room: 207 Floor: 2 Resource Center
 Drawing Group Code: 10 USA: 14 0" OD Quantity: 1 EA
 Material: Lining, Sink
 Record No.: 5600822
 Comment: (1992)
 Located in Rm # 227

Justification:

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Other: Blistering Cracking Vibration Other:

Assessment: Not Assessable Frangible Covering Enclosure Intact and Undamaged Damaged (<10%) Significantly Damaged (>10%) Potential for Damage Potential for Significant Damage

KCMSD 2008 Triennial Re-inspection

560 / E.C. Meservey VPA School

Inspector: _____

Inspection Date: _____

4210 E. 45th Street

Building: 001 Room: 208
 Floor: 2 Corridor
 Record No.: 5600264
 Comment: (1992) -

Drawing Group Code: 09 USA: 14 0" OD Quantity: 2 EA
 Material: Insulation, Fire Door

Justification:

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Missing TSI Jacking Student Accessible

Physical Damage Activity / Movement

Deterioration Forced Airstream

Water Damage <10% Exposed Surface Area

Loose >10% Exposed Surface Area

Other:

Assessment:

Not Assessable Frangible Enclosure Covering Non-frangible Intact and Undamaged Damaged (<10%) Significantly Damaged (>10%) Potential for Damage Potential for Significant Damage

Building: 001 Room: 209
 Floor: 2 Classroom
 Record No.: 5600516
 Comment: (1992) -

Drawing Group Code: 11 USA: 24 0" OD Quantity: 224 SF
 Material: Mastic, Ceiling Tile

Justification:

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Missing TSI Jacking Student Accessible

Physical Damage Activity / Movement

Deterioration Forced Airstream

Water Damage <10% Exposed Surface Area

Loose >10% Exposed Surface Area

Other:

Assessment:

Not Assessable Frangible Enclosure Covering Non-frangible Intact and Undamaged Damaged (<10%) Significantly Damaged (>10%) Potential for Damage Potential for Significant Damage

Building: 001 Room: 210
 Floor: 2 Office
 Record No.: 5600776
 Comment: (1992) -

Drawing Group Code: 11 USA: 24 0" OD Quantity: 42 SF
 Material: Mastic, Ceiling Tile

Justification:

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Missing TSI Jacking Student Accessible

Physical Damage Activity / Movement

Deterioration Forced Airstream

Water Damage <10% Exposed Surface Area

Loose >10% Exposed Surface Area

Other:

Assessment:

Not Assessable Frangible Enclosure Covering Non-frangible Intact and Undamaged Damaged (<10%) Significantly Damaged (>10%) Potential for Damage Potential for Significant Damage

KCMSD 2008 Triennial Re-inspection

560 / E.C. Meservey VPA School

4210 E. 45th Street

Inspector Date: _____

Inspector: _____

Building: 001 Room: 210A Floor: 2 Storage
 Record No.: 5600482 - Comment: (1992)
 Drawing Group Code: 09 USA: 27 0" OD Quantity: 1 EA
 Material: Insulation, Fire Door

Justification:

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Other: Blistering Cracking Vibration Loose Water Damage Deterioration Physical Damage Missing TSI Jacketing Student Accessible Activity / Movement Forced Airstream <10% Exposed Surface Area >10% Exposed Surface Area

Assessment: Not Assessable Frangible Covering Enclosure Intact and Undamaged Damaged (<10%) Significantly Damaged (>10%) Potential for Damage Potential for Significant Damage

Building: 001 Room: 210A Floor: 2 Storage
 Record No.: 5600686 - Comment: (1992)
 Drawing Group Code: 11 USA: 24 0" OD Quantity: 64 SF
 Material: Mastic, Ceiling Tile

Justification:

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Other: Blistering Cracking Vibration Loose Water Damage Deterioration Physical Damage Missing TSI Jacketing Student Accessible Activity / Movement Forced Airstream <10% Exposed Surface Area >10% Exposed Surface Area

Assessment: Not Assessable Frangible Covering Enclosure Intact and Undamaged Damaged (<10%) Significantly Damaged (>10%) Potential for Damage Potential for Significant Damage

Building: 001 Room: 211 Floor: 2 Classroom-Music
 Record No.: 5600467 - Comment: (1992)
 Drawing Group Code: 09 USA: 27 0" OD Quantity: 1 EA
 Material: Insulation, Fire Door

Justification:

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Other: Blistering Cracking Vibration Loose Water Damage Deterioration Physical Damage Missing TSI Jacketing Student Accessible Activity / Movement Forced Airstream <10% Exposed Surface Area >10% Exposed Surface Area

Assessment: Not Assessable Frangible Covering Enclosure Intact and Undamaged Damaged (<10%) Significantly Damaged (>10%) Potential for Damage Potential for Significant Damage

KCMSD 2008 Triennial Re-inspection

560 / E.C. Meservey VPA School

4210 E. 45th Street

Inspector: _____

Inspection Date: _____

Building: 001 Room: 211 Classroom-Music
 Floor: 2
 Record No.: 5600458
 Comment: (1992) -

Drawing Group Code: 11 USA: 24 0" OD Quantity: 275 SF
 Material: Mastic, Ceiling Tile

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

- Other:
- Vibration
- Cracking
- Blistering
- Missing TSI Jacketing
- Physical Damage
- Student Accessible
- Activity / Movement
- Forced Airstream
- <10% Exposed Surface Area
- >10% Exposed Surface Area
- Loose
- Water Damage
- Deterioration

Assessment:

- Not Assessable
- Frangible
- Non-frangible
- Enclosure
- Intact and Undamaged
- Damaged (<10%)
- Significantly Damaged (>10%)
- Potential for Damage
- Potential for Significant Damage

Building: 001 Room: 217 Stairs
 Floor: 2
 Record No.: 5600445
 Comment: (1992) -

Drawing Group Code: 11 USA: 24 0" OD Quantity: 30 SF
 Material: Mastic, Ceiling Tile

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

- Other:
- Vibration
- Cracking
- Blistering
- Missing TSI Jacketing
- Physical Damage
- Student Accessible
- Activity / Movement
- Forced Airstream
- <10% Exposed Surface Area
- >10% Exposed Surface Area
- Loose
- Water Damage
- Deterioration

Assessment:

- Not Assessable
- Frangible
- Non-frangible
- Enclosure
- Intact and Undamaged
- Damaged (<10%)
- Significantly Damaged (>10%)
- Potential for Damage
- Potential for Significant Damage

Building: 001 Room: 217 Stairs
 Floor: 2
 Record No.: 5600439
 Comment: (1992) -

Drawing Group Code: 02 USA: 26 0" OD Quantity: 88 SF
 Material: Tile, Vinyl Floor, 9X9

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

- Other:
- Vibration
- Cracking
- Blistering
- Missing TSI Jacketing
- Physical Damage
- Student Accessible
- Activity / Movement
- Forced Airstream
- <10% Exposed Surface Area
- >10% Exposed Surface Area
- Loose
- Water Damage
- Deterioration

Assessment:

- Not Assessable
- Frangible
- Non-frangible
- Enclosure
- Intact and Undamaged
- Damaged (<10%)
- Significantly Damaged (>10%)
- Potential for Damage
- Potential for Significant Damage

KCMSD 2008 Triennial Re-inspection

560 / E.C. Meservey VPA School

4210 E. 45th Street

Inspector: _____
 Inspection Date: _____

Building: 001 Room: 218 Floor: 2 Corridor
 Record No.: 5600452 - Comment: (1992)
 Drawing Group Code: 11 USA: 24 0" OD Quantity: 115 SF
 Material: Mastic, Ceiling Tile

Justification:
 Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)
 Comment Fit Material? Yes No (Explain in Comment Area)
 Missing TSI Jacketing Student Accessible
 Physical Damage Activity / Movement
 Deterioration Forced Airstream
 Water Damage <10% Exposed Surface Area
 Loose >10% Exposed Surface Area
 Other:

Assessment:
 Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)
 Comment Fit Material? Yes No (Explain in Comment Area)
 Missing TSI Jacketing Student Accessible
 Physical Damage Activity / Movement
 Deterioration Forced Airstream
 Water Damage <10% Exposed Surface Area
 Loose >10% Exposed Surface Area
 Other:

Assessment:
 Not Assessable Frangible Non-frangible Enclosure Covering Intact and Undamaged Damaged (<10%) Significantly Damaged (>10%) Potential for Damage Potential for Significant Damage

Building: 001 Room: 218 Floor: 2 Corridor
 Record No.: 5600448 - Comment: (1992) Light red-uder carpet-possible 9 x 9 under 12 x 12
 Drawing Group Code: 02 USA: 34 0" OD Quantity: 460 SF
 Material: Tile, Vinyl Floor, 12X12

Justification:
 Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)
 Comment Fit Material? Yes No (Explain in Comment Area)
 Missing TSI Jacketing Student Accessible
 Physical Damage Activity / Movement
 Deterioration Forced Airstream
 Water Damage <10% Exposed Surface Area
 Loose >10% Exposed Surface Area
 Other:

Assessment:
 Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)
 Comment Fit Material? Yes No (Explain in Comment Area)
 Missing TSI Jacketing Student Accessible
 Physical Damage Activity / Movement
 Deterioration Forced Airstream
 Water Damage <10% Exposed Surface Area
 Loose >10% Exposed Surface Area
 Other:

Assessment:
 Not Assessable Frangible Non-frangible Enclosure Covering Intact and Undamaged Damaged (<10%) Significantly Damaged (>10%) Potential for Damage Potential for Significant Damage

Building: 001 Room: 224A Floor: 2 Vestibule
 Record No.: 5600502 - Comment: (1992)
 Drawing Group Code: 09 USA: 27 0" OD Quantity: 1 EA
 Material: Insulation, Fire Door

Justification:
 Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)
 Comment Fit Material? Yes No (Explain in Comment Area)
 Missing TSI Jacketing Student Accessible
 Physical Damage Activity / Movement
 Deterioration Forced Airstream
 Water Damage <10% Exposed Surface Area
 Loose >10% Exposed Surface Area
 Other:

Assessment:
 Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)
 Comment Fit Material? Yes No (Explain in Comment Area)
 Missing TSI Jacketing Student Accessible
 Physical Damage Activity / Movement
 Deterioration Forced Airstream
 Water Damage <10% Exposed Surface Area
 Loose >10% Exposed Surface Area
 Other:

Assessment:
 Not Assessable Frangible Non-frangible Enclosure Covering Intact and Undamaged Damaged (<10%) Significantly Damaged (>10%) Potential for Damage Potential for Significant Damage

KCMSD 2008 Triennial Re-inspection

560 / E.C. Meservey VPA School

4210 E. 45th Street

Inspector: _____
Inspection Date: _____

Building: 001 Room: 227 Floor: 2 Classroom
 Drawing Group Code: 09 USA: 14 0" OD Quantity: 1 EA
 Material: Insulation, Fire Door
 Record No.: 5600299 - Comment: (1992)

Justification:

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Missing TSI Jacking Student Accessible

Physical Damage Activity / Movement

Deterioration Forced Airstream

Water Damage <10% Exposed Surface Area

Loose >10% Exposed Surface Area

Other:

Assessment: Not Assessable Friable Non-friable Enclosure Covering

Intact and Undamaged Damaged (<10%) Significantly Damaged (>10%) Potential for Damage Potential for Significant Damage

Building: 001 Room: PC223 Floor: 2 Pipe chase
 Drawing Group Code: 07 USA: 05 4" OD Quantity: 2 EA
 Material: Insulation, MJP on Wrapped Pipe Covering
 Record No.: 5600682 Comment: (1992) Hot water-quantity was estimated

Justification:

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Missing TSI Jacking Student Accessible

Physical Damage Activity / Movement

Deterioration Forced Airstream

Water Damage <10% Exposed Surface Area

Loose >10% Exposed Surface Area

Other:

Assessment: Not Assessable Friable Non-friable Enclosure Covering

Intact and Undamaged Damaged (<10%) Significantly Damaged (>10%) Potential for Damage Potential for Significant Damage

Building: 001 Room: PC223 Floor: 2 Pipe chase
 Drawing Group Code: 07 USA: 03 4" OD Quantity: 2 EA
 Material: Insulation, MJP on Wrapped Pipe Covering
 Record No.: 5600510 Comment: (1992) Small access-quantity was estimated

Justification:

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Missing TSI Jacking Student Accessible

Physical Damage Activity / Movement

Deterioration Forced Airstream

Water Damage <10% Exposed Surface Area

Loose >10% Exposed Surface Area

Other:

Assessment: Not Assessable Friable Non-friable Enclosure Covering

Intact and Undamaged Damaged (<10%) Significantly Damaged (>10%) Potential for Damage Potential for Significant Damage

KCMSD 2008 Triennial Re-inspection

560 / E.C. Meservey VPA School

4210 E. 45th Street

Inspector: _____

Inspection Date: _____

Building: 001 Room: PC223 Floor: 2 Pipe chase
 Drawing Group Code: 06 USA: 04 4" OD Quantity: 13 LF
 Material: Insulation, Pipe, Paper
 Record No.: 5600683
 Comment: (1992) Hot water-quantity was estimated

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

- Blistering
- Cracking
- Vibration
- Other:
- Missing TSI Jacketing
- Physical Damage
- Deterioration
- Water Damage
- Loose
- Student Accessible
- Activity / Movement
- Forced Airstream
- <10% Exposed Surface Area
- >10% Exposed Surface Area

Assessment: Not Assessable Friable Covering Enclosure

Intact and Undamaged Damaged (<10%) Significantly Damaged (>10%) Potential for Damage Potential for Significant Damage

Building: 001 Room: PC223 Floor: 2 Pipe chase
 Drawing Group Code: 06 USA: 02 4" OD Quantity: 15 LF
 Material: Insulation, Pipe, Paper
 Record No.: 5600511
 Comment: (1992) Small access-quantity was estimated

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

- Blistering
- Cracking
- Vibration
- Other:
- Missing TSI Jacketing
- Physical Damage
- Deterioration
- Water Damage
- Loose
- Student Accessible
- Activity / Movement
- Forced Airstream
- <10% Exposed Surface Area
- >10% Exposed Surface Area

Assessment: Not Assessable Friable Covering Enclosure

Intact and Undamaged Damaged (<10%) Significantly Damaged (>10%) Potential for Damage Potential for Significant Damage

Building: 001 Room: PC224 Floor: 2 Pipe chase
 Drawing Group Code: 07 USA: 03 4" OD Quantity: 1 EA
 Material: Insulation, MJP on Wrapped Pipe Covering
 Record No.: 5600512
 Comment: (1992) Small access-quantity was estimated

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

- Blistering
- Cracking
- Vibration
- Other:
- Missing TSI Jacketing
- Physical Damage
- Deterioration
- Water Damage
- Loose
- Student Accessible
- Activity / Movement
- Forced Airstream
- <10% Exposed Surface Area
- >10% Exposed Surface Area

Assessment: Not Assessable Friable Covering Enclosure

Intact and Undamaged Damaged (<10%) Significantly Damaged (>10%) Potential for Damage Potential for Significant Damage

KCMSD 2008 Triennial Re-inspection

560 / E.C. Meservey VPA School

4210 E. 45th Street

Inspector: _____

Inspection Date: _____

Building: 001 Room: PC224 Floor: 2 Pipe chase
 Drawing Group Code: 06 USA: 02 4" OD Quantity: 10 LF
 Material: Insulation, Pipe, Paper
 Record No.: 5600513
 Comment: (1992) Small access-quantity was estimated

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

- Blistering
- Cracking
- Vibration
- Other: _____
- Missing TSI Jacketing
- Physical Damage
- Deterioration
- Water Damage
- Loose
- Student Accessible
- Activity / Movement
- Forced Airstream
- <10% Exposed Surface Area
- >10% Exposed Surface Area

Assessment: Not Assessable

- Frangible
- Non-frangible
- Intact and Undamaged
- Damaged (<10%)
- Significantly Damaged (>10%)
- Potential for Damage
- Potential for Significant Damage

Building: 001 Room: 308 Floor: 3 Classroom
 Drawing Group Code: 09 USA: 14 0" OD Quantity: 1 EA
 Material: Insulation, Fire Door
 Record No.: 5600193
 Comment: (1992) -

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

- Blistering
- Cracking
- Vibration
- Other: _____
- Missing TSI Jacketing
- Physical Damage
- Deterioration
- Water Damage
- Loose
- Student Accessible
- Activity / Movement
- Forced Airstream
- <10% Exposed Surface Area
- >10% Exposed Surface Area

Assessment: Not Assessable

- Frangible
- Non-frangible
- Intact and Undamaged
- Damaged (<10%)
- Significantly Damaged (>10%)
- Potential for Damage
- Potential for Significant Damage

Building: 001 Room: 309 Floor: 3 Classroom
 Drawing Group Code: 09 USA: 27 0" OD Quantity: 1 EA
 Material: Insulation, Fire Door
 Record No.: 5600548
 Comment: (1992) -

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

- Blistering
- Cracking
- Vibration
- Other: _____
- Missing TSI Jacketing
- Physical Damage
- Deterioration
- Water Damage
- Loose
- Student Accessible
- Activity / Movement
- Forced Airstream
- <10% Exposed Surface Area
- >10% Exposed Surface Area

Assessment: Not Assessable

- Frangible
- Non-frangible
- Intact and Undamaged
- Damaged (<10%)
- Significantly Damaged (>10%)
- Potential for Damage
- Potential for Significant Damage

KCMSD 2008 Triennial Re-inspection

560 / E.C. Meservey VPA School

4210 E. 45th Street

Inspector: _____

Inspection Date: _____

Building: 001 Room: 309 Floor: 3 Classroom
 Record No.: 5600530
 Comment: (1992) -
 Material: Mastic, Ceiling Tile
 Drawing Group Code: 11 USA: 24 0" OD Quantity: 224 SF

Justification:

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Missing TSI Jacketing Student Accessible Activity / Movement

Physical Damage Forced Airstream <10% Exposed Surface Area

Deterioration Water Damage Loose

Blistering Cracking Vibration Other:

Assessment:

Not Assessable Frangible Covering Enclosure

Intact and Undamaged Damaged (<10%) Significantly Damaged (>10%)

Potential for Damage Potential for Significant Damage

Building: 001 Room: 309 Floor: 3 Classroom
 Record No.: 5600526
 Comment: (1992) Gray-under carpet
 Material: Tile, Vinyl Floor, 9X9
 Drawing Group Code: 02 USA: 29 0" OD Quantity: 896 SF

Justification:

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Missing TSI Jacketing Student Accessible Activity / Movement

Physical Damage Forced Airstream <10% Exposed Surface Area

Deterioration Water Damage Loose

Blistering Cracking Vibration Other:

Assessment:

Not Assessable Frangible Covering Enclosure

Intact and Undamaged Damaged (<10%) Significantly Damaged (>10%)

Potential for Damage Potential for Significant Damage

Building: 001 Room: 309A Floor: 3 Closet
 Record No.: 5600538
 Comment: (1992) - (1996) Quantity measured - 130 SF.
 Material: Mastic, Ceiling Tile
 Drawing Group Code: 11 USA: 24 0" OD Quantity: 4 SF

Justification:

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Missing TSI Jacketing Student Accessible Activity / Movement

Physical Damage Forced Airstream <10% Exposed Surface Area

Deterioration Water Damage Loose

Blistering Cracking Vibration Other:

Assessment:

Not Assessable Frangible Covering Enclosure

Intact and Undamaged Damaged (<10%) Significantly Damaged (>10%)

Potential for Damage Potential for Significant Damage

KCMSD 2008 Triennial Re-Inspection

560 / E.C. Meservey VPA School

4210 E. 45th Street

Inspector: _____
Inspection Date: _____

Building: 001 Room: 310B Janitor's Closet
 Drawing Group Code: 09 USA: 27 0" OD Quantity: 1 EA
 Material: Insulation, Fire Door
 Record No.: 5600547 - Comment: (1992) -

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

<input type="radio"/> Other:	<input type="radio"/> Loose	<input type="radio"/> Student Accessible	<input type="radio"/> Intact and Undamaged	<input type="radio"/> Not Assessable
<input type="radio"/> Blistering	<input type="radio"/> Physical Damage	<input checked="" type="radio"/> Activity / Movement	<input type="radio"/> Damaged (<10%)	<input type="radio"/> Potentially for Damage
<input type="radio"/> Cracking	<input type="radio"/> Deterioration	<input type="radio"/> Forced Airstream	<input type="radio"/> Significantly Damaged (>10%)	<input type="radio"/> Potential for Significant Damage
<input type="radio"/> Vibration	<input type="radio"/> Water Damage	<input type="radio"/> <10% Exposed Surface Area	<input type="radio"/> Potential for Damage	
	<input type="radio"/> Loose	<input type="radio"/> >10% Exposed Surface Area		

Assessment: Friable Non-friable Enclosure Covering Not Assessable

Building: 001 Room: 312 Computer Room
 Drawing Group Code: 11 USA: 24 0" OD Quantity: 224 SF
 Material: Mastic, Ceiling Tile
 Record No.: 5600740 - Comment: (1992) -

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

<input type="radio"/> Other:	<input type="radio"/> Loose	<input type="radio"/> Student Accessible	<input type="radio"/> Intact and Undamaged	<input type="radio"/> Not Assessable
<input type="radio"/> Blistering	<input type="radio"/> Physical Damage	<input checked="" type="radio"/> Activity / Movement	<input type="radio"/> Damaged (<10%)	<input type="radio"/> Potentially for Damage
<input type="radio"/> Cracking	<input type="radio"/> Deterioration	<input type="radio"/> Forced Airstream	<input type="radio"/> Significantly Damaged (>10%)	<input type="radio"/> Potential for Significant Damage
<input type="radio"/> Vibration	<input type="radio"/> Water Damage	<input type="radio"/> <10% Exposed Surface Area	<input type="radio"/> Potential for Damage	
	<input type="radio"/> Loose	<input type="radio"/> >10% Exposed Surface Area		

Assessment: Friable Non-friable Enclosure Covering Not Assessable

Building: 001 Room: 312 Computer Room
 Drawing Group Code: 02 USA: 29 0" OD Quantity: 896 SF
 Material: Tile, Vinyl Floor, 9X9
 Record No.: 5600621 - Comment: (1992) Gray/black/white
 Under Carpet

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

<input type="radio"/> Other:	<input type="radio"/> Loose	<input type="radio"/> Student Accessible	<input type="radio"/> Intact and Undamaged	<input type="radio"/> Not Assessable
<input type="radio"/> Blistering	<input type="radio"/> Physical Damage	<input checked="" type="radio"/> Activity / Movement	<input type="radio"/> Damaged (<10%)	<input type="radio"/> Potentially for Damage
<input type="radio"/> Cracking	<input type="radio"/> Deterioration	<input type="radio"/> Forced Airstream	<input type="radio"/> Significantly Damaged (>10%)	<input type="radio"/> Potential for Significant Damage
<input type="radio"/> Vibration	<input type="radio"/> Water Damage	<input type="radio"/> <10% Exposed Surface Area	<input type="radio"/> Potential for Damage	
	<input type="radio"/> Loose	<input type="radio"/> >10% Exposed Surface Area		

Assessment: Friable Non-friable Enclosure Covering Not Assessable

KCMSD 2008 Triennial Re-inspection

560 / E.C. Meservey VPA School

4210 E. 45th Street

Inspector: _____

Inspection Date: _____

Building: 001 Room: 312A Floor: 3 Closet
 Record No.: 5600746
 Comment: (1992) -
 Drawing Group Code: 11 USA: 24 0" OD Quantity: 2 SF
 Material: Mastic, Ceiling Tile

Justification:

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Missing TSI Jacketing Physical Damage Activity / Movement Student Accessible

Blistering Deterioration Water Damage Loose

Cracking Forced Airstream <10% Exposed Surface Area >10% Exposed Surface Area

Vibration Other:

Assessment:

Not Assessable Friable Non-friable Enclosure

Intact and Undamaged Damaged (<10%) Significantly Damaged (>10%) Potential for Damage

Potential for Significant Damage

Building: 001 Room: 313 Floor: 3 Classroom
 Record No.: 5600653
 Comment: (1992) -
 Drawing Group Code: 11 USA: 24 0" OD Quantity: 245 SF
 Material: Mastic, Ceiling Tile

Justification:

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Missing TSI Jacketing Physical Damage Activity / Movement Student Accessible

Blistering Deterioration Water Damage Loose

Cracking Forced Airstream <10% Exposed Surface Area >10% Exposed Surface Area

Vibration Other:

Assessment:

Not Assessable Friable Non-friable Enclosure

Intact and Undamaged Damaged (<10%) Significantly Damaged (>10%) Potential for Damage

Potential for Significant Damage

Building: 001 Room: 313 Floor: 3 Classroom
 Record No.: 5600649
 Comment: (1992) Brown-under carpet
 Drawing Group Code: 02 USA: 32 0" OD Quantity: 980 SF
 Material: Tile, Vinyl Floor, 9X9

Justification:

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Missing TSI Jacketing Physical Damage Activity / Movement Student Accessible

Blistering Deterioration Water Damage Loose

Cracking Forced Airstream <10% Exposed Surface Area >10% Exposed Surface Area

Vibration Other:

Assessment:

Not Assessable Friable Non-friable Enclosure

Intact and Undamaged Damaged (<10%) Significantly Damaged (>10%) Potential for Damage

Potential for Significant Damage

KCMUSD 2008 Triennial Re-inspection

560 / E.C. Meservey VPA School

4210 E. 45th Street

Inspection Date: _____

Inspector: _____

Building: 001 Room: 313A Floor: 3 Closet
 Record No.: 5600777
 Comment: (1992) -
 Drawing Group Code: 11 USA: 24 0" OD Quantity: 2 SF
 Material: Mastic, Ceiling Tile

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

- Other:
- Vibration
- Cracking
- Blistering
- Physical Damage
- Missing TSI Jacketing
- Student Accessible
- Activity / Movement
- Forced Airstream
- <10% Exposed Surface Area
- >10% Exposed Surface Area
- Loose
- Water Damage
- Deterioration
- Physical Damage
- Blistering
- Cracking
- Vibration
- Other:

Assessment:

- Not Assessable
- Friable
- Non-friable
- Enclosure
- Covering
- Intact and Undamaged
- Damaged (<10%)
- Significantly Damaged (>10%)
- Potential for Damage
- Potential for Significant Damage

Building: 001 Room: 315 Floor: 3 Landing
 Record No.: 5600770
 Comment: (1992) -
 Drawing Group Code: 11 USA: 24 0" OD Quantity: 50 SF
 Material: Mastic, Ceiling Tile

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

- Other:
- Vibration
- Cracking
- Blistering
- Physical Damage
- Missing TSI Jacketing
- Student Accessible
- Activity / Movement
- Forced Airstream
- <10% Exposed Surface Area
- >10% Exposed Surface Area
- Loose
- Water Damage
- Deterioration
- Physical Damage
- Blistering
- Cracking
- Vibration
- Other:

Assessment:

- Not Assessable
- Friable
- Non-friable
- Enclosure
- Covering
- Intact and Undamaged
- Damaged (<10%)
- Significantly Damaged (>10%)
- Potential for Damage
- Potential for Significant Damage

Building: 001 Room: 315 Floor: 3 Stairs
 Record No.: 5600734
 Comment: (1992) Gray
 Drawing Group Code: 02 USA: 29 0" OD Quantity: 110 SF
 Material: Tile, Vinyl Floor, 9X9

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

- Other:
- Vibration
- Cracking
- Blistering
- Physical Damage
- Missing TSI Jacketing
- Student Accessible
- Activity / Movement
- Forced Airstream
- <10% Exposed Surface Area
- >10% Exposed Surface Area
- Loose
- Water Damage
- Deterioration
- Physical Damage
- Blistering
- Cracking
- Vibration
- Other:

Assessment:

- Not Assessable
- Friable
- Non-friable
- Enclosure
- Covering
- Intact and Undamaged
- Damaged (<10%)
- Significantly Damaged (>10%)
- Potential for Damage
- Potential for Significant Damage

KCMSD 2008 Triennial Re-inspection

560 / E.C. Meservey VPA School

4210 E. 45th Street

Inspector: _____

Inspection Date: _____

Building: 001 Room: 316 Floor: 3 Vestibule
 Record No.: 5600772 - Comment: (1992)
 Drawing Group Code: 11 USA: 24 0" OD Quantity: 15 SF
 Material: Mastic, Ceiling Tile

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

- Other:
- Vibration
- Cracking
- Blistering
- Physical Damage
- Missing TSI Jacketing
- Student Accessible
- Activity / Movement
- Forced Airstream
- <10% Exposed Surface Area
- >10% Exposed Surface Area

Assessment:

- Not Assessable
- Friable
- Non-friable
- Enclosure
- Intact and Undamaged
- Damaged (<10%)
- Significantly Damaged (>10%)
- Potential for Damage
- Potential for Significant Damage

Building: 001 Room: 317 Floor: 3 Corridor
 Record No.: 5600648 - Comment: (1992)
 Drawing Group Code: 09 USA: 27 0" OD Quantity: 4 EA
 Material: Insulation, Fire Door

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

- Other:
- Vibration
- Cracking
- Blistering
- Physical Damage
- Missing TSI Jacketing
- Student Accessible
- Activity / Movement
- Forced Airstream
- <10% Exposed Surface Area
- >10% Exposed Surface Area

Assessment:

- Not Assessable
- Friable
- Non-friable
- Enclosure
- Intact and Undamaged
- Damaged (<10%)
- Significantly Damaged (>10%)
- Potential for Damage
- Potential for Significant Damage

Building: 001 Room: 317 Floor: 3 Corridor
 Record No.: 5600647 - Comment: (1992)
 Drawing Group Code: 11 USA: 24 0" OD Quantity: 135 SF
 Material: Mastic, Ceiling Tile

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

- Other:
- Vibration
- Cracking
- Blistering
- Physical Damage
- Missing TSI Jacketing
- Student Accessible
- Activity / Movement
- Forced Airstream
- <10% Exposed Surface Area
- >10% Exposed Surface Area

Assessment:

- Not Assessable
- Friable
- Non-friable
- Enclosure
- Intact and Undamaged
- Damaged (<10%)
- Significantly Damaged (>10%)
- Potential for Damage
- Potential for Significant Damage

Quantity is 200 S.F.

KCMSD 2008 Triennial Re-inspection

560 / E.C. Meservey VPA School

4210 E. 45th Street

Inspector: _____
Inspection Date: _____

Building: 001 Room: 320
Floor: 3 Storage
Record No.: 5600766
Comment: (1992) -

Drawing Group Code: 09 USA: 14 0" OD Quantity: 1 EA
Material: Insulation, Fire Door

Quantity Within 20%?	<input checked="" type="radio"/> Yes	<input type="radio"/> No (Give approximate quantity in Comment Area)
Comment Fit Material?	<input checked="" type="radio"/> Yes	<input type="radio"/> No (Explain in Comment Area)
Justification:	<input type="radio"/> Missing TSI Jacketing <input type="radio"/> Physical Damage <input checked="" type="radio"/> Activity / Movement <input type="radio"/> Student Accessible <input type="radio"/> Intact and Undamaged <input type="radio"/> Damaged (<10%) <input type="radio"/> Significantly Damaged (>10%) <input checked="" type="radio"/> Potential for Damage <input type="radio"/> Potential for Significant Damage	
Assessment:	<input checked="" type="radio"/> Not Assessable <input type="radio"/> Frangible <input checked="" type="radio"/> Covering <input type="radio"/> Enclosure <input type="radio"/> Non-frangible <input type="radio"/> Intact and Undamaged <input type="radio"/> Damaged (<10%) <input type="radio"/> Significantly Damaged (>10%) <input checked="" type="radio"/> Potential for Damage <input type="radio"/> Potential for Significant Damage	

Building: 001 Room: 321
Floor: 3 Corridor
Record No.: 5600332
Comment: (1992) East end

Drawing Group Code: 09 USA: 14 0" OD Quantity: 2 EA
Material: Insulation, Fire Door

Quantity Within 20%?	<input checked="" type="radio"/> Yes	<input type="radio"/> No (Give approximate quantity in Comment Area)
Comment Fit Material?	<input checked="" type="radio"/> Yes	<input type="radio"/> No (Explain in Comment Area)
Justification:	<input type="radio"/> Missing TSI Jacketing <input type="radio"/> Physical Damage <input checked="" type="radio"/> Activity / Movement <input type="radio"/> Student Accessible <input type="radio"/> Intact and Undamaged <input type="radio"/> Damaged (<10%) <input type="radio"/> Significantly Damaged (>10%) <input checked="" type="radio"/> Potential for Damage <input type="radio"/> Potential for Significant Damage	
Assessment:	<input checked="" type="radio"/> Not Assessable <input type="radio"/> Frangible <input checked="" type="radio"/> Covering <input type="radio"/> Enclosure <input type="radio"/> Non-frangible <input type="radio"/> Intact and Undamaged <input type="radio"/> Damaged (<10%) <input type="radio"/> Significantly Damaged (>10%) <input checked="" type="radio"/> Potential for Damage <input type="radio"/> Potential for Significant Damage	

Building: 001 Room: PC310
Floor: 3 Pipe chase
Record No.: 5600678
Comment: (1992) Hot water-quantity was estimated

Drawing Group Code: 07 USA: 05 4" OD Quantity: 3 EA
Material: Insulation, MJP on Wrapped Pipe Covering

Quantity Within 20%?	<input type="radio"/> Yes	<input type="radio"/> No (Give approximate quantity in Comment Area)
Comment Fit Material?	<input type="radio"/> Yes	<input type="radio"/> No (Explain in Comment Area)
Justification:	<input type="radio"/> Missing TSI Jacketing <input type="radio"/> Physical Damage <input type="radio"/> Activity / Movement <input type="radio"/> Student Accessible <input type="radio"/> Intact and Undamaged <input type="radio"/> Damaged (<10%) <input type="radio"/> Significantly Damaged (>10%) <input type="radio"/> Potential for Damage <input type="radio"/> Potential for Significant Damage	
Assessment:	<input checked="" type="radio"/> Not Assessable <input type="radio"/> Frangible <input type="radio"/> Covering <input type="radio"/> Enclosure <input type="radio"/> Non-frangible <input type="radio"/> Intact and Undamaged <input type="radio"/> Damaged (<10%) <input type="radio"/> Significantly Damaged (>10%) <input type="radio"/> Potential for Damage <input type="radio"/> Potential for Significant Damage	

KCMSD 2008 Triennial Re-inspection

560 / E.C. Meservey VPA School

4210 E. 45th Street

Inspector: _____
Inspection Date: _____

Building: 001 Room: PC310 Floor: 3 Pipe chase
 Record No.: 5600765
 Comment: (1992) Small access-quantity was estimated
 Drawing Group Code: 07 USA: 03 4" OD Quantity: 2 EA
 Material: Insulation, MJP on Wrapped Pipe Covering

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

- Other:
- Vibration
- Cracking
- Blistering
- Physical Damage
- Missing TSI Jacketing
- Student Accessible
- Activity / Movement
- Forced Airstream
- <10% Exposed Surface Area
- >10% Exposed Surface Area
- Loose
- Water Damage
- Deterioration
- Physical Damage
- Deterioration
- Blistering
- Cracking
- Vibration
- Other:

Assessment: Not Assessable Friable Non-friable Enclosure Covering Intact and Undamaged Damaged (<10%) Significantly Damaged (>10%) Potential for Damage Potential for Significant Damage

Building: 001 Room: PC310 Floor: 3 Pipe chase
 Record No.: 5600679
 Comment: (1992) Hot water-quantity was estimated
 Drawing Group Code: 06 USA: 04 4" OD Quantity: 15 LF
 Material: Insulation, Pipe, Paper

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

- Other:
- Vibration
- Cracking
- Blistering
- Physical Damage
- Missing TSI Jacketing
- Student Accessible
- Activity / Movement
- Forced Airstream
- <10% Exposed Surface Area
- >10% Exposed Surface Area
- Loose
- Water Damage
- Deterioration
- Physical Damage
- Deterioration
- Blistering
- Cracking
- Vibration
- Other:

Assessment: Not Assessable Friable Non-friable Enclosure Covering Intact and Undamaged Damaged (<10%) Significantly Damaged (>10%) Potential for Damage Potential for Significant Damage

Building: 001 Room: PC310 Floor: 3 Pipe chase
 Record No.: 5600604
 Comment: (1992) Quantity was estimated
 Drawing Group Code: 06 USA: 02 4" OD Quantity: 15 LF
 Material: Insulation, Pipe, Paper

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

- Other:
- Vibration
- Cracking
- Blistering
- Physical Damage
- Missing TSI Jacketing
- Student Accessible
- Activity / Movement
- Forced Airstream
- <10% Exposed Surface Area
- >10% Exposed Surface Area
- Loose
- Water Damage
- Deterioration
- Physical Damage
- Deterioration
- Blistering
- Cracking
- Vibration
- Other:

Assessment: Not Assessable Friable Non-friable Enclosure Covering Intact and Undamaged Damaged (<10%) Significantly Damaged (>10%) Potential for Damage Potential for Significant Damage

KCMSD 2008 Triennial Re-inspection

560 / E.C. Meservey VPA School

Inspector: _____

4210 E. 45th Street

Inspection Date: _____

Building: 001 Room: PC311 Floor: 3 Pipe chase
 Drawing Group Code: 07 USA: 03 4" OD Quantity: 4 EA
 Material: Insulation, MJP on Wrapped Pipe Covering
 Record No.: 5600614 Comment: (1992) Quantity was estimated

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

- Other:
- Vibration
- Cracking
- Blistering
- Physical Damage
- Missing TSI Jacketing
- Student Accessible
- Activity / Movement
- Forced Airstream
- <10% Exposed Surface Area
- >10% Exposed Surface Area

Assessment: Not Assessable Frangible Covering Enclosure

Intact and Undamaged Damaged (<10%) Significantly Damaged (>10%) Potential for Damage Potential for Significant Damage

Building: 001 Room: PC311 Floor: 3 Pipe chase
 Drawing Group Code: 07 USA: 05 4" OD Quantity: 4 EA
 Material: Insulation, MJP on Wrapped Pipe Covering
 Record No.: 5600680 Comment: (1992) Hot water-quantity was estimated

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

- Other:
- Vibration
- Cracking
- Blistering
- Physical Damage
- Missing TSI Jacketing
- Student Accessible
- Activity / Movement
- Forced Airstream
- <10% Exposed Surface Area
- >10% Exposed Surface Area

Assessment: Not Assessable Frangible Covering Enclosure

Intact and Undamaged Damaged (<10%) Significantly Damaged (>10%) Potential for Damage Potential for Significant Damage

Building: 001 Room: PC311 Floor: 3 Pipe chase
 Drawing Group Code: 06 USA: 04 4" OD Quantity: 20 LF
 Material: Insulation, Pipe, Paper
 Record No.: 5600681 Comment: (1992) Hot water-quantity was estimated

Quantity Within 20%? Yes No (Give approximate quantity in Comment Area)

Comment Fit Material? Yes No (Explain in Comment Area)

Justification:

- Other:
- Vibration
- Cracking
- Blistering
- Physical Damage
- Missing TSI Jacketing
- Student Accessible
- Activity / Movement
- Forced Airstream
- <10% Exposed Surface Area
- >10% Exposed Surface Area

Assessment: Not Assessable Frangible Covering Enclosure

Intact and Undamaged Damaged (<10%) Significantly Damaged (>10%) Potential for Damage Potential for Significant Damage

KCMSD 2008 Triennial Re-inspection

560 / E.C. Meservey VPA School

4210 E. 45th Street

Inspector: _____
 Inspection Date: _____

Building: 001 Room: A-3

Floor: A Attic Space

Record No.: **5600789** Comment: (1992) -

Drawing Group Code: 13 USA: 10
 Material: Cloth, Vibration Joint

0" OD Quantity: 10 SF

Quantity Within 20%?	Yes <input checked="" type="radio"/>	No (Give approximate quantity in Comment Area) <input type="radio"/>	Not Found <input type="radio"/>	Definitely Not Present <input type="radio"/>	Comment Fit Material?	Yes <input checked="" type="radio"/>	No (Explain in Comment Area) <input type="radio"/>	Justification:
Blistering	<input type="radio"/>	Physical Damage	<input type="radio"/>	Missing TSI Jacketing	<input type="radio"/>	Student Accessible	<input type="radio"/>	Intact and Undamaged
Cracking	<input type="radio"/>	Deterioration	<input type="radio"/>	Forced Airstream	<input type="radio"/>	Activity / Movement	<input checked="" type="radio"/>	Damaged (<10%)
Vibration	<input checked="" type="radio"/>	Water Damage	<input type="radio"/>	<10% Exposed Surface Area	<input type="radio"/>	>10% Exposed Surface Area	<input checked="" type="radio"/>	Significantly Damaged (>10%)
Other:	<input type="radio"/>	Loose	<input type="radio"/>	Potential for Significant Damage	<input checked="" type="radio"/>	Potential for Damage	<input type="radio"/>	Potential for Significant Damage

Assessment:
 Not Assessable
 Friable
 Non-friable
 Enclosure
 Covering