

1. Product and Company Identification

Product Code: 2292-01,2292-05
Product Name: Breakout Stripper
Company Name: Glasby Maintenance Supply
116 East Orangethorpe
Anaheim, CA 92801
Phone Number: (714)738-5121
Emergency Contact: Chem-Tel (800)255-3924
Recommended Use: Floor Stripper
Intended Use: For sale to, use and storage by service persons only.

2. Hazards Identification

Acute Toxicity: Inhalation, Category 4
Acute Toxicity: Oral, Category 4
Acute Toxicity: Skin, Category 4
Skin Corrosion/Irritation, Category 1A
Serious Eye Damage/Eye Irritation, Category 2A



GHS Signal Word: **Danger**

GHS Hazard Phrases: Harmful if inhaled.
Harmful if swallowed.
Harmful in contact with skin.
Causes severe skin burns and eye damage.
Causes serious eye irritation.

GHS Precaution Phrases: Use only outdoors or in a well-ventilated area.
Avoid breathing fumes and spray mist.
Wash hands thoroughly after handling.
Do not eat, drink or smoke when using this product.
Wear protective gloves, protective clothing, eye protection, face protection.
Do not breathe dust, fumes, mist, vapors, spray.

GHS Response Phrases: If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
If swallowed: Call a Poison Center or doctor if you feel unwell.
If on skin (or in hair): Take off immediately all contaminated clothing. Rinse skin with water.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists, get medical attention immediately.

GHS Storage and Disposal Phrases: Dispose of contents and container according to the local, city, state and federal regulations.
Store in cool dry place at room temperature away from direct sunlight.



SAFETY DATA SHEET

Breakout Stripper

Page: 2
Printed: 05/06/2015
Revision: 05/05/2015

Potential Health Effects (Acute and Chronic):	Prolonged or repeated skin contact may cause dermatitis. Effects may be delayed.
Inhalation:	Harmful if inhaled. May cause respiratory tract irritation. May cause narcotic effects in high concentration. May cause central nervous system effects such as nausea and headache.
Skin Contact:	Causes skin irritation. Harmful if absorbed through the skin. Substance is rapidly absorbed through the skin.
Eye Contact:	Causes eye irritation. Causes redness and pain. Causes eye burns. May cause chemical conjunctivitis and corneal damage.
Ingestion:	Harmful if swallowed. May cause irritation of the digestive tract. May cause gastrointestinal irritation with nausea, vomiting and diarrhea.

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
78-96-6	1-Amino-2-Propanol	Proprietary
111-76-2	Ethanol, 2-Butoxy-	Proprietary
1310-73-2	Sodium hydroxide	Proprietary

4. First Aid Measures

Emergency and First Aid Procedures:

In Case of Inhalation:	Remove from exposure and move to fresh air immediately. Get medical aid.
In Case of Skin Contact:	Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Consult a physician.
In Case of Eye Contact:	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
In Case of Ingestion:	Get medical aid immediately. Call a poison control center. Never give anything by mouth to an unconscious person. Rinse mouth with water.

Note to Physician: Show this safety data sheet to the doctor in attendance.

5. Fire Fighting Measures

Flash Pt:	NE
Explosive Limits:	LEL: N/A N.E. UEL: N/A N.E.
Autoignition Pt:	NE
Suitable Extinguishing Media:	Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Use water spray to keep fire-exposed containers cool. Use water with caution and in flooding amounts.
Flammable Properties and Hazards:	No data available.



SAFETY DATA SHEET

Breakout Stripper

Page: 3
Printed: 05/06/2015
Revision: 05/05/2015

6. Accidental Release Measures

Environmental Precautions: Avoid release to the environment.

Steps To Be Taken In Case Material Is Released Or Spilled: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Wear a self contained breathing apparatus and appropriate personal protection. (See Exposure Controls, Personal Protection section). Remove all sources of ignition. Use a spark-proof tool. Do not let this chemical enter the environment. Personal precautions.

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

7. Handling and Storage

Precautions To Be Taken in Handling: Use spark-proof tools and explosion proof equipment. Do not get in eyes, on skin, or on clothing. Keep away from heat, sparks and flame. Do not ingest or inhale. Avoid inhalation of vapor or mist.

Precautions To Be Taken in Storing: Keep away from sources of ignition. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in a cool, dry, well-ventilated area away from incompatible substances.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
78-96-6	1-Amino-2-Propanol	No data.	No data.	No data.
111-76-2	Ethanol, 2-Butoxy-	PEL: 50 ppm	TLV: 20 ppm	No data.
1310-73-2	Sodium hydroxide	PEL: 2 mg/m3	CEIL: 2 mg/m3	No data.

Respiratory Equipment (Specify Type): Always use a NIOSH approved respirator when necessary.

Eye Protection: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Safety glasses. Wear chemical splash goggles.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure. Handle with gloves.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.): Use only under a chemical fume hood. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

Work/Hygienic/Maintenance Practices: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.



SAFETY DATA SHEET

Breakout Stripper

Page: 4
Printed: 05/06/2015
Revision: 05/05/2015

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid
Appearance and Odor: Red color liquid with solvent odor.
Melting Point: NE - 0.00 C
Boiling Point: >= 212.00 F
Decomposition Temperature: NE
Autoignition Pt: NE
Flash Pt: NE
Explosive Limits: LEL: N/A N.E. UEL: N/A N.E.
Specific Gravity (Water = 1): 1.030
Density: ~ 8.59 LB/GA
Bulk density: NE
Vapor Pressure (vs. Air or mm Hg): NE
Vapor Density (vs. Air = 1): > 1
Evaporation Rate: NE
Solubility in Water: 100%
Saturated Vapor Concentration: NE
Viscosity: NP
pH: 11.5 - 12.5
Percent Volatile: No data.
VOC / Volume: 103.0000 G/L
Particle Size: NE
Heat Value: NE
Corrosion Rate: NE

10. Stability and Reactivity

Stability: Unstable [] Stable [X]
Conditions To Avoid - Instability: Strong oxidizing agents, Strong acids.
Incompatibility - Materials To Avoid: Strong oxidizers, ammonia, bleach, strong acids and strong alkali materials.
Hazardous Decomposition Or Byproducts: Carbon monoxide, Hazardous decomposition products formed under fire conditions.
Possibility of Hazardous Reactions: Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions: None.



SAFETY DATA SHEET

Breakout Stripper

Page: 5
Printed: 05/06/2015
Revision: 05/05/2015

11. Toxicological Information

Toxicological Information: No data available.
CAS# 111-76-2:
Acute toxicity, LD50, Oral, Rat, 470.0 MG/KG.
Carcinogenicity/Other Information: Results:
Behavioral: Somnolence (general depressed activity).
Behavioral: Muscle weakness.
- Dow Chemical Company Reports., Dow Chemical USA, Health and Environment Research, Toxicology Research Lab, Midland, MI 48640, Vol/p/yr: MSD-46,

Acute toxicity, LC50, Inhalation, Rat, 450.0 PPM, 4 H.
Results:
Behavioral: Ataxia.
Nutritional and Gross Metabolic: Weight loss or decreased weight gain.
- Toxicology and Applied Pharmacology, Academic Press, Inc., 1 E. First St., Duluth, MN 55802, Vol/p/yr: 68,405, 1983

CAS# 1310-73-2:
Acute toxicity, LD50, Intraperitoneal, Mouse, 40.00 MG/KG.
Results:
Behavioral: Somnolence (general depressed activity).
- Comptes Rendus Hebdomadaires des Seances, Academie des Sciences., For publisher information, see CRASEV, Paris France, Vol/p/yr: 257,791, 1963
CAS# 111-76-2: ACGIH: A3 - Confirmed animal carcinogen with unknown relevance to humans.
California: Not listed.
NTP: Not listed.
IARC: Not listed. CAS# 1310-73-2: Not listed by ACGIH, IARC, NTP, or CA Prop 65.
Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

Results of PBT and vPvB assessment: No data available.
CAS# 111-76-2:
LC50, Brine Shrimp (*Artemia salina*), nauplii, 1000000. UG/L, 24 H, Mortality, Water temperature: 24.00 C C.
Results:
Morphological changes.
- Brine Shrimp Bioassay and Seawater BOD of Petrochemicals, Price, K.S., G.T. Waggy, and R.A. Conway, 1974

CAS# 1310-73-2:
LC50, Western Mosquitofish (*Gambusia affinis*), adult(s), 125000. UG/L, 24 H, Mortality, Water temperature: 22.00 C - 24.00 C C, pH: 9.00.
Results:
No loss of equilibrium observed.
- Toxicity to *Gambusia affinis* of Certain Pure Chemicals in Turbid Waters, Wallen, I.E., W.C. Greer, and R. Lasater, 1957

13. Disposal Considerations

Waste Disposal Method: Dispose of contents and container according to the local, city, state and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not regulated as a hazardous material.

DOT Hazard Class:

UN/NA Number:

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
78-96-6	1-Amino-2-Propanol	No	No	No
111-76-2	Ethanol, 2-Butoxy-	No	No	Yes-Cat. N230
1310-73-2	Sodium hydroxide	No	Yes 1000 LB	No

CAS # Hazardous Components (Chemical Name)

Other US EPA or State Lists


78-96-6	1-Amino-2-Propanol	CA PROP.65: No; CA TAC, Title 8: No
111-76-2	Ethanol, 2-Butoxy-	CA PROP.65: No; CA TAC, Title 8: TAC, Title 8
1310-73-2	Sodium hydroxide	CA PROP.65: No; CA TAC, Title 8: TAC, Title 8

16. Other Information

Hazard Rating System:

HEALTH		2
FLAMMABILITY		0
PHYSICAL		0
PPE	C	

HMIS:



Revision Date: 05/05/2015

Additional Information About This Product: No data available.

Company Policy or Disclaimer:

The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.