

TOWN OF ELLINGTON

Building Department

57 Main Street

Ellington, CT 06029

(860) 870-3124

CREATING HABITABLE SPACE IN BASEMENT

(Applies to existing unfinished basements being converted to habitable space)

This information does not address new construction requirements

The following information is needed to determine whether you can finish off a habitable space (recreation room, etc.) in your basement in accordance with the current State of Connecticut Building Code.

1. Stairs shall not be less than 32" in clear width at all points above the permitted handrail height and below the required headroom height. Connecticut Amendment R311.7.1 (Exception #2).
2. Handrails shall not project more than 4" on either side of the stairway. Connecticut Amendment R311.7.1 (Exception #2).
3. The minimum clear width of stairwell below the handrail height shall not be less than 28" where a handrail is installed on one side and 24" where handrails provided on both sides. R311.7.1 (Exception #2).
4. Headroom on all parts of existing stairway serving existing unfinished basements being converted to a habitable space shall be 6'6" measured vertically from sloped plane adjoining the tread nosing of from the floor surface of the landing or platform. Connecticut Amendment R311.7.2 (Exception).
5. Riser height – maximum riser height for existing stairs serving an unfinished basement shall be 9". The greatest riser height within any flight of stairs shall not exceed the smallest by more than 3/8". Connecticut Amendment R311.7.4.1 (Exception).
6. Tread depth – minimum tread depth of existing stairs serving unfinished basements being converted to habitable space shall be 8". The tread depth shall be measured horizontally between the vertical planes of the foremost projection of adjacent treads and at a right angle to the treads leading edge. The greatest tread depth within any flight of stairs shall not exceed the smallest by more than 3/8". Connecticut Amendment R311.7.4.2 (Exception)
7. Handrails shall be provided on at least one side of each continuous run of treads or flight with 4 or more risers and returned to wall or post. A minimum of 1 1/2" space required between handrail and wall. Section R311.7.7.2. See code for specific requirements on size of handrail.
8. Ceiling height – minimum ceiling height in **existing** basements being converted to habitable space shall not be less than 6'10" clear, except under beams, girders, pipes, ducts or other obstructions where clear height shall be a minimum of 6'4". Connecticut Amendment R305.1 (Exception #5).
9. If planning to use for sleeping purposes emergency egress window required. Window shall have a clear opening size of 5 square feet and maximum of 44" from finished floor to sill height. **Other considerations apply, but are beyond scope of this handout.** Please refer to Building Code including Connecticut Amendment R310.1.
10. Bring in a scaled drawing showing ENTIRE basement with locations of all utilities such as a boiler, furnace, hot water heater and electrical panel. If you have a wood burning stove or fireplace or a gas fireplace show these as well. Label all areas in basement to show their intended use.
11. Indicate type of heat source to be utilized for space. R303.8
12. Indicate insulation value and type to be utilized. N1102.1
13. Indicate framing type to be used, including type of material to be used for bottom plate. R106.1.1
14. Make up and combustion air must be addressed. Please note on your drawing the number of INPUT BTU's on all fuel fired appliances. (i.e.gas or oil) If you have a gas dryer include this as well.
15. Fire blocking (Section 302.11) information.

Please bring in *scaled plans (2 sets)* of the **ENTIRE** basement, with room layouts labeled with planned uses of the new rooms and existing spaces. Include the following information:

1. Stair width above handrail_____.
2. Stair width below handrail_____.
3. Headroom on stairway _____.
4. Riser height_____.
5. Tread depth_____.
6. Type of framing to be used (metal, wood, basement system, etc.)_____.
7. Insulation value and type_____.
8. Lowest finished ceiling height_____.
 - a. Height under lowest beam, pipe, duct or other obstruction after ceiling finishes installed _____.
9. Sleeping rooms proposed? (Circle one) YES or NO
10. Show total square footage of entire basement_____.
11. Type of heat source to be used *for space*_____.
12. Show input BTU's on a furnace or boiler (if gas or oil).
13. Show input BTU's on hot water heater (if gas or oil).
14. Show input BTU's on clothes dryer (if gas).
15. Do you have a wood fireplace or stove in basement? (Circle one) YES or NO
16. Do you have gas-fired heaters or fireplaces in basement? (Circle one) YES or NO

Please feel free to call us at 860-870-3124 if we may be of further assistance. The Building Official is scheduled to be in the office from 8:30 a.m. to 10:00 a.m. and 3:00 p.m. to 4:00 p.m. most days to answer questions.

The Ellington Building Department is offering this informational handout as a representative of typical issues or questions that may arise on a typical job. The Town assumes no responsibility for any errors, omissions. Installer is required to follow all applicable codes. No handout could possibly cover all situations, nor is it intended to do so.