

ANALYTICAL REPORT

Job Number: 420-110331-1
SDG Number: Chester Learning Center
Job Description: Orange-Ulster BOCES

For:
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Attention: Jack DeGraw

Meredith Ruthven

Meredith W Ruthven
Customer Service Manager
mruthven@envirotestlaboratories.com
09/27/2016

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified in the Certification Information section of this report. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOPH PH-0554

Job Narrative
420-J110331-1

Comments

Results are compared to NYSDOH drinking water standards other federal regulations may apply.

No additional comments.

Receipt

All samples were received in good condition within temperature requirements.

Metals

No analytical or quality issues were noted.

METHOD SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-110331-1
SDG Number: Chester Learning Center

Description	Lab Location	Method	Preparation Method
Matrix: Water			
ICPMS Metals by 200.8	EnvTest	EPA 200.8 Rev.5.4	
200 Series Drinking Water Prep Determination Step	EnvTest		EPA 200

Lab References:

EnvTest = EnviroTest

Method References:

EPA = US Environmental Protection Agency

METHOD / ANALYST SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-110331-1
SDG Number: Chester Learning Center

Method	Analyst	Analyst ID
EPA 200.8 Rev.5.4	Sirico, Derek	DS

SAMPLE SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-110331-1
SDG Number: Chester Learning Center

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-110331-1	CLC Basement Break Room Sink	Drinking Water	09/16/2016 0538	09/16/2016 0848
420-110331-2	CLC 203 Custodial Slop Sink	Drinking Water	09/16/2016 0548	09/16/2016 0848
420-110331-3	CLC Bubbler o/s 224 Right	Drinking Water	09/16/2016 0607	09/16/2016 0848
420-110331-4	CLC 102 Nurse Bath Sink	Drinking Water	09/16/2016 0529	09/16/2016 0848
420-110331-5	CLC 102 Nurse Sink	Drinking Water	09/16/2016 0529	09/16/2016 0848
420-110331-6	CLC 102 Exam Room Sink	Drinking Water	09/16/2016 0529	09/16/2016 0848
420-110331-7	CLC Kitchen Storage Sink 1	Drinking Water	09/16/2016 0533	09/16/2016 0848
420-110331-8	CLC Kitchen Storage Sink 2	Drinking Water	09/16/2016 0533	09/16/2016 0848
420-110331-9	CLC Kitchen Handwash Sink	Drinking Water	09/16/2016 0534	09/16/2016 0848
420-110331-10	CLC Kitchen Sink 1	Drinking Water	09/16/2016 0534	09/16/2016 0848
420-110331-11	CLC Kitchen Sink 2	Drinking Water	09/16/2016 0534	09/16/2016 0848
420-110331-12	CLC 103 Sink	Drinking Water	09/16/2016 0527	09/16/2016 0848
420-110331-13	CLC Bubbler o/s 110	Drinking Water	09/16/2016 0518	09/16/2016 0848
420-110331-14	CLC 110 Bath Sink	Drinking Water	09/16/2016 0516	09/16/2016 0848
420-110331-15	CLC Faculty Bath Sink o/s 202	Drinking Water	09/16/2016 0553	09/16/2016 0848
420-110331-16	CLC Custodial Slop Sink o/s 106	Drinking Water	09/16/2016 0522	09/16/2016 0848
420-110331-17	CLC Basement Boiler Room Slop Sink	Drinking Water	09/16/2016 0539	09/16/2016 0848
420-110331-18	CLC Custodial Closet o/s 227	Drinking Water	09/16/2016 0604	09/16/2016 0848
420-110331-19	CLC 200 Sink Center	Drinking Water	09/16/2016 0546	09/16/2016 0848
420-110331-20	CLC Bubbler o/s 226 Right	Drinking Water	09/16/2016 0607	09/16/2016 0848
420-110331-21	CLC 209 Sink	Drinking Water	09/16/2016 0543	09/16/2016 0848
420-110331-22	CLC bubbler o/s 203 Right	Drinking Water	09/16/2016 0550	09/16/2016 0848
420-110331-23	CLC Girls Gang Bath o/s 204 Sink 1	Drinking Water	09/16/2016 0549	09/16/2016 0848
420-110331-24	CLC Girls Gang Bath o/s 204 Sink 2	Drinking Water	09/16/2016 0549	09/16/2016 0848
420-110331-25	CLC Bubbler o/s 218	Drinking Water	09/16/2016 0559	09/16/2016 0848
420-110331-26	CLC Boys Gang Bath o/s 203 Sink 1	Drinking Water	09/16/2016 0552	09/16/2016 0848
420-110331-27	CLC Boys Gang Bath o/s 203 Sink 2	Drinking Water	09/16/2016 0552	09/16/2016 0848
420-110331-28	CLC 202 Sink 1	Drinking Water	09/16/2016 0555	09/16/2016 0848
420-110331-29	CLC 202 Sink 2	Drinking Water	09/16/2016 0555	09/16/2016 0848
420-110331-30	CLC Girls Gang Bath o/s 217 Sink1	Drinking Water	09/16/2016 0600	09/16/2016 0848
420-110331-31	CLC Girls Gang Bath o/s 217 Sink2	Drinking Water	09/16/2016 0600	09/16/2016 0848
420-110331-32	CLC 107 Bath Sink	Drinking Water	09/16/2016 0520	09/16/2016 0848
420-110331-33	CLC Boys Gang Bath o/s 221 Sink 1	Drinking Water	09/16/2016 0601	09/16/2016 0848
420-110331-34	CLC Boys Gang Bath o/s 221 Sink 2	Drinking Water	09/16/2016 0601	09/16/2016 0848

SAMPLE SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-110331-1
SDG Number: Chester Learning Center

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-110331-35	CLC 107 Sink	Drinking Water	09/16/2016 0520	09/16/2016 0848
420-110331-36	CLC Bubbler Left o/s 103	Drinking Water	09/16/2016 0526	09/16/2016 0848
420-110331-37	CLC Custodial Slop Sink o/s 127	Drinking Water	09/16/2016 0507	09/16/2016 0848
420-110331-38	CLC Girls Gang Bath o/s 127 Sink 1	Drinking Water	09/16/2016 0508	09/16/2016 0848
420-110331-39	CLC Girls Gang Bath o/s 127 Sink 2	Drinking Water	09/16/2016 0508	09/16/2016 0848
420-110331-40	CLC Boys Gang Bath o/s 106 Sink 1	Drinking Water	09/16/2016 0521	09/16/2016 0848
420-110331-41	CLC Boys Gang Bath o/s 106 Sink 2	Drinking Water	09/16/2016 0521	09/16/2016 0848
420-110331-42	CLC Boys Gang Bath o/s 127 Sink 1	Drinking Water	09/16/2016 0502	09/16/2016 0848
420-110331-43	CLC Boys Gang Bath o/s 127 Sink 2	Drinking Water	09/16/2016 0502	09/16/2016 0848
420-110331-44	CLC Girls Gang Bath o/s 222 Sink 1	Drinking Water	09/16/2016 0515	09/16/2016 0848
420-110331-45	CLC Girls Gang Bath o/s 222 Sink 2	Drinking Water	09/16/2016 0515	09/16/2016 0848
420-110331-46	CLC Girls Gang Bath o/s 222 Sink 3	Drinking Water	09/16/2016 0515	09/16/2016 0848
420-110331-47	CLC 112 Faculty Bath Sink (back room)	Drinking Water	09/16/2016 0511	09/16/2016 0848
420-110331-48	CLC Bubbler Right o/s 127	Drinking Water	09/16/2016 0505	09/16/2016 0848
420-110331-49	CLC Bubbler Left o/s 127	Drinking Water	09/16/2016 0505	09/16/2016 0848

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Basement Break Room Sink
Lab Sample ID: 420-110331-1

Date Sampled: 09/16/2016 0538
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/23/2016 1458		
Prep Method: 200			Date Prepared: 09/22/2016 1520		
Pb	2680 g	ug/L	100	100	100

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC 203 Custodial Slop Sink
Lab Sample ID: 420-110331-2

Date Sampled: 09/16/2016 0548
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/23/2016 0434		
Prep Method: 200			Date Prepared: 09/22/2016 1520		
Pb	302 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Bubbler o/s 224 Right
Lab Sample ID: 420-110331-3

Date Sampled: 09/16/2016 0607
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/23/2016 0438		
Prep Method: 200			Date Prepared: 09/22/2016 1520		
Pb	31.9 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC 102 Nurse Bath Sink
Lab Sample ID: 420-110331-4

Date Sampled: 09/16/2016 0529
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/23/2016 0441		
Prep Method: 200			Date Prepared: 09/22/2016 1520		
Pb	17.8 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC 102 Nurse Sink
Lab Sample ID: 420-110331-5

Date Sampled: 09/16/2016 0529
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/23/2016 0445	
Prep Method: 200			Date Prepared:	09/22/2016 1520	
Pb	25.2 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC 102 Exam Room Sink
Lab Sample ID: 420-110331-6

Date Sampled: 09/16/2016 0529
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/23/2016 0448		
Prep Method: 200			Date Prepared: 09/22/2016 1520		
Pb	6.93	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Kitchen Storage Sink 1
Lab Sample ID: 420-110331-7

Date Sampled: 09/16/2016 0533
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/23/2016 0452		
Prep Method: 200			Date Prepared: 09/22/2016 1520		
Pb	13.7	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Kitchen Storage Sink 2
Lab Sample ID: 420-110331-8

Date Sampled: 09/16/2016 0533
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/23/2016 0456		
Prep Method: 200			Date Prepared: 09/22/2016 1520		
Pb	23.7 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Kitchen Handwash Sink
Lab Sample ID: 420-110331-9

Date Sampled: 09/16/2016 0534
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/23/2016 0459		
Prep Method: 200			Date Prepared: 09/22/2016 1520		
Pb	32.5 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Kitchen Sink 1
Lab Sample ID: 420-110331-10

Date Sampled: 09/16/2016 0534
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/23/2016 0503		
Prep Method: 200			Date Prepared: 09/22/2016 1520		
Pb	6.69	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Kitchen Sink 2
Lab Sample ID: 420-110331-11

Date Sampled: 09/16/2016 0534
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/23/2016 0506		
Prep Method: 200			Date Prepared: 09/22/2016 1630		
Pb	8.52	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC 103 Sink
Lab Sample ID: 420-110331-12

Date Sampled: 09/16/2016 0527
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/24/2016 1807		
Prep Method: 200			Date Prepared: 09/23/2016 1045		
Pb	47.2 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Bubbler o/s 110
Lab Sample ID: 420-110331-13

Date Sampled: 09/16/2016 0518
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/24/2016 1818		
Prep Method: 200			Date Prepared: 09/23/2016 1045		
Pb	28.4 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC 110 Bath Sink
Lab Sample ID: 420-110331-14

Date Sampled: 09/16/2016 0516
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/24/2016 1822		
Prep Method: 200			Date Prepared: 09/23/2016 1045		
Pb	12.9	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Faculty Bath Sink o/s 202
Lab Sample ID: 420-110331-15

Date Sampled: 09/16/2016 0553
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/24/2016 1825		
Prep Method: 200			Date Prepared: 09/23/2016 1045		
Pb	50.5 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Custodial Slop Sink o/s 106
Lab Sample ID: 420-110331-16

Date Sampled: 09/16/2016 0522
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/24/2016 1829	
Prep Method: 200			Date Prepared:	09/23/2016 1045	
Pb	6.51	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Basement Boiler Room Slop Sink
Lab Sample ID: 420-110331-17

Date Sampled: 09/16/2016 0539
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/24/2016 1832		
Prep Method: 200			Date Prepared: 09/23/2016 1045		
Pb	20.7 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Custodial Closet o/s 227
Lab Sample ID: 420-110331-18

Date Sampled: 09/16/2016 0604
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/24/2016 1836	
Prep Method: 200			Date Prepared:	09/23/2016 1045	
Pb	75.3 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC 200 Sink Center
Lab Sample ID: 420-110331-19

Date Sampled: 09/16/2016 0546
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/24/2016 1839		
Prep Method: 200			Date Prepared: 09/23/2016 1045		
Pb	8.63	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Bubbler o/s 226 Right
Lab Sample ID: 420-110331-20

Date Sampled: 09/16/2016 0607
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/24/2016 1843		
Prep Method: 200			Date Prepared: 09/23/2016 1045		
Pb	31.1 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC 209 Sink
Lab Sample ID: 420-110331-21

Date Sampled: 09/16/2016 0543
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/24/2016 1846		
Prep Method: 200			Date Prepared: 09/23/2016 1045		
Pb	5.42	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC bubbler o/s 203 Right
Lab Sample ID: 420-110331-22

Date Sampled: 09/16/2016 0550
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/24/2016 1850	
Prep Method: 200			Date Prepared:	09/23/2016 1045	
Pb	3.21	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Girls Gang Bath o/s 204 Sink 1
Lab Sample ID: 420-110331-23

Date Sampled: 09/16/2016 0549
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/24/2016 1901	
Prep Method: 200			Date Prepared:	09/23/2016 1045	
Pb	112 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Girls Gang Bath o/s 204 Sink 2
Lab Sample ID: 420-110331-24

Date Sampled: 09/16/2016 0549
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/24/2016 1904		
Prep Method: 200			Date Prepared: 09/23/2016 1045		
Pb	288 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Bubbler o/s 218
Lab Sample ID: 420-110331-25

Date Sampled: 09/16/2016 0559
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/24/2016 1908		
Prep Method: 200			Date Prepared: 09/23/2016 1045		
Pb	31.8 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Boys Gang Bath o/s 203 Sink 1
Lab Sample ID: 420-110331-26

Date Sampled: 09/16/2016 0552
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/24/2016 1911	
Prep Method: 200			Date Prepared:	09/23/2016 1045	
Pb	14.8	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Boys Gang Bath o/s 203 Sink 2
Lab Sample ID: 420-110331-27

Date Sampled: 09/16/2016 0552
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/24/2016 1915	
Prep Method: 200			Date Prepared:	09/23/2016 1045	
Pb	7.55	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC 202 Sink 1
Lab Sample ID: 420-110331-28

Date Sampled: 09/16/2016 0555
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/24/2016 1918		
Prep Method: 200			Date Prepared: 09/23/2016 1045		
Pb	19.0 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC 202 Sink 2
Lab Sample ID: 420-110331-29

Date Sampled: 09/16/2016 0555
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/24/2016 2116		
Prep Method: 200			Date Prepared: 09/23/2016 1330		
Pb	148	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Girls Gang Bath o/s 217 Sink1
Lab Sample ID: 420-110331-30

Date Sampled: 09/16/2016 0600
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/24/2016 2119		
Prep Method: 200			Date Prepared: 09/23/2016 1330		
Pb	36.2 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Girls Gang Bath o/s 217 Sink2
Lab Sample ID: 420-110331-31

Date Sampled: 09/16/2016 0600
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/24/2016 2123	
Prep Method: 200			Date Prepared:	09/23/2016 1330	
Pb	10.0	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC 107 Bath Sink
Lab Sample ID: 420-110331-32

Date Sampled: 09/16/2016 0520
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/24/2016 2126		
Prep Method: 200			Date Prepared: 09/23/2016 1330		
Pb	7.63	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Boys Gang Bath o/s 221 Sink 1
Lab Sample ID: 420-110331-33

Date Sampled: 09/16/2016 0601
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/24/2016 2130	
Prep Method: 200			Date Prepared:	09/23/2016 1330	
Pb	8.49	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Boys Gang Bath o/s 221 Sink 2
Lab Sample ID: 420-110331-34

Date Sampled: 09/16/2016 0601
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/24/2016 2134	
Prep Method: 200			Date Prepared:	09/23/2016 1330	
Pb	7.82	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC 107 Sink
Lab Sample ID: 420-110331-35

Date Sampled: 09/16/2016 0520
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/24/2016 2137	
Prep Method: 200			Date Prepared:	09/23/2016 1330	
Pb	2.64	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Bubbler Left o/s 103
Lab Sample ID: 420-110331-36

Date Sampled: 09/16/2016 0526
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/24/2016 2141		
Prep Method: 200			Date Prepared: 09/23/2016 1330		
Pb	41.0 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Custodial Slop Sink o/s 127
Lab Sample ID: 420-110331-37

Date Sampled: 09/16/2016 0507
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/24/2016 2151		
Prep Method: 200			Date Prepared: 09/23/2016 1330		
Pb	47.9 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Girls Gang Bath o/s 127 Sink 1
Lab Sample ID: 420-110331-38

Date Sampled: 09/16/2016 0508
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/24/2016 2155	
Prep Method: 200			Date Prepared:	09/23/2016 1330	
Pb	14.6	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Girls Gang Bath o/s 127 Sink 2
Lab Sample ID: 420-110331-39

Date Sampled: 09/16/2016 0508
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/24/2016 2159	
Prep Method: 200			Date Prepared:	09/23/2016 1330	
Pb	8.09	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Boys Gang Bath o/s 106 Sink 1
Lab Sample ID: 420-110331-40

Date Sampled: 09/16/2016 0521
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/24/2016 2202	
Prep Method: 200			Date Prepared:	09/23/2016 1330	
Pb	7.94	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Boys Gang Bath o/s 106 Sink 2
Lab Sample ID: 420-110331-41

Date Sampled: 09/16/2016 0521
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/24/2016 2206	
Prep Method: 200			Date Prepared:	09/23/2016 1330	
Pb	7.00	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Boys Gang Bath o/s 127 Sink 1
Lab Sample ID: 420-110331-42

Date Sampled: 09/16/2016 0502
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/24/2016 2209	
Prep Method: 200			Date Prepared:	09/23/2016 1330	
Pb	3.71	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Boys Gang Bath o/s 127 Sink 2
Lab Sample ID: 420-110331-43

Date Sampled: 09/16/2016 0502
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/24/2016 2213	
Prep Method: 200			Date Prepared:	09/23/2016 1330	
Pb	5.94	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Girls Gang Bath o/s 222 Sink 1
Lab Sample ID: 420-110331-44

Date Sampled: 09/16/2016 0515
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/24/2016 2216	
Prep Method: 200			Date Prepared:	09/23/2016 1330	
Pb	6.52	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Girls Gang Bath o/s 222 Sink 2
Lab Sample ID: 420-110331-45

Date Sampled: 09/16/2016 0515
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/24/2016 2220	
Prep Method: 200			Date Prepared:	09/23/2016 1400	
Pb	29.7	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Girls Gang Bath o/s 222 Sink 3
Lab Sample ID: 420-110331-46

Date Sampled: 09/16/2016 0515
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/24/2016 2241		
Prep Method: 200			Date Prepared: 09/23/2016 1400		
Pb	28.7 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC 112 Faculty Bath Sink (back room)
Lab Sample ID: 420-110331-47

Date Sampled: 09/16/2016 0511
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/24/2016 2245	
Prep Method: 200			Date Prepared:	09/23/2016 1400	
Pb	39.8 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Bubbler Right o/s 127
Lab Sample ID: 420-110331-48

Date Sampled: 09/16/2016 0505
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/24/2016 2249	
Prep Method: 200			Date Prepared:	09/23/2016 1400	
Pb	4.05	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-110331-1
Sdg Number: Chester Learning Center

Client Sample ID: CLC Bubbler Left o/s 127
Lab Sample ID: 420-110331-49

Date Sampled: 09/16/2016 0505
Date Received: 09/16/2016 0848
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/24/2016 2252		
Prep Method: 200			Date Prepared: 09/23/2016 1400		
Pb	3.91	ug/L	1.00	1.00	1.0

DATA REPORTING QUALIFIERS

Client: Orange-Ulster BOCES

Job Number:
Sdg Number: Chester Learning Center

Lab Section	Qualifier	Description
Metals	g	Result fails applicable NYS drinking water standards

Certification Information

Client: Orange-Ulster BOCES

Job Number:

Sdg Number: Chester Learning Center

The following analytes are Not Part of the ELAP scope of accreditation:

Sulfur, Tungsten, Silicon, Bicarbonate Alkalinity, 7 Day BOD 5210C, 28 Day BOD, Soluble BOD, Carbon Dioxide, Carbonate Alkalinity, CBOD Soluble, Chlorine, Cyanide (WAD), Ferrous Iron, Ferric Iron, Total Nitrogen, Total Organic Nitrogen, Dissolved Oxygen, pH, Phenolphthalien Alkalinity, Solids (Fixed), Solids (Percent), Solids (Percent Moisture) , Solids (Percent Volatile), Solids (Volatile Suspended), Temperature, TKN (Soluble), Total Inorganic Carbon, Volatile Acids as Acetic Acid, 2-Aminopyridine, 3-Picoline, 1-Methyl-2-pyrrilidinone, Aziridine, Dimethyl sulfoxide, 1-Chlorohexane, Iron Bacteria, Salmonella, & Sulfur Reducing Bacteria.

The following analytes are Not Part of ELAP Potable Water scope of accreditation:

Cobalt (200.7, 200.8), Tin (200.7), Strontium (200.7), Gold (200.7), Platinum (200.7), Palladium (200.7), Titanium (200.7), Phosphorus (365.3), Nitrate-Nitrite (10-107-4-1C, 353.2), m-Xylene & p-Xylene (502.2, 524), Naphthalene (502.2), o-Xylene (502.2, 524), & Fecal Coliform (9222D).

The following analytes are Not Part of ELAP Solid and Hazardous Waste scope of accreditation:

Ammonia (SM 4500NH3G), TKN (351.2), Phosphorus (365.3), 1,2-Dichloro-1,1,2-trifluoroethane (8260), & Chlorodifluoromethane (8260).

The following analytes are Not Part of ELAP Non Potable Water scope of accreditation:

Dissolved Organic Carbon (5310C), Mecoprop (8151A), & MCPA (8151A).

Definitions and Glossary

Client: Orange-Ulster BOCES

Job Number:

Sdg Number: Chester Learning Center

<u>Abbreviation</u>	<u>These commonly used abbreviations may or may not be present in this report.</u>
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.



Lab Name: EnviroTest Laboratories
 Address & Phone: 315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

CHAIN OF CUSTODY

110331

REPORT# (Lab Use Only)

PROJECT REFERENCE	PROJECT NO.	PROJECT LOCATION (STATE)	MATRIX TYPE	COMPOSITE (C) OR GRAB (G) SAMPLE	ADUCOUS (MATRIX)	OTHER SPECIES	REQUIRED ANALYSES	PAGE 1 of 3																																																																																																																																																									
Chester Learning Center ENVIRONMENTAL PROJECT MANAGER Debra Bayer CLIENT PHONE: 845-781-4887 CLIENT FAX: CLIENT NAME: Jack DeGraw Orange-Ulster BOCES christy.fischer@oubooces.org CLIENT ADDRESS: 59 Gibson Road, Goshen, NY 10924		NY					40ml Vials HCl 250ml Plastic Nitric Acid 250ml Plastic Sulfuric Acid Litr Amber HCl 250ml Plastic Non-Preserved Litr Plastic Terra Core Other Other Other	3																																																																																																																																																									
COMPANY CONTRACTING THIS WORK (if applicable):																																																																																																																																																																	
<table border="1"> <thead> <tr> <th>SAMPLE</th> <th>DATE</th> <th>TIME</th> <th>SAMPLE IDENTIFICATION</th> <th>RECEIVED BY: (SIGNATURE)</th> <th>DATE</th> <th>TIME</th> <th>COMPANY</th> <th>REMARKS</th> </tr> </thead> <tbody> <tr><td>1</td><td>9/16/16</td><td>5:38</td><td>CLC Basement Break Room Sink</td><td>[Signature]</td><td>11</td><td>11</td><td></td><td>Lead (DW 200.8)</td></tr> <tr><td>2</td><td>9/16/16</td><td>5:48</td><td>CLC 203 Custodial Slop Sink</td><td>[Signature]</td><td>11</td><td>11</td><td></td><td>Lead (DW 200.8)</td></tr> <tr><td>3</td><td>9/16/16</td><td>6:07</td><td>CLC Bubbler o/s 224 Right</td><td>[Signature]</td><td>11</td><td>11</td><td></td><td>Lead (DW 200.8)</td></tr> <tr><td>4</td><td>9/16/16</td><td>5:29</td><td>CLC 102 Nurse Bath Sink</td><td>[Signature]</td><td>11</td><td>11</td><td></td><td>Lead (DW 200.8)</td></tr> <tr><td>5</td><td>9/16/16</td><td>5:29</td><td>CLC 102 Nurse Sink</td><td>[Signature]</td><td>11</td><td>11</td><td></td><td>Lead (DW 200.8)</td></tr> <tr><td>6</td><td>9/16/16</td><td>5:29</td><td>CLC 102 Exam Room Sink</td><td>[Signature]</td><td>11</td><td>11</td><td></td><td>Lead (DW 200.8)</td></tr> <tr><td>7</td><td>9/16/16</td><td>5:33</td><td>CLC Kitchen Storage Sink 1</td><td>[Signature]</td><td>11</td><td>11</td><td></td><td>Lead (DW 200.8)</td></tr> <tr><td>8</td><td>9/16/16</td><td>5:33</td><td>CLC Kitchen Storage Sink 2</td><td>[Signature]</td><td>11</td><td>11</td><td></td><td>Lead (DW 200.8)</td></tr> <tr><td>9</td><td>9/16/16</td><td>5:34</td><td>CLC Kitchen Handwash Sink</td><td>[Signature]</td><td>11</td><td>11</td><td></td><td>Lead (DW 200.8)</td></tr> <tr><td>10</td><td>9/16/16</td><td>5:34</td><td>CLC Kitchen Sink 1</td><td>[Signature]</td><td>11</td><td>11</td><td></td><td>Lead (DW 200.8)</td></tr> <tr><td>11</td><td>9/16/16</td><td>5:34</td><td>CLC Kitchen Sink 2</td><td>[Signature]</td><td>11</td><td>11</td><td></td><td>Lead (DW 200.8)</td></tr> <tr><td>12</td><td>9/16/16</td><td>5:27</td><td>CLC 103 Sink</td><td>[Signature]</td><td>11</td><td>11</td><td></td><td>Lead (DW 200.8)</td></tr> <tr><td>13</td><td>9/16/16</td><td>5:18</td><td>CLC Bubbler o/s 110</td><td>[Signature]</td><td>11</td><td>11</td><td></td><td>Lead (DW 200.8)</td></tr> <tr><td>14</td><td>9/16/16</td><td>5:16</td><td>CLC 110 Bath Sink</td><td>[Signature]</td><td>11</td><td>11</td><td></td><td>Lead (DW 200.8)</td></tr> <tr><td>15</td><td>9/16/16</td><td>5:53</td><td>CLC Faculty Bath Sink</td><td>[Signature]</td><td>11</td><td>11</td><td></td><td>Lead (DW 200.8)</td></tr> <tr><td>16</td><td>9/16/16</td><td>5:22</td><td>CLC Custodial Slop Sink o/s 106</td><td>[Signature]</td><td>11</td><td>11</td><td></td><td>Lead (DW 200.8)</td></tr> </tbody> </table>									SAMPLE	DATE	TIME	SAMPLE IDENTIFICATION	RECEIVED BY: (SIGNATURE)	DATE	TIME	COMPANY	REMARKS	1	9/16/16	5:38	CLC Basement Break Room Sink	[Signature]	11	11		Lead (DW 200.8)	2	9/16/16	5:48	CLC 203 Custodial Slop Sink	[Signature]	11	11		Lead (DW 200.8)	3	9/16/16	6:07	CLC Bubbler o/s 224 Right	[Signature]	11	11		Lead (DW 200.8)	4	9/16/16	5:29	CLC 102 Nurse Bath Sink	[Signature]	11	11		Lead (DW 200.8)	5	9/16/16	5:29	CLC 102 Nurse Sink	[Signature]	11	11		Lead (DW 200.8)	6	9/16/16	5:29	CLC 102 Exam Room Sink	[Signature]	11	11		Lead (DW 200.8)	7	9/16/16	5:33	CLC Kitchen Storage Sink 1	[Signature]	11	11		Lead (DW 200.8)	8	9/16/16	5:33	CLC Kitchen Storage Sink 2	[Signature]	11	11		Lead (DW 200.8)	9	9/16/16	5:34	CLC Kitchen Handwash Sink	[Signature]	11	11		Lead (DW 200.8)	10	9/16/16	5:34	CLC Kitchen Sink 1	[Signature]	11	11		Lead (DW 200.8)	11	9/16/16	5:34	CLC Kitchen Sink 2	[Signature]	11	11		Lead (DW 200.8)	12	9/16/16	5:27	CLC 103 Sink	[Signature]	11	11		Lead (DW 200.8)	13	9/16/16	5:18	CLC Bubbler o/s 110	[Signature]	11	11		Lead (DW 200.8)	14	9/16/16	5:16	CLC 110 Bath Sink	[Signature]	11	11		Lead (DW 200.8)	15	9/16/16	5:53	CLC Faculty Bath Sink	[Signature]	11	11		Lead (DW 200.8)	16	9/16/16	5:22	CLC Custodial Slop Sink o/s 106	[Signature]	11	11		Lead (DW 200.8)
SAMPLE	DATE	TIME	SAMPLE IDENTIFICATION	RECEIVED BY: (SIGNATURE)	DATE	TIME	COMPANY	REMARKS																																																																																																																																																									
1	9/16/16	5:38	CLC Basement Break Room Sink	[Signature]	11	11		Lead (DW 200.8)																																																																																																																																																									
2	9/16/16	5:48	CLC 203 Custodial Slop Sink	[Signature]	11	11		Lead (DW 200.8)																																																																																																																																																									
3	9/16/16	6:07	CLC Bubbler o/s 224 Right	[Signature]	11	11		Lead (DW 200.8)																																																																																																																																																									
4	9/16/16	5:29	CLC 102 Nurse Bath Sink	[Signature]	11	11		Lead (DW 200.8)																																																																																																																																																									
5	9/16/16	5:29	CLC 102 Nurse Sink	[Signature]	11	11		Lead (DW 200.8)																																																																																																																																																									
6	9/16/16	5:29	CLC 102 Exam Room Sink	[Signature]	11	11		Lead (DW 200.8)																																																																																																																																																									
7	9/16/16	5:33	CLC Kitchen Storage Sink 1	[Signature]	11	11		Lead (DW 200.8)																																																																																																																																																									
8	9/16/16	5:33	CLC Kitchen Storage Sink 2	[Signature]	11	11		Lead (DW 200.8)																																																																																																																																																									
9	9/16/16	5:34	CLC Kitchen Handwash Sink	[Signature]	11	11		Lead (DW 200.8)																																																																																																																																																									
10	9/16/16	5:34	CLC Kitchen Sink 1	[Signature]	11	11		Lead (DW 200.8)																																																																																																																																																									
11	9/16/16	5:34	CLC Kitchen Sink 2	[Signature]	11	11		Lead (DW 200.8)																																																																																																																																																									
12	9/16/16	5:27	CLC 103 Sink	[Signature]	11	11		Lead (DW 200.8)																																																																																																																																																									
13	9/16/16	5:18	CLC Bubbler o/s 110	[Signature]	11	11		Lead (DW 200.8)																																																																																																																																																									
14	9/16/16	5:16	CLC 110 Bath Sink	[Signature]	11	11		Lead (DW 200.8)																																																																																																																																																									
15	9/16/16	5:53	CLC Faculty Bath Sink	[Signature]	11	11		Lead (DW 200.8)																																																																																																																																																									
16	9/16/16	5:22	CLC Custodial Slop Sink o/s 106	[Signature]	11	11		Lead (DW 200.8)																																																																																																																																																									
RECEIVED BY: (SIGNATURE) [Signature] DATE 9/16/16 TIME 6:20 COMPANY [Blank]																																																																																																																																																																	
RECEIVED BY: (SIGNATURE) [Signature] DATE 11/11/16 TIME 11:11 COMPANY [Blank]																																																																																																																																																																	
RECEIVED BY: (SIGNATURE) [Signature] DATE 11/11/16 TIME 11:11 COMPANY [Blank]																																																																																																																																																																	

LABORATORY REMARKS: ICE (V) pH CL2 Received by [Signature] 9/16/16
 Preserved w/ HNO3 at lab @ 0915 9/16/16-KM 9/16/16
 HNO3 man.f. by Fisher Chemical Lot # 161446

RECEIVED FOR LABORATORY BY: [Signature] DATE 9/16/16 TIME 08:48
 CUSTODY IMPACT YES/NO YES/NO



CHAIN OF CUSTODY

110331

REPORT# (Lab Use Only)

Lab Name: EnviroTest Laboratories
 Address & Pkoi 315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

PROJECT LOCATION
 NY
 CHESTER

PROJECT NO. NY
 PROJECT LOCATION
 CHESTER
 ENVIRONMENTAL PROJECT MANAGER
 CHESTER
 CLIENT NAME
 DEBORA BAYET
 CLIENT PHONE
 845-781-4887
 CLIENT FAX
 JACK DEGRAND
 CLIENT EMAIL
 christy.fischer@oubooses.org
 CLIENT ADDRESS
 ORANGE-ULSTER BOCES
 53 Gibson Road, Goshen, NY 10924

PROJECT REFERENCE	PROJECT NO.	PROJECT LOCATION	MARKER TYPE		REQUIRED ANALYSES						OTHER	PAGE 2 of 3	
			ACQUEOUS (WATER)	SOLID OR SEMISOLID	40ml Vials HCl	1Ltr Amber HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	Liter Plastic	250ml Plastic Non-Fluorinated			Terra Core
17	9/16/16	539	CLC Basement Boiler Room Slop Sink	G									Lead (DW 200.8)
18	9/16/16	604	CLC Custodial Closet o/s 227	G									Lead (DW 200.8)
19	9/16/16	546	CLC 200 Sink Center	G									Lead (DW 200.8)
20	9/16/16	607	CLC Bubbler o/s 226 Right	G									Lead (DW 200.8)
21	9/16/16	543	CLC 203 Sink	G									Lead (DW 200.8)
22	9/16/16	550	CLC bubbler o/s 203 Right	G									Lead (DW 200.8)
23	9/16/16	549	CLC Girls Gang Bath o/s 204 Sink 1	G									Lead (DW 200.8)
24	9/16/16	549	CLC Girls Gang Bath o/s 204 Sink 2	G									Lead (DW 200.8)
25	9/16/16	559	CLC Bubbler o/s 218	G									Lead (DW 200.8)
26	9/16/16	552	CLC Boys Gang Bath o/s 203 Sink 1	G									Lead (DW 200.8)
27	9/16/16	552	CLC Boys Gang Bath o/s 203 Sink 2	G									Lead (DW 200.8)
28	9/16/16	555	CLC 202 Sink 1	G									Lead (DW 200.8)
29	9/16/16	555	CLC 202 Sink 2	G									Lead (DW 200.8)
30	9/16/16	600	CLC Girls Gang Bath o/s 217 Sink 1	G									Lead (DW 200.8)
31	9/16/16	600	CLC Girls Gang Bath o/s 217 Sink 2	G									Lead (DW 200.8)
32	9/16/16	520	CLC 107 Bath Sink	G									Lead (DW 200.8)

LABORATORY REMARKS: CE (V-N) pH GL2 Reviewed by: *REB*
 Preserved w/ HNO3 at lab @ 0915 9/16/16 - 14 9/16/16
 HNO3 manf by Fisher Chemical Lot # 161446

RECEIVED FOR LABORATORY BY: *[Signature]* DATE: 9/16/16 TIME: 11:00
 RECEIVED BY: *[Signature]* DATE: 9/16/16 TIME: 6:20
 RECEIVED BY: *[Signature]* DATE: TIME: COMPANY: COMPANY: COMPANY:

PROJECT REFERENCE		PROJECT NO.	PROJECT LOCATION (SWD)	MATRIX TYPE	REQUIRED ANALYSES						PAGE 3 of 3		
Chester Learning Center			NY		40ml Vials HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	Liter Plastic	250ml Plastic Non-Preserved	Terra Core	Other	Other	
ENVIROTEST PROJECT MANAGER	PROJECT NO.	PROJECT LOCATION (SWD)	MATRIX TYPE	NOVOCIOUS (WATER)	COMPOSITE (C) OR GRAB (G)	OTHER SPECIF.	NUMBER OF CONTAINERS SUBMITTED						
Debra Bayer	845-781-4887	Chester Learning Center					1	1	1	1	1	1	
CLIENT ENTRY PM	CLIENT PHONE	CLIENT NAME	CLIENT FAX				1	1	1	1	1	1	
Jack DeGraw	845-781-4887	Orange-Ulster BOCES					1	1	1	1	1	1	
CLIENT NAME	CLIENT NAME	CLIENT ADDRESS	CLIENT ADDRESS				1	1	1	1	1	1	
Orange-Ulster BOCES	clintstvfischer@outbox.org	53 Gibson Road, Goshen, NY 10924					1	1	1	1	1	1	
COMPANY CONTRACTING THIS WORK (if applicable)													
SAMPLE		DATE		TIME		SAMPLE IDENTIFICATION						DATE	TIME
35	9/16/16	601	CLC Boys Gang Bath o/s 221 Sink 1	G	D							Lead (DW 200.8)	
36	9/16/16	601	CLC Boys Gang Bath o/s 221 Sink 2	G	D							Lead (DW 200.8)	
37	9/16/16	520	CLC 107 Sink	G	D							Lead (DW 200.8)	
38	9/16/16	526	CLC Bubbler Left o/s 103	G	D							Lead (DW 200.8)	
39	9/16/16	507	CLC Custodial Shop Sink o/s 127	G	D							Lead (DW 200.8)	
40	9/16/16	508	CLC Girls Gang Bath o/s 127 Sink 1	G	D							Lead (DW 200.8)	
41	9/16/16	508	CLC Girls Gang Bath o/s 127 Sink 2	G	D							Lead (DW 200.8)	
42	9/16/16	521	CLC Boys Gang Bath o/s 106 Sink 1	G	D							Lead (DW 200.8)	
43	9/16/16	521	CLC Boys Gang Bath o/s 106 Sink 2	G	D							Lead (DW 200.8)	
44	9/16/16	502	CLC Boys Gang Bath o/s 127 Sink 1	G	D							Lead (DW 200.8)	
45	9/16/16	502	CLC Boys Gang Bath o/s 127 Sink 2	G	D							Lead (DW 200.8)	
46	9/16/16	515	CLC Girls Gang Bath o/s 111 Sink 1	G	D							Lead (DW 200.8)	
47	9/16/16	515	CLC Girls Gang Bath o/s 111 Sink 2	G	D							Lead (DW 200.8)	
48	9/16/16	511	CLC 112 Faculty Bath Sink (back room)	G	D							Lead (DW 200.8)	
49	9/16/16	505	CLC Bubbler Right o/s 127	G	D							Lead (DW 200.8)	
50	9/16/16	505	CLC Bubbler Left o/s 127	G	D							Lead (DW 200.8)	
RELINQUISHED BY (SIGNATURE)		DATE		TIME		COMPANY						DATE	TIME
<i>[Signature]</i>		9/16/16		8:48		OUBOCES							
RECEIVED BY (SIGNATURE)		DATE		TIME		COMPANY						DATE	TIME
<i>[Signature]</i>		11		6:20		"							
RELINQUISHED BY (SIGNATURE)		DATE		TIME		COMPANY						DATE	TIME
<i>[Signature]</i>													

RECEIVED FOR LABORATORY BY (Signature)	DATE	TIME	CUSTODY	INTEGRITY
<i>[Signature]</i>	9/16/16	8:48	YES	YES
			NO	NO

LABORATORY REMARKS: ICE (V-N) pH CLC Reviewed by: *[Signature]*
 Preserved w/ HNO3 at lab @ 0915 9/16/16. RM 910616
 HNO3 man'f by Fisher Chemical Lot# 161446

LOGIN SAMPLE RECEIPT CHECK LIST

Client: Orange-Ulster BOCES

Job Number: 420-110331-1
SDG Number: Chester Learning Center

Login Number: 110331

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	
Cooler Temperature is recorded.	True	20.0 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	False	
If false, was sample received on ice within 6 hours of collection.	False	
Based on above criteria cooler temperature is acceptable.	True	Method does not require cooling
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	Preserved with Nitric acid at lab @ 0915 9/16/16. KM 9/16/16
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	NA	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	