

## November 2020 Monthly Energy Report

Facility	Monthly Information								Current Year Performance				
	Electric Usage		Electric Saved		Gas Usage		Gas Saved		Last 12 Mths % Total Energy Saved vs Base Yr	Wisconsin EUI- kBTU/SqFt Benchmark for Like Facilities	Ongoing kBTU per SqFt	Square Footage	*E-Star Score (From website)
	5 Year Average 2016-2020 (kWh)	Actual 2020 (kWh)	Monthly Savings kWh	Monthly Percent kWh Saved	5 Year Average 2016-2020 (Therms)	Actual 2020 (Therms)	Monthly Savings Therms	Monthly Percent Therms Saved					
Admin / Central	17,120	15,360	1,760	10.3%	665	897	-232	-34.8%	33.6%	100	74	16,260	84
E-Cook Elem	9,128	8,556	572	6.3%	1,213	1,119	94	7.7%	52.9%	78	45	30,598	92
Franklin Elem	16,266	13,693	2,573	15.8%	2,161	1,970	191	8.8%	40.7%	68	47	50,455	77
Jefferson Elem	16,032	0	16,032	100.0%	990	1,111	-121	-12.3%	32.6%	64	27	53,600	96
Lakeside Elem	11,136	9,520	1,616	14.5%	1,483	1,328	155	10.4%	30.2%	78	37	42,144	90
Maintenance	5,600	5,760	-160	-2.9%	1,701	1,382	319	18.8%	-0.4%		66	25,000	51
Merrill	48,576	43,120	5,456	11.2%	6,055	5,460	595	9.8%	46.0%	66	39	166,941	88
North HS	152,644	117,900	34,744	22.8%	10,269	9,665	604	5.9%	37.0%	83	43	309,000	92
Oaklawn Elem	37,616	33,840	3,776	10.0%	200	240	-40	-19.9%	8.0%	64	23	68,000	95
Oakwood Elem	18,072	16,080	1,992	11.0%	2,202	2,171	31	1.4%	31.5%	68	47	51,916	81
Read Elem	16,512	12,560	3,952	23.9%	1,719	1,484	235	13.7%	25.0%	68	37	51,075	90
Rec Dept	3,037	2,217	820	27.0%	1,657	1,658	-1	-0.1%	-0.7%		49	29,700	N/A
Roosevelt Elem	10,488	8,640	1,848	17.6%	2,189	1,872	317	14.5%	46.7%	78	46	47,800	89
Shapiro Elem	22,488	18,280	4,208	18.7%	1,715	1,639	76	4.4%	35.4%	64	34	63,000	94
South Park	29,400	0	29,400	100.0%	5,792	4,842	950	16.4%	55.1%	87	36	138,010	91
Tipler Middle	25,824	17,520	8,304	32.2%	2,144	2,072	72	3.3%	51.7%	66	34	87,560	97
Traeger	73,440	57,300	16,140	22.0%	4,606	4,073	533	11.6%	39.7%	62	29	194,288	97
Washington Elem	9,784	8,429	1,355	13.9%	2,079	1,787	292	14.1%	24.2%	78	80	33,286	74
Webster-Stanley	30,840	26,160	4,680	15.2%	5,554	4,869	685	12.3%	26.8%	74	60	118,043	82
West HS	165,620	114,800	50,820	30.7%	16,677	12,269	4,408	26.4%	59.8%	82	41	341,470	82
<b>TOTAL</b>	<b>719,624</b>	<b>529,735</b>	<b>189,889</b>	<b>26.4%</b>	<b>71,071</b>	<b>61,908</b>	<b>9,163</b>	<b>12.9%</b>	<b>44.3%</b>		<b>43</b>	<b>Avg Score</b>	<b>82</b>

\* Energy Star Rating is based on many different building characteristics and energy profiles for that school. A score of 75 is required for certification.


2020 Elect

Facility	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Admin / Central	17,600	15,600	16,000	15,120	13,760	14,960	15,840	15,440	15,120	13,920	15,360	0
E-Cook Elem	8,893	9,063	8,175	4,587	4,512	3,312	3,547	3,586	7,552	7,308	8,556	0
Franklin Elem	15,149	16,269	15,070	8,486	8,032	8,301	9,106	9,228	16,219	13,737	13,693	0
Jefferson Elem	19,120	19,040	17,840	11,600	8,160	11,920	19,600	9,040	26,640	15,280	0	0
Lakeside Elem	11,520	11,520	9,840	6,240	5,120	5,040	5,440	5,440	9,920	8,560	9,520	0
Maintenance	6,480	5,760	5,280	5,280	4,960	5,120	6,720	6,120	5,600	4,600	5,760	0
Merrill	52,400	51,440	47,200	30,240	23,440	18,560	22,960	22,720	36,880	37,440	43,120	0
North HS	151,200	148,500	135,900	91,800	83,700	88,200	112,500	111,600	141,300	108,900	117,900	0
Oaklawn Elem	49,200	46,960	38,880	25,920	29,040	16,640	21,040	20,880	26,320	25,120	33,840	0
Oakwood Elem	17,160	17,760	15,960	9,600	7,560	8,160	6,720	7,680	16,680	16,320	16,080	0
Read Elem	16,000	15,360	14,160	8,320	7,200	7,920	10,880	10,960	16,400	12,960	12,560	0
Rec Dept	3,023	2,819	2,596	1,905	2,124	2,760	3,472	3,182	3,001	2,630	2,217	0
Roosevelt Elem	10,360	10,640	9,400	5,760	5,080	5,960	6,400	7,400	9,680	8,280	8,640	0
Shapiro Elem	21,840	22,000	19,520	9,600	8,880	8,440	12,120	11,000	23,080	18,120	18,280	0
South Park	34,800	34,600	31,000	21,000	13,600	14,800	17,200	22,600	32,000	20,400	0	0
Tipler Middle	23,520	23,760	20,880	11,520	11,040	12,720	16,320	17,280	23,520	18,000	17,520	0
Traeger	62,400	64,800	60,600	29,700	24,600	25,500	32,400	39,600	66,900	57,600	57,300	0
Washington Elem	9,912	9,698	9,039	6,065	4,577	4,094	5,173	5,440	8,032	7,545	8,429	0
Webster-Stanley	30,720	31,200	28,320	14,640	13,320	13,680	15,600	15,480	28,680	25,200	26,160	0
West HS	176,400	174,300	158,900	102,900	88,900	75,600	0	84,000	90,300	130,200	114,800	0

2020 Gas

Facility	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Admin / Central	890	797	693	662	399	52	37	40	69	331	897	0
E-Cook Elem	2,099	2,042	1,461	1,103	288	79	70	71	113	862	1,119	0
Franklin Elem	3,333	3,205	2,490	1,807	733	191	106	107	247	1,623	1,970	0
Jefferson Elem	1,596	1,492	1,023	712	38	43	33	34	37	920	1,111	0
Lakeside Elem	2,513	2,424	1,701	782	19	31	28	28	165	1,071	1,328	0
Maintenance	2,911	2,728	2,026	1,149	331	0	0	0	23	945	1,382	0
Merrill	9,552	9,173	6,112	4,003	1,042	207	191	199	358	4,474	5,460	0
North HS	15,596	14,535	10,801	6,891	1,670	243	1,143	1,474	2,699	8,326	9,665	0
Oaklawn Elem	361	320	287	241	183	163	108	105	103	192	240	0
Oakwood Elem	3,553	3,342	2,504	1,840	391	24	23	24	245	1,783	2,171	0
Read Elem	2,768	2,643	1,919	1,002	10	45	45	48	115	1,217	1,484	0
Rec Dept	2,508	2,317	1,909	1,281	48	36	33	33	84	1,041	1,658	0
Roosevelt Elem	3,729	3,616	2,312	1,413	404	47	50	58	115	1,383	1,872	0
Shapiro Elem	2,811	2,716	1,894	1,240	314	48	28	31	202	1,337	1,639	0
South Park	8,562	8,231	5,982	4,143	985	66	56	58	256	4,158	4,842	0
Tipler Middle	3,320	3,208	2,390	1,825	550	81	58	54	152	1,613	2,072	0
Traeger	8,953	7,733	4,933	3,686	910	52	48	97	136	3,628	4,073	0
Washington Elem	3,244	3,105	2,268	1,580	511	170	156	160	329	1,448	1,787	0
Webster-Stanley	9,047	8,428	6,251	3,094	92	172	162	162	446	4,113	4,869	0
West HS	23,208	22,766	15,386	10,596	2,606	893	561	882	2,144	9,942	12,269	0

# District Wide Electric Usage History



# District Wide Gas Usage History

