



KHSAA COVID-19 Return to Play Form
 (as recommended by KMA Committee on Medical Aspects of Sports for use by MD or DO)

KHSAA Form GE91
Rev. 2/18/21

If an athlete has tested positive or was presumed positive for COVID-19 based on symptoms, he/she should rest from physical activity for at least ten days from the time of onset of symptoms or date of administration of a positive test. He/she must then be cleared for progression back to activity by an approved health care provider (MD/DO). Any return to activity should follow the recommended Return to Play (RTP) Progression described below.

Athlete's Name: _____ DOB: _____ Date of Positive Test: _____

THIS RETURN TO PLAY IS TO BE BASED ON TODAY'S EVALUATION

Date of Evaluation: _____

Criteria to return to be completed by MD or DO. (Please check below as applies)

- Ten days have passed since the onset of symptoms (or positive test)
- All symptoms (cough, shortness of breath, fever ($\geq 100.4F$), etc.) have resolved for at least seven days without the use of fever-reducing medication AND
- The athlete was not hospitalized due to the COVID-19 infection and its effects.
- PLUS Cardiac screen negative for myocarditis/myocardial ischemia (All answers below must be NO)

Chest pain/tightness with exercise	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
Unexplained Syncope/near syncope	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
Unexplained/excessive dyspnea/fatigue w/exertion	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
New palpitations	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
Heart murmur on exam	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>

NOTE: If any cardiac screening question is positive OR if the athlete had greater than mild symptoms (>4 days of fever $\geq 100.4F$, myalgia, chills, or lethargy OR those who had a hospital admission OR evidence of MIS-C) during the illness, current recommendations are that a return-to-play decision is made in consultation with a cardiologist. See algorithm for more information.

- The athlete HAS satisfied the above criteria and IS cleared to start the return to activity procedures (RTP).
- The athlete HAS NOT satisfied the above criteria and IS NOT cleared to return to activity

Medical Office Information (Please Print/Stamp):

Evaluator's Name: _____
 Evaluator's Address: _____
 Office Phone: _____
 Evaluator's Signature: _____

Return to Play (RTP) Procedures After COVID-19 Infection

Athletes must complete the progression below without developing chest pain, chest tightness, palpitations, lightheadedness, pre-syncope, or syncope. If these symptoms develop, the patient should be referred back to the evaluating provider who signed the form. This progression cannot begin before authorization.

- **Stage 1: (2 Days Minimum)** Light activity (walking, jogging, stationary bike) for 15 minutes or less at intensity no greater than 70% of maximum heart rate. NO resistance training.
- **Stage 2: (1 Day Minimum)** Add simple movement activities (For example, running drills) for 30 minutes or less at intensity no greater than 80% of maximum heart rate
- **Stage 3: (1 Day Minimum)** Progress to more complex training for 45 minutes or less at intensity no greater than 80% maximum heart rate. May add light resistance training.
- **Stage 4: (2 Days Minimum)** Normal training activity for 60 minutes or less at intensity no greater than 80% maximum heart rate
- **Stage 5: Return to full activity**

Cleared for Full Participation): _____

RTP Procedure adapted from Elliott N, et al. Infographic. British Journal of Sports Medicine, 2020.