



STATE OF CONNECTICUT – COUNTY OF TOLLAND
INCORPORATED 1786

TOWN OF ELLINGTON

55 MAIN STREET – PO BOX 187
ELLINGTON, CONNECTICUT 06029-0187
www.ellington-ct.gov

TEL. (860) 870-3120 **TOWN PLANNER'S OFFICE** FAX (860) 870-3122

**INLAND WETLANDS AGENCY
REGULAR MEETING AGENDA
MONDAY, APRIL 12, 2021, 7:00 P.M.
TOWN HALL ANNEX MEETING ROOM, 57 MAIN ST, ELLINGTON, CT**

**IN-PERSON PUBLIC ATTENDANCE LIMITED DUE TO COVID19 RESTRICTIONS
ZOOM ATTENDANCE INSTRUCTIONS PROVIDED BELOW**

I. CALL TO ORDER

II. PUBLIC COMMENTS (on non-agenda items):

III. PUBLIC HEARING(S):

1. IW202105 – Patrick & Jenna McDermott, owner/ James Holden, applicant, request for a permit to conduct regulated activity to relocate a wetland at 30 Ellsworth Lane, APN 118-004-0001.

IV. OLD BUSINESS:

V. NEW BUSINESS:

VI. ADMINISTRATIVE BUSINESS:

1. Approval of the March 8, 2021 Regular Meeting Minutes.
2. Correspondence/Discussion:

VII. ADJOURNMENT:

Join Meeting via ZOOM Communications: Due to COVID-19, in-person attendance is limited to maximum occupancy based on fixed seating arrangements meeting social distancing requirements. Attendance for this meeting is also available using the online video conferencing provider Zoom Meeting. Details to attend the meeting virtually are provided on this meeting agenda and posted on the Town of Ellington's webpage (www.ellington-ct.gov) under Agenda & Minutes, Inland Wetlands Agency. For questions and assistance please contact the Ellington Planning Department at 860-870-3120.

Join Zoom Meeting:
<https://zoom.us/j/94449239596>
Meeting ID: 944 4923 9596
Password: 256834

Dial by your location:
+1 646 558 8656 US (New York)
Meeting ID: 944 4923 9596
Password: 256834

Next Regular Meeting is scheduled for May 10, 2021

Town of Ellington Inland Wetlands and Watercourses Agency Application

Application # IW#202105
Date Submitted 3-5-2021

Notices associated with this application will be sent to the applicant unless otherwise requested.

Owner's Information

Name: Patrick & Ibma McDermott
Mailing Address: 30 Ellsworth Lane
Ellington CT 06029
Email: p.mcdermott71@gmail.com

WHEN NOT REQUIRED BY LAW TO MAIL NOTICE BY USPS, MAY NOTICES BE EMAILED TO YOU? Yes No

Primary Contact Phone #: 860-541-1225

Secondary Contact Phone #: _____

Owner's Signature: (See Attached email) Date: _____

By signing below I certify that all information submitted with this application is true and accurate to the best of my knowledge, that I am aware of and understand the application requirements and regulations, and acknowledge that the application is to be considered complete only when all information and documents required by the Agency have been submitted. Moreover, by signing above I/we expressly provide written consent to the filing of the application and access to the site by the Agency or its staff.

Notices associated with this application will be sent to the applicant unless otherwise requested.

Applicant's Information (if different than owner)

Name: James Holden
Mailing Address: 20 Groswood Rd
Ellington CT 06029
Email: Jholden55@comcast.net

WHEN NOT REQUIRED BY LAW TO MAIL NOTICE BY USPS, MAY NOTICES BE EMAILED TO YOU? Yes No

Primary Contact Phone #: 860-819-5655

Secondary Contact Phone #: _____

Applicant's Signature: James Holden Date: 3/4/21

By signing below I certify that all information submitted with this application is true and accurate to the best of my knowledge, that I am aware of and understand the application requirements and regulations, and acknowledge that the application is to be considered complete only when all information and documents required by the Agency have been submitted.

Street Address: 30 Ellsworth Lane

Assessor's Parcel Number (APN): 118 - 004 - 0001

Proposed upland review area affected in square feet: 3000

Proposed wetlands/watercourses affected in square feet and linear feet (as applicable): 1920

Total area of wetlands/watercourses on parcel in square feet or acres: 1920

Public Water: Yes No Public Sewer: Yes No *If not served by public water and sewer, applicant shall make application to North Central District Health Department (Enfield Office) if required.*

Is the project in a public water supply watershed area? Yes No
If YES, applicant is required to notify the Connecticut Water Company and Commissioner of Public Health by certified mail, return receipt within 7 days of this application (Conn. Gen Stat. Sec 22a-42f). Copy of application, plans, and supporting documents must accompany notice. Applicant can email the Commissioner of Public Health using their approved form. Proof of notice (return receipt and sent email) must be provided to the Planning Department.

Describe the nature of proposed regulated activity, request for acceptance of a permitted use as of right or a nonregulated use, map or regulation amendment, or other activity requiring review by the Agency or its Agent:
See attached Application Checklist and Appendix D for guidance when preparing application

See attached

RECEIVED

MAR - 5 2021

Applicant shall provide certification in accordance with Wetlands Regulation, Section 7.4e, Application Requirements:

Whether or not any portion of the property on which the regulated activity is proposed is located within 500 feet of an adjoining town. Yes No

Whether or not a significant portion of the traffic to the completed project will use streets within an adjoining town to exit or enter the site. Yes No

Whether or not a significant portion of the sewer or water drainage from the project will flow through and significantly impact the sewer or water drainage system of an adjoining town. Yes No

Whether water run-off from the improved site will impact streets or other municipal/private property within an adjoining town. Yes No

FOR OFFICE USE ONLY

If YES to any of the above, the Agency shall, in accordance with CGS 8-7d(f) notify the clerk of any adjoining municipality of the pendency of any application, petition, appeal, request or plan concerning any project on any site. Notice of the pendency of such application shall be made by certified mail, return receipt requested, and shall be mailed within seven (7) days of the date of receipt of the application, petition, appeal, request or plan. **(See Agency requirements Section 8.4)**

Type of Project: (check one)

Commercial/Industrial Residential Mixed Use Timber Agricultural

Other, explain: _____


Type of Application: (check one)

- Notification for Non-Regulated Use (Section 4.2)
- Notification of Permitted Use as of Right (Section 4.1)
- Administrative Permit (Section 6.4)
- Agency Permit (**TWELVE COPIES REQUIRED**)
- Permit Modification
- Permit Extension
- Regulation Amendment
- Map Amendment
- Appeal of Administrative Permit

Application Submittals:

- Completed Application Form (Section 7.4a)
- Application Fee (Section 7.4b)
- Abutters List (Section 7.4c)
- Certification as to Adjacent Towns (See above)
- Certification as to Connecticut Water Company & Commissioner of Public Health (See above)
- Notification Narrative and Supporting Documentation (If applicable, Appendix D)
- Project Narrative and Supporting Documentation (Section 7.4g, 1-11 inclusive, as deemed applicable)
- Project Site Plan - circle one: Administrative (Section 7.4h1) / Agency (Section 7.4h2)
- Supplemental Information (Section 7.5a-j, inclusive, as deemed applicable)

MAR - 5 2021



Property Information

Property ID 118 004 0001
 Location 30 ELLSWORTH LN
 Owner MCDERMOTT PATRICK T + JENNA E



**MAP FOR REFERENCE ONLY
 NOT A LEGAL DOCUMENT**

Town of Ellington, CT makes no claims and no warranties, expressed or implied, concerning the validity or accuracy of the GIS data presented on this map.

Geometry updated 7/23/2020
 Data updated 7/23/2020

RECEIVED
MAR - 5 2021

**TOWN OF ELLINGTON
 PLANNING DEPARTMENT**



- Ecology
- Soil & Wetland Studies
- Water Quality Monitoring • GPS
- Environmental Planning & Management
- Ecological Restoration & Habitat Mitigation
- Aquatic, Wildlife and Listed Species Surveys
- Application Reviews • Permitting & Compliance

VIA E-MAIL & HAND-DELIVERY

March 5, 2021

Town of Ellington
Inland Wetlands Agency
55 Main Street
Ellington, CT 06029

RECEIVED

MAR - 5 2021

TOWN OF ELLINGTON
PLANNING DEPARTMENT

ATTN: Mr. Kenneth Braga, Chairman

RE: *WETLAND RELOCATION/REPLICATION*
30 Ellsworth Lane, Ellington, CT
REMA Job # 21-2365-ELL20

Dear Chairman Braga:

At the request of the property owners, Mr. and Mrs. Patrick and Jenna McDermott, REMA ECOLOGICAL SERVICES, LLC (REMA) has prepared this brief report, to be submitted as part of a request to conduct regulated activities at the above-referenced property. Specifically, the request is for the relocation of a small, 1,920 square foot, isolated wet meadow wetland further to the west, in order to provide a more useable yard behind the existing residence, with a gentler grade.

The subject site was visited on January 15th, and 20th, 2021, for the purpose of delineating regulated wetlands, per State Statutes, and gathering baseline information, including from two deep soil test pits in the area of the proposed wetland relocation (see attached annotated photos).

The following summarize our findings and outline the proposal:

1. The small, roughly 1,920 square foot, isolated wet meadow wetland was delineated with flags RES-1 to RES-8 (see Figure A, attached). This wetland has poorly drained Wilbraham (6) series soils, and is seasonally saturated. The dominant wet meadow



vegetation includes sensitive fern, purple willowherbs, roughstem and tall goldenrod, asters, and reed canary grass. On the wetland perimeter shrubs include willows, staghorn sumac, cottonwood (saplings), multiflora rose, blackberries, and autumn olive. Trees nearby include red maple, and box elder. The northernmost section of the delineated wetland showed historic evidence of soil disturbance, likely associated with past agricultural activities.

2. Two deep soil test pits were opened and documented approximately 75 feet to the west of Wetland A, in an area of a gentle grade, dominated by goldenrods and grasses (see Photos 5 and 6, attached). These test pits revealed the pre-lot development topsoil, as well as the presence of a dense, saturated glacial till horizon. This occurred between 3 and 3.5 feet from the existing soil surface. This is the area of the proposed wetland replication.
3. The wetland replication area would be approximately 2,250 square feet in size, and will disturb approximately 3,000 square feet within the upland review area (URA) of Wetland A.
4. In order to replicate the wetland to be filled, an average of 30 inches of soil materials would be removed (maximum: +/-36 inches). This would place the bottom of the replication wetland within a few inches of the dense till, which would ensure the maintenance of wetland hydrology.
5. Prior to the earthwork at the replication area, the topsoil from the Wetland A shall be stripped and stockpiled adjacent to the wetland replication area. This topsoil, which has live propagules and seeds of wet meadow plants will be used within the replication area.
6. Side slopes within the replication area will not be steeper than 4:1, and the depth of the area, after final grades are achieved, will not be deeper than two and a half feet.
7. In addition to placing the topsoil from Wetland A to realize final grade, the entire area will be seeded with the New England Wetmix, available at New England Wetland Plants, Inc., of Amherst, Massachusetts. Also, the New England Conservation/Wildlife seed mix will be used for the side slopes of the replication wetland and for a zone no less than 10 feet around its perimeter.
8. In addition to the seed mixes the following shrubs (and quantities) will be planted within the wetland and its perimeter: maleberry (2); winterberry (3); gray dogwood (5);

Mr. Kenneth Braga, Chairman

RE: Wetland Relocation/Replication, 30 Ellsworth Lane, Ellington, CT

March 5, 2021

Page 3



red chokeberry (2); highbush blueberry (4), and meadowsweet (10). At the time of planting these shrubs shall have a minimum size of 3 feet.

In our professional opinion, the loss of the small, isolated wet meadow wetland, will be functionally and physically replaced by the proposed wetland replication. In fact, its vegetative diversity will be much higher, due to the seed mixes and shrub plantings. Also, educational/scientific, aesthetic, and recreational values will be higher at the replication wetland than in Wetland A, which will be graded to include a small seasonally flooded area which will attract amphibians, known from the immediate vicinity of the site (i.e., restored/enhanced pond on property to north).

Please feel free to contact our office with any questions on the above.

Respectfully submitted,


REMA ECOLOGICAL SERVICES, LLC

A handwritten signature in black ink, which appears to read "George T. Logan". The signature is fluid and cursive, extending to the right with a long horizontal stroke.

George T. Logan, MS, PWS, CSE
Registered Soil Scientist/Professional Wetland Scientist
Certified Senior Ecologist

Attachments: Figures A; Photos 1 to 6

FIGURE A: Wetland Relocation & Replication



Property Information

Property ID 118 004 0001
 Location 30 ELLSWORTH LN
 Owner MCDERMOTT PATRICK T + JENNA E



**MAP FOR REFERENCE ONLY
 NOT A LEGAL DOCUMENT**

Town of Ellington, CT makes no claims and no warranties, expressed or implied, concerning the validity or accuracy of the GIS data presented on this map.

Geometry updated 7/23/2020
 Data updated 7/23/2020

NOTE: Scale on an 8.5" x 11.0" printout is: 1" = 132'



Photo 1: Extent of Wetland A, a wet meadow; facing southerly.



Photo 2: Location of Wetland A in relationship to other features of the lot; facing easterly.



Photo 3: Location of replacement wetland; facing northwesterly.



Photo 4: Location of Wetland A in relationship to area for wetland replication in background; facing northwesterly




Photo 5: Soil Test Pit #1; showing dense till with groundwater seepage; facing easterly.




Photo 6: Soil Test Pit #2; showing dense saturated till (gray)

ELLINGTON PLANNING DEPARTMENT
STAFF REVIEW SHEET

INLAND WETLAND AGENCY

IW202105 – Patrick & Jenna McDermott owner/ James Holden, applicant, request for a permit to conduct regulated activity to relocate a wetland at 30 Ellsworth Lane, APN 118-004-0001.

PUBLIC HEARING DATE: April 12, 2021

STAFF REVIEW RETURN DATE: April 5, 2021

DEPARTMENT	COMMENTS AND/OR REQUIREMENTS
Town Engineer	<p>More Detailed information would be required:</p> <ul style="list-style-type: none"> -What is the distance to the existing septic leaching system and reserve area to the proposed activities / wetland? -what is the elevation difference in relation to the septic leaching system and the proposed wetland? -How will the septic system and components be protected from disturbance? -Will the grade change in the area of the existing septic tank, if so, how much? Access Risers may be required, the existing septic tank has a maximum soil cover load rating of 4 feet. -Areas of disturbance should be delineated and show where materials would be stockpiled. These areas should be field staked. -Will additional Fill material be brought on site, would a temporary access road be required? -If these concerns are properly addressed, prior to any work being commenced a site visit with the design Engineer and or site contractor would be required with our Department
Building Official	
North Central District Health Dept	
Fire Marshal	
Public Works Director/WPCA	
Assessor	
Traffic Authority	



STATE OF CONNECTICUT – COUNTY OF TOLLAND
INCORPORATED 1786

TOWN OF ELLINGTON

55 MAIN STREET – PO BOX 187
ELLINGTON, CONNECTICUT 06029-0187
www.ellington-ct.gov

TEL. (860) 870-3120 TOWN PLANNER'S OFFICE FAX (860) 870-3122

**INLAND WETLANDS AGENCY
REGULAR MEETING MINUTES
MONDAY, MARCH 8, 2021, 7:00 P.M.
TOWN HALL ANNEX MEETING ROOM, 57 MAIN ST, ELLINGTON, CT**

**IN-PERSON PUBLIC ATTENDANCE LIMITED DUE TO COVID19 RESTRICTIONS
AND ZOOM MEETING ATTENDANCE**

PRESENT: Chairman Ken Braga, Steve Hoffman and Katherine Heminway; Present via ZOOM meeting: Vice Chairman Ron Brown, Art Aube, Hocine Baouche and Jean Burns

ABSENT: Alternate Francis Hann

STAFF

PRESENT: John Colonese, Assistant Town Planner/Zoning Enforcement Officer; Present via ZOOM meeting: Barbra Galovich, Land Use Assistant/Recording Clerk

I. CALL TO ORDER: Chairman Ken Braga called the Ellington Inland Wetlands Agency meeting to order at 7:01 pm.

II. PUBLIC COMMENTS (on non-agenda items): **None**

III. PUBLIC HEARING(S):

1. IW202102 – Andrian & Cheryl Kebalo owner/applicant, request for a permit to conduct regulated activity to construct an addition with a one car garage to an existing home and associated site improvements at 1 Crystal Street, APN 149-069-0000.

Time: 7:02 pm

Seated: Braga, Brown, Hoffman, Heminway, Aube, Baouche and Burns

Adrian and Cheryl Kebalo, 1 Crystal Street, were present to represent the application. Mr. Kebalo explained the house is a year round residence and some of the proposed construction activity will be within the upland review area. They are looking to build a one car garage addition on slab with living space above. He noted that roughly 720 square feet of the upland review area would be affected and the back portion of the land is pitched to the lake and the front portion of the property is pitched towards the road. Mr. Kebalo stated the existing shed will be removed and has provided erosion and sedimentation

control notes that will be followed throughout the course of construction. He informed the Agency that he received a variance from the Zoning Board of Appeal (ZBA) for the setbacks. The ZBA agreed the property should not exceed the 25% allowable lot coverage. Mr. Kebalo stated he will not install a drain under the new driveway section in accordance with North Central District Health Department's comments.

Commissioner Hoffman asked the applicant if he will be installing any underground pipes for the roof drainage from the proposed addition. Mr. Kebalo responded that the roof drains will outlet onto the ground where they come down off the roof.

Andrew LaRoche, 41 Converse Street, Stafford, CT complimented Mr. Kebalo on his presentation and the plans he provided.

Mr. Colonese reviewed the Town Engineer's comments received in an email dated March 4, 2021. Mr. Kebalo agreed to consult with the Town Engineer depending upon which product he intends to use to allow a portion of the driveway to be pervious.

MOVED (HOFFMAN) SECONDED (AUBE) AND PASSED UNANIMOUSLY TO MAKE A DETERMINATION OF A NONSIGNIFICANT ACTIVITY FOR IW202102.

MOVED (HEMINWAY) SECONDED (HOFFMAN) AND PASSED UNANIMOUSLY TO CLOSE THE PUBLIC HEARING FOR IW202102.

MOVED (HEMINWAY) SECONDED (AUBE) AND PASSED UNANIMOUSLY TO APPROVE WITH CONDITIONS IW202102 – Andrian & Cheryl Kebalo owner/applicant, request for a permit to conduct regulated activity to construct an addition with a one car garage to an existing home and associated site improvements at 1 Crystal Street, APN 149-069-0000.

Conditions:

- 1) Silt fence shall be installed then inspected by the Wetlands Agent prior to activity, and remain fully operational until the site is stabilized to control storm water runoff and prevent soil erosion, sedimentation or pollutants from entering the lake.
- 2) Subject to compliance with Health Department requirements.
- 3) Subject to compliance with Town Engineer comments in email dated March 4, 2021.

IV. OLD BUSINESS: None

V. NEW BUSINESS:

1. IW202101 – Joseph & Holly Ann Dzen owner/ Joseph Dzen, applicant, request for acceptance to construct a farm pond essential to the farming operation within the upland review area as a use permitted as of right at 261 Windsorville Road, APN 014-006-0015.

Joseph Dzen, 2 Justin Drive, Ellington, CT and Suzanne Choate, Design Professionals, 21 Jeffrey Drive, South Windsor, CT were present to represent the application.

Ms. Choate explained the applicant is looking to create a farm pond on the property, which is located on the corner of Windsorville Road and Tripp Road. She stated the proposed farm pond will be for agricultural use and the excavated soils will be relocated outside of the flood plain and upland review area. Construction of the pond is outside of the conservation area on the property. Ms. Choate acknowledge comments from North Central District Health Department and the plan was revised to meet their requirements. The construction entrance will be on Tripp Road.

Mr. Dzen stated they will be growing Christmas trees and pumpkins on site and the pond would help with irrigation.

Commissioner Aube inquired about the potential septic system. Ms. Choate explained the previous owner received an approval for a septic system on the lot and the lots shown on the plan were previously approved as part of a subdivision however the intention is to use the lots for agriculture at this time.

MOVED (AUBE) SECONDED (BAOUCHE) AND PASSED UNANIMOUSLY TO ACCEPT IW202101 – Joseph & Holly Ann Dzen owner/ Joseph Dzen, applicant, request for acceptance to construct a farm pond essential to the farming operation within the upland review area as a use permitted as of right at 261 Windsorville Road, APN 014-006-0015.

2. IW202103 – Minor, LLC owner/ Andrew LaRoche, applicant, request for acceptance to harvest timber as a use permitted as of right at 50 East Shore Road, APN 169-045-0015.

Andrew LaRoche, 41 Converse Street, Stafford, CT and Joseph Theroux, P.O. Box 32, Voluntown, CT were present to represent the application.

Mr. Theroux stated he is a certified forester. He said the owner is looking to harvest 16,500 board feet of timber due to over mature oak, pine, and white ash, and damage from gypsy moths and emerald ash borers. Mr. Theroux explained they intend on having a small crossing over an existing storm water drainage ditch. He noted there are a few smaller trees within the wetlands that need to be removed.

Vice Chairman Brown asked about the portable bridge to be used for crossing over the storm water drainage ditch. Mr. Theroux said they use large 25' long and 4' wide bridge mats that have minimal impact on the land, and he noted they will make roughly 12 or more trips crossing the portable bridge during the harvest.

MOVED (AUBE) SECONDED (HEMINWAY) AND PASSED UNANIMOUSLY TO ACCEPT IW202103 – Minor, LLC owner/ Andrew LaRoche, applicant, request for acceptance to harvest timber as a use permitted as of right at 50 East Shore Road, APN 169-045-0015.

3. IW202104 – William & Christa Burke, owner/applicant, request for acceptance to clear woodland to create pasture for cattle as a use permitted as of right at 95 Wapping Wood Road, APN 001-002-0000.

William Burke, 354 Niederwerfer Road, South Windsor, CT was present to represent the application. Mr. Burke stated he is working with the United States Department of Agriculture (USDA), Natural Resources Conservation Service (NRCS) to obtain approval for a farmland restoration grant. He said he is looking to clear an additional 4.75 acres of land to create pastureland for his cattle within the upland review area of the wetlands.

Chairman Braga stated Mr. Burke received acceptance for an as of right use from the Agency last March for clearing approximately 7.5 acres of woodland for pastureland. Commissioner Hoffman asked if the requested clearing from last year has been completed. Mr. Burke said that portion of the project has been successfully cleared.

MOVED (AUBE) SECONDED (HEMINWAY) AND PASSED UNANIMOUSLY TO ACCEPT IW202104 – William & Christa Burke, owner/applicant, request for acceptance to clear woodland to create pasture for cattle as a use permitted as of right at 95 Wapping Wood Road, APN 001-002-0000.

4. IW202105 – Patrick & Jenna McDermott owner/ James Holden, applicant, request for a permit to conduct regulated activity to relocate a wetland at 30 Ellsworth Lane, APN 118-004-0001.

BY CONSENSUS, THE AGENCY RECEIVED AND SCHEDULED A PUBLIC HEARING FOR THE NEXT REGULAR MEETING ON APRIL 12, 2021, 7:00 PM FOR IW202105 – Patrick & Jenna McDermott owner/ James Holden, applicant, request for a permit to conduct regulated activity to relocate a wetland at 30 Ellsworth Lane, APN 118-004-0001.

VI. ADMINISTRATIVE BUSINESS:

1. Approval of the January 11, 2021 Regular Meeting Minutes.

MOVED (HOFFMAN) SECONDED (AUBE) AND PASSED UNANIMOUSLY TO APPROVE THE JANUARY 11, 2021 MEETING MINUTES AS WRITTEN.

2. Correspondence/Discussion:
 - a. Use of aerators on docks and walls within Crystal Lake.

Mr. Colonese referred to his memo to the Agency dated March 2, 2021. He said he has received inquiries regarding aerators being used on docks and walls in Crystal Lake. Generally, the inquiries have been about the aerators creating safety issues for individuals who want to partake in recreation on the lake. However, one inquiry questioned if the town's Wetlands Agency has oversight over the aerators. He noted that he received an email from Darcy Winther of the Inland Wetlands Management Program at the Connecticut DEEP regarding the issue.

Chairman Braga asked if any of the members see these devices within the scope of Wetlands Agency.

Commissioner Burns said she is on the Crystal Lake Association and as member of the association has reached out to various individuals that have placed the aerators in the lake. She noted the aerators are used to keep the water from freezing and damaging docks or retaining walls. Commissioner Burns stated she will continue to update the Agency with any pertinent information.

After a brief discussion, the Agency agreed that these devices as described are not regulated by the Wetlands Regulations.

b. CT DEEP Applications for Use of Pesticides in State Waters.

Mr. Colonese stated the Planning Department received notification of Connecticut DEEP Applications for Use of Pesticides in ponds at Chasseral Meadows, Ellington Ridge Country Club, and Autumn Chase.

VII. ADJOURNMENT:

**MOVED (AUBE) SECONDED (HOFFMAN) AND PASSED UNANIMOUSLY TO
ADJOURN THE MARCH 8, 2021 REGULAR MEETING OF THE INLAND WETLANDS
AGENCY AT 7:53 PM.**

Respectfully submitted,

Barbra Galovich, Recording Clerk