AUSTIN PUBLIC SCHOOLS INDIVIDUAL HEALTH CARE PLAN

School Year:____

Name			DOB:		Grade:			
DIAGNOSIS/CONDITION: DIABETES MELLITUS Age of onset:								
	Iunger or "butterfly feelings"	Headache		Blurred vision	Dizzy			
Stomachache, nausea, or		Shaky/tremblin	_	Sweaty or pale		Irritable		
Rapid heart rate		Unconsciousno		Weak/drowsy	Anxious			
D	Pry mouth- thirsty	Sleepy or faint	_	Inappropriate	Seizure			
	Severity of symptoms of	an change quickly, a	and rapidly	progress to a life-threat	ening situation!	! 		
	NEVER SEND STUDEN	NT WITH ANY OF	THE ABOV	E SYMPTOMS ANYW	HERE ALONI	<u> </u>		
Low	Blood Sugar: less than	, but <i>conscious</i>		Low Blood Sugar:	unconscious	S		
 Give 15 grams of carbohydrates (1/2 cup juice, ½ can regular pop or 3-4 glucose tabs) Wait 10 minutes Recheck blood sugar If still less than give 15 more grams of carbs 			Give instant glucose – please circle preferred choice Glucose Gel or Glucagon (only LSN/RN/LPN may give glucagon and there must be a physician's order at school)					
:	Wait 10 more minutes Recheck blood sugar Repeat until blood sugar is student may need a snack if the away. Return student to class	 Turn student on side Call 911 Call parent Stay with student Other: 						
	High Blood Sugar: more	than:						
	Check ketones							
	Offer drinks that do not contain carbohydrates (water, sugar free soda, crystal light)							
	Call parent							
	Other:							
	<u> </u>	se at mealtime: _		Date Issued:				
	ection Scale (Provide indications	for use)						
BS		=						
BS BS		= =						
BS		=						
BS		=						
BS								
BS BS		=						
	school routines/Classroom in	formation/Accom	modations	(to be filled out by health of	fice staff):	-		
	Lunch time:			•	,			
	Recess times (Elementary only)): AM	PM					
	Physical Education Elementary Time: Day			Days of the week:				
	Physical Education Secondary All year:1st Semester:2				Time of	f day:		
	Unlimited access to drinking water (if a container is needed it will be provided by the parent)							
	Bathroom privileges when medically necessary							
Blood sugar testing as needed Set testing times:								
	Regularly scheduled snacks, if applicable: AM PM							
	Re-take tests as needed for blood sugar imbalances							
	Other:	_						
	1							

AUSTIN PUBLIC SCHOOLS INDIVIDUAL HEALTH CARE PLAN

School Year:

Name:	DOB:	Grade:	

Equipment and supplies provided by parent:

- Blood sugar meter kit (includes all blood testing supplies for use at school)
- Insulin (in unopened original container)
- Ketosis

minutes or less before the end of the day.

- Glucagon if ordered by physician and the parent makes it available
- Fast acting carbohydrate drink and Glucose tablets or glucose gel product
- 5-6 pre-packaged snacks (crackers and cheese or peanut butter, etc.)
- Signed and dated sliding scales/bolus correction
- Storage location (to be filled out by health office staff):

Endus ansalus/ nouties (aboat all that annib)
Extra snacks/ parties (check all that apply):
Child will eat treat
Teacher/staff will notify parent prior to activity
Treat will be replaced with parent-supplied alternative
Schedule extra insulin per pre-arranged plan (parent must provide in writing what plan will be with their signatures and the date the plan is for)
Other

Students who ride the bus: If a low blood glucose episode occurs 30 minutes or less prior to departure, the designated staff or nurse (if in the building) will.
Call parent to inform of episode (regardless if blood glucose returns to normal or not)
Allow child to ride the bus home if blood glucose returns to normal
Call parent to pick up child (students will not be sent on the bus with a low blood glucose)
Other:
If student is totally independent in care it is the student's responsibility to alert staff of high or low blood glucose occurring 30 minutes or less before the end of the day.
Students who drive to school (high school only) (check all that apply)-If a low blood glucose episode occurs 30 minutes or less prior to departure student will:
Treat mild hypoglycemia, wait 10 minutes and retest. If blood glucose returns to normal student will drive home.
Call parent to inform of episode
Call parent to pick up student if blood sugar does not return to normal. *Students with low blood glucose or high blood glucose with a large amount of ketones will not be allowed to drive home.
<u> </u>
Other:
If the student is totally independent in care it is the student's responsibility to alert staff of high or low blood sugar occurring 30

Field	Trips
	Totally Independent
	Parent accompanies child on field trip
	Other:

AUSTIN PUBLIC SCHOOLS INDIVIDUAL HEALTH CARE PLAN School Year:____

Name:	DOB:	Grade:	

Name.		DOD.		Gi	auc.		
Please put an X in the box that best desc marked as independent an RN or LSN from the						ity is	
In order for activity to be marked as in	depende	nt student must b	e able to perform ta	sk without rem	inders or assista	nce	
Syringe/Pen			Does it independently	Does it with supervision		Health staff performs	
Washes hands					1		
Puts strip in monitor							
Pricks finger: How often is lancet changed							
Reads monitor							
Records results							
Able to calculate amount of insulin based on re	sults						
If student uses syringe , able to prepare syringe amount of insulin. If student uses pen , able to prime and dial corrular training pen is student able to change the interpretation of the system of the student insulin injection site.							
Selects insulin injection site Does student clean site with alcohol?	Zes (or No					
Injects insulin							
If needed measures for Ketones							
			•	'		•	
Health Care Provider:	Clinic:	Phone:					
Hospital:			Phone:				
Person to Contact 1.		elationship	Home Ph	Home Phone		Work/Alt. Phone	
2.							
3.							
Parent Signature:			Date:				
OFFICE USE ONLY							
Plan Initiated by:	Date	:					
Plan Reviewed/Updated by:	Date						
		Date	:				

If 911 is needed – get a phone line, dial 9-911 (from a school phone) – Notify office when 911 is called.