

### DARIEN PUBLIC SCHOOL DISTRICT

HIGH SCHOOL WALK ZONE RADIUS ANALYSIS

SCHOOL BUS LOGISTICS

Date: December 8, 2020

**Presented by Rob Jacobus** 







#### **PROJECT OBJECTIVES**

- Impacts of moving the high school walk zone from 2 miles down to a 1.75-mile walk radius
- Impacts of moving the high school walk zone from 2 miles down to a 1.5-mile walk radius
- Impacts of moving the high school walk zone from 2 miles down to a 1-mile walk radius

Scenario was evaluated for the following:

- How many buses needed to add additional high school riders for all three options
- Impact of Bell Time Changes



### **RECENT PROJECTS**



Jeffco Schools-Golden, CO Cherry Creek Schools- Greenwood Village, CO Boulder Valley- Boulder, CO Tahoe Truckee Unified- Tahoe, CA West County Transit- Santa Rosa, CA Fremont Unified- Fremont, CA Littleton Public- Littleton, CO Cumberland Schools- Cumberland, RI Holyoke Public Schools- Holyoke, MA New Canaan Public Schools, CT Current bell structure allows school buses to be used multiple times- best possible outcome



A run is a segment or leg of a route. A route is a compilation of runs (morning & afternoon) that make up the entire route for the day for a particular driver and bus

Currently the district operates a three-tier bell system. First bus runs are for the high school and middle school. The 2<sup>nd</sup> bus run services Hindley, Royle and Tokeneke Elementary schools. The last segment of the routes are for Holmes and Ox Ridge Elementary schools. As of the 2020-21 school year the district operates 25 bus routes.



## Sample Fleet Schedule



6am	7am	8am	9am	10am	11am	12pm	1pm	2pm	3pm	4pm	5pm	6pm
	100 A 10	HL						(1140)	H			
		I HL						045	HI HI			
	TO	)K OX Q				j.		i nes	TOK OX			
	TO	) XO						DHE	TOF OX			
		RQ Q						L H H H	RO O			
		RC OX (						0.85	RC OX	0		
	MSN TO					[		MS			_	
	MSN	TO: 0X		_				MS			_	
	MSN	H						M			_	
	MSM 1	TO OX	_						M TOLOX		_	_
	M	HN OX1				_		M			_	_
	MSM 1	TOH							МТОК			
		HI HI				_		M	HI HL	and the state		_
		TOI HLI			_	_		MS			_	
	Contraction of the local division of the loc	RC OX1			_				RC 0>		_	_
		RC OX			_	_		MS			_	_
_	MS	TO		_	_			MS			_	
	MSI R		_	_	_	_	_		N RO' HI		_	
			_		_	_	_	MS	and the second s	-		_
	MSM R	The second division of		_	_	_	-	M		_	_	_
	MSM	HL		_	_	_		MS				_
	MSM	l ox						MS				



#### **Darien High School Students Bus Eligible vs. Actual Riders**

	Route	Eligible	Actual	Percent
-	01	116	61	52%
	02	108	69	63%
	03	88	27	30%
-	04	100	35	35%
	05	76	29	38%
	06	74	58	78%
	18	64	22	34%
_	24	84	49	58%

Table 1 – High School Load Counts by Route

\*snapshot of data from November 2019

#### **Option 1 – Walk Radius from 2 miles down to 1.75 miles**

 Option 1- Moving walk zone distance down to 1.75 miles increases 1 full bus route SCHOOL BUS

• 100 new eligible high school riders

#### **Option 2 – Walk Radius from 2 miles down to 1.5 miles**

- Option 2- Moving walk zone distance down to 1.5 miles increases to 2 full bus routes
- 180 new eligible high school riders

#### **Option 3 – Walk Radius from 2 Miles down to 1 mile**

- Option 3- Moving walk zone distances down to 1-mile increases to 7 full bus routes
- 495 new eligible high school riders

\*assumption that not all eligible riders take the bus- percentage is used for each area \*opt-in transportation is best used for planning purposes

# SCHOOL BUS

#### **Option 4 – Bell Time Changes- Elementary**

- Option 4- Moving ALL elementary schools to the same tier increases to 2 full bus routes
- Getting Creative with Bell Times- Royle Elementary
- Express Routes for High School
  - buses would run a 1<sup>st</sup> bus run to proposed new express stops and return back to the high school 25-30 minutes later to take home more high school students

#### **Option 5 – Bell Time Changes- Elementary & Moving High School Walk Zone**

- Moves High School walk zone down to 1.5 miles radius
- Moves ALL elementary schools to the same bell schedule
- Increases 2 full bus routes



#### **Evaluating Load Counts for Elementary Schools**

Current Bus Runs	School	Actual Rider Counts	Bus Runs Needed	Runs Reduced
9	Hindley	397	7	2
8	Holmes	330	5	3
8	Tokeneke	317	5	3
11	Ox Ridge	321	5	6
7	Royle	224	4	3
TOTAL 43			26	17

Table 2 – Elementary Load Counts by School

- Why 43 buses needed now
- Why 26 buses needed if only one tier

## Walk Zones

SCHOOL BUS	
LOGISTICS	

DISTRICT NAME	ZONES	
DARIEN PUBLIC SCHOOLS	K–5 = 1/2 MILE: 6–8 = 1 MILE: 9–12 = 2 MILES	
WILTON PUBLIC SCHOOLS	WALK DISTANCE TO BUS STOP: K-5 = 1/2 MILE; 6-12 = 1 MILE	
STAMFORD PUBLIC SCHOOLS	K-5 = 1 MILE; 6-8 = 1.5 MILES; 9-12 = 2 MILES	
NEW CANAAN PUBLIC SCHOOLS	K-4 = 1/2 MILE; 5-6 = 2/3 MILE (OR .67); 7-12 = 1 MILE	
FAIRFIELD PUBLIC SCHOOLS	ES = 3/4 MILE; MS = 1 MILE; HS = 1.5 MILES	
RIDGEFIELD PUBLIC SCHOOLS	THIS INCLUDES HOME TO STOP AND HOME TO SCHOOL: K-5 = 1 MILE; 6-8 = 1.5 MILES; 9-12 = 2 MILES	
WESTON PUBLIC SCHOOLS	K-5 = .25 MILES; MS & HS(6-12) = .50 MILES	
GREENWICH PUBLIC SCHOOLS	ES = 1 MILE; MS = 1.5 MILES; HS = 2 MILES	



# **QUESTIONS?**