



School Radon Testing Reporting Form

General Instructions

According to MS 123B.571, radon testing conducted in public school buildings eligible for health and safety (i.e., not charter schools) must be reported to the Minnesota Department of Health.

For the purpose of this form, a building is defined as an occupied facility that has a unique address, including administrative buildings. A building could be a single structure or a complex of structures. For reference, all district owned buildings entered on the Minnesota Department of Education "Facilities Age and Square Footage Report" should be utilized.

Please submit information about the most recent round or cycle of testing conducted for each building, unless this was already reported to MDH in the 4/4/11 survey. We do not need details of prior rounds of testing.

1. Submit summary information and raw data if either of the following apply:
 - a. Radon testing has been completed in a building since the MDH 'School Radon Testing Survey' dated April 4, 2011, or
 - b. Radon testing was completed at some time previously and your district did not report radon testing in the MDH 'School Radon Testing Survey' dated April 4, 2011.
2. Complete one survey for each building tested
3. Submit the survey, raw data (e.g., laboratory analysis report) and a building map to MDH by email, to health.indoorair@state.mn.us
4. If follow-up testing, mitigation, and/or post-mitigation testing is not yet completed, please submit a completed form and raw data when the work is completed.

Contact Person for this Form

Name: DAMIEN NELSON

Phone: 651-475-6294

Email: dnelson6@sowashco.org

Mailing Address: 7367 E. Point Douglas Rd. S.

Cottage Grove, MN 55016

Radon Results for Each School Building

- 1. District Name & Number: South Washington County - ISD/833
- 2. School Building Name: District program Center
- 3. School Building Address: 8400 East point Douglas Rd. S. Cottage grove, MN 55016
- 4. What type of test kit was used? Manufacturer: Acrostar Device name: Scintillation

Comments: N/A

- 5. When were the test kits retrieved? MARCH - 2018 (month/year)
More than one date can be entered if parts of buildings were tested at different times

Comments: N/A

- 6. How long were the test kits deployed in the rooms? 2 (days)
More than one number can be noted if durations varied

Comments: N/A

- 7. Was testing conducted over:
a. Weekends? Yes ___ No b. Holidays or Breaks? Yes ___ No

Comments: N/A

- 8. Were all frequently-occupied rooms in contact with the ground tested? Yes No ___
This includes: 1) rooms on grade and; 2) rooms above unoccupied spaces that are in contact with the ground, such as rooms above storage rooms, crawl spaces, tunnels, and boiler rooms. If only a sample or portion of rooms were tested, then respond with 'no'.

Comments: N/A

- 9. How many frequently-occupied rooms were tested? 27

Comments: _____

- 10. How many frequently-occupied rooms were at or above four picocuries per liter (≥ 4 pCi/L)? 0

Comments: N/A

- 11. Were test results reported at a school board meeting? Yes No ___
If results will be reported at the next meeting, note in comments the month and year of the scheduled meeting in the comments section.

Comments: APRIL - 2018

If one or more rooms ≥ 4 pCi/L, complete Questions 12-14.

12. How many of the rooms ≥ 4 pCi/L had follow-up testing results that were:

a. ≥ 4 pCi/L _____ b. < 4 pCi/L _____ c. not tested _____

'Follow-up' testing means testing done, prior to any radon mitigation, to confirm or verify initial test results in those rooms ≥ 4 pCi/L are, in fact, ≥ 4 pCi/L. If a continuous radon monitor (CRM) was used, indicate concentration during occupied times. If no follow-up testing was done, write the number of rooms not tested. If follow-up testing will be done in the future, note in comments the planned month and year in the comments section.

Comments: _____

13. How many of the rooms ≥ 4 pCi/L:

a. were mitigated? _____ b. had other corrective measures? _____

'Mitigated' means building changes such as adjusting the existing HVAC system, increasing fresh air ventilation rate, balancing air flow to rooms, or other such modifications. 'Other corrective measures' could include moving staff out of a room and making a room unoccupied or trying to seal radon entry points. If mitigation or other corrective measure(s) will be completed in the future, note in comments the planned month and year in the comments section.

Comments: _____

14. How many rooms re-tested after mitigation were:

a. ≥ 4 pCi/L _____ b. < 4 pCi/L _____ c. not tested _____

If post-mitigation re-testing will be completed in the future, note the planned month and year in the comments section.

Comments: _____

N/A

NELAC NY 11769
NRPP 101193 AL
NRSB ARL0017

EPA Method #402-R-92-004
Liquid Scintillation
NRPP Device Code 8088
NRSB Device Code 12193

Laboratory Report for:

Property Tested: Project # 18-01-02

Damien Nelson
South Washington County Schools
7362 East Point Douglas Road South
Cottage Grove MN 55016

District Program Center
8400 East Point Douglas Road South
Cottage Grove MN 55016


Log Number	Device Number	Test Exposure Duration:		Area Tested	Result pCi/L
2249586	3687438	03/13/2018 10:40 am	03/15/2018 10:43 am	Bldg. DPC Floor 1 Room 103	< 0.4
2249587	3687437	03/13/2018 10:41 am	03/15/2018 10:44 am	Bldg. DPC Floor 1 Main Office	< 0.4
2249588	3687439	03/13/2018 10:42 am	03/15/2018 10:45 am	Bldg. DPC Floor 1 Room 104	< 0.4
2249589	3687440	03/13/2018 10:43 am	03/15/2018 10:45 am	Bldg. DPC Floor 1 Room 105	< 0.4
2249590	3687441	03/13/2018 10:44 am	03/15/2018 10:46 am	Bldg. DPC Floor 1 Room 106	< 0.4
2249591	3687442	03/13/2018 10:45 am	03/15/2018 10:46 am	Bldg. DPC Floor 1 Room 107	< 0.4
2249592	3687443	03/13/2018 10:46 am	03/15/2018 10:47 am	Bldg. DPC Floor 1 Room 108	< 0.4
2249593	3687444	03/13/2018 10:47 am	03/15/2018 10:48 am	Bldg. DPC Floor 1 Room 110	< 0.4
2249594	3687445	03/13/2018 10:47 am	03/15/2018 10:49 am	Bldg. DPC Floor 1 Room 111	< 0.4
2249595	3687446	03/13/2018 10:48 am	03/15/2018 10:49 am	Bldg. DPC Floor 1 Room 112	< 0.4
2249596	3687447	03/13/2018 10:49 am	03/15/2018 10:50 am	Bldg. DPC Floor 1 Room 113	< 0.4

Comment: Confidential: Release results to client only South Washington County Schools was emailed a copy of this report.

Test Performed By: Wendy German

Distributed by: South Washington County Schools

Date Received: 03/20/2018 Date Logged: 03/20/2018 Date Analyzed: 03/21/2018 Date Reported: 03/21/2018

Report Reviewed By: 

Report Approved By: 

Disclaimer:

The uncertainty of this radon measurement is +/- 10 %. Factors contributing to uncertainty include statistical variations, daily and seasonal variations in radon concentrations, sample collection techniques and operation of the dwelling. Interference with test conditions may influence the test results.

This report may only be transferred to a third party in its entirety. Analytical results relate to the samples AS RECEIVED BY THE LABORATORY. Results shown on this report represent levels of radon gas measured between the dates shown in the room or area of the site identified above as "Property Tested". Incorrect information will affect results. The results may not be construed as either predictive or supportive of measurements conducted in any area of this structure at any other time. AccuStar Labs, its employees and agents are not responsible for the consequences of any action taken or not taken based upon the results reported or any verbal or written interpretation of the results.

NELAC NY 11769
NRPP 101193 AL
NRSB ARL0017

EPA Method #402-R-92-004
Liquid Scintillation
NRPP Device Code 8088
NRSB Device Code 12193

Laboratory Report for:

Property Tested: Project # 18-01-02

Damien Nelson
South Washington County Schools
7362 East Point Douglas Road South
Cottage Grove MN 55016

District Program Center
8400 East Point Douglas Road South
Cottage Grove MN 55016


Log Number	Device Number	Test Exposure Duration:		Area Tested	Result pCi/L
2249597	3687448	03/13/2018 10:50 am	03/15/2018 10:51 am	Bldg. DPC Floor 1 Room 115	0.4
2249598	3687449	03/13/2018 10:51 am	03/15/2018 10:52 am	Bldg. DPC Floor 1 Room 116	0.5
2249599	3687450	03/13/2018 10:52 am	03/15/2018 10:53 am	Bldg. DPC Floor 1 Room 118	0.4
2249600	3687451	03/13/2018 10:54 am	03/15/2018 10:54 am	Bldg. DPC Floor 1 Room 124	0.5
2249601	3687452	03/13/2018 10:56 am	03/15/2018 10:56 am	Bldg. DPC Floor 1 Room 125	< 0.4
2249602	3687453	03/13/2018 10:57 am	03/15/2018 10:57 am	Bldg. DPC Floor 1 Room 126	0.8
2249603	3687454	03/13/2018 10:58 am	03/15/2018 10:58 am	Bldg. DPC Floor 1 Room 128	0.7
2249604	3687455	03/13/2018 10:59 am	03/15/2018 10:59 am	Bldg. DPC Floor 1 Room 130	0.7
2249605	3687456	03/13/2018 11:00 am	03/15/2018 11:00 am	Bldg. DPC Floor 1 Room 132	0.6


Comment: Confidential: Release results to client only South Washington County Schools was emailed a copy of this report.

Test Performed By: Wendy German

Distributed by: South Washington County Schools

Date Received: 03/20/2018 Date Logged: 03/20/2018 Date Analyzed: 03/21/2018 Date Reported: 03/21/2018

Report Reviewed By: 

Report Approved By: 

Disclaimer:

The uncertainty of this radon measurement is +/- 10 %. Factors contributing to uncertainty include statistical variations, daily and seasonal variations in radon concentrations, sample collection techniques and operation of the dwelling. Interference with test conditions may influence the test results.

Shawn Price, Director of Laboratory Operations, AccuStar Labs

This report may only be transferred to a third party in its entirety. Analytical results relate to the samples AS RECEIVED BY THE LABORATORY. Results shown on this report represent levels of radon gas measured between the dates shown in the room or area of the site identified above as "Property Tested". Incorrect information will affect results. The results may not be construed as either predictive or supportive of measurements conducted in any area of this structure at any other time. AccuStar Labs, its employees and agents are not responsible for the consequences of any action taken or not taken based upon the results reported or any verbal or written interpretation of the results.

NELAC NY 11769
NRPP 101193 AL
NRSB ARL0017

EPA Method #402-R-92-004
Liquid Scintillation
NRPP Device Code 8088
NRSB Device Code 12193

Laboratory Report for:

Property Tested: Project # 18-01-02

Damien Nelson
7362 East Point Douglas Road South
Cottage Grove MN 55016

District Program Center
8400 East Point Douglas Road South
Cottage Grove MN 55016

Log Number	Device Number	Test Exposure Duration:			Area Tested	Result pCi/L
2249635	3687457	03/13/2018	11:02 am	03/15/2018 11:02 am	Bldg. DPC Floor 1 Room 137	0.5
2249636	3687459	03/13/2018	11:02 am	03/15/2018 11:03 am	Bldg. DPC Floor 1 Room 138	0.5
2249637	3687460	03/13/2018	11:06 am	03/15/2018 11:07 am	Bldg. DPC Floor 1 Special Services	< 0.4
2249638	3687470	03/13/2018	11:07 am	03/15/2018 11:07 am	Bldg. DPC Floor 1 Room 123	0.5
2249639	3687469	03/13/2018	11:08 am	03/15/2018 11:09 am	Bldg. DPC Floor 1 Room 136	< 0.4
2249640	3687468	03/13/2018	11:10 am	03/15/2018 11:11 am	Bldg. DPC Floor 1 Comm Ed Offices	0.5
2249641	3687458	03/13/2018	11:02 am	03/15/2018 11:05 am	Bldg. DPC Floor 1 Room 127	0.5

Comment: Confidential: Release results to client only South Washington County Schools was emailed a copy of this report.

Test Performed By: Wendy German

Distributed by: South Washington County Schools

Date Received: 03/20/2018 Date Logged: 03/20/2018 Date Analyzed: 03/21/2018 Date Reported: 03/21/2018

Report Reviewed By: Michael Cleveland

Report Approved By: Shawn Price

Disclaimer:

Shawn Price, Director of Laboratory Operations, AccuStar Labs

The uncertainty of this radon measurement is +/- 10 %. Factors contributing to uncertainty include statistical variations, daily and seasonal variations in radon concentrations, sample collection techniques and operation of the dwelling. Interference with test conditions may influence the test results.

This report may only be transferred to a third party in its entirety. Analytical results relate to the samples AS RECEIVED BY THE LABORATORY. Results shown on this report represent levels of radon gas measured between the dates shown in the room or area of the site identified above as "Property Tested". Incorrect information will affect results. The results may not be construed as either predictive or supportive of measurements conducted in any area of this structure at any other time. AccuStar Labs, its employees and agents are not responsible for the consequences of any action taken or not taken based upon the results reported or any verbal or written interpretation of the results.