



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6G0541

Jeferson-Lewis-Hamilton-Herkimer-Oneida BOCES

Project Name: W. High

Fred Hauck
20104 NYS Route 3
Watertown, NY 13601

Project / PO Number: N/A
Received: 07/12/2016 12:30
Reported: 07/31/2016 13:49

Analytical Testing Parameters

Client Sample ID: 39-2
Lab Sample ID: J6G0541-01
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 07:23

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	0.010	0.015	0.0050	mg/L		07/25/16 1639	07/26/16 1826

Analytical Testing Parameters

Client Sample ID: 12-1
Lab Sample ID: J6G0541-02
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:37

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	0.015	0.015	0.0050	mg/L	G	07/25/16 1639	07/26/16 1827

Analytical Testing Parameters

Client Sample ID: 12-2
Lab Sample ID: J6G0541-03
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:38

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.0050	0.015	0.0050	mg/L		07/25/16 1639	07/26/16 1829



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6G0541

Analytical Testing Parameters

Client Sample ID: 40
Lab Sample ID: J6G0541-04
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 13:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.0050, 0.015, 0.0050, mg/L, 07/25/16 1639, 07/26/16 1831

Analytical Testing Parameters

Client Sample ID: 41
Lab Sample ID: J6G0541-05
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 13:35

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.0050, 0.015, 0.0050, mg/L, 07/25/16 1639, 07/26/16 1832

Analytical Testing Parameters

Client Sample ID: 23-1
Lab Sample ID: J6G0541-06
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:21

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.0054, 0.015, 0.0050, mg/L, 07/25/16 1639, 07/26/16 1837



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6G0541

Analytical Testing Parameters

Client Sample ID: 23-2
Lab Sample ID: J6G0541-07
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:22

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.0078, 0.015, 0.0050, mg/L, 07/25/16 1639, 07/26/16 1838

Analytical Testing Parameters

Client Sample ID: 20-1
Lab Sample ID: J6G0541-08
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:10

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.0090, 0.015, 0.0050, mg/L, 07/25/16 1639, 07/26/16 1840

Analytical Testing Parameters

Client Sample ID: 20-2
Lab Sample ID: J6G0541-09
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:11

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, <0.0050, 0.015, 0.0050, mg/L, 07/25/16 1639, 07/26/16 1845



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6G0541

Analytical Testing Parameters

Client Sample ID: 9-1
Lab Sample ID: J6G0541-10
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:33

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.011, 0.015, 0.0050, mg/L, 07/25/16 1639, 07/26/16 1846

Analytical Testing Parameters

Client Sample ID: 9-2
Lab Sample ID: J6G0541-11
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:34

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.017, 0.015, 0.0050, mg/L, G, 07/25/16 1642, 07/26/16 1931

Analytical Testing Parameters

Client Sample ID: 8-1
Lab Sample ID: J6G0541-12
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:41

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, <0.0050, 0.015, 0.0050, mg/L, 07/25/16 1642, 07/26/16 1933



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6G0541

Analytical Testing Parameters

Client Sample ID: 8-2
Lab Sample ID: J6G0541-13
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:42

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.0050, 0.015, 0.0050, mg/L, 07/25/16 1642, 07/26/16 1934.

Analytical Testing Parameters

Client Sample ID: 22-1
Lab Sample ID: J6G0541-14
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:14

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.0050, 0.015, 0.0050, mg/L, 07/25/16 1642, 07/26/16 1936.

Analytical Testing Parameters

Client Sample ID: 22-2
Lab Sample ID: J6G0541-15RE1
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:15

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.0055, 0.015, 0.0050, mg/L, 07/25/16 1642, 07/27/16 1107.



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6G0541

Analytical Testing Parameters

Client Sample ID: 14-1
Lab Sample ID: J6G0541-16
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:18

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.013, 0.015, 0.0050, mg/L, 07/25/16 1642, 07/26/16 1945

Analytical Testing Parameters

Client Sample ID: 14-2
Lab Sample ID: J6G0541-17
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:19

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.021, 0.015, 0.0050, mg/L, G, 07/25/16 1642, 07/26/16 1947

Analytical Testing Parameters

Client Sample ID: 24-1
Lab Sample ID: J6G0541-18
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:46

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.015, 0.015, 0.0050, mg/L, G, 07/25/16 1642, 07/26/16 1949



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6G0541

Analytical Testing Parameters

Client Sample ID: 24-2
Lab Sample ID: J6G0541-19
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:47

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.017, 0.015, 0.0050, mg/L, G, 07/25/16 1642, 07/26/16 1950

Analytical Testing Parameters

Client Sample ID: 18-1
Lab Sample ID: J6G0541-20
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:05

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.0081, 0.015, 0.0050, mg/L, 07/25/16 1642, 07/26/16 1952

Analytical Testing Parameters

Client Sample ID: 18-2
Lab Sample ID: J6G0541-21
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:06

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, <0.0050, 0.015, 0.0050, mg/L, 07/25/16 1642, 07/26/16 1953



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6G0541

Analytical Testing Parameters

Client Sample ID: 30-1
Lab Sample ID: J6G0541-22
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:47

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.0050, 0.015, 0.0050, mg/L, 07/25/16 1642, 07/26/16 1955.

Analytical Testing Parameters

Client Sample ID: 30-2
Lab Sample ID: J6G0541-23
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:48

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.0050, 0.015, 0.0050, mg/L, 07/25/16 1642, 07/26/16 2000.

Analytical Testing Parameters

Client Sample ID: 33-1
Lab Sample ID: J6G0541-24
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 07:07

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.11, 0.015, 0.0050, mg/L, GE, 07/25/16 1642, 07/26/16 2001.



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6G0541

Analytical Testing Parameters

Client Sample ID: 33-2
Lab Sample ID: J6G0541-25
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 07:08

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.024, 0.015, 0.0050, mg/L, G, 07/25/16 1642, 07/26/16 2003

Analytical Testing Parameters

Client Sample ID: 17-1
Lab Sample ID: J6G0541-26
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:24

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.0066, 0.015, 0.0050, mg/L, , 07/25/16 1642, 07/26/16 2007

Analytical Testing Parameters

Client Sample ID: 17-2
Lab Sample ID: J6G0541-27
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:25

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.0059, 0.015, 0.0050, mg/L, , 07/25/16 1642, 07/26/16 2009



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6G0541

Analytical Testing Parameters

Client Sample ID: 26-1
Lab Sample ID: J6G0541-28
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:51

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.0078, 0.015, 0.0050, mg/L, 07/25/16 1642, 07/26/16 2011

Analytical Testing Parameters

Client Sample ID: 26-2
Lab Sample ID: J6G0541-29
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:52

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.013, 0.015, 0.0050, mg/L, 07/25/16 1642, 07/26/16 2012

Analytical Testing Parameters

Client Sample ID: 19-1
Lab Sample ID: J6G0541-30
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:08

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.0088, 0.015, 0.0050, mg/L, 07/25/16 1642, 07/26/16 2014



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6G0541

Analytical Testing Parameters

Client Sample ID: 19-2
Lab Sample ID: J6G0541-31
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:09

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, <0.0050, 0.015, 0.0050, mg/L, 07/25/16 1642, 07/26/16 2018

Analytical Testing Parameters

Client Sample ID: 16-1
Lab Sample ID: J6G0541-32
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:16

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, <0.0050, 0.015, 0.0050, mg/L, 07/25/16 1642, 07/26/16 2020

Analytical Testing Parameters

Client Sample ID: 16-2
Lab Sample ID: J6G0541-33
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:17

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.0070, 0.015, 0.0050, mg/L, 07/25/16 1642, 07/26/16 2021



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6G0541

Analytical Testing Parameters

Client Sample ID: 5-1
Lab Sample ID: J6G0541-34
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:59

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, <0.0050, 0.015, 0.0050, mg/L, 07/25/16 1642, 07/26/16 2023

Analytical Testing Parameters

Client Sample ID: 5-2
Lab Sample ID: J6G0541-35
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, <0.0050, 0.015, 0.0050, mg/L, 07/25/16 1642, 07/26/16 2024

Analytical Testing Parameters

Client Sample ID: 10-1
Lab Sample ID: J6G0541-36
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:36

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.0065, 0.015, 0.0050, mg/L, 07/25/16 1642, 07/26/16 2029



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6G0541

Analytical Testing Parameters

Client Sample ID: 10-2
Lab Sample ID: J6G0541-37
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:37

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.0050, 0.015, 0.0050, mg/L, 07/25/16 1642, 07/26/16 2030.

Analytical Testing Parameters

Client Sample ID: 21-1
Lab Sample ID: J6G0541-38
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:12

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.0050, 0.015, 0.0050, mg/L, 07/25/16 1642, 07/26/16 2032.

Analytical Testing Parameters

Client Sample ID: 21-2
Lab Sample ID: J6G0541-39
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:13

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.0050, 0.015, 0.0050, mg/L, 07/25/16 1642, 07/26/16 2037.



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6G0541

Analytical Testing Parameters

Client Sample ID: 31-1
Lab Sample ID: J6G0541-40
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:44

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.020, 0.015, 0.0050, mg/L, G, 07/26/16 1702, 07/27/16 1113

Analytical Testing Parameters

Client Sample ID: 31-2
Lab Sample ID: J6G0541-41
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:45

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.031, 0.015, 0.0050, mg/L, G, 07/26/16 1702, 07/27/16 1114

Analytical Testing Parameters

Client Sample ID: 27-1
Lab Sample ID: J6G0541-42
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:49

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.0067, 0.015, 0.0050, mg/L, 07/26/16 1702, 07/27/16 1116



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6G0541

Analytical Testing Parameters

Client Sample ID: 27-2
Lab Sample ID: J6G0541-43
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:50

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.010, 0.015, 0.0050, mg/L, 07/26/16 1702, 07/27/16 1117

Analytical Testing Parameters

Client Sample ID: 25-1
Lab Sample ID: J6G0541-44
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:45

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, <0.0050, 0.015, 0.0050, mg/L, 07/26/16 1702, 07/27/16 1122

Analytical Testing Parameters

Client Sample ID: 25-2
Lab Sample ID: J6G0541-45
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:46

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, <0.0050, 0.015, 0.0050, mg/L, 07/26/16 1702, 07/27/16 1124



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6G0541

Analytical Testing Parameters

Client Sample ID: 28-1
Lab Sample ID: J6G0541-46
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:52

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, <0.0050, 0.015, 0.0050, mg/L, 07/26/16 1702, 07/27/16 1128

Analytical Testing Parameters

Client Sample ID: 28-2
Lab Sample ID: J6G0541-47
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:53

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, <0.0050, 0.015, 0.0050, mg/L, 07/26/16 1702, 07/27/16 1130

Analytical Testing Parameters

Client Sample ID: 34-1
Lab Sample ID: J6G0541-48
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 07:09

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.87, 0.015, 0.0050, mg/L, GE, 07/27/16 0855, 07/27/16 1634



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6G0541

Analytical Testing Parameters

Client Sample ID: 34-2
Lab Sample ID: J6G0541-49
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 07:10

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.056, 0.015, 0.0050, mg/L, G, 07/26/16 1702, 07/27/16 1131

Analytical Testing Parameters

Client Sample ID: 4-1
Lab Sample ID: J6G0541-50
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 07:05

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.017, 0.015, 0.0050, mg/L, G, 07/26/16 1702, 07/27/16 1133

Analytical Testing Parameters

Client Sample ID: 4-2
Lab Sample ID: J6G0541-51
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 07:06

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.021, 0.015, 0.0050, mg/L, G, 07/26/16 1702, 07/27/16 1134



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6G0541

Analytical Testing Parameters

Client Sample ID: 29-1
Lab Sample ID: J6G0541-52
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:54

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.0074, 0.015, 0.0050, mg/L, 07/26/16 1702, 07/27/16 1136

Analytical Testing Parameters

Client Sample ID: 29-2
Lab Sample ID: J6G0541-53
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:55

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.0087, 0.015, 0.0050, mg/L, 07/26/16 1702, 07/27/16 1140

Analytical Testing Parameters

Client Sample ID: 15-1
Lab Sample ID: J6G0541-54
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:29

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.023, 0.015, 0.0050, mg/L, G, 07/26/16 1702, 07/27/16 1142



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6G0541

Analytical Testing Parameters

Client Sample ID: 15-2
Lab Sample ID: J6G0541-55
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.0057, 0.015, 0.0050, mg/L, 07/26/16 1702, 07/27/16 1143

Analytical Testing Parameters

Client Sample ID: 7-1
Lab Sample ID: J6G0541-56
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 07:21

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.013, 0.015, 0.0050, mg/L, 07/26/16 1702, 07/27/16 1148

Analytical Testing Parameters

Client Sample ID: 7-2
Lab Sample ID: J6G0541-57
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 07:22

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.024, 0.015, 0.0050, mg/L, G, 07/26/16 1702, 07/27/16 1149



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6G0541

Analytical Testing Parameters

Client Sample ID: 3-1
Lab Sample ID: J6G0541-58
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:56

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.0058, 0.015, 0.0050, mg/L, 07/26/16 1702, 07/27/16 1151

Analytical Testing Parameters

Client Sample ID: 3-2
Lab Sample ID: J6G0541-59
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:57

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.0060, 0.015, 0.0050, mg/L, 07/26/16 1702, 07/27/16 1152

Analytical Testing Parameters

Client Sample ID: 13-1
Lab Sample ID: J6G0541-60
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:32

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, <0.0050, 0.015, 0.0050, mg/L, 07/26/16 1702, 07/27/16 1154



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6G0541

Analytical Testing Parameters

Client Sample ID: 13-2
Lab Sample ID: J6G0541-61
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:33

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, <0.0050, 0.015, 0.0050, mg/L, 07/26/16 1702, 07/27/16 1159

Analytical Testing Parameters

Client Sample ID: 11-1
Lab Sample ID: J6G0541-62
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:39

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, <0.0050, 0.015, 0.0050, mg/L, 07/26/16 1702, 07/27/16 1200

Analytical Testing Parameters

Client Sample ID: 11-2
Lab Sample ID: J6G0541-63
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:40

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, <0.0050, 0.015, 0.0050, mg/L, 07/26/16 1702, 07/27/16 1202



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6G0541

Analytical Testing Parameters

Client Sample ID: 35-1
Lab Sample ID: J6G0541-64
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 07:13

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, <0.0050, 0.015, 0.0050, mg/L, 07/26/16 1702, 07/27/16 1203

Analytical Testing Parameters

Client Sample ID: 35-2
Lab Sample ID: J6G0541-65
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 07:14

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, <0.0050, 0.015, 0.0050, mg/L, 07/26/16 1702, 07/27/16 1205

Analytical Testing Parameters

Client Sample ID: 37-1
Lab Sample ID: J6G0541-66
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 07:16

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, <0.0050, 0.015, 0.0050, mg/L, 07/26/16 1702, 07/27/16 1209



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6G0541

Analytical Testing Parameters

Client Sample ID: 37-2
Lab Sample ID: J6G0541-67
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 07:17

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.0050, 0.015, 0.0050, mg/L, 07/26/16 1702, 07/27/16 1211

Analytical Testing Parameters

Client Sample ID: 38-1
Lab Sample ID: J6G0541-68
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 07:19

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.0050, 0.015, 0.0050, mg/L, 07/27/16 1638, 07/28/16 0927

Analytical Testing Parameters

Client Sample ID: 38-2
Lab Sample ID: J6G0541-69
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 07:20

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.0050, 0.015, 0.0050, mg/L, 07/26/16 1705, 07/27/16 1212



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6G0541

Analytical Testing Parameters

Client Sample ID: 2-1
Lab Sample ID: J6G0541-70
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 07:02

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, <0.0050, 0.015, 0.0050, mg/L, 07/26/16 1705, 07/27/16 1217

Analytical Testing Parameters

Client Sample ID: 2-2
Lab Sample ID: J6G0541-71
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 07:03

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, <0.0050, 0.015, 0.0050, mg/L, 07/26/16 1705, 07/27/16 1218

Analytical Testing Parameters

Client Sample ID: 6-1
Lab Sample ID: J6G0541-72
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 07:01

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.0083, 0.015, 0.0050, mg/L, 07/26/16 1705, 07/27/16 1220



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6G0541

Analytical Testing Parameters

Client Sample ID: 6-2
Lab Sample ID: J6G0541-73
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 07:02

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.0068, 0.015, 0.0050, mg/L, 07/26/16 1705, 07/27/16 1221

Analytical Testing Parameters

Client Sample ID: 36-1
Lab Sample ID: J6G0541-74
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 07:12

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, <0.0050, 0.015, 0.0050, mg/L, 07/26/16 1705, 07/27/16 1223

Analytical Testing Parameters

Client Sample ID: 36-2
Lab Sample ID: J6G0541-75
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 07:13

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, <0.0050, 0.015, 0.0050, mg/L, 07/26/16 1705, 07/27/16 1224



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6G0541

Analytical Testing Parameters

Client Sample ID: 32-1
Lab Sample ID: J6G0541-76
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 06:59

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.0050, 0.015, 0.0050, mg/L, 07/26/16 1705, 07/27/16 1229

Analytical Testing Parameters

Client Sample ID: 32-2
Lab Sample ID: J6G0541-77
Sample Type: Grab

Collected By: RF-Client
Collection Date: 07/06/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.0050, 0.015, 0.0050, mg/L, 07/26/16 1705, 07/27/16 1230

Laboratory

NY: Microbac Laboratories, Inc., New York Division

Definitions

- AL: Action Level
E: Estimated result
MDL: Minimum Detection Limit
PQL: Practical Quantitation Limit
G: Result fails applicable NYS drinking water standards

Cooler Receipt Log

Cooler ID: Default Cooler Temp: °C

Cooler Inspection Checklist

Table with 4 columns: Item, Yes, Item, Yes. Rows: Custody Seals Intact and/or No Evidence of Tampering, COC/Labels Agree, Received on Ice (or not required)

Project Requested Certification(s)

Microbac Laboratories, Inc. - Chicagoland
NY Lab ID No: 12006
PA DEP ID: 68-04863

New York State Department of Health
Pennsylvania Department of Environmental Protection



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6G0541

Report Comments

Samples were received in proper condition and the reported results conform to applicable accreditation standard unless otherwise noted.

Reviewed and Approved By:

A handwritten signature in blue ink that reads "Michael Fifield".

Michael Fifield
Division Manager
07/31/2016 13:49

Go Green: Contact Michael Fifield to set up email reporting and invoicing options.

The data and information on this, and other accompanying documents, represents only the sample(s) analyzed. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included. For any feedback concerning our services, please contact Michael Fifield, Project Manager at michael.fifield@microbac.com. You may also contact Michael Fifield, Managing Director at michael.fifield@microbac.com or Robert Crookston, President at robert.crookston@microbac.com.



J6G0541

Client Information		Billing/Invoice:		Analysis Requested		Receiving Info (Lab Use Only)	
Name:	Jefferson-Lewis-Hamilton-Herkimer, Oneida BOCES					Ice:	YES NO
Address:	20104 NYS Route 3					Cooler:	YES NO
Contact:	Watertown, NY 13601					Sample Temp:	YES NO
Phone:	Ray Filley					Cooler Seal:	YES NO
Project:	315-779-7054					Pickup:	YES NO
Quote ID:	Lead Testing	PO#:				Dropoff:	C W
Ruth TAT Bus. Days:	< 2-5 5-7 7-10	Date Req:				Accepted?	YES NO
Release to DOH:	Yes					Container Material	
Email Results:	Yes	rfilley@booces.com				Container Size(in MI)	
Fax Results:	Yes	rfilley@booces.com				Preservative	
Sample Information		Matrix Type		Number of Containers for Analysis Requested		Comments/Field Data	
Description/Location	Date	Time	Initial				
1 39-2	7/6/16	7:23	RF				
2 12-1		6:37	I				
3 12-2		6:38	I				
4 40		1330	I				
5 41		1335	I				
6							
7							
8							
Print Name and Company		Signature		Date/Time		Comments	
Sampled: Ray Filley		<i>[Signature]</i>		7/6/16 1152			
Received: David Thomas		<i>[Signature]</i>		7/12/16 1230			
Received:		<i>[Signature]</i>		7/12/16 1230			
Received:							
Received:							
Received:							

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory.
 By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

60. HICAT

Client Information		Billing/Invoice:	
Name:	Jefferson-Levins-Hamilton-Herkimer Oneida BOCES		
Address:	20104 NYS Route 3 Watertown, NY 13601		
Contact:	Ray Filley		
Phone:	315-779-7054		
Project:	Lead Testing		
Quote ID:	PO#:		
Rush TAT Bus. Days: < 2-5	5-7	7-10	Date Req:
Release to DOH: Yes			
Email Results: Yes	rfilley@boces.com		
Fax Results: Yes	filley@boces.com		

Sample Information		Matrix Type	
Description/Location	Date	Time	Initial
1 23-1	7/6/10	6:21	RF
2 23-2		6:22	
3 20-1		6:10	
4 20-2		6:11	
5 9-1		6:33	
6 9-2		6:34	
7 8-1		6:41	
8 8-2		6:42	

Sample Information		Matrix Type	
Description/Location	Date	Time	Initial
1 23-1	7/6/10	6:21	RF
2 23-2		6:22	
3 20-1		6:10	
4 20-2		6:11	
5 9-1		6:33	
6 9-2		6:34	
7 8-1		6:41	
8 8-2		6:42	

Sample Information		Matrix Type	
Description/Location	Date	Time	Initial
1 23-1	7/6/10	6:21	RF
2 23-2		6:22	
3 20-1		6:10	
4 20-2		6:11	
5 9-1		6:33	
6 9-2		6:34	
7 8-1		6:41	
8 8-2		6:42	

Sample Information		Matrix Type	
Description/Location	Date	Time	Initial
1 23-1	7/6/10	6:21	RF
2 23-2		6:22	
3 20-1		6:10	
4 20-2		6:11	
5 9-1		6:33	
6 9-2		6:34	
7 8-1		6:41	
8 8-2		6:42	

Sample Information		Matrix Type	
Description/Location	Date	Time	Initial
1 23-1	7/6/10	6:21	RF
2 23-2		6:22	
3 20-1		6:10	
4 20-2		6:11	
5 9-1		6:33	
6 9-2		6:34	
7 8-1		6:41	
8 8-2		6:42	

Sample Information		Matrix Type	
Description/Location	Date	Time	Initial
1 23-1	7/6/10	6:21	RF
2 23-2		6:22	
3 20-1		6:10	
4 20-2		6:11	
5 9-1		6:33	
6 9-2		6:34	
7 8-1		6:41	
8 8-2		6:42	

Sample Information		Matrix Type	
Description/Location	Date	Time	Initial
1 23-1	7/6/10	6:21	RF
2 23-2		6:22	
3 20-1		6:10	
4 20-2		6:11	
5 9-1		6:33	
6 9-2		6:34	
7 8-1		6:41	
8 8-2		6:42	

Sample Information		Matrix Type	
Description/Location	Date	Time	Initial
1 23-1	7/6/10	6:21	RF
2 23-2		6:22	
3 20-1		6:10	
4 20-2		6:11	
5 9-1		6:33	
6 9-2		6:34	
7 8-1		6:41	
8 8-2		6:42	

Sample Information		Matrix Type	
Description/Location	Date	Time	Initial
1 23-1	7/6/10	6:21	RF
2 23-2		6:22	
3 20-1		6:10	
4 20-2		6:11	
5 9-1		6:33	
6 9-2		6:34	
7 8-1		6:41	
8 8-2		6:42	

Sample Information		Matrix Type	
Description/Location	Date	Time	Initial
1 23-1	7/6/10	6:21	RF
2 23-2		6:22	
3 20-1		6:10	
4 20-2		6:11	
5 9-1		6:33	
6 9-2		6:34	
7 8-1		6:41	
8 8-2		6:42	

Sample Information		Matrix Type	
Description/Location	Date	Time	Initial
1 23-1	7/6/10	6:21	RF
2 23-2		6:22	
3 20-1		6:10	
4 20-2		6:11	
5 9-1		6:33	
6 9-2		6:34	
7 8-1		6:41	
8 8-2		6:42	

Sample Information		Matrix Type	
Description/Location	Date	Time	Initial
1 23-1	7/6/10	6:21	RF
2 23-2		6:22	
3 20-1		6:10	
4 20-2		6:11	
5 9-1		6:33	
6 9-2		6:34	
7 8-1		6:41	
8 8-2		6:42	

Sample Information		Matrix Type	
Description/Location	Date	Time	Initial
1 23-1	7/6/10	6:21	RF
2 23-2		6:22	
3 20-1		6:10	
4 20-2		6:11	
5 9-1		6:33	
6 9-2		6:34	
7 8-1		6:41	
8 8-2		6:42	

Sample Information		Matrix Type	
Description/Location	Date	Time	Initial
1 23-1	7/6/10	6:21	RF
2 23-2		6:22	
3 20-1		6:10	
4 20-2		6:11	
5 9-1		6:33	
6 9-2		6:34	
7 8-1		6:41	
8 8-2		6:42	

Sample Information		Matrix Type	
Description/Location	Date	Time	Initial
1 23-1	7/6/10	6:21	RF
2 23-2		6:22	
3 20-1		6:10	
4 20-2		6:11	
5 9-1		6:33	
6 9-2		6:34	
7 8-1		6:41	
8 8-2		6:42	

Sample Information		Matrix Type	
Description/Location	Date	Time	Initial
1 23-1	7/6/10	6:21	RF
2 23-2		6:22	
3 20-1		6:10	
4 20-2		6:11	
5 9-1		6:33	
6 9-2		6:34	
7 8-1		6:41	
8 8-2		6:42	

Sample Information		Matrix Type	
Description/Location	Date	Time	Initial
1 23-1	7/6/10	6:21	RF
2 23-2		6:22	
3 20-1		6:10	
4 20-2		6:11	
5 9-1		6:33	
6 9-2		6:34	
7 8-1		6:41	
8 8-2		6:42	

Sample Information		Matrix Type	
Description/Location	Date	Time	Initial
1 23-1	7/6/10	6:21	RF
2 23-2		6:22	
3 20-1		6:10	
4 20-2		6:11	
5 9-1		6:33	
6 9-2		6:34	
7 8-1		6:41	
8 8-2		6:42	

Sample Information		Matrix Type	
Description/Location	Date	Time	Initial
1 23-1	7/6/10	6:21	RF
2 23-2		6:22	
3 20-1		6:10	
4 20-2		6:11	
5 9-1		6:33	
6 9-2		6:34	
7 8-1		6:41	
8 8-2		6:42	

Sample Information		Matrix Type	
Description/Location	Date	Time	Initial
1 23-1	7/6/10	6:21	RF
2 23-2		6:22	
3 20-1		6:10	
4 20-2		6:11	
5 9-1		6:33	
6 9-2		6:34	
7 8-1		6:41	
8 8-2		6:42	

Sample Information		Matrix Type	
Description/Location	Date	Time	Initial
1 23-1	7/6/10	6:21	RF
2 23-2		6:22	
3 20-1		6:10	
4 20-2		6:11	
5 9-1		6:33	
6 9-2		6:34	
7 8-1		6:41	
8 8-2		6:42	

Sample Information		Matrix Type	
Description/Location	Date	Time	Initial
1 23-1	7/6/10	6:21	RF
2 23-2		6:22	
3 20-1		6:10	
4 20-2		6:11	
5 9-1		6:33	
6 9-2		6:34	
7 8-1		6:41	
8 8-2		6:42	

Sample Information		Matrix Type	
Description/Location	Date	Time	Initial
1 23-1	7/6/10	6:21	RF
2 23-2		6:22	
3 20-1		6:10	
4 20-2		6:11	
5 9-1		6:33	
6 9-2		6:34	
7 8-1		6:41	
8 8-2		6:42	

Sample Information		Matrix Type	
Description/Location	Date	Time	Initial
1 23-1	7/6/10	6:21	RF
2 23-2		6:22	
3 20-1		6:10	
4 20-2		6:11	
5 9-1		6:33	
6 9-2		6:34	
7 8-1		6:41	
8 8-2		6:42	

Sample Information		Matrix Type	
Description/Location	Date	Time	Initial
1 23-1	7/6/10	6:21	RF
2 23-2		6:22	
3 20-1		6:10	
4 20-2		6:11	
5 9-1		6:33	
6 9-2		6:34	
7 8-1		6:41	
8 8-2		6:42	

Sample Information		Matrix Type	
Description/Location	Date	Time	Initial
1 23-1	7/6/10	6:21	RF
2 23-2		6:22	
3 20-1		6:10	
4 20-2		6:11	
5 9-1		6:33	
6 9-2		6:34	
7 8-1		6:41	
8 8-2		6:42	

Sample Information		Matrix Type	
Description/Location	Date	Time	Initial
1 23-1	7/6/10	6:21	RF
2 23-2		6:22	
3 20-1		6:10	
4 20-2		6:11	
5 9-1		6:33	
6 9-2		6:34	
7 8-1		6:41	
8 8-2		6:42	

Sample Information		Matrix Type	
Description/Location	Date	Time	Initial
1 23-1	7/6/10	6:21	RF
2 23-2		6:22	
3 20-1		6:10	
4 20-2		6:11	
5 9-1		6:33	
6 9-2		6:34	
7 8-1		6:41	
8 8-2		6:42	

Sample Information		Matrix Type	
Description/Location	Date	Time	Initial
1 23-1	7/6/10	6:21	RF
2 23-2		6:22	
3 20-1		6:10	
4 20-2		6:11	
5 9-1		6:33	
6			

Client Information			Billing/Invoice:			Analytix Requested			Receiving Info (Lab Use Only)			
Name:	Jefferson-Lewis-Hamilton-Herkimer-Oneida BOCES					Ice:	YES	NO				
Address:	20104 NYS Route 3 Watertown, NY 13601					Cooler:	YES	NO				
Contact:	Ray Filley					Sample Temp:						
Phone:	315-779-7054					Cooler Seal:	YES	NO				
Project:	Lead Testing					Pickup:	YES	NO				
Quote ID:		PO#:				Dropoff:	C	W				
Rush TAT Bus. Days:	2-5	5-7	7-10	Date Req.:		Accepted?	YES	NO				
Release to DOH:	Yes					Container Material						
Email Results:	Yes	rfilley@boces.com				Container size(in Mi)						
Fax Results:	Yes	rfilley@boces.com / fhauck@boces.com				Preservative						
Sample Information			Number of Containers for Analytix Requested			Comments/Field Data						
Description/Location	Date	Time	Initial	Matrix Type								
1 22-1	7/6/16	6:14	RF									
2 22-2		6:15										
3 14-1		6:18										
4 14-2		6:19										
5 24-1		6:46										
6 24-2		6:47										
7 18-1		6:05										
8 18-2		6:06										
Print Name and Company			Signature			Date/Time						
Sampled: Ray Filley			[Signature]			7/16/16						
Received: [Signature]			[Signature]			7/12/16 12:30						
Received:												
Received:												
Received:												
Received:												



Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.



J6G0541

Client Information		Billing/Invoice:		Analytic Requested				Receiving Info (Lab Use Only)	
Name:	Jefferson-Lewis-Hamilton-Ferriker, Oneida BOCES							Ice:	YES NO
Address:	20104 NYS Route 3 Watertown, NY 13601							Cooler:	YES NO
Contact:	Ray Filley							Sample Temp:	
Phone:	315-779-7054							Cooler Seali	YES NO
Project:	Lead Testing							Pickup:	YES NO
Quote ID:		PO#:						Dropoff:	C W
Rush TAT Bur. Days:	< 2-5 5-7 7-10	Date Req.:						Accepted?	YES NO
Release to DOH: Yes								Container Material	
Email Results: Yes	filley@boCES.com							Container size(in Mil)	
Fax Results: Yes	fhauck@boCES.com							Preservative	
Sample Information		Matrix Type		Number of Containers for Analysis Requested				Comments/Field Data	
Description/Location	Date	Time	Initial						
1 30-1	7/16/16	6:47	RF						
2 30-2		6:49							
3 33-1		7:07							
4 33-2		7:08							
5 17-1		6:24							
6 17-2		6:25							
7 26-1		6:51							
8 26-2		6:52							
Print Name and Company		Signature		Date/Time				Comments	
Sampled: Ray Filley		Ray Filley		7/16/16					
Received: David Thomas		David Thomas		7/12/16 1230					
Received:									
Received:									
Received:									
Received:									

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory.
 By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

Microbac Laboratories, Inc. Samples must be returned on ice

CHAIN OF CUSTODY

3821 Buck Drive
 Corland NY 13045
 Phone:(607)753-3403 Fax:(607)753-3415
 NY #10795, EPA #NY00936

MNY Workorder # 10-11644

Client Information		Billing/Invoice:	
Name:	Jefferson-Lewis-Hamilton-Herkimer_Oneida BOCES		
Address:	20104 NYS Route 3 Watertown, NY 13601		
Contact:	Ray Filley		
Phone:	315-779-7054		
Project:	Lead Testing		
Quote ID:	PO#:		
Rush TAT Bus. Days: < 2-5 5-7 7-10	Date Req.:		
Release to DOH: Yes			
Email Results: Yes	rfilley@booces.com / fhawk@booces.com		
Fax Results: Yes			

Sample Information			Analysis Requested		Receiving Info (Lab Use Only)	
Description/Location	Date	Time	Initial	Matrix Type	Number of Containers for Analysis Requested	Comments/Findings
1 19-1	7/16/16	6:08	RF	200.8 Lead		
2 19-2		6:09		P		
3 16-1		6:16		250		
4 16-2		6:17		HNO3		
5 5-1		6:59				
6 5-2		7:00				
7 10-1		6:32				
8 10-2		6:37				

Print Name and Company	Signature	Date/Time	Comments
Sampled: Ray Filley	<i>[Signature]</i>	7/16/16	
Received: Dan J Thomas	<i>[Signature]</i>	7/16/16 12:30	
Received:			
Received:			
Received:			
Received:			



J6G0541

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

Microbac Laboratories, Inc. Samples must be returned on ice
CHAIN OF CUSTODY

3821 Buck Drive
 Cortland NY 13045
 Phone:(607)753-3403 Fax:(607)753-3415
 NY #10795, EPA #NY00935

W. HIGHT
 MNY Workorder #

Client Information		Billing/Invoice:		Analytix Requested		Receiving Info (Lab Use Only)	
Name:	Jefferson-Lewis-Hamilton-Herkimer-Oneida BOCES			Ice:	YES NO	Container Material	YES NO
Address:	20104 NYS Route 3 Watertown, NY 13601			Cooler:	YES NO	Container size(in MI)	YES NO
Contact:	Ray Filley			Sample Temp:		Preservative	
Phone:	315-779-7054			Cooler Seal:	YES NO		
Project:	Lead Testing			Pickup:	YES NO		
Quote ID:		PO #:		Dropoff:	C W		
Ruth TAT Bur. Days:	< 2-5 5-7 7-10	Date Req:		Accepted?	YES NO		
Release to DOH:	Yes						
Email Results:	Yes	filley@boces.com					
Fax Results:	Yes	fhauck@boces.com					
Sample Information				Number of Containers for Analysis Requested			
Description/Location	Date	Time	Initial	Matrix Type			
1 28-1	7/16/10	6:52	RF				
2 28-2		6:53					
3 34-1		7:09					
4 34-2		7:10					
5 4-1		7:05					
6 4-2		7:06					
7 29-1		6:54					
8 29-2		6:55					
Comments/Field Data				Comments			
200.8 Lead							
P							
250							
HN03							

Print Name and Company	Signature	Date/Time
Sampled: Ray Filley	<i>Ray Filley</i>	7/16/10 11:30
Received: David Thomas	<i>David Thomas</i>	7/16/10 12:30
Received:		
Received:		
Received:		
Received:		



J6G0541

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

Microbac Laboratories, Inc. Samples must be returned on ice

CHAIN OF CUSTODY

3821 Buck Drive
 Cortland NY 13045
 Phone:(607)753-3403 Fax:(607)753-3415
 NY #10795, EPA #NY00935

MNY Workorder # _____



J6G0541

Client Information			Billing/Invoice:			Analysis Requested					Receiving Info (Lab Use Only)			
Name:	Jefferson-Lewis-Hamilton-Herkimer, Oneida BOCES											Ice:	YES	NO
Address:	20104 NYS Route 3 Watertown, NY 13601											Cooler:	YES	NO
Contact:	Ray Filley											Sample Temp:		
Phone:	315-779-7054											Cooler Seal:	YES	NO
Project:	Lead Testing											Pickup:	YES	NO
Quote ID:			PO#:									Dropoff:	C	W
Ruth TAT Bur. Days:	2-5	5-7	7-10	Date Req:								Accepted?	YES	NO
Release to DOH:	Yes											Container Material		
Email Results:	Yes	filley@boces.com		fshawck@boces.com								Container Size (in MI)		
Fax Results:	Yes											Preservative		
Sample Information			Number of Containers for Analysis Requested					Comments/Field Data						
Description/Location	Date	Time	Initial	Matrix Type										
1 15-1	7/6/16	6:29	RF											
2 15-2		6:30												
3 7-1		7:21												
4 7-2		7:22												
5 3-1		6:56												
6 3-2		6:57												
7 13-1		6:32												
8 13-2		6:33												
Print Name and Company			Signature			Date/Time			Comments					
Sampled: Ray Filley						7/6/16 11:30								
Received: D. J. Thomas						7/12/16 12:30								
Received:														
Received:														
Received:														
Received:														

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

Microbac Laboratories, Inc. Samples must be returned on ice

CHAIN OF CUSTODY

3821 Buck Drive
 Cortland NY 13045
 Phone:(607)753-3403 Fax:(607)753-3415
 NY #10796, EPA #NY00935

W. Higley
 MNY Workorder #

Client Information		Billing/Invoice:		Analytist Requested		Receiving Info (Lab Use Only)	
Name:	Jefferson-Lewis-Hamilton-Herkimer-Oneida BOCES					Ice:	YES NO
Address:	20104 NYS Route 3					Cooler:	YES NO
Contact:	Watertown, NY 13601					Sample Temp:	
Phone:	Ray Filley					Cooler Seal:	YES NO
Project:	Lead Testing					Pickup:	YES NO
Quote ID:		PO#:				Dropoff:	C W
Rush TAT Bus. Days:	2-5 5-7 7-10	Date Req:				Accepted?	YES NO
Release to DOH:	Yes					Container Material	
Email Results:	Yes	filley@booces.com				Container Size(in MI)	
Fax Results:	Yes	fhawk@booces.com				Preservative	

Description/Location	Sample Information		Matrix Type	Number of Containers for Analysis Requested	Comments/If
	Date	Time			
1 11-1	7/2/10	6:30	RF		
2 11-2		6:40			
3 35-1		7:03			
4 35-2		7:14			
5 37-1		7:10			
6 37-2		7:17			
7 38-1		7:19			
8 38-2		7:20			

Print Name and Company	Signature	Date/Time	Comments
Sampled: [Signature]	[Signature]	7/1/10	
Received: David Thomas	[Signature]	7/2/10 12:30	
Received:			
Received:			
Received:			
Received:			



J6G0541

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

Microbac Laboratories, Inc. Samples must be returned on ice

CHAIN OF CUSTODY

MNY Workorder #

W. Higley

Client Information		Billing/Invoice:		Analysis Requested		Receiving Info (Lab Use Only)	
Name:	Jefferson-Lewis-Hamilton-Herkimer-Oneida BOCES			Ice:	YES NO	Ice:	YES NO
Address:	20104 NYS Route 3 Watertown, NY 13601			Cooler:	YES NO	Cooler:	YES NO
Contact:	Ray Filley			Sample Temp:		Sample Temp:	
Phone:	315-779-7054			Cooler Seal:	YES NO	Cooler Seal:	YES NO
Project:	Lead Testing			Pickup:	YES NO	Pickup:	YES NO
Quote ID:		PO#:		Dropoff:	C W	Dropoff:	C W
Rush TAT Bus. Days:	< 2-5 5-7 7-10	Date Req:		Accepted?	YES NO	Accepted?	YES NO
Relate to DOH:	Yes			Container Material		Container Material	
Email Results:	Yes	rfilley@boces.com	fhack@boces.com	Container Size (in MI)		Container Size (in MI)	
Fax Results:	Yes			Preservative		Preservative	
Sample Information				Comments/Field Data			
Description/Location	Date	Time	Initial	Matrix Type	Number of Containers for Analysis Requested	Comments	
1 2-1	7/6/14	7:02	RF				
2 2-2		7:03					
3 6-1		7:01					
4 6-2		7:02					
5 36-1		7:12					
6 36-2		7:13					
7 32-1		6:59					
8 32-2		7:00					
Sampled: Ray Filley				Signature	Date/Time		
Received: Dan Drongos					7/6/14 1:30		
Received:					7/6/14 12:30		
Received:							
Received:							
Received:							
Received:							



J6G0541

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.