



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info

NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley
 Blvd.
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 Rose

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
1)	AE924539	2238567 850 W Keady Ct. Roseburg, OR 97471 USA	#30 Not Provided	Other Personal Knowledge	Yes	8:30 AM 12/7/2020	9:42 AM 12/9/2020	<1.2 pCi/L *
2)	AE924497	2238548 948 Se Roberts Ave Roseburg, OR 97470 USA	Office Not Provided	Other Personal Knowledge	Yes	9:14 AM 12/7/2020	10:39 AM 12/9/2020	0.8 pCi/L
3)	AE924489	2238570 948 Se Roberts Ave Roseburg, OR 97470 USA	Office Fileroom Not Provided	Other Personal Knowledge	Yes	9:15 AM 12/7/2020	10:42 AM 12/9/2020	<0.9 pCi/L *
4)	AE924498	2238571 948 Se Roberts Ave Roseburg, OR 97470 USA	Randal Not Provided	Other Personal Knowledge	Yes	9:16 AM 12/7/2020	10:42 AM 12/9/2020	0.8 pCi/L
5)	AE924507	2238555 948 Se Roberts Ave Roseburg, OR 97470 USA	#7 Not Provided	Other Personal Knowledge	Yes	9:17 AM 12/7/2020	10:40 AM 12/9/2020	<1.2 pCi/L *
6)	AE924515	2238557 948 Se Roberts Ave Roseburg, OR 97470 USA	#8 Not Provided	Other Personal Knowledge	Yes	9:18 AM 12/7/2020	10:43 AM 12/9/2020	1.2 pCi/L
7)	AE924499	2238563 948 Se Roberts Ave Roseburg, OR 97470 USA	Malpica Office Not Provided	Other Personal Knowledge	Yes	9:19 AM 12/7/2020	10:44 AM 12/9/2020	<0.6 pCi/L *
8)	AE924534	2238575 948 Se Roberts Ave Roseburg, OR 97470 USA	Staff Room Not Provided	Other Personal Knowledge	Yes	9:19 AM 12/7/2020	10:44 AM 12/9/2020	<0.9 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info

NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley
 Blvd.
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 Rose

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
9)	AE924491	2238572 948 Se Roberts Ave Roseburg, OR 97470 USA	Conference Room Not Provided	Other Personal Knowledge	Yes	9:20 AM 12/7/2020	10:47 AM 12/9/2020	2.8 pCi/L
10)	AE924550	2238547 948 Se Roberts Ave Roseburg, OR 97470 USA	Multipurpose Room Not Provided	Other Personal Knowledge	Yes	9:22 AM 12/7/2020	10:47 AM 12/9/2020	<0.8 pCi/L *
11)	AE924508	2238550 948 Se Roberts Ave Roseburg, OR 97470 USA	Multipurpose Room Not Provided	Other Personal Knowledge	Yes	9:22 AM 12/7/2020	10:47 AM 12/9/2020	<0.8 pCi/L *
12)	AE924531	2238573 948 Se Roberts Ave Roseburg, OR 97470 USA	#9 Not Provided	Other Personal Knowledge	Yes	9:22 AM 12/7/2020	10:44 AM 12/9/2020	1.4 pCi/L
13)	AE924469	2238568 948 Se Roberts Ave Roseburg, OR 97470 USA	#10 Not Provided	Other Personal Knowledge	Yes	9:24 AM 12/7/2020	10:48 AM 12/9/2020	<0.8 pCi/L *
14)	AE924477	2238551 948 Se Roberts Ave Roseburg, OR 97470 USA	#11 Not Provided	Other Personal Knowledge	Yes	9:24 AM 12/7/2020	10:50 AM 12/9/2020	<1.4 pCi/L *
15)	AE924485	2238566 948 Se Roberts Ave Roseburg, OR 97470 USA	#12 Not Provided	Other Personal Knowledge	Yes	9:25 AM 12/7/2020	10:50 AM 12/9/2020	<0.9 pCi/L *
16)	AE924509	2238569 948 Se Roberts Ave Roseburg, OR 97470 USA	Gym Not Provided	Other Personal Knowledge	Yes	9:31 AM 12/7/2020	10:52 AM 12/9/2020	<0.8 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley
 Blvd.
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 Rose

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
17) AE924471	2238562	948 Se Roberts Ave Roseburg, OR 97470 USA	Gym Not Provided	Other Personal Knowledge	Yes	9:28 AM 12/7/2020	10:52 AM 12/9/2020	<0.8 pCi/L *
18) AE924468	2238579	948 Se Roberts Ave Roseburg, OR 97470 USA	Gym #2 Not Provided	Other Personal Knowledge	Yes	9:28 AM 12/7/2020	10:52 AM 12/9/2020	<0.8 pCi/L *
19) AE924472	2238577	948 Se Roberts Ave Roseburg, OR 97470 USA	Gym Office Not Provided	Other Personal Knowledge	Yes	9:30 AM 12/7/2020	10:53 AM 12/9/2020	1.5 pCi/L
20) AE924492	2238578	948 Se Roberts Ave Roseburg, OR 97470 USA	Boy's Locker Room Not Provided	Other Personal Knowledge	Yes	9:32 AM 12/7/2020	10:54 AM 12/9/2020	<0.9 pCi/L *
21) AE924516	2238576	948 Se Roberts Ave Roseburg, OR 97470 USA	Girl's Locker Room Not Provided	Other Personal Knowledge	Yes	9:34 AM 12/7/2020	10:55 AM 12/9/2020	0.9 pCi/L
22) AE924524	2238560	948 Se Roberts Ave Roseburg, OR 97470 USA	Cafeteria Not Provided	Other Personal Knowledge	Yes	9:38 AM 12/7/2020	10:56 AM 12/9/2020	<0.5 pCi/L *
23) AE924565	2238556	948 Se Roberts Ave Roseburg, OR 97470 USA	#4 Not Provided	Other Personal Knowledge	Yes	9:39 AM 12/7/2020	10:57 AM 12/9/2020	<0.8 pCi/L *
24) AE924517	2238554	948 Se Roberts Ave Roseburg, OR 97470 USA	#% Not Provided	Other Personal Knowledge	Yes	9:40 AM 12/7/2020	10:57 AM 12/9/2020	<0.7 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info

NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley
 Blvd.
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 Rose

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
25) AE924563	2238565	948 Se Roberts Ave Roseburg, OR 97470 USA	# Not Provided	Other Personal Knowledge	Yes	9:41 AM 12/7/2020	10:58 AM 12/9/2020	<0.9 pCi/L *
26) AE924558	2238552	948 Se Roberts Ave Roseburg, OR 97470 USA	#6 Not Provided	Other Personal Knowledge	Yes	9:42 AM 12/7/2020	10:58 AM 12/9/2020	<1.3 pCi/L *
27) AE924526	2238559	948 Se Roberts Ave Roseburg, OR 97470 USA	#2 Not Provided	Other Personal Knowledge	Yes	9:43 AM 12/7/2020	10:59 AM 12/9/2020	<1.0 pCi/L *
28) AE924525	2238564	948 Se Roberts Ave Roseburg, OR 97470 USA	#1 Not Provided	Other Personal Knowledge	Yes	9:43 AM 12/7/2020	11:00 AM 12/9/2020	<0.9 pCi/L *
29) AE924480	2238549	948 Se Roberts Ave Roseburg, OR 97470 USA	#19 Not Provided	Other Personal Knowledge	Yes	9:44 AM 12/7/2020	11:00 AM 12/9/2020	<1.0 pCi/L *
30) AE924532	2238558	948 Se Roberts Ave Roseburg, OR 97470 USA	#21 Not Provided	Other Personal Knowledge	Yes	9:45 AM 12/7/2020	11:01 AM 12/9/2020	<1.2 pCi/L *
31) AE924488	2238561	948 Se Roberts Ave Roseburg, OR 97470 USA	#21 Not Provided	Other Personal Knowledge	Yes	9:45 AM 12/7/2020	11:01 AM 12/9/2020	<0.6 pCi/L *
32) AE924500	2238574	948 Se Roberts Ave Roseburg, OR 97470 USA	#22 Not Provided	Other Personal Knowledge	Yes	9:46 AM 12/7/2020	11:01 AM 12/9/2020	<0.8 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley
 Blvd.
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 Rose

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
33) AE924735	2238546	948 Se Roberts Ave Roseburg, OR 97470 USA	Blank Not Provided	Other Personal Knowledge	Yes	9:28 AM 12/7/2020	10:52 AM 12/9/2020	<1.2 pCi/L * Revised 2/1/2021
34) AE924727	2238553	948 Se Roberts Ave Roseburg, OR 97470 USA	Blank Not Provided	Other Personal Knowledge	Yes	9:28 AM 12/7/2020	10:52 AM 12/9/2020	1.9 pCi/L Revised 2/1/2021

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
 CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director *[Signature]* NJ MES: 11306 Date 2/1/2021



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley
 Blvd.
 Roseburg, OR 97470 USA

REPORT NOTES PAGE

Report Notes

Project: Roseburg Schools -
 Rose

Kit Serial	Test Address	Placement Notes	Retrieval Notes
1) AE924471	948 Se Roberts Ave Roseburg, OR 97470 USA	Duplicate	
2) AE924480	948 Se Roberts Ave Roseburg, OR 97470 USA		Obstructed/covered
3) AE924488	948 Se Roberts Ave Roseburg, OR 97470 USA	Duplicate	

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results.
 CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director [Signature] NJ MES: 11306 Date 2/1/2021