



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley
 Blvd.
 Roseburg, OR 97478 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 District Office

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
1) AE924263	2238528	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Lounge Not Provided	Other Personal Knowledge	Yes	6:17 AM 12/7/2020	8:02 AM 12/9/2020	<0.9 pCi/L *
2) AE924269	2238539	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Tracy's Office Not Provided	Other Personal Knowledge	Yes	6:19 AM 12/7/2020	8:04 AM 12/9/2020	<0.9 pCi/L *
3) AE924276	2238537	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Jerry's Office Not Provided	Other Personal Knowledge	Yes	6:22 AM 12/7/2020	8:05 AM 12/9/2020	<0.8 pCi/L *
4) AE924284	2238529	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Ron's Office Not Provided	Other Personal Knowledge	Yes	6:21 AM 12/7/2020	8:08 AM 12/9/2020	<0.9 pCi/L *
5) AE924277	2238542	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Pdc Not Provided	Other Personal Knowledge	Yes	6:26 AM 12/7/2020	8:18 AM 12/9/2020	<0.9 pCi/L *
6) AE924304	2238541	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Pdc Not Provided	Other Personal Knowledge	Yes	6:26 AM 12/7/2020	8:18 AM 12/9/2020	<0.9 pCi/L *
7) AE924285	2238540	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Pdc #2 Not Provided	Other Personal Knowledge	Yes	6:28 AM 12/7/2020	8:18 AM 12/9/2020	<0.9 pCi/L *
8) AE924295	2238515	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Curriculum Not Provided	Other Personal Knowledge	Yes	6:29 AM 12/7/2020	8:19 AM 12/9/2020	<1.9 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley
 Blvd.
 Roseburg, OR 97478 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 District Office

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
9)	AE924270	2238514 1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Curriculum Office Not Provided	Other Personal Knowledge	Yes	6:29 AM 12/7/2020	8:19 AM 12/9/2020	<0.8 pCi/L *
10)	AE924275	2238527 1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Psych Main Not Provided	Other Personal Knowledge	Yes	6:32 AM 12/7/2020	8:21 AM 12/9/2020	<0.7 pCi/L *
11)	AE924265	2238532 1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Psych Front Not Provided	Other Personal Knowledge	Yes	6:33 AM 12/7/2020	8:21 AM 12/9/2020	<0.8 pCi/L *
12)	AE924292	2238543 1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Psych Back/mtg. Not Provided	Other Personal Knowledge	Yes	6:33 AM 12/7/2020	8:21 AM 12/9/2020	<0.8 pCi/L *
13)	AE924273	2238534 1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Janet Simlness Not Provided	Other Personal Knowledge	Yes	6:35 AM 12/7/2020	8:23 AM 12/9/2020	<0.9 pCi/L *
14)	AE924272	2238538 1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Katy Scinta Not Provided	Other Personal Knowledge	Yes	6:37 AM 12/7/2020	8:23 AM 12/9/2020	<0.8 pCi/L *
15)	AE924267	2238535 1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Tech Support Not Provided	Other Personal Knowledge	Yes	6:38 AM 12/7/2020	8:23 AM 12/9/2020	<0.8 pCi/L *
16)	AE924287	2238507 1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Matt Not Provided	Other Personal Knowledge	Yes	6:41 AM 12/7/2020	8:25 AM 12/9/2020	<0.8 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley
 Blvd.
 Roseburg, OR 97478 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 District Office

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
17)	AE924312	2238498 1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Kyle Not Provided	Other Personal Knowledge	Yes	6:42 AM 12/7/2020	8:25 AM 12/9/2020	<0.8 pCi/L *
18)	AE924271	2238536 1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Nutrition Lobby Not Provided	Other Personal Knowledge	Yes	6:42 AM 12/7/2020	8:25 AM 12/9/2020	<0.7 pCi/L *
19)	AE924279	2238504 1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Nutrition Breakroom Not Provided	Other Personal Knowledge	Yes	6:42 AM 12/7/2020	8:26 AM 12/9/2020	<0.8 pCi/L *
20)	AE924280	2238524 1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Nutrition Breakroom Not Provided	Other Personal Knowledge	Yes	6:43 AM 12/7/2020	8:26 AM 12/9/2020	<0.6 pCi/L *
21)	AE924281	2238503 1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Student Services Not Provided	Other Personal Knowledge	Yes	6:46 AM 12/7/2020	8:27 AM 12/9/2020	<0.9 pCi/L *
22)	AE924289	2238545 1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Alison Mcaffee Not Provided	Other Personal Knowledge	Yes	6:47 AM 12/7/2020	8:28 AM 12/9/2020	1.2 pCi/L
23)	AE924274	2238522 1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Melissa Roberts Not Provided	Other Personal Knowledge	Yes	6:49 AM 12/7/2020	8:28 AM 12/9/2020	<1.3 pCi/L *
24)	AE924296	2238517 1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Student Svc Lobby Not Provided	Other Personal Knowledge	Yes	6:50 AM 12/7/2020	8:29 AM 12/9/2020	1.4 pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley
 Blvd.
 Roseburg, OR 97478 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 District Office

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
25) AE924305	2238519	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Student Svc Not Provided	Other Personal Knowledge	Yes	6:52 AM 12/7/2020	8:30 AM 12/9/2020	1.5 pCi/L
26) AE924290	2238499	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Dist. Office Lobby Not Provided	Other Personal Knowledge	Yes	6:55 AM 12/7/2020	8:34 AM 12/9/2020	<0.8 pCi/L *
27) AE924282	2238500	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Dist Office Lobby Not Provided	Other Personal Knowledge	Yes	6:55 AM 12/7/2020	8:34 AM 12/9/2020	<0.8 pCi/L *
28) AE924266	2238520	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Megan Hassen Not Provided	Other Personal Knowledge	Yes	6:57 AM 12/7/2020	8:34 AM 12/9/2020	<0.7 pCi/L *
29) AE924297	2238502	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Copy Room Not Provided	Other Personal Knowledge	Yes	6:58 AM 12/7/2020	8:32 AM 12/9/2020	<1.0 pCi/L *
30) AE924278	2238516	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Dani Jardine Not Provided	Other Personal Knowledge	Yes	6:59 AM 12/7/2020	8:32 AM 12/9/2020	<1.3 pCi/L *
31) AE924286	2238533	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Robert Freeman Not Provided	Other Personal Knowledge	Yes	7:00 AM 12/7/2020	8:33 AM 12/9/2020	<0.8 pCi/L *
32) AE924310	2238509	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Michelle Not Provided	Other Personal Knowledge	Yes	7:01 AM 12/7/2020	8:33 AM 12/9/2020	<1.2 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley
 Blvd.
 Roseburg, OR 97478 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 District Office

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
33) AE924302	2238501	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Michelle Not Provided	Other Personal Knowledge	Yes	7:01 AM 12/7/2020	8:33 AM 12/9/2020	<0.9 pCi/L *
34) AE924293	2238510	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Tracy Power Not Provided	Other Personal Knowledge	Yes	7:02 AM 12/7/2020	8:33 AM 12/9/2020	<1.1 pCi/L *
35) AE924264	2238544	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Conference Room Not Provided	Other Personal Knowledge	Yes	7:03 AM 12/7/2020	8:36 AM 12/9/2020	<1.0 pCi/L *
36) AE924303	2238513	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Jared's Office Not Provided	Other Personal Knowledge	Yes	7:05 AM 12/7/2020	8:36 AM 12/9/2020	<1.1 pCi/L *
37) AE924298	2238521	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Cheryl Not Provided	Other Personal Knowledge	Yes	7:07 AM 12/7/2020	8:39 AM 12/9/2020	1.0 pCi/L
38) AE924307	2238526	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Celeste Not Provided	Other Personal Knowledge	Yes	7:08 AM 12/7/2020	8:40 AM 12/9/2020	0.9 pCi/L
39) AE924331	2238525	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Venice Not Provided	Other Personal Knowledge	Yes	7:08 AM 12/7/2020	8:40 AM 12/9/2020	1.0 pCi/L
40) AE924339	2238531	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Dawn Not Provided	Other Personal Knowledge	Yes	7:10 AM 12/7/2020	8:41 AM 12/9/2020	<1.1 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley
 Blvd.
 Roseburg, OR 97478 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 District Office

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
41) AE924294	2238530	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Becky & Tiffany Not Provided	Other Personal Knowledge	Yes	7:11 AM 12/7/2020	8:41 AM 12/9/2020	<1.3 pCi/L *
42) AE924291	2238512	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Board Room Not Provided	Other Personal Knowledge	Yes	7:12 AM 12/7/2020	8:41 AM 12/9/2020	<0.8 pCi/L *
43) AE924300	2238508	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Warehouse Ed's Not Provided	Other Personal Knowledge	Yes	7:16 AM 12/7/2020	8:50 AM 12/9/2020	<0.9 pCi/L *
44) AE924323	2238518	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Warehouse Ed's Not Provided	Other Personal Knowledge	Yes	7:16 AM 12/7/2020	8:50 AM 12/9/2020	0.9 pCi/L
45) AE924283	2238505	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Kim Not Provided	Other Personal Knowledge	Yes	7:18 AM 12/7/2020	8:50 AM 12/9/2020	1.2 pCi/L
46) AE924309	2238511	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Warehouse Break Not Provided	Other Personal Knowledge	Yes	7:18 AM 12/7/2020	8:48 AM 12/9/2020	<0.8 pCi/L *
47) AE924716	2238496	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Blank Not Provided	Other Personal Knowledge	Yes	6:15 AM 12/7/2020	8:50 AM 12/9/2020	<0.8 pCi/L *
48) AE924756	2238523	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Blank Not Provided	Other Personal Knowledge	Yes	6:15 AM 12/7/2020	8:50 AM 12/9/2020	<0.8 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley
 Blvd.
 Roseburg, OR 97478 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 District Office

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
49) AE924724	2238495	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Blank Not Provided	Other Personal Knowledge	Yes	6:15 AM 12/7/2020	8:50 AM 12/9/2020	<1.1 pCi/L *
50) AE924315	2238497	1419 Nw Valley View Dr. Roseburg, OR 97471 USA	Not Provided Not Provided	Other Personal Knowledge	Yes			Error pCi/L
51) AE924268	2238506	1419 Nw Valley View Dr. Roseburg, OR 97471 USA	Not Provided Not Provided	Other Personal Knowledge	Yes			Error pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
 CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info

NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: TerraFirma Foundation
Systems
761 Ne Garden Valley
Blvd.
Roseburg, OR 97478 USA

REPORT NOTES PAGE

Report Notes

Project: Roseburg Schools -
District Office

Kit Serial	Test Address	Placement Notes	Retrieval Notes
1) AE924304	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Duplicate	
2) AE924280	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Duplicate	
3) AE924282	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Duplicate	
4) AE924323	1419 Nw Valley View Dr. Roseburg, OR 97478 USA	Duplicate	

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director [Signature] NJ MES: 11306 Date 12/14/2020