



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools - High School

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
1)	AE924598	2238471 400 W Harvard Ave Roseburg, OR 97470 USA	Athletic Office Not Provided	Other Personal Knowledge	Yes	1:11 PM 12/7/2020	2:07 PM 12/9/2020	1.0 pCi/L
2)	AE924369	2238491 400 W Harvard Ave Roseburg, OR 97470 USA	Main Office Not Provided	Other Personal Knowledge	Yes	1:12 PM 12/7/2020	2:07 PM 12/9/2020	<0.7 pCi/L *
3)	AE924623	2238494 400 W Harvard Ave Roseburg, OR 97470 USA	Russ Bolin Not Provided	Other Personal Knowledge	Yes	1:13 PM 12/7/2020	2:07 PM 12/9/2020	<0.9 pCi/L *
4)	AE924461	2238490 400 W Harvard Ave Roseburg, OR 97470 USA	Jill Weber Not Provided	Other Personal Knowledge	Yes	1:13 PM 12/7/2020	2:08 PM 12/9/2020	1.1 pCi/L
5)	AE924368	2238404 400 W Harvard Ave Roseburg, OR 97470 USA	Bret Steinacher Not Provided	Other Personal Knowledge	Yes	1:14 PM 12/7/2020	2:08 PM 12/9/2020	<0.6 pCi/L *
6)	AE924607	2238422 400 W Harvard Ave Roseburg, OR 97470 USA	Sro Office Not Provided	Other Personal Knowledge	Yes	1:14 PM 12/7/2020	2:09 PM 12/9/2020	0.9 pCi/L
7)	AE924615	2238437 400 W Harvard Ave Roseburg, OR 97470 USA	Brad Bogardus Not Provided	Other Personal Knowledge	Yes	1:15 PM 12/7/2020	2:09 PM 12/9/2020	<1.1 pCi/L *
8)	AE924463	2238493 400 W Harvard Ave Roseburg, OR 97470 USA	Adam Blue Not Provided	Other Personal Knowledge	Yes	1:16 PM 12/7/2020	2:09 PM 12/9/2020	<0.8 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
 CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools - High School
Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
9)	AE924575	2238486 400 W Harvard Ave Roseburg, OR 97470 USA	Conference Room	Other	Yes	1:17 PM	2:10 PM	<1.3 pCi/L *
			Not Provided	Personal Knowledge		12/7/2020	12/9/2020	
10)	AE924574	2238481 400 W Harvard Ave Roseburg, OR 97470 USA	Work Room	Other	Yes	1:18 PM	2:12 PM	1.1 pCi/L
			Not Provided	Personal Knowledge		12/7/2020	12/9/2020	
11)	AE924446	2238372 400 W Harvard Ave Roseburg, OR 97470 USA	Yumi Kaihori Castle	Other	Yes	1:20 PM	2:12 PM	<1.2 pCi/L *
			Not Provided	Personal Knowledge		12/7/2020	12/9/2020	
12)	AE924625	2238397 400 W Harvard Ave Roseburg, OR 97470 USA	Karma Watters	Other	Yes	1:20 PM	2:12 PM	<0.6 pCi/L *
			Not Provided	Personal Knowledge		12/7/2020	12/9/2020	
13)	AE924458	2238467 400 W Harvard Ave Roseburg, OR 97470 USA	Sarah Koens	Other	Yes	1:21 PM	2:13 PM	0.9 pCi/L
			Not Provided	Personal Knowledge		12/7/2020	12/9/2020	
14)	AE924618	2238463 400 W Harvard Ave Roseburg, OR 97470 USA	Cat Wilson	Other	Yes	1:22 PM	2:13 PM	1.0 pCi/L
			Not Provided	Personal Knowledge		12/7/2020	12/9/2020	
15)	AE924576	2238478 400 W Harvard Ave Roseburg, OR 97470 USA	Casey Hines	Other	Yes	1:23 PM	2:14 PM	<0.8 pCi/L *
			Not Provided	Personal Knowledge		12/7/2020	12/9/2020	
16)	AE924583	2238430 400 W Harvard Ave Roseburg, OR 97470 USA	Casey Hines	Other	Yes	1:23 PM	2:14 PM	<0.8 pCi/L *
			Not Provided	Personal Knowledge		12/7/2020	12/9/2020	

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
 CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools - High School
Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
17)	AE924432	2238416 400 W Harvard Ave Roseburg, OR 97470 USA	Jade Walkup Not Provided	Other Personal Knowledge	Yes	1:24 PM 12/7/2020	2:14 PM 12/9/2020	<0.4 pCi/L *
18)	AE924577	2238396 400 W Harvard Ave Roseburg, OR 97470 USA	Karen O'brien Not Provided	Other Personal Knowledge	Yes	1:25 PM 12/7/2020	2:15 PM 12/9/2020	1.7 pCi/L
19)	AE924617	2238385 400 W Harvard Ave Roseburg, OR 97470 USA	Sommer Popham Not Provided	Other Personal Knowledge	Yes	1:27 PM 12/7/2020	2:15 PM 12/9/2020	<0.8 pCi/L *
20)	AE924366	2238421 400 W Harvard Ave Roseburg, OR 97470 USA	Sommer Popham Not Provided	Other Personal Knowledge	Yes	1:27 PM 12/7/2020	2:15 PM 12/9/2020	<0.8 pCi/L *
21)	AE924582	2238470 400 W Harvard Ave Roseburg, OR 97470 USA	Career Center Not Provided	Other Personal Knowledge	Yes	1:28 PM 12/7/2020	2:16 PM 12/9/2020	<0.9 pCi/L *
22)	AE924573	2238488 400 W Harvard Ave Roseburg, OR 97470 USA	Career Center Work Not Provided	Other Personal Knowledge	Yes	1:29 PM 12/7/2020	2:17 PM 12/9/2020	<0.5 pCi/L *
23)	AE924436	2238371 400 W Harvard Ave Roseburg, OR 97470 USA	Teen Health Center Not Provided	Other Personal Knowledge	Yes	1:30 PM 12/7/2020	2:18 PM 12/9/2020	<1.1 pCi/L *
24)	AE924584	2238389 400 W Harvard Ave Roseburg, OR 97470 USA	#120 Not Provided	Other Personal Knowledge	Yes	1:31 PM 12/7/2020	2:18 PM 12/9/2020	<0.8 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
 CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info

NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools - High School

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
25) AE924585	2238406	400 W Harvard Ave Roseburg, OR 97470 USA	#101 Not Provided	Other Personal Knowledge	Yes	1:33 PM 12/7/2020	2:19 PM 12/9/2020	<0.9 pCi/L *
26) AE924452	2238440	400 W Harvard Ave Roseburg, OR 97470 USA	Teacher Lounge Not Provided	Other Personal Knowledge	Yes	1:34 PM 12/7/2020	2:20 PM 12/9/2020	<0.6 pCi/L *
27) AE924592	2238424	400 W Harvard Ave Roseburg, OR 97470 USA	#102 Not Provided	Other Personal Knowledge	Yes	1:34 PM 12/7/2020	2:20 PM 12/9/2020	<0.9 pCi/L *
28) AE924593	2238408	400 W Harvard Ave Roseburg, OR 97470 USA	#103 Not Provided	Other Personal Knowledge	Yes	1:35 PM 12/7/2020	2:21 PM 12/9/2020	<1.4 pCi/L *
29) AE924600	2238403	400 W Harvard Ave Roseburg, OR 97470 USA	Tech Lab 1 Not Provided	Other Personal Knowledge	Yes	1:36 PM 12/7/2020	2:22 PM 12/9/2020	<0.8 pCi/L *
30) AE924609	2238461	400 W Harvard Ave Roseburg, OR 97470 USA	#104 Not Provided	Other Personal Knowledge	Yes	1:37 PM 12/7/2020	2:22 PM 12/9/2020	<0.7 pCi/L *
31) AE924606	2238360	400 W Harvard Ave Roseburg, OR 97470 USA	#105 Not Provided	Other Personal Knowledge	Yes	1:38 PM 12/7/2020	2:23 PM 12/9/2020	<0.7 pCi/L *
32) AE924581	2238469	400 W Harvard Ave Roseburg, OR 97470 USA	#106 Not Provided	Other Personal Knowledge	Yes	1:39 PM 12/7/2020	2:23 PM 12/9/2020	<0.8 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools - High School
Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
33) AE924599	2238485	400 W Harvard Ave Roseburg, OR 97470 USA	#107 Not Provided	Other Personal Knowledge	Yes	1:40 PM 12/7/2020	2:24 PM 12/9/2020	0.9 pCi/L
34) AE924444	2238460	400 W Harvard Ave Roseburg, OR 97470 USA	#107 Not Provided	Other Personal Knowledge	Yes	1:40 PM 12/7/2020	2:24 PM 12/9/2020	<0.7 pCi/L *
35) AE924632	2238483	400 W Harvard Ave Roseburg, OR 97470 USA	Sebastian's Office Not Provided	Other Personal Knowledge	Yes	1:41 PM 12/7/2020	2:26 PM 12/9/2020	<0.9 pCi/L *
36) AE924626	2238359	400 W Harvard Ave Roseburg, OR 97470 USA	#108 Not Provided	Other Personal Knowledge	Yes	1:43 PM 12/7/2020	2:26 PM 12/9/2020	<0.8 pCi/L *
37) AE924608	2238433	400 W Harvard Ave Roseburg, OR 97470 USA	#109 Not Provided	Other Personal Knowledge	Yes	1:43 PM 12/7/2020	2:26 PM 12/9/2020	<0.8 pCi/L *
38) AE924597	2238358	400 W Harvard Ave Roseburg, OR 97470 USA	#110 Not Provided	Other Personal Knowledge	Yes	1:44 PM 12/7/2020	2:27 PM 12/9/2020	<0.8 pCi/L *
39) AE924566	2238402	400 W Harvard Ave Roseburg, OR 97470 USA	#112 Not Provided	Other Personal Knowledge	Yes	1:45 PM 12/7/2020	2:27 PM 12/9/2020	<1.2 pCi/L *
40) AE924580	2238417	400 W Harvard Ave Roseburg, OR 97470 USA	#119 Not Provided	Other Personal Knowledge	Yes	1:46 PM 12/7/2020	2:28 PM 12/9/2020	<0.8 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools - High School
Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
41) AE924589	2238373	400 W Harvard Ave Roseburg, OR 97470 USA	#119 Not Provided	Other Personal Knowledge	Yes	1:47 PM 12/7/2020	2:29 PM 12/9/2020	0.9 pCi/L
42) AE924614	2238386	400 W Harvard Ave Roseburg, OR 97470 USA	#113 Not Provided	Other Personal Knowledge	Yes	1:47 PM 12/7/2020	2:29 PM 12/9/2020	<0.8 pCi/L *
43) AE924459	2238381	400 W Harvard Ave Roseburg, OR 97470 USA	#118 Not Provided	Other Personal Knowledge	Yes	1:48 PM 12/7/2020	2:30 PM 12/9/2020	1.0 pCi/L
44) AE924616	2238420	400 W Harvard Ave Roseburg, OR 97470 USA	#114 Not Provided	Other Personal Knowledge	Yes	1:49 PM 12/7/2020	2:30 PM 12/9/2020	<0.8 pCi/L *
45) AE924624	2238357	400 W Harvard Ave Roseburg, OR 97470 USA	#117 Not Provided	Other Personal Knowledge	Yes	1:50 PM 12/7/2020	2:31 PM 12/9/2020	<0.7 pCi/L *
46) AE924568	2238405	400 W Harvard Ave Roseburg, OR 97470 USA	#115 Not Provided	Other Personal Knowledge	Yes	1:51 PM 12/7/2020	2:32 PM 12/9/2020	<0.9 pCi/L *
47) AE924634	2238435	400 W Harvard Ave Roseburg, OR 97470 USA	#116 Not Provided	Other Personal Knowledge	Yes	1:51 PM 12/7/2020	2:33 PM 12/9/2020	<0.7 pCi/L *
48) AE924633	2238388	400 W Harvard Ave Roseburg, OR 97470 USA	#116 Office Not Provided	Other Personal Knowledge	Yes	1:53 PM 12/7/2020	2:34 PM 12/9/2020	<0.7 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools - High School

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
49)	AE924630	2238479 400 W Harvard Ave Roseburg, OR 97470 USA	Theatre	Other	Yes	1:57 PM	2:36 PM	<1.2 pCi/L *
			Not Provided	Personal Knowledge		12/7/2020	12/9/2020	
50)	AE924588	2238362 400 W Harvard Ave Roseburg, OR 97470 USA	#146	Other	Yes	1:57 PM	2:36 PM	<0.8 pCi/L *
			Not Provided	Personal Knowledge		12/7/2020	12/9/2020	
51)	AE924642	2238436 400 W Harvard Ave Roseburg, OR 97470 USA	#146	Other	Yes	2:00 PM	2:38 PM	<0.9 pCi/L *
			Not Provided	Personal Knowledge		12/7/2020	12/9/2020	
52)	AE924641	2238370 400 W Harvard Ave Roseburg, OR 97470 USA	#147	Other	Yes	2:00 PM	2:38 PM	<0.8 pCi/L *
			Not Provided	Personal Knowledge		12/7/2020	12/9/2020	
53)	AE924379	2238457 400 W Harvard Ave Roseburg, OR 97470 USA	#145	Other	Yes	2:01 PM	2:38 PM	<0.8 pCi/L *
			Not Provided	Personal Knowledge		12/7/2020	12/9/2020	
54)	AE924388	2238487 400 W Harvard Ave Roseburg, OR 97470 USA	Cafeteria	Other	Yes	2:02 PM	2:39 PM	<0.9 pCi/L *
			Not Provided	Personal Knowledge		12/7/2020	12/9/2020	
55)	AE924605	2238456 400 W Harvard Ave Roseburg, OR 97470 USA	Cafeteria	Other	Yes	2:04 PM	2:40 PM	<0.8 pCi/L *
			Not Provided	Personal Knowledge		12/7/2020	12/9/2020	
56)	AE924596	2238473 400 W Harvard Ave Roseburg, OR 97470 USA	#131	Other	Yes	2:04 PM	2:40 PM	<1.3 pCi/L *
			Not Provided	Personal Knowledge		12/7/2020	12/9/2020	

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
 CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools - High School
Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
57)	AE924613	2238466 400 W Harvard Ave Roseburg, OR 97470 USA	A-101 Not Provided	Other Personal Knowledge	Yes	2:05 PM 12/7/2020	2:40 PM 12/9/2020	<0.7 pCi/L *
58)	AE924649	2238407 400 W Harvard Ave Roseburg, OR 97470 USA	A-102 Not Provided	Other Personal Knowledge	Yes	2:08 PM 12/7/2020	2:41 PM 12/9/2020	<1.2 pCi/L *
59)	AE924650	2238434 400 W Harvard Ave Roseburg, OR 97470 USA	A-103 Not Provided	Other Personal Knowledge	Yes	2:08 PM 12/7/2020	2:42 PM 12/9/2020	<0.8 pCi/L *
60)	AE924621	2238418 400 W Harvard Ave Roseburg, OR 97470 USA	A-120 Not Provided	Other Personal Knowledge	Yes	2:09 PM 12/7/2020	2:44 PM 12/9/2020	<0.8 pCi/L *
61)	AE924629	2238432 400 W Harvard Ave Roseburg, OR 97470 USA	A-155 Not Provided	Other Personal Knowledge	Yes	2:10 PM 12/7/2020	2:46 PM 12/9/2020	<0.7 pCi/L *
62)	AE924657	2238431 400 W Harvard Ave Roseburg, OR 97470 USA	A-150 Not Provided	Other Personal Knowledge	Yes	2:15 PM 12/7/2020	2:48 PM 12/9/2020	<0.8 pCi/L *
63)	AE924637	2238438 400 W Harvard Ave Roseburg, OR 97470 USA	A-150 Not Provided	Other Personal Knowledge	Yes	2:16 PM 12/7/2020	2:49 PM 12/9/2020	<1.0 pCi/L *
64)	AE924658	2238415 400 W Harvard Ave Roseburg, OR 97470 USA	A-144 Not Provided	Other Personal Knowledge	Yes	2:16 PM 12/7/2020	2:49 PM 12/9/2020	<0.8 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
 CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info

NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools - High School

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
65)	AE924460	2238409 400 W Harvard Ave Roseburg, OR 97470 USA	A-136 Not Provided	Other Personal Knowledge	Yes	2:17 PM 12/7/2020	2:54 PM 12/9/2020	0.8 pCi/L
66)	AE924645	2238465 400 W Harvard Ave Roseburg, OR 97470 USA	A-137 Not Provided	Other Personal Knowledge	Yes	2:19 PM 12/7/2020	2:54 PM 12/9/2020	<0.7 pCi/L *
67)	AE924646	2238414 400 W Harvard Ave Roseburg, OR 97470 USA	A-140 Not Provided	Other Personal Knowledge	Yes	2:20 PM 12/7/2020	2:54 PM 12/9/2020	<1.3 pCi/L *
68)	AE924569	2238423 400 W Harvard Ave Roseburg, OR 97470 USA	A-143 Not Provided	Other Personal Knowledge	Yes	2:21 PM 12/7/2020	2:54 PM 12/9/2020	<1.1 pCi/L *
69)	AE924428	2238472 400 W Harvard Ave Roseburg, OR 97470 USA	A-135 Not Provided	Other Personal Knowledge	Yes	2:22 PM 12/7/2020	2:54 PM 12/9/2020	<1.2 pCi/L *
70)	AE924404	2238492 400 W Harvard Ave Roseburg, OR 97470 USA	A-135 Office Not Provided	Other Personal Knowledge	Yes	2:23 PM 12/7/2020	2:55 PM 12/9/2020	<0.8 pCi/L *
71)	AE924654	2238439 400 W Harvard Ave Roseburg, OR 97470 USA	A-133 Not Provided	Other Personal Knowledge	Yes	2:24 PM 12/7/2020	2:55 PM 12/9/2020	<0.7 pCi/L *
72)	AE924464	2238387 400 W Harvard Ave Roseburg, OR 97470 USA	Home Ec. Not Provided	Other Personal Knowledge	Yes	2:25 PM 12/7/2020	2:56 PM 12/9/2020	<1.0 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools - High School
Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
73)	AE924610	2238369 400 W Harvard Ave Roseburg, OR 97470 USA	A-114 Not Provided	Other Personal Knowledge	Yes	2:26 PM 12/7/2020	2:56 PM 12/9/2020	<1.0 pCi/L *
74)	AE924602	2238448 400 W Harvard Ave Roseburg, OR 97470 USA	A-104 Not Provided	Other Personal Knowledge	Yes	2:27 PM 12/7/2020	2:57 PM 12/9/2020	<0.6 pCi/L *
75)	AE924412	2238462 400 W Harvard Ave Roseburg, OR 97470 USA	A-105 Not Provided	Other Personal Knowledge	Yes	2:31 PM 12/7/2020	2:58 PM 12/9/2020	<0.8 pCi/L *
76)	AE924586	2238484 400 W Harvard Ave Roseburg, OR 97470 USA	A-105 Not Provided	Other Personal Knowledge	Yes	2:33 PM 12/7/2020	2:59 PM 12/9/2020	<0.7 pCi/L *
77)	AE924590	2238489 400 W Harvard Ave Roseburg, OR 97470 USA	Day Care Office Not Provided	Other Personal Knowledge	Yes	2:33 PM 12/7/2020	2:59 PM 12/9/2020	<0.7 pCi/L *
78)	AE924451	2238464 400 W Harvard Ave Roseburg, OR 97470 USA	Day Care East Not Provided	Other Personal Knowledge	Yes	2:34 PM 12/7/2020	3:02 PM 12/9/2020	<0.7 pCi/L *
79)	AE924420	2238425 400 W Harvard Ave Roseburg, OR 97470 USA	Wood Shop Not Provided	Other Personal Knowledge	Yes	2:34 PM 12/7/2020	3:02 PM 12/9/2020	<0.7 pCi/L *
80)	AE924640	2238468 400 W Harvard Ave Roseburg, OR 97470 USA	Wood Shop Not Provided	Other Personal Knowledge	Yes	2:41 PM 12/7/2020	3:05 PM 12/9/2020	<0.9 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info

NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools - High School

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
81) AE924648	2238382	400 W Harvard Ave Roseburg, OR 97470 USA	Auto Shop Not Provided	Other Personal Knowledge	Yes	2:41 PM 12/7/2020	3:05 PM 12/9/2020	1.4 pCi/L
82) AE924656	2238384	400 W Harvard Ave Roseburg, OR 97470 USA	Auto Shop Not Provided	Other Personal Knowledge	Yes	2:44 PM 12/7/2020	3:06 PM 12/9/2020	0.8 pCi/L
83) AE924571	2238383	400 W Harvard Ave Roseburg, OR 97470 USA	Machine Shop Not Provided	Other Personal Knowledge	Yes	2:44 PM 12/7/2020	3:06 PM 12/9/2020	0.8 pCi/L
84) AE924631	2238361	400 W Harvard Ave Roseburg, OR 97470 USA	Machine Shop Not Provided	Other Personal Knowledge	Yes	2:47 PM 12/7/2020	3:08 PM 12/9/2020	0.8 pCi/L
85) AE924639	2238419	400 W Harvard Ave Roseburg, OR 97470 USA	Welding Shop Not Provided	Other Personal Knowledge	Yes	2:46 PM 12/7/2020	3:08 PM 12/9/2020	<0.7 pCi/L *
86) AE924567	2238427	400 W Harvard Ave Roseburg, OR 97470 USA	Welding Shop Not Provided	Other Personal Knowledge	Yes	2:51 PM 12/7/2020	3:11 PM 12/9/2020	<0.9 pCi/L *
87) AE924587	2238366	400 W Harvard Ave Roseburg, OR 97470 USA	Welding Shop Not Provided	Other Personal Knowledge	Yes	2:51 PM 12/7/2020	3:11 PM 12/9/2020	<1.4 pCi/L *
88) AE924595	2238391	400 W Harvard Ave Roseburg, OR 97470 USA	Cnc Room Not Provided	Other Personal Knowledge	Yes	2:54 PM 12/7/2020	3:11 PM 12/9/2020	<0.8 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools - High School
Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
89)	AE924604	2238390 400 W Harvard Ave Roseburg, OR 97470 USA	Cnc Room Not Provided	Other Personal Knowledge	Yes	2:56 PM 12/7/2020	3:11 PM 12/9/2020	<0.9 pCi/L *
90)	AE924570	2238363 400 W Harvard Ave Roseburg, OR 97470 USA	V-108 Not Provided	Other Personal Knowledge	Yes	2:56 PM 12/7/2020	3:11 PM 12/9/2020	<0.9 pCi/L *
91)	AE924578	2238393 400 W Harvard Ave Roseburg, OR 97470 USA	V-faculty Lounge Not Provided	Other Personal Knowledge	Yes	2:58 PM 12/7/2020	3:13 PM 12/9/2020	2.0 pCi/L
92)	AE924603	2238446 400 W Harvard Ave Roseburg, OR 97470 USA	V-107 Not Provided	Other Personal Knowledge	Yes	2:59 PM 12/7/2020	3:13 PM 12/9/2020	1.5 pCi/L
93)	AE924612	2238449 400 W Harvard Ave Roseburg, OR 97470 USA	V-3 Not Provided	Other Personal Knowledge	Yes	3:00 PM 12/7/2020	3:14 PM 12/9/2020	1.8 pCi/L
94)	AE924620	2238375 400 W Harvard Ave Roseburg, OR 97470 USA	Tech Lab 3 Not Provided	Other Personal Knowledge	Yes	3:02 PM 12/7/2020	3:15 PM 12/9/2020	1.5 pCi/L
95)	AE924628	2238399 400 W Harvard Ave Roseburg, OR 97470 USA	T-102 Not Provided	Other Personal Knowledge	Yes	3:03 PM 12/7/2020	3:15 PM 12/9/2020	2.0 pCi/L
96)	AE924652	2238410 400 W Harvard Ave Roseburg, OR 97470 USA	T-102 Office Not Provided	Other Personal Knowledge	Yes	3:05 PM 12/7/2020	3:16 PM 12/9/2020	1.4 pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools - High School
Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
97)	AE924636	2238398 400 W Harvard Ave Roseburg, OR 97470 USA	T-101 Not Provided	Other Personal Knowledge	Yes	3:05 PM 12/7/2020	3:16 PM 12/9/2020	1.3 pCi/L
98)	AE924663	2238444 400 W Harvard Ave Roseburg, OR 97470 USA	Security Office Not Provided	Other Personal Knowledge	Yes	3:06 PM 12/7/2020	3:17 PM 12/9/2020	1.5 pCi/L
99)	AE924664	2238380 400 W Harvard Ave Roseburg, OR 97470 USA	Library Not Provided	Other Personal Knowledge	Yes	3:07 PM 12/7/2020	3:18 PM 12/9/2020	1.5 pCi/L
100)	AE924611	2238445 400 W Harvard Ave Roseburg, OR 97470 USA	Library Not Provided	Other Personal Knowledge	Yes	3:10 PM 12/7/2020	3:22 PM 12/9/2020	<0.6 pCi/L *
101)	AE924619	2238392 400 W Harvard Ave Roseburg, OR 97470 USA	Media Production Not Provided	Other Personal Knowledge	Yes	3:10 PM 12/7/2020	3:22 PM 12/9/2020	<0.6 pCi/L *
102)	AE924627	2238477 400 W Harvard Ave Roseburg, OR 97470 USA	Training Room Not Provided	Other Personal Knowledge	Yes	3:12 PM 12/7/2020	3:23 PM 12/9/2020	<0.9 pCi/L *
103)	AE924635	2238476 400 W Harvard Ave Roseburg, OR 97470 USA	Coaches Office Not Provided	Other Personal Knowledge	Yes	3:15 PM 12/7/2020	3:25 PM 12/9/2020	<0.6 pCi/L *
104)	AE924651	2238451 400 W Harvard Ave Roseburg, OR 97470 USA	Wrestling Coach Not Provided	Other Personal Knowledge	Yes	3:16 PM 12/7/2020	3:26 PM 12/9/2020	<0.8 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools - High School

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
105)AE924659	2238426	400 W Harvard Ave Roseburg, OR 97470 USA	Pe Coach Office Not Provided	Other Personal Knowledge	Yes	3:18 PM 12/7/2020	3:28 PM 12/9/2020	<0.8 pCi/L *
106)AE924647	2238376	400 W Harvard Ave Roseburg, OR 97470 USA	Gymnasium Not Provided	Other Personal Knowledge	Yes	3:20 PM 12/7/2020	3:28 PM 12/9/2020	<0.7 pCi/L *
107)AE924655	2238455	400 W Harvard Ave Roseburg, OR 97470 USA	Gymnasium Not Provided	Other Personal Knowledge	Yes	3:23 PM 12/7/2020	3:32 PM 12/9/2020	<0.7 pCi/L *
108)AE924594	2238428	400 W Harvard Ave Roseburg, OR 97470 USA	Gymnasium Not Provided	Other Personal Knowledge	Yes	3:23 PM 12/7/2020	3:32 PM 12/9/2020	<0.7 pCi/L *
109)AE924665	2238367	400 W Harvard Ave Roseburg, OR 97470 USA	Girls Pe Coach Not Provided	Other Personal Knowledge	Yes	3:23 PM 12/7/2020	3:32 PM 12/9/2020	<0.7 pCi/L *
110)AE924643	2238454	400 W Harvard Ave Roseburg, OR 97470 USA	Girls Pe Coach Not Provided	Other Personal Knowledge	Yes	3:25 PM 12/7/2020	3:34 PM 12/9/2020	1.1 pCi/L
111)AE924660	2238475	400 W Harvard Ave Roseburg, OR 97470 USA	Thompsons Not Provided	Other Personal Knowledge	Yes	3:25 PM 12/7/2020	3:34 PM 12/9/2020	<0.9 pCi/L *
112)AE924661	2238400	400 W Harvard Ave Roseburg, OR 97470 USA	Auxiliary Gym Not Provided	Other Personal Knowledge	Yes	3:26 PM 12/7/2020	3:35 PM 12/9/2020	<0.8 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools - High School

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
113)AE924666	2238368	400 W Harvard Ave Roseburg, OR 97470 USA	Auxiliary Gym Not Provided	Other Personal Knowledge	Yes	3:29 PM 12/7/2020	3:37 PM 12/9/2020	<0.7 pCi/L *
114)AE924653	2238458	400 W Harvard Ave Roseburg, OR 97470 USA	Auxiliary Gym Not Provided	Other Personal Knowledge	Yes	3:29 PM 12/7/2020	3:36 PM 12/9/2020	<1.0 pCi/L *
115)AE924579	2238480	400 W Harvard Ave Roseburg, OR 97470 USA	H-faculty Not Provided	Other Personal Knowledge	Yes	3:29 PM 12/7/2020	3:37 PM 12/9/2020	<1.5 pCi/L *
116)AE924644	2238459	400 W Harvard Ave Roseburg, OR 97470 USA	H-faculty Not Provided	Other Personal Knowledge	Yes	3:55 PM 12/7/2020	4:05 PM 12/9/2020	<1.0 pCi/L *
117)AE924638	2238482	400 W Harvard Ave Roseburg, OR 97470 USA	H-101 Not Provided	Other Personal Knowledge	Yes	3:55 PM 12/7/2020	4:05 PM 12/9/2020	1.0 pCi/L
118)AE924676	2238447	400 W Harvard Ave Roseburg, OR 97470 USA	H-101 Not Provided	Other Personal Knowledge	Yes	3:57 PM 12/7/2020	4:06 PM 12/9/2020	<1.0 pCi/L *
119)AE924709	2238401	400 W Harvard Ave Roseburg, OR 97470 USA	H-102 Not Provided	Other Personal Knowledge	Yes	3:57 PM 12/7/2020	4:06 PM 12/9/2020	<1.1 pCi/L *
120)AE924677	2238378	400 W Harvard Ave Roseburg, OR 97470 USA	H-102 Not Provided	Other Personal Knowledge	Yes	3:58 PM 12/7/2020	4:07 PM 12/9/2020	<1.2 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools - High School
Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
121)AE924367	2238450	400 W Harvard Ave Roseburg, OR 97470 USA	H-103 Not Provided	Other Personal Knowledge	Yes	3:58 PM 12/7/2020	4:07 PM 12/9/2020	<1.3 pCi/L *
122)AE924684	2238356	400 W Harvard Ave Roseburg, OR 97470 USA	H-103 Not Provided	Other Personal Knowledge	Yes	3:59 PM 12/7/2020	4:08 PM 12/9/2020	<0.8 pCi/L *
123)AE924672	2238411	400 W Harvard Ave Roseburg, OR 97470 USA	H-104 Not Provided	Other Personal Knowledge	Yes	3:59 PM 12/7/2020	4:08 PM 12/9/2020	<1.0 pCi/L *
124)AE924671	2238377	400 W Harvard Ave Roseburg, OR 97470 USA	H-104 Not Provided	Other Personal Knowledge	Yes	4:00 PM 12/7/2020	4:09 PM 12/9/2020	0.6 pCi/L
125)AE924668	2238365	400 W Harvard Ave Roseburg, OR 97470 USA	H-105 Not Provided	Other Personal Knowledge	Yes	4:00 PM 12/7/2020	4:09 PM 12/9/2020	<1.0 pCi/L *
126)AE924669	2238413	400 W Harvard Ave Roseburg, OR 97470 USA	H-105 Not Provided	Other Personal Knowledge	Yes	4:02 PM 12/7/2020	4:10 PM 12/9/2020	<0.7 pCi/L *
127)AE924680	2238474	400 W Harvard Ave Roseburg, OR 97470 USA	H-106 Not Provided	Other Personal Knowledge	Yes	4:02 PM 12/7/2020	4:10 PM 12/9/2020	<1.1 pCi/L *
128)AE924670	2238395	400 W Harvard Ave Roseburg, OR 97470 USA	H-weight Room Not Provided	Other Personal Knowledge	Yes	4:03 PM 12/7/2020	4:11 PM 12/9/2020	<0.8 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools - High School
Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
129)AE924685	2238364	400 W Harvard Ave Roseburg, OR 97470 USA	H-weight Room Not Provided	Other Personal Knowledge	Yes	4:05 PM 12/7/2020	4:13 PM 12/9/2020	<1.1 pCi/L *
130)AE924693	2238453	400 W Harvard Ave Roseburg, OR 97470 USA	H-break Room Not Provided	Other Personal Knowledge	Yes	4:05 PM 12/7/2020	4:13 PM 12/9/2020	1.1 pCi/L
131)AE924678	2238452	400 W Harvard Ave Roseburg, OR 97470 USA	H-custodial Storage Not Provided	Other Personal Knowledge	Yes	4:07 PM 12/7/2020	4:15 PM 12/9/2020	0.6 pCi/L
132)AE924686	2238412	400 W Harvard Ave Roseburg, OR 97470 USA	H-custodial Storage Not Provided	Other Personal Knowledge	Yes	4:09 PM 12/7/2020	4:15 PM 12/9/2020	<0.6 pCi/L *
133)AE924694	2238379	400 W Harvard Ave Roseburg, OR 97470 USA	Blank Not Provided	Other Personal Knowledge	Yes	4:10 PM 12/7/2020	4:15 PM 12/9/2020	<0.8 pCi/L *
134)AE924710	2238443	400 W Harvard Ave Roseburg, OR 97470 USA	Blank Not Provided	Other Personal Knowledge	Yes	1:10 PM 12/7/2020	4:16 PM 12/9/2020	<1.2 pCi/L *
135)AE924726	2238442	400 W Harvard Ave Roseburg, OR 97470 USA	Blank Not Provided	Other Personal Knowledge	Yes	1:10 PM 12/7/2020	4:16 PM 12/9/2020	<0.7 pCi/L *
136)AE924747	2238441	400 W Harvard Ave Roseburg, OR 97470 USA	Blank Not Provided	Other Personal Knowledge	Yes	1:10 PM 12/7/2020	4:16 PM 12/9/2020	<0.9 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools - High School
Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
137)AE924708	2238352	400 W Harvard Ave Roseburg, OR 97470 USA	Blank Not Provided	Other Personal Knowledge	Yes	1:10 PM 12/7/2020	4:16 PM 12/9/2020	<0.7 pCi/L *
138)AE924718	2238351	400 W Harvard Ave Roseburg, OR 97470 USA	Blank Not Provided	Other Personal Knowledge	Yes	1:10 PM 12/7/2020	4:16 PM 12/9/2020	<1.0 pCi/L *
139)AE924703	2238353	400 W Harvard Ave Roseburg, OR 97470 USA	Blank Not Provided	Other Personal Knowledge	Yes	1:10 PM 12/7/2020	4:16 PM 12/9/2020	<0.7 pCi/L *
140)AE924711	2238354	400 W Harvard Ave Roseburg, OR 97470 USA	Blank Not Provided	Other Personal Knowledge	Yes	1:10 PM 12/7/2020	4:16 PM 12/9/2020	<0.9 pCi/L *
141)AE924719	2238355	400 W Harvard Ave Roseburg, OR 97470 USA	#ref! Not Provided	Other Personal Knowledge	Yes	1:10 PM 12/7/2020	4:16 PM 12/9/2020	<0.7 pCi/L *
142)AE924622	2238374	400 W Harvard Ave Roseburg, OR 97470 USA	Not Provided Not Provided	Other Personal Knowledge	Yes			Error pCi/L
143)AE924591	2238429	400 W Harvard Ave Roseburg, OR 97470 USA	Not Provided Not Provided	Other Personal Knowledge	Yes			Error pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

REPORT NOTES PAGE

Report Notes

Project: Roseburg Schools - High School

Kit Serial	Test Address	Placement Notes	Retrieval Notes
1) AE924583	400 W Harvard Ave Roseburg, OR 97470 USA	Duplicate	
2) AE924366	400 W Harvard Ave Roseburg, OR 97470 USA	Duplicate	
3) AE924444	400 W Harvard Ave Roseburg, OR 97470 USA	Duplicate	
4) AE924589	400 W Harvard Ave Roseburg, OR 97470 USA	Duplicate	
5) AE924642	400 W Harvard Ave Roseburg, OR 97470 USA	Duplicate	
6) AE924665	400 W Harvard Ave Roseburg, OR 97470 USA	Duplicate	
7) AE924643	400 W Harvard Ave Roseburg, OR 97470 USA	Duplicate	
8) AE924653	400 W Harvard Ave Roseburg, OR 97470 USA	Duplicate	

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results.
 CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

REPORT NOTES PAGE

Report Notes

Project: Roseburg Schools - High School

Kit Serial	Test Address	Placement Notes	Retrieval Notes
9) AE924676	400 W Harvard Ave Roseburg, OR 97470 USA	Duplicate	
10) AE924677	400 W Harvard Ave Roseburg, OR 97470 USA	Duplicate	
11) AE924684	400 W Harvard Ave Roseburg, OR 97470 USA	Duplicate	
12) AE924671	400 W Harvard Ave Roseburg, OR 97470 USA	Duplicate	
13) AE924669	400 W Harvard Ave Roseburg, OR 97470 USA	Duplicate	

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results.
 CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director [Signature] NJ MES: 11306 Date 12/14/2020