



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info

NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley
 Blvd.
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 Fremont

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
1)	AE924329	2238271 850 W Keady Ct. Roseburg, OR 97471 USA	Office Not Provided	Other Personal Knowledge	Yes	7:30 AM 12/7/2020	9:02 AM 12/9/2020	1.5 pCi/L
2)	AE924288	2238270 850 W Keady Ct. Roseburg, OR 97471 USA	Copy Room Not Provided	Other Personal Knowledge	Yes	7:31 AM 12/7/2020	9:04 AM 12/9/2020	1.9 pCi/L
3)	AE924313	2238269 850 W Keady Ct. Roseburg, OR 97471 USA	Ben Bentea Not Provided	Other Personal Knowledge	Yes	7:32 AM 12/7/2020	9:04 AM 12/9/2020	1.2 pCi/L
4)	AE924299	2238268 850 W Keady Ct. Roseburg, OR 97471 USA	Karen Howington Not Provided	Other Personal Knowledge	Yes	7:34 AM 12/7/2020	9:04 AM 12/9/2020	3.4 pCi/L
5)	AE924345	2238296 850 W Keady Ct. Roseburg, OR 97471 USA	Jake Hughes Not Provided	Other Personal Knowledge	Yes	7:35 AM 12/7/2020	9:04 AM 12/9/2020	1.4 pCi/L
6)	AE924320	2238343 850 W Keady Ct. Roseburg, OR 97471 USA	Secretary Office Not Provided	Other Personal Knowledge	Yes	7:36 AM 12/7/2020	9:06 AM 12/9/2020	1.5 pCi/L
7)	AE924353	2238317 850 W Keady Ct. Roseburg, OR 97471 USA	#1 Not Provided	Other Personal Knowledge	Yes	7:38 AM 12/7/2020	9:08 AM 12/9/2020	1.0 pCi/L
8)	AE924308	2238318 850 W Keady Ct. Roseburg, OR 97471 USA	#2 Not Provided	Other Personal Knowledge	Yes	7:38 AM 12/7/2020	9:09 AM 12/9/2020	<1.3 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley
 Blvd.
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 Fremont

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
9)	AE924316	2238341 850 W Keady Ct. Roseburg, OR 97471 USA	#3 Not Provided	Other Personal Knowledge	Yes	7:39 AM 12/7/2020	9:10 AM 12/9/2020	0.9 pCi/L
10)	AE924336	2238342 850 W Keady Ct. Roseburg, OR 97471 USA	#4 Not Provided	Other Personal Knowledge	Yes	7:41 AM 12/7/2020	9:11 AM 12/9/2020	<1.3 pCi/L *
11)	AE924337	2238289 850 W Keady Ct. Roseburg, OR 97471 USA	#5 Not Provided	Other Personal Knowledge	Yes	7:41 AM 12/7/2020	9:10 AM 12/9/2020	1.3 pCi/L
12)	AE924352	2238280 850 W Keady Ct. Roseburg, OR 97471 USA	#6 Not Provided	Other Personal Knowledge	Yes	7:43 AM 12/7/2020	9:12 AM 12/9/2020	0.9 pCi/L
13)	AE924344	2238299 850 W Keady Ct. Roseburg, OR 97471 USA	#7 Not Provided	Other Personal Knowledge	Yes	7:43 AM 12/7/2020	9:11 AM 12/9/2020	1.4 pCi/L
14)	AE924324	2238316 850 W Keady Ct. Roseburg, OR 97471 USA	#8 Not Provided	Other Personal Knowledge	Yes	7:44 AM 12/7/2020	9:13 AM 12/9/2020	0.8 pCi/L
15)	AE924317	2238330 850 W Keady Ct. Roseburg, OR 97471 USA	#8 Not Provided	Other Personal Knowledge	Yes	7:44 AM 12/7/2020	9:13 AM 12/9/2020	<1.2 pCi/L *
16)	AE924354	2238313 850 W Keady Ct. Roseburg, OR 97471 USA	#10 Not Provided	Other Personal Knowledge	Yes	7:46 AM 12/7/2020	9:15 AM 12/9/2020	<0.9 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley
 Blvd.
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 Fremont

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
17)	AE924328	2238329 850 W Keady Ct. Roseburg, OR 97471 USA	#11 Not Provided	Other Personal Knowledge	Yes	7:47 AM 12/7/2020	9:14 AM 12/9/2020	1.4 pCi/L
18)	AE924347	2238347 850 W Keady Ct. Roseburg, OR 97471 USA	Gillespie Not Provided	Other Personal Knowledge	Yes	7:50 AM 12/7/2020	9:13 AM 12/9/2020	0.8 pCi/L
19)	AE924355	2238304 850 W Keady Ct. Roseburg, OR 97471 USA	Therese Not Provided	Other Personal Knowledge	Yes	7:51 AM 12/7/2020	9:17 AM 12/9/2020	1.1 pCi/L
20)	AE924306	2238306 850 W Keady Ct. Roseburg, OR 97471 USA	Therese Not Provided	Other Personal Knowledge	Yes	7:51 AM 12/7/2020	9:17 AM 12/9/2020	<1.9 pCi/L *
21)	AE924314	2238325 850 W Keady Ct. Roseburg, OR 97471 USA	Jason Tate Not Provided	Other Personal Knowledge	Yes	7:54 AM 12/7/2020	9:18 AM 12/9/2020	0.8 pCi/L
22)	AE924322	2238340 850 W Keady Ct. Roseburg, OR 97471 USA	Karen Howington Not Provided	Other Personal Knowledge	Yes	7:54 AM 12/7/2020	9:18 AM 12/9/2020	1.5 pCi/L
23)	AE924318	2238294 850 W Keady Ct. Roseburg, OR 97471 USA	Staff Room Not Provided	Other Personal Knowledge	Yes	7:56 AM 12/7/2020	9:19 AM 12/9/2020	1.6 pCi/L
24)	AE924327	2238312 850 W Keady Ct. Roseburg, OR 97471 USA	#14 Not Provided	Other Personal Knowledge	Yes	7:59 AM 12/7/2020	9:21 AM 12/9/2020	0.9 pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley
 Blvd.
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 Fremont

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
25) AE924335	2238334	850 W Keady Ct. Roseburg, OR 97471 USA	#15 Not Provided	Other Personal Knowledge	Yes	7:59 AM 12/7/2020	9:22 AM 12/9/2020	1.5 pCi/L
26) AE924311	2238284	850 W Keady Ct. Roseburg, OR 97471 USA	#16 Not Provided	Other Personal Knowledge	Yes	8:00 AM 12/7/2020	9:23 AM 12/9/2020	0.8 pCi/L
27) AE924338	2238295	850 W Keady Ct. Roseburg, OR 97471 USA	#16 Not Provided	Other Personal Knowledge	Yes	8:00 AM 12/7/2020	9:23 AM 12/9/2020	1.1 pCi/L
28) AE924342	2238349	850 W Keady Ct. Roseburg, OR 97471 USA	#17 Not Provided	Other Personal Knowledge	Yes	8:01 AM 12/7/2020	9:24 AM 12/9/2020	2.2 pCi/L
29) AE924343	2238350	850 W Keady Ct. Roseburg, OR 97471 USA	#18 Not Provided	Other Personal Knowledge	Yes	8:02 AM 12/7/2020	9:24 AM 12/9/2020	2.9 pCi/L
30) AE924351	2238314	850 W Keady Ct. Roseburg, OR 97471 USA	#19 Not Provided	Other Personal Knowledge	Yes	8:04 AM 12/7/2020	9:27 AM 12/9/2020	1.4 pCi/L
31) AE924321	2238332	850 W Keady Ct. Roseburg, OR 97471 USA	Media Center Not Provided	Other Personal Knowledge	Yes	8:07 AM 12/7/2020	9:28 AM 12/9/2020	0.9 pCi/L
32) AE924334	2238333	850 W Keady Ct. Roseburg, OR 97471 USA	Media Center #2 Not Provided	Other Personal Knowledge	Yes	8:08 AM 12/7/2020	9:28 AM 12/9/2020	1.1 pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley
 Blvd.
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 Fremont

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
33) AE924362	2238331	850 W Keady Ct. Roseburg, OR 97471 USA	#12 Not Provided	Other Personal Knowledge	Yes	8:08 AM 12/7/2020	9:29 AM 12/9/2020	1.6 pCi/L
34) AE924357	2238301	850 W Keady Ct. Roseburg, OR 97471 USA	Media Center Not Provided	Other Personal Knowledge	Yes	8:10 AM 12/7/2020	9:31 AM 12/9/2020	1.7 pCi/L
35) AE924358	2238320	850 W Keady Ct. Roseburg, OR 97471 USA	Jason Stout Not Provided	Other Personal Knowledge	Yes	8:11 AM 12/7/2020	9:31 AM 12/9/2020	1.1 pCi/L
36) AE924363	2238327	850 W Keady Ct. Roseburg, OR 97471 USA	Media Workroom Not Provided	Other Personal Knowledge	Yes	8:12 AM 12/7/2020	9:32 AM 12/9/2020	1.4 pCi/L
37) AE924319	2238328	850 W Keady Ct. Roseburg, OR 97471 USA	Media Workroom Not Provided	Other Personal Knowledge	Yes	8:12 AM 12/7/2020	9:32 AM 12/9/2020	1.1 pCi/L
38) AE924361	2238335	850 W Keady Ct. Roseburg, OR 97471 USA	Conference Room Not Provided	Other Personal Knowledge	Yes	8:13 AM 12/7/2020	9:33 AM 12/9/2020	1.4 pCi/L
39) AE924325	2238339	850 W Keady Ct. Roseburg, OR 97471 USA	#20 Not Provided	Other Personal Knowledge	Yes	8:15 AM 12/7/2020	9:34 AM 12/9/2020	1.3 pCi/L
40) AE924333	2238281	850 W Keady Ct. Roseburg, OR 97471 USA	#21 Not Provided	Other Personal Knowledge	Yes	8:16 AM 12/7/2020	9:34 AM 12/9/2020	<0.8 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley
 Blvd.
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 Fremont
Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
41) AE924359	2238337	850 W Keady Ct. Roseburg, OR 97471 USA	#22 Not Provided	Other Personal Knowledge	Yes	8:17 AM 12/7/2020	9:35 AM 12/9/2020	0.8 pCi/L
42) AE924332	2238324	850 W Keady Ct. Roseburg, OR 97471 USA	#23 Not Provided	Other Personal Knowledge	Yes	8:18 AM 12/7/2020	9:35 AM 12/9/2020	0.9 pCi/L
43) AE924340	2238277	850 W Keady Ct. Roseburg, OR 97471 USA	#24 Not Provided	Other Personal Knowledge	Yes	8:19 AM 12/7/2020	9:36 AM 12/9/2020	<0.8 pCi/L *
44) AE924341	2238267	850 W Keady Ct. Roseburg, OR 97471 USA	#25 Not Provided	Other Personal Knowledge	Yes	8:19 AM 12/7/2020	9:36 AM 12/9/2020	<1.1 pCi/L *
45) AE924349	2238279	850 W Keady Ct. Roseburg, OR 97471 USA	#26 Not Provided	Other Personal Knowledge	Yes	8:20 AM 12/7/2020	9:37 AM 12/9/2020	<1.1 pCi/L *
46) AE924356	2238338	850 W Keady Ct. Roseburg, OR 97471 USA	#27 Not Provided	Other Personal Knowledge	Yes	8:22 AM 12/7/2020	9:39 AM 12/9/2020	1.1 pCi/L
47) AE924360	2238293	850 W Keady Ct. Roseburg, OR 97471 USA	#27 Not Provided	Other Personal Knowledge	Yes	8:22 AM 12/7/2020	9:39 AM 12/9/2020	<1.2 pCi/L *
48) AE924348	2238273	850 W Keady Ct. Roseburg, OR 97471 USA	#27 #2 Not Provided	Other Personal Knowledge	Yes	8:22 AM 12/7/2020	9:39 AM 12/9/2020	1.4 pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley
 Blvd.
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 Fremont

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
49) AE924482	2238278	850 W Keady Ct. Roseburg, OR 97471 USA	#28 Not Provided	Other Personal Knowledge	Yes	8:24 AM 12/7/2020	9:41 AM 12/9/2020	0.9 pCi/L
50) AE924350	2238309	850 W Keady Ct. Roseburg, OR 97471 USA	#28 Not Provided	Other Personal Knowledge	Yes	8:24 AM 12/7/2020	9:40 AM 12/9/2020	1.6 pCi/L
51) AE924522	2238308	850 W Keady Ct. Roseburg, OR 97471 USA	#29 Not Provided	Other Personal Knowledge	Yes	8:28 AM 12/7/2020	9:41 AM 12/9/2020	1.1 pCi/L
52) AE924539	2238567	850 W Keady Ct. Roseburg, OR 97471 USA	#30 Not Provided	Other Personal Knowledge	Yes	8:30 AM 12/7/2020	9:42 AM 12/9/2020	<1.2 pCi/L *
53) AE924546	2238336	850 W Keady Ct. Roseburg, OR 97471 USA	#30 Office Not Provided	Other Personal Knowledge	Yes	8:31 AM 12/7/2020	9:42 AM 12/9/2020	<1.4 pCi/L *
54) AE924554	2238345	850 W Keady Ct. Roseburg, OR 97471 USA	#31 Not Provided	Other Personal Knowledge	Yes	8:32 AM 12/7/2020	9:43 AM 12/9/2020	0.9 pCi/L
55) AE924514	2238272	850 W Keady Ct. Roseburg, OR 97471 USA	#32 Not Provided	Other Personal Knowledge	Yes	8:33 AM 12/7/2020	9:43 AM 12/9/2020	<0.6 pCi/L *
56) AE924518	2238282	850 W Keady Ct. Roseburg, OR 97471 USA	#33 Not Provided	Other Personal Knowledge	Yes	8:34 AM 12/7/2020	9:44 AM 12/9/2020	1.1 pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley
 Blvd.
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 Fremont

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
57)	AE924490	2238311 850 W Keady Ct. Roseburg, OR 97471 USA	#34 Not Provided	Other Personal Knowledge	Yes	8:34 AM 12/7/2020	9:44 AM 12/9/2020	1.4 pCi/L
58)	AE924510	2238275 850 W Keady Ct. Roseburg, OR 97471 USA	#35 Not Provided	Other Personal Knowledge	Yes	8:35 AM 12/7/2020	9:45 AM 12/9/2020	1.2 pCi/L
59)	AE924502	2238276 850 W Keady Ct. Roseburg, OR 97471 USA	#36 Not Provided	Other Personal Knowledge	Yes	8:36 AM 12/7/2020	9:46 AM 12/9/2020	1.1 pCi/L
60)	AE924473	2238307 850 W Keady Ct. Roseburg, OR 97471 USA	#38 Not Provided	Other Personal Knowledge	Yes	8:37 AM 12/7/2020	9:47 AM 12/9/2020	<0.8 pCi/L *
61)	AE924493	2238344 850 W Keady Ct. Roseburg, OR 97471 USA	#38 Not Provided	Other Personal Knowledge	Yes	8:37 AM 12/7/2020	9:47 AM 12/9/2020	0.7 pCi/L
62)	AE924474	2238274 850 W Keady Ct. Roseburg, OR 97471 USA	#39 Not Provided	Other Personal Knowledge	Yes	8:38 AM 12/7/2020	9:47 AM 12/9/2020	3.3 pCi/L
63)	AE924562	2238298 850 W Keady Ct. Roseburg, OR 97471 USA	#40 Not Provided	Other Personal Knowledge	Yes	8:39 AM 12/7/2020	9:48 AM 12/9/2020	3.6 pCi/L
64)	AE924486	2238287 850 W Keady Ct. Roseburg, OR 97471 USA	#42 Not Provided	Other Personal Knowledge	Yes	8:41 AM 12/7/2020	9:49 AM 12/9/2020	<0.8 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley
 Blvd.
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 Fremont

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
65)	AE924475	2238319 850 W Keady Ct. Roseburg, OR 97471 USA	#43 Not Provided	Other Personal Knowledge	No	8:42 AM 12/7/2020	9:51 AM 12/9/2020	2.0 pCi/L
66)	AE924543	2238303 850 W Keady Ct. Roseburg, OR 97471 USA	#44 Not Provided	Other Personal Knowledge	No	8:43 AM 12/7/2020	9:51 AM 12/9/2020	<1.0 pCi/L *
67)	AE924551	2238297 850 W Keady Ct. Roseburg, OR 97471 USA	#45 Not Provided	Other Personal Knowledge	No	8:43 AM 12/7/2020	9:51 AM 12/9/2020	<1.0 pCi/L *
68)	AE924483	2238302 850 W Keady Ct. Roseburg, OR 97471 USA	Weight Room Not Provided	Other Personal Knowledge	Yes	8:45 AM 12/7/2020	9:52 AM 12/9/2020	1.9 pCi/L
69)	AE924530	2238322 850 W Keady Ct. Roseburg, OR 97471 USA	Mr. Snelling Not Provided	Other Personal Knowledge	Yes	8:47 AM 12/7/2020	9:54 AM 12/9/2020	0.9 pCi/L
70)	AE924542	2238283 850 W Keady Ct. Roseburg, OR 97471 USA	Mat Room Not Provided	Other Personal Knowledge	Yes	8:50 AM 12/7/2020	10:02 AM 12/9/2020	2.0 pCi/L
71)	AE924559	2238300 850 W Keady Ct. Roseburg, OR 97471 USA	Mat Room Not Provided	Other Personal Knowledge	Yes	8:50 AM 12/7/2020	10:02 AM 12/9/2020	1.5 pCi/L
72)	AE924555	2238315 850 W Keady Ct. Roseburg, OR 97471 USA	Girls Coach Not Provided	Other Personal Knowledge	Yes	8:52 AM 12/7/2020	10:03 AM 12/9/2020	<1.2 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley
 Blvd.
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 Fremont

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
73)	AE924481	2238321 850 W Keady Ct. Roseburg, OR 97471 USA	Cafeteria	Other	Yes	8:54 AM	10:04 AM	1.3 pCi/L
			Not Provided	Personal Knowledge		12/7/2020	12/9/2020	
74)	AE924506	2238326 850 W Keady Ct. Roseburg, OR 97471 USA	Cafeteria #2	Other	Yes	8:54 AM	10:04 AM	1.2 pCi/L
			Not Provided	Personal Knowledge		12/7/2020	12/9/2020	
75)	AE924476	2238285 850 W Keady Ct. Roseburg, OR 97471 USA	Custodial	Other	Yes	8:55 AM	10:05 AM	0.9 pCi/L
			Not Provided	Personal Knowledge		12/7/2020	12/9/2020	
76)	AE924484	2238288 850 W Keady Ct. Roseburg, OR 97471 USA	Kitchen Office	Other	Yes	8:56 AM	10:06 AM	1.4 pCi/L
			Not Provided	Personal Knowledge		12/7/2020	12/9/2020	
77)	AE924734	2238286 850 W Keady Ct. Roseburg, OR 97471 USA	Blank	Other	Yes	7:30 AM	10:07 AM	<0.8 pCi/L *
			Not Provided	Personal Knowledge		12/7/2020	12/9/2020	
78)	AE924742	2238323 850 W Keady Ct. Roseburg, OR 97471 USA	Blank	Other	Yes	7:30 AM	10:07 AM	<0.8 pCi/L *
			Not Provided	Personal Knowledge		12/7/2020	12/9/2020	
79)	AE924739	2238292 850 W Keady Ct. Roseburg, OR 97471 USA	Blank	Other	Yes	7:30 AM	10:07 AM	<0.9 pCi/L *
			Not Provided	Personal Knowledge		12/7/2020	12/9/2020	
80)	AE924731	2238290 850 W Keady Ct. Roseburg, OR 97471 USA	Blank	Other	Yes	7:30 AM	10:07 AM	<0.8 pCi/L *
			Not Provided	Personal Knowledge		12/7/2020	12/9/2020	

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley
 Blvd.
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 Fremont

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
81) AE924766	2238291	850 W Keady Ct. Roseburg, OR 97471 USA	Blank Not Provided	Other Personal Knowledge	Yes	7:30 AM 12/7/2020	10:07 AM 12/9/2020	<0.8 pCi/L *
82) AE924538	2238305	850 W Keady Ct. Roseburg, OR 97471 USA	Not Provided Not Provided	Other Personal Knowledge	Yes			Error pCi/L
83) AE924330	2238346	850 W Keady Ct. Roseburg, OR 97471 USA	Not Provided Not Provided	Other Personal Knowledge	Yes			Error pCi/L
84) AE924346	2238348	850 W Keady Ct. Roseburg, OR 97471 USA	Not Provided Not Provided	Other Personal Knowledge	Yes			Error pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director *[Signature]* NJ MES: 11306 Date 12/14/2020



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundation
 Systems
 761 Ne Garden Valley
 Blvd.
 Roseburg, OR 97470 USA

REPORT NOTES PAGE

Report Notes

Project: Roseburg Schools -
 Fremont

Kit Serial	Test Address	Placement Notes	Retrieval Notes
1) AE924317	850 W Keady Ct. Roseburg, OR 97471 USA	Duplicate	
2) AE924306	850 W Keady Ct. Roseburg, OR 97471 USA	Duplicate	
3) AE924338	850 W Keady Ct. Roseburg, OR 97471 USA	Duplicate	
4) AE924319	850 W Keady Ct. Roseburg, OR 97471 USA	Duplicate	
5) AE924360	850 W Keady Ct. Roseburg, OR 97471 USA	Duplicate	
6) AE924475	850 W Keady Ct. Roseburg, OR 97471 USA		Open Doors
7) AE924543	850 W Keady Ct. Roseburg, OR 97471 USA		Open Doors
8) AE924551	850 W Keady Ct. Roseburg, OR 97471 USA		Open Doors

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results.
 CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: TerraFirma Foundation
Systems
761 Ne Garden Valley
Blvd.
Roseburg, OR 97470 USA

REPORT NOTES PAGE

Report Notes

Project: Roseburg Schools -
Fremont

Kit Serial	Test Address	Placement Notes	Retrieval Notes
9) AE924559	850 W Keady Ct. Roseburg, OR 97471 USA		Flipped Upside Down

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director [Signature] NJ MES: 11306 Date 12/14/2020