



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundations
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 Joseph Lane

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
1)	AE924390	2153 Ne Vine St. Roseburg, OR 97470 USA	#33 Not Provided	Other Personal Knowledge	Yes	11:05 AM 12/7/2020	12:08 PM 12/9/2020	<0.7 pCi/L *
2)	AE924389	2153 Ne Vine St. Roseburg, OR 97470 USA	#1 Not Provided	Other Personal Knowledge	Yes	11:07 AM 12/7/2020	12:09 PM 12/9/2020	<0.7 pCi/L *
3)	AE924398	2153 Ne Vine St. Roseburg, OR 97470 USA	#2 Not Provided	Other Personal Knowledge	Yes	11:08 AM 12/7/2020	12:10 PM 12/9/2020	<1.3 pCi/L *
4)	AE924399	2153 Ne Vine St. Roseburg, OR 97470 USA	#3 Not Provided	Other Personal Knowledge	Yes	11:09 AM 12/7/2020	12:10 PM 12/9/2020	<0.7 pCi/L *
5)	AE924407	2153 Ne Vine St. Roseburg, OR 97470 USA	#4 Not Provided	Other Personal Knowledge	Yes	11:10 AM 12/7/2020	12:11 PM 12/9/2020	<1.1 pCi/L *
6)	AE924380	2153 Ne Vine St. Roseburg, OR 97470 USA	#5 Not Provided	Other Personal Knowledge	Yes	11:12 AM 12/7/2020	12:11 PM 12/9/2020	<1.3 pCi/L *
7)	AE924415	2153 Ne Vine St. Roseburg, OR 97470 USA	#7 Not Provided	Other Personal Knowledge	Yes	11:13 AM 12/7/2020	12:12 PM 12/9/2020	0.7 pCi/L
8)	AE924408	2153 Ne Vine St. Roseburg, OR 97470 USA	#6 Not Provided	Other Personal Knowledge	Yes	11:14 AM 12/7/2020	12:13 PM 12/9/2020	<0.7 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info

NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundations
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 Joseph Lane

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
9)	AE924417	2153 Ne Vine St. Roseburg, OR 97470 USA	#9 Not Provided	Other Personal Knowledge	Yes	11:16 AM 12/7/2020	12:14 PM 12/9/2020	<1.1 pCi/L *
10)	AE924409	2153 Ne Vine St. Roseburg, OR 97470 USA	Faculty Room Not Provided	Other Personal Knowledge	Yes	11:17 AM 12/7/2020	12:14 PM 12/9/2020	<1.1 pCi/L *
11)	AE924383	2153 Ne Vine St. Roseburg, OR 97470 USA	Faculty Room Not Provided	Other Personal Knowledge	Yes	11:17 AM 12/7/2020	12:14 PM 12/9/2020	<1.2 pCi/L *
12)	AE924433	2153 Ne Vine St. Roseburg, OR 97470 USA	#10 Not Provided	Other Personal Knowledge	Yes	11:18 AM 12/7/2020	12:15 PM 12/9/2020	<0.7 pCi/L *
13)	AE924400	2153 Ne Vine St. Roseburg, OR 97470 USA	Janitor Office Not Provided	Other Personal Knowledge	Yes	11:19 AM 12/7/2020	12:15 PM 12/9/2020	<0.7 pCi/L *
14)	AE924392	2153 Ne Vine St. Roseburg, OR 97470 USA	#11 Not Provided	Other Personal Knowledge	Yes	11:21 AM 12/7/2020	12:16 PM 12/9/2020	<0.7 pCi/L *
15)	AE924372	2153 Ne Vine St. Roseburg, OR 97470 USA	Conference Room Not Provided	Other Personal Knowledge	Yes	11:22 AM 12/7/2020	12:16 PM 12/9/2020	<0.8 pCi/L *
16)	AE924425	2153 Ne Vine St. Roseburg, OR 97470 USA	Ms. Paul Not Provided	Other Personal Knowledge	Yes	11:23 AM 12/7/2020	12:18 PM 12/9/2020	<0.4 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundations
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 Joseph Lane

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
17)	AE924414	2238585 2153 Ne Vine St. Roseburg, OR 97470 USA	Khara Holborow Not Provided	Other Personal Knowledge	Yes	11:24 AM 12/7/2020	12:18 PM 12/9/2020	<0.9 pCi/L *
18)	AE924373	2238630 2153 Ne Vine St. Roseburg, OR 97470 USA	Counciling Center Not Provided	Other Personal Knowledge	Yes	11:24 AM 12/7/2020	12:17 PM 12/9/2020	<0.7 pCi/L *
19)	AE924423	2238592 2153 Ne Vine St. Roseburg, OR 97470 USA	Main Office Not Provided	Other Personal Knowledge	Yes	11:25 AM 12/7/2020	12:18 PM 12/9/2020	<0.6 pCi/L *
20)	AE924391	2238613 2153 Ne Vine St. Roseburg, OR 97470 USA	Marya Mcdowell Not Provided	Other Personal Knowledge	Yes	11:26 AM 12/7/2020	12:20 PM 12/9/2020	<0.6 pCi/L *
21)	AE924424	2238591 2153 Ne Vine St. Roseburg, OR 97470 USA	Mrs. Opp Not Provided	Other Personal Knowledge	Yes	11:27 AM 12/7/2020	12:20 PM 12/9/2020	<0.9 pCi/L *
22)	AE924397	2238614 2153 Ne Vine St. Roseburg, OR 97470 USA	Mrs. Opp Not Provided	Other Personal Knowledge	Yes	11:27 AM 12/7/2020	12:20 PM 12/9/2020	<0.6 pCi/L *
23)	AE924421	2238605 2153 Ne Vine St. Roseburg, OR 97470 USA	Mr. Lomica Not Provided	Other Personal Knowledge	Yes	11:28 AM 12/7/2020	12:21 PM 12/9/2020	<1.2 pCi/L *
24)	AE924402	2238580 2153 Ne Vine St. Roseburg, OR 97470 USA	Mrs. Fischer Not Provided	Other Personal Knowledge	Yes	11:29 AM 12/7/2020	12:22 PM 12/9/2020	<0.8 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
 CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundations
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 Joseph Lane

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
25) AE924376	2238632	2153 Ne Vine St. Roseburg, OR 97470 USA	Atheltics Office Not Provided	Other Personal Knowledge	Yes	11:30 AM 12/7/2020	12:22 PM 12/9/2020	<0.7 pCi/L *
26) AE924422	2238635	2153 Ne Vine St. Roseburg, OR 97470 USA	#8 Not Provided	Other Personal Knowledge	Yes	11:31 AM 12/7/2020	12:23 PM 12/9/2020	<0.7 pCi/L *
27) AE924410	2238606	2153 Ne Vine St. Roseburg, OR 97470 USA	Health Not Provided	Other Personal Knowledge	Yes	11:32 AM 12/7/2020	12:24 PM 12/9/2020	<1.1 pCi/L *
28) AE924393	2238634	2153 Ne Vine St. Roseburg, OR 97470 USA	#12 Not Provided	Other Personal Knowledge	Yes	11:33 AM 12/7/2020	12:24 PM 12/9/2020	<0.8 pCi/L *
29) AE924413	2238633	2153 Ne Vine St. Roseburg, OR 97470 USA	Weight Room Not Provided	Other Personal Knowledge	Yes	11:34 AM 12/7/2020	12:25 PM 12/9/2020	<0.9 pCi/L *
30) AE924370	2238584	2153 Ne Vine St. Roseburg, OR 97470 USA	Gymnasium Not Provided	Other Personal Knowledge	Yes	11:36 AM 12/7/2020	12:27 PM 12/9/2020	<0.8 pCi/L *
31) AE924385	2238590	2153 Ne Vine St. Roseburg, OR 97470 USA	Gymnasium Not Provided	Other Personal Knowledge	Yes	11:40 AM 12/7/2020	12:29 PM 12/9/2020	<0.7 pCi/L *
32) AE924418	2238594	2153 Ne Vine St. Roseburg, OR 97470 USA	Gymnasium #2 Not Provided	Other Personal Knowledge	Yes	11:40 AM 12/7/2020	12:29 PM 12/9/2020	<0.9 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundations
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 Joseph Lane

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
33) AE924441	2238593	2153 Ne Vine St. Roseburg, OR 97470 USA	Boys Coach Not Provided	Other Personal Knowledge	Yes	11:40 AM 12/7/2020	12:29 PM 12/9/2020	<0.8 pCi/L *
34) AE924378	2238604	2153 Ne Vine St. Roseburg, OR 97470 USA	Mr. Groshong Not Provided	Other Personal Knowledge	Yes	11:42 AM 12/7/2020	12:30 PM 12/9/2020	<1.0 pCi/L *
35) AE924426	2238595	2153 Ne Vine St. Roseburg, OR 97470 USA	#17 - N Not Provided	Other Personal Knowledge	Yes	11:43 AM 12/7/2020	12:31 PM 12/9/2020	<0.8 pCi/L *
36) AE924434	2238624	2153 Ne Vine St. Roseburg, OR 97470 USA	#17 - N #2 Not Provided	Other Personal Knowledge	Yes	11:45 AM 12/7/2020	12:33 PM 12/9/2020	<0.7 pCi/L *
37) AE924442	2238619	2153 Ne Vine St. Roseburg, OR 97470 USA	#17 - S Not Provided	Other Personal Knowledge	Yes	11:45 AM 12/7/2020	12:33 PM 12/9/2020	<0.9 pCi/L *
38) AE924449	2238607	2153 Ne Vine St. Roseburg, OR 97470 USA	Mrs. Backen Not Provided	Other Personal Knowledge	Yes	11:48 AM 12/7/2020	12:33 PM 12/9/2020	<0.8 pCi/L *
39) AE924386	2238597	2153 Ne Vine St. Roseburg, OR 97470 USA	Cafeteria Not Provided	Other Personal Knowledge	Yes	11:50 AM 12/7/2020	12:36 PM 12/9/2020	2.2 pCi/L
40) AE924438	2238610	2153 Ne Vine St. Roseburg, OR 97470 USA	Cafeteria #2 Not Provided	Other Personal Knowledge	Yes	11:52 AM 12/7/2020	12:38 PM 12/9/2020	<0.8 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info

NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundations
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 Joseph Lane

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
41) AE924430	2238629	2153 Ne Vine St. Roseburg, OR 97470 USA	Choir #14 Not Provided	Other Personal Knowledge	No	11:52 AM 12/7/2020	12:38 PM 12/9/2020	<0.8 pCi/L *
42) AE924403	2238628	2153 Ne Vine St. Roseburg, OR 97470 USA	Choir #14 Not Provided	Other Personal Knowledge	No	11:54 AM 12/7/2020	12:40 PM 12/9/2020	<0.8 pCi/L *
43) AE924394	2238627	2153 Ne Vine St. Roseburg, OR 97470 USA	#15 Not Provided	Other Personal Knowledge	Yes	11:54 AM 12/7/2020	12:40 PM 12/9/2020	<0.8 pCi/L *
44) AE924411	2238609	2153 Ne Vine St. Roseburg, OR 97470 USA	#16 Not Provided	Other Personal Knowledge	Yes	11:56 AM 12/7/2020	12:40 PM 12/9/2020	<0.9 pCi/L *
45) AE924419	2238599	2153 Ne Vine St. Roseburg, OR 97470 USA	#18 Not Provided	Other Personal Knowledge	Yes	11:57 AM 12/7/2020	12:41 PM 12/9/2020	<0.9 pCi/L *
46) AE924450	2238608	2153 Ne Vine St. Roseburg, OR 97470 USA	#18 Not Provided	Other Personal Knowledge	Yes	11:58 AM 12/7/2020	12:42 PM 12/9/2020	0.7 pCi/L
47) AE924406	2238626	2153 Ne Vine St. Roseburg, OR 97470 USA	#19 Not Provided	Other Personal Knowledge	Yes	11:59 AM 12/7/2020	12:41 PM 12/9/2020	<1.1 pCi/L *
48) AE924427	2238622	2153 Ne Vine St. Roseburg, OR 97470 USA	#20 Not Provided	Other Personal Knowledge	Yes	12:00 PM 12/7/2020	12:42 PM 12/9/2020	<0.8 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info

NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundations
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 Joseph Lane

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
49)	AE924395	2153 Ne Vine St. Roseburg, OR 97470 USA	Library Not Provided	Other Personal Knowledge	Yes	12:03 PM 12/7/2020	12:46 PM 12/9/2020	<0.8 pCi/L *
50)	AE924371	2153 Ne Vine St. Roseburg, OR 97470 USA	Library #2 Not Provided	Other Personal Knowledge	Yes	12:03 PM 12/7/2020	12:46 PM 12/9/2020	<0.7 pCi/L *
51)	AE924377	2153 Ne Vine St. Roseburg, OR 97470 USA	Mrs. Martin Not Provided	Other Personal Knowledge	Yes	12:05 PM 12/7/2020	12:48 PM 12/9/2020	<0.7 pCi/L *
52)	AE924384	2153 Ne Vine St. Roseburg, OR 97470 USA	A/v Room Not Provided	Other Personal Knowledge	Yes	12:06 PM 12/7/2020	12:46 PM 12/9/2020	<1.0 pCi/L *
53)	AE924416	2153 Ne Vine St. Roseburg, OR 97470 USA	Computer Lab Not Provided	Other Personal Knowledge	Yes	12:06 PM 12/7/2020	12:47 PM 12/9/2020	<0.5 pCi/L *
54)	AE924405	2153 Ne Vine St. Roseburg, OR 97470 USA	Computer Lab Not Provided	Other Personal Knowledge	Yes	12:06 PM 12/7/2020	12:45 PM 12/9/2020	<1.2 pCi/L *
55)	AE924435	2153 Ne Vine St. Roseburg, OR 97470 USA	#22 Not Provided	Other Personal Knowledge	Yes	12:08 PM 12/7/2020	12:49 PM 12/9/2020	<1.3 pCi/L *
56)	AE924396	2153 Ne Vine St. Roseburg, OR 97470 USA	#21 Not Provided	Other Personal Knowledge	Yes	12:09 PM 12/7/2020	12:50 PM 12/9/2020	<0.9 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info

NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundations
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 Joseph Lane

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
57)	AE924431	2153 Ne Vine St. Roseburg, OR 97470 USA	#24 Not Provided	Other Personal Knowledge	Yes	12:10 PM 12/7/2020	12:50 PM 12/9/2020	<0.9 pCi/L *
58)	AE924429	2153 Ne Vine St. Roseburg, OR 97470 USA	#23 Not Provided	Other Personal Knowledge	Yes	12:11 PM 12/7/2020	12:50 PM 12/9/2020	<1.0 pCi/L *
59)	AE924457	2153 Ne Vine St. Roseburg, OR 97470 USA	#26 Not Provided	Other Personal Knowledge	Yes	12:12 PM 12/7/2020	12:51 PM 12/9/2020	<0.7 pCi/L *
60)	AE924443	2153 Ne Vine St. Roseburg, OR 97470 USA	#25 Not Provided	Other Personal Knowledge	Yes	12:12 PM 12/7/2020	12:51 PM 12/9/2020	<0.6 pCi/L *
61)	AE924439	2153 Ne Vine St. Roseburg, OR 97470 USA	#28 Not Provided	Other Personal Knowledge	Yes	12:14 PM 12/7/2020	12:52 PM 12/9/2020	<1.0 pCi/L *
62)	AE924437	2153 Ne Vine St. Roseburg, OR 97470 USA	#27 Not Provided	Other Personal Knowledge	Yes	12:14 PM 12/7/2020	12:52 PM 12/9/2020	<0.9 pCi/L *
63)	AE924447	2153 Ne Vine St. Roseburg, OR 97470 USA	#30 Not Provided	Other Personal Knowledge	Yes	12:15 PM 12/7/2020	12:53 PM 12/9/2020	<0.8 pCi/L *
64)	AE924456	2153 Ne Vine St. Roseburg, OR 97470 USA	#29 Not Provided	Other Personal Knowledge	Yes	12:16 PM 12/7/2020	12:54 PM 12/9/2020	0.9 pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundations
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 Joseph Lane

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
65)	AE924453	2153 Ne Vine St. Roseburg, OR 97470 USA	#29 Not Provided	Other Personal Knowledge	Yes	12:16 PM 12/7/2020	12:54 PM 12/9/2020	<1.2 pCi/L *
66)	AE924454	2153 Ne Vine St. Roseburg, OR 97470 USA	#31 Not Provided	Other Personal Knowledge	Yes	12:17 PM 12/7/2020	12:55 PM 12/9/2020	<0.6 pCi/L *
67)	AE924462	2153 Ne Vine St. Roseburg, OR 97470 USA	#32 Not Provided	Other Personal Knowledge	Yes	12:17 PM 12/7/2020	12:55 PM 12/9/2020	<0.6 pCi/L *
68)	AE924440	2153 Ne Vine St. Roseburg, OR 97470 USA	#36 Not Provided	Other Personal Knowledge	Yes	12:19 PM 12/7/2020	12:58 PM 12/9/2020	<1.0 pCi/L *
69)	AE924375	2153 Ne Vine St. Roseburg, OR 97470 USA	#37 Not Provided	Other Personal Knowledge	Yes	12:19 PM 12/7/2020	12:58 PM 12/9/2020	<1.2 pCi/L *
70)	AE924455	2153 Ne Vine St. Roseburg, OR 97470 USA	Ms. Grauer Not Provided	Other Personal Knowledge	Yes	12:21 PM 12/7/2020	12:59 PM 12/9/2020	<1.2 pCi/L *
71)	AE924387	2153 Ne Vine St. Roseburg, OR 97470 USA	Mr. Foster Not Provided	Other Personal Knowledge	Yes	12:22 PM 12/7/2020	12:59 PM 12/9/2020	<0.6 pCi/L *
72)	AE924682	2153 Ne Vine St. Roseburg, OR 97470 USA	Blank Not Provided	Other Personal Knowledge	Yes	11:00 AM 12/7/2020	1:00 PM 12/9/2020	<0.8 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundations
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Roseburg Schools -
 Joseph Lane

Date Received: 12/12/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
73) AE924690	2238601	2153 Ne Vine St. Roseburg, OR 97470 USA	Blank Not Provided	Other Personal Knowledge	Yes	11:00 PM 12/7/2020	1:00 PM 12/9/2020	Error pCi/L
74) AE924704	2238602	2153 Ne Vine St. Roseburg, OR 97470 USA	Blank Not Provided	Other Personal Knowledge	Yes	11:00 AM 12/7/2020	1:00 PM 12/9/2020	<0.8 pCi/L *
75) AE924702	2238603	2153 Ne Vine St. Roseburg, OR 97470 USA	Blank Not Provided	Other Personal Knowledge	Yes	11:00 PM 12/7/2020	1:00 PM 12/9/2020	Error pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
 CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: TerraFirma Foundations
 Systems
 761 Ne Garden Valley Blvd
 Roseburg, OR 97470 USA

REPORT NOTES PAGE

Report Notes

Project: Roseburg Schools -
 Joseph Lane

Kit Serial	Test Address	Placement Notes	Retrieval Notes
1) AE924383	2153 Ne Vine St. Roseburg, OR 97470 USA	Duplicate	
2) AE924397	2153 Ne Vine St. Roseburg, OR 97470 USA	Duplicate	
3) AE924385	2153 Ne Vine St. Roseburg, OR 97470 USA	Duplicate	
4) AE924438	2153 Ne Vine St. Roseburg, OR 97470 USA		Upside Down
5) AE924430	2153 Ne Vine St. Roseburg, OR 97470 USA		Open Door
6) AE924403	2153 Ne Vine St. Roseburg, OR 97470 USA	Duplicate	Open Door
7) AE924405	2153 Ne Vine St. Roseburg, OR 97470 USA	Duplicate	
8) AE924453	2153 Ne Vine St. Roseburg, OR 97470 USA	Duplicate	

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results.
 CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.