Laboratory Certification Info

NRPP ID#: 101132 AL STATE ID#: N/A

NJ MEB#: MEB 90095

Client: TerraFirma Foundation

Systems

Roseburg Public Schools 1419 Nw Valley View Dr. Roseburg, OR 97471 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Date Received: 2/17/2020

Project: Sunnyslope

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result	
1)	AE854219	2109026	Sunnyslope Elementary	Custodian Office	Other	Yes	9:12 AM	9:26 AM	0.6 pCi/L	
			2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020		
2)	AE854210	2109027	Sunnyslope Elementary	Pe Office	Other	Yes	9:15 AM	9:28 AM	<0.7 pCi/L *	
			2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020		_
3)	AE854211	2109024	Sunnyslope Elementary	Gymnasium	Other	Yes	9:16 AM	9:30 AM	<0.7 pCi/L *	
			2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020		
4)	AE854203	2109021	Sunnyslope Elementary	Gymnasium	Other	Yes	9:17 AM	9:32 AM	<0.4 pCi/L *	
			2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020		
5)	AE854576	2109030	Sunnyslope Elementary	Cafeteria	Other	Yes	9:20 AM	9:32 AM	<0.6 pCi/L *	
			2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020		
6)	AE854217	2109022	Sunnyslope Elementary	Cafeteria	Other	Yes	9:21 AM	9:36 AM	0.7 pCi/L	
			2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020		
7)	AE854218	2109023	Sunnyslope Elementary	Office	Other	Yes	9:24 AM	9:36 AM	<0.5 pCi/L *	
			2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020		
8)	AE854193	2109020	Sunnyslope Elementary	Principals Office	Other	Yes	9:23 AM	9:38 AM	0.5 pCi/L	
			2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020		

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

Laboratory Certification Info

NRPP ID#: 101132 AL STATE ID#: N/A

NJ MEB#: MEB 90095

Client: TerraFirma Foundation

Systems

Roseburg Public Schools 1419 Nw Valley View Dr. Roseburg, OR 97471 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Date Received: 2/17/2020

Project: Sunnyslope

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
9)	AE854227	2109044	Sunnyslope Elementary	Staff Room	Other	Yes	9:25 AM	9:39 AM	<0.4 pCi/L *
			2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020	
10)	AE854223	2109029	Sunnyslope Elementary	Library Office #1	Other	Yes	9:31 AM	9:40 AM	<0.5 pCi/L *
			2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020	
11)	AE854224	2109015	Sunnyslope Elementary	Library Office #2	Other	Yes	9:31 AM	9:41 AM	<0.5 pCi/L *
			2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020	
12)	AE854196	2109017	Sunnyslope Elementary	Library Main Office	Other	Yes	9:33 AM	9:42 AM	<0.5 pCi/L *
			2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020	
13)	AE854183	2109028	Sunnyslope Elementary	Library	Other	Yes	9:34 AM	9:44 AM	<0.9 pCi/L *
			2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020	
14)	AE854216	2109016	Sunnyslope Elementary	Library	Other	Yes	9:36 AM	9:44 AM	<0.6 pCi/L *
			2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020	
15)	AE854244	2109025	Sunnyslope Elementary	Room 16	Other	Yes	9:37 AM	9:45 AM	<0.6 pCi/L *
			2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020	
16)	AE854232	2109045	Sunnyslope Elementary	Room 15	Other	Yes	9:39 AM	9:47 AM	<0.7 pCi/L *
			2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020	

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

Laboratory Certification Info

NRPP ID#: 101132 AL STATE ID#: N/A

NJ MEB#: MEB 90095

Client: TerraFirma Foundation

Systems

Roseburg Public Schools 1419 Nw Valley View Dr. Roseburg, OR 97471 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Date Received: 2/17/2020

Project: Sunnyslope

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
17) AE854238	2109032	Sunnyslope Elementary	Room 15	Other	Yes	9:42 AM	9:47 AM	<0.8 pCi/L **
		2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020	
18) AE854245	2109018	Sunnyslope Elementary	Room 14	Other	Yes	9:42 AM	9:48 AM	<0.8 pCi/L *
		2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020	
19) AE854269	2109019	Sunnyslope Elementary	Room 13	Other	Yes	9:43 AM	9:50 AM	<0.6 pCi/L *
		2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020	
20) AE854261	2109034	Sunnyslope Elementary	Room 12	Other	Yes	9:45 AM	9:52 AM	<0.7 pCi/L *
		2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020	
21) AE854268	2109049	Sunnyslope Elementary	Room 11	Other	Yes	9:48 AM	9:52 AM	<0.5 pCi/L *
		2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020	
22) AE854270	2109033	Sunnyslope Elementary	Room 10	Other	Yes	9:49 AM	9:52 AM	<0.5 pCi/L *
		2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020	
23) AE854252	2109048	Sunnyslope Elementary	Room 10	Other	Yes	9:52 AM	9:56 AM	<0.7 pCi/L *
		2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020	
24) AE854253	2109031	Sunnyslope Elementary	Room 9	Other	Yes	9:52 AM	9:56 AM	<0.6 pCi/L *
		2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020	

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

Laboratory Certification Info

NRPP ID#: 101132 AL STATE ID#: N/A

NJ MEB#: MEB 90095

Client: TerraFirma Foundation

Systems

Roseburg Public Schools 1419 Nw Valley View Dr. Roseburg, OR 97471 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Date Received: 2/17/2020

Project: Sunnyslope

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
25) AE854188	AE854188	2109047	Sunnyslope Elementary	Room 8	Other	Yes	9:53 AM	9:57 AM	0.5 pCi/L
			2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020	
26)	AE854192	2109046	Sunnyslope Elementary	Room 7	Other	Yes	9:56 AM	9:58 AM	<0.9 pCi/L *
			2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020	
27)	AE854220	2109039	Sunnyslope Elementary	Room 6	Other	Yes	10:08 AM	10:24 AM	<0.6 pCi/L *
			2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided		2/12/2020	2/14/2020		
28)	AE854186	86 2109038	, .	Room 5	Other	Yes	10:09 AM	10:25 AM	0.7 pCi/L
		2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020		
29)	AE854213	2109037	• •	Room 4	Other	Yes	10:11 AM	10:26 AM	<0.5 pCi/L *
			2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020	
30)	AE854221	2109036	Sunnyslope Elementary	Room 3	Other	Yes	10:14 AM	10:28 AM	<0.4 pCi/L *
			2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020	
31)	AE854257	· · · · · · · · · · · · · · · · · · ·	Sunnyslope Elementary	Office Near #2	Other	Yes	10:14 AM	10:28 AM	<0.5 pCi/L *
			2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020	
32)	AE854212	2109040	Sunnyslope Elementary	Office Near #2	Other	Yes	10:17 AM	10:30 AM	<0.6 pCi/L *
			2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020	

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info



Laboratory Certification Info

NRPP ID#: 101132 AL STATE ID#: N/A

NJ MEB#: MEB 90095

Client: TerraFirma Foundation

Systems

Roseburg Public Schools 1419 Nw Valley View Dr. Roseburg, OR 97471 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Date Received: 2/17/2020

Project: Sunnyslope

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
33) AE854233	2109042	Sunnyslope Elementary	Room #2	Other	Yes	10:17 AM	10:30 AM	0.5 pCi/L
		2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020	
34) AE854204	2109043	Sunnyslope Elementary	Room #1	Other	Yes	10:18 AM	10:32 AM	0.5 pCi/L
		2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020	
35) AE854194	2109035	Sunnyslope Elementary	Computer Lab	Other	Yes	10:19 AM	10:32 AM	<0.7 pCi/L *
		2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020	
36) AE854197	2109051	99051 Sunnyslope Elementary	Modular Class	Other	Yes	10:23 AM	10:35 AM	<0.5 pCi/L *
		2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020	
37) AE854237	2109052	2109052 Sunnyslope Elementary	#ref!	Other	Yes	10:32 AM	10:36 AM	<0.6 pCi/L *
		2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020	
38) AE854189	2109041	Sunnyslope Elementary	Modular Class	Other	Yes	10:34 AM	10:36 AM	<0.6 pCi/L *
		2230 Cannon Ave Roseburg, OR 97471 USA	Not Provided	Personal Knowledge		2/12/2020	2/14/2020	

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info