


Screening and Exposure Decision Pathways for
Employees **at an Educational Institution and Their Close Contacts at the**
Facility

Decision Pathways for Employees Screened for Symptoms and Exposures Prior to Entry¹ into an Educational Institution

¹If employee becomes unwell at the facility, place employee in an isolation area (ideally outdoors, physically distant from attendant) and follow decision pathways below.




¹Per CDC guidance for businesses and employers (5/2020), symptoms that may be associated with COVID-19 in adults include fever $\geq 100.4^{\circ}$ or feeling feverish (chills, sweating); new cough (different from baseline); shortness of breath; muscle or body aches; diarrhea or vomiting; new loss of taste or smell. ***If the symptoms are not listed but there is still concern, additional evaluation by a medical provider is recommended.***

²Vaccinated persons who are a close contact to a confirmed case are not required to quarantine and test if they are: (1) fully vaccinated (i.e., ≥ 2 weeks following receipt of the second dose in a 2-dose COVID-19 vaccine series or ≥ 2 weeks following receipt of one dose of a single-dose COVID-19 vaccine) and (2) have remained asymptomatic since last contact with the infected person.

Decision Pathways for Contacts to a Potentially Infected Employee¹ at an Educational Institution

¹A **potentially infected employee** is an employee with ≥ 1 symptoms consistent with possible COVID-19. Symptoms include fever $\geq 100.4^\circ$ or feeling feverish (chills, sweating); new cough (different from baseline); shortness of breath; muscle or body aches; diarrhea or vomiting; new loss of taste or smell. A **close contact of a potentially infected employee** is a child or employee at the facility who was within 6 feet for ≥ 15 minutes over a 24-hour period with a potentially infected employee OR had direct contact with bodily fluids/secretions from a potentially infected employee.



²**Exposure is confirmed** for a close contact to a potentially infected employee if the Institution receives notification that the potentially infected employee had a positive COVID-19 diagnostic viral test OR received a diagnosis of COVID-19 from a medical provider.

³**Vaccinated persons** who are a close contact to a confirmed case are not required to quarantine and test if they are: (1) fully vaccinated (i.e., ≥ 2 weeks following receipt of the second dose in a 2-dose COVID-19 vaccine series or ≥ 2 weeks following receipt of one dose of a single-dose COVID-19 vaccine) and (2) have remained asymptomatic since last contact with the infected person.