

Frequently Asked Questions For Parents



Q. **Why should I vaccinate my child?**

Children can get sick from COVID-19. Some children get rare but severe complications from the COVID-19 virus. The vaccine is the best protection.

A child can also spread COVID-19 to other people even if that child does not have symptoms. The vaccine is the best prevention.

Vaccinated children will be able to participate in more activities and attend more events.

Q. **Is my child eligible for the vaccine?**

Yes! All children ages 5 to 11 will be eligible for the Pfizer vaccine. Children with allergies to food or animals should get the COVID-19 vaccine. You can speak with a nurse at the clinic if you have concerns. If your child is sick with COVID-19 right now, they must wait until they get better to get the vaccine.

Q. **My child got sick with COVID-19 in the past. Do they still need to get the vaccine?**

Yes. Having COVID-19 does not prevent your child from getting the virus again. The vaccine is the best protection to prevent your child from getting COVID-19 again.

Q. **Is the vaccine for children the same as the one for adults?**

The Pfizer vaccine for children age 5 to 11 is a smaller dose than the Pfizer vaccine for adults. It is one-third of an adult dose. Just like adults, children need two doses of the vaccine, three weeks apart.

Q. **How do I know the vaccine is effective and safe for children?**

Studies found that the vaccine for children is safe and works well to protect children from COVID-19. Hundreds of millions of adults have already taken the safe and effective Pfizer vaccine.

Q. **I cannot go with my child to the clinic. Can they get vaccinated without me?**

Yes! If all the forms are complete and signed, your child can get vaccinated without a parent or guardian present. You can send a relative or friend with your child if you want.



(408) 970-2000
sccFreeVax.org

Santa Clara County
**PUBLIC
HEALTH**



Santa Clara County
Office of Education

Q. Does the vaccine have any side effects?

Some people feel mild side effects after vaccination. Common side effects are redness where the shot was given, muscle aches, and fever.

Q. Does the vaccine affect fertility?

No. There is no effect on female or male fertility.

Q. Are COVID-19 vaccines linked to heart health problems?

Heart health problems are very rare. Symptoms are usually mild and can be treated. COVID-19 disease causes more serious health problems than the vaccine. The vaccine is the best protection against COVID-19 heart health problems.

Q. What if my child has a fear of needles or history of fainting when getting shots?

Our staff keep children feeling comfortable and safe during vaccination. You can hold your child on your lap while they get the shot.

Q. Can my child go to school if they don't feel well soon after being vaccinated?

If your child has fever, headache, chills, or body aches soon after vaccination, they should stay home.

- If they are better within 48 hours, your child can go back to school.
- If they still feel sick longer than 48 hours, keep your child at home and talk to your child's doctor to make sure they don't have COVID-19 or another infection.
- Please remember, the vaccine can't give your child COVID, but they could have been infected just before getting vaccinated.



(408) 970-2000
sccFreeVax.org

Santa Clara County
PUBLIC HEALTH




Santa Clara County
Office of Education

Preguntas frecuentes para los padres



Q. ¿Por qué debo vacunar a mi hijo?

Los niños se pueden enfermar de COVID-19. Algunos niños sufren complicaciones raras pero graves a causa del virus del COVID-19. La vacuna es la mejor protección.

Un niño también puede contagiar el COVID-19 a otras personas aunque no tenga síntomas. La vacuna es la mejor prevención.

Los niños vacunados podrán participar en más actividades y asistir a más eventos.

Q. ¿Puede mi hijo recibir la vacuna?

Sí. Todos los niños de 5 a 11 años podrán recibir la vacuna de Pfizer. Los niños con alergias a los alimentos o a los animales deben recibir la vacuna contra el COVID-19. Puede hablar con una enfermera en la clínica si tiene dudas. Si su hijo está enfermo de COVID-19 en este momento, debe esperar hasta que mejore para recibir la vacuna.

Q. Mi hijo se enfermó con COVID-19 en el pasado. Es necesario que reciba la vacuna?

Sí. Tener COVID-19 no evita que su hijo vuelva a contraer el virus. La vacuna es la mejor protección para evitar que su hijo vuelva a contraer el COVID-19.

Q. ¿La vacuna para los niños es la misma que la de los adultos?

La vacuna de Pfizer para niños de 5 a 11 años es una dosis más pequeña que la vacuna de Pfizer para adultos. Es un tercio de la dosis para adultos. Al igual que los adultos, los niños necesitan dos dosis de la vacuna, con un intervalo de tres semanas.

Q. ¿Cómo sé que la vacuna es eficaz y segura para los niños?

Los estudios han demostrado que la vacuna para niños es segura y funciona bien para proteger a los niños contra el COVID-19. Cientos de millones de adultos ya han tomado la vacuna de Pfizer, segura y eficaz.

Q. No puedo ir con mi hijo a la clínica. ¿Pueden vacunarse sin mí?

Si todos los formularios están completos y firmados, su hijo puede ser vacunado sin la presencia de sus padres o tutores. Si lo desea, puede enviar a un familiar o amigo con su hijo.



(408) 970-2000
sccVacuna.org

Santa Clara County
**PUBLIC
HEALTH**




Santa Clara County
Office of Education

Q. ¿Tiene la vacuna efectos secundarios?

Algunas personas sienten efectos secundarios leves después de la vacunación. Los efectos secundarios más comunes son el enrojecimiento en el lugar de la inyección, los dolores musculares y la fiebre.

Q. ¿Afecta la vacuna a la fertilidad?

No. No hay ningún efecto sobre la fertilidad femenina o masculina.

Q. ¿Están las vacunas contra el COVID-19 relacionadas con los problemas de salud del corazón?

Los problemas de salud del corazón son muy raros. Los síntomas suelen ser leves y pueden tratarse. La enfermedad de COVID-19 causa problemas de salud más graves que la vacuna. La vacuna es la mejor protección contra los problemas de salud del corazón de COVID-19.

Q. ¿Qué ocurre si mi hijo le tiene miedo a las agujas o tiene antecedentes de desmayos al recibir vacunas?

Nuestro personal hace que los niños se sientan cómodos y seguros durante la vacunación. Puede sentar a su hijo en sus piernas mientras le ponen la vacuna.

Q. ¿Puede mi hijo ir a la escuela si no se siente bien después de haber sido vacunado?

Si su hijo tiene fiebre, dolor de cabeza, escalofríos o dolores corporales poco después de la vacunación, debe quedarse en casa.

- Si mejora dentro de 48 horas, su hijo puede volver a la escuela.
- Si sigue sintiéndose mal durante más de 48 horas, mantenga a su hijo en casa y hable con el médico de su hijo para asegurarse de que no tiene COVID-19 u otra infección.
- Por favor, recuerde que la vacuna no puede contagiar a su hijo con COVID, pero podría haberse infectado justo antes de ser vacunado.



(408) 970-2000
sccVacuna.org

Santa Clara County
PUBLIC HEALTH




Santa Clara County
Office of Education