

COVID-19 School Screening tool update

- Aligns with provincial School Screening tool
- One screening tool for Staff/Students/Visitors.

STOP COVID-19 Screening for children/students/adults
Please complete before entering the child care/JK-12 school setting. A parent/guardian can complete for their child.
Update: February 11, 2022

Name: _____ Date: _____ Time: _____

1. A) Do you or anyone in the household have 1 or more of these new or worsening symptoms, today, or in the last 5 or 10 days*?

<input type="checkbox"/> Yes <input type="checkbox"/> No Fever > 37.8°C and/or chills	<input type="checkbox"/> Yes <input type="checkbox"/> No Cough	<input type="checkbox"/> Yes <input type="checkbox"/> No Difficulty breathing	<input type="checkbox"/> Yes <input type="checkbox"/> No Decrease or loss of taste/smell
---	--	---	--

B) Do you or anyone in the household have 2 or more of these new or worsening symptoms today, or in the last 5 or 10 days*?

<input type="checkbox"/> Yes <input type="checkbox"/> No Sore throat	<input type="checkbox"/> Yes <input type="checkbox"/> No Headache	<input type="checkbox"/> Yes <input type="checkbox"/> No Feeling very tired	<input type="checkbox"/> Yes <input type="checkbox"/> No Runny nose/ nasal congestion	<input type="checkbox"/> Yes <input type="checkbox"/> No Muscle aches/ joint pain	<input type="checkbox"/> Yes <input type="checkbox"/> No Nausea/vomiting/ diarrhea
--	---	---	--	--	---

- If the symptom is from a known health condition that gives you the symptom, select "No". If the symptom is new, different or getting worse, select "Yes".
- If there is mild tiredness, sore muscles or joints within 48 hours after a vaccine, select "No".
- Anyone who is sick or has any symptoms of illness, should stay home. Seek assessment from their health provider if needed.

If "YES": Stay home & self-isolate. **Your household must self-isolate****

If you have one symptom from Part B, stay home until symptoms improve for at least 24 hours or 48 hours if nausea/vomiting/diarrhea.

2. Have you or anyone in the household had a positive COVID-19 test in the last 5 or 10 days*, or been told to stay home and self-isolate? Yes No

- If you had a positive test or live with someone who is isolating or awaiting test results select "Yes"
- If you had a confirmed COVID-19 infection within 90 days*** select "No"

If "YES": Stay home & self-isolate.

3. In the last 5 or 10 days* have you been notified as a close contact of someone with COVID-19 in the community? Yes No

- If the person is not a household member AND you are fully vaccinated** OR had a confirmed COVID-19 infection within 90 days*** select "No"
- If the person was in the same classroom/school/child care cohort select "No".

If "YES": Stay home & self-isolate.

4. In the last 14 days, have you travelled outside of Canada? Yes No

If "YES": Follow federal quarantine travel rules.

*Use 5 days: If the person is fully vaccinated or 11 years or younger. Use 10 days: If they are 12 years or older and not fully vaccinated, or immune compromised.
**Fully vaccinated means 14 days or more after a second dose of a COVID-19 vaccine and/or, as defined by the Ontario Ministry of Health.
***Confirmed COVID-19 infection within 90 days means: If tested positive within 90 days on a Rapid Antigen, on a PCR test AND completed self-isolation. They do not need to self-isolate if someone in the home has symptoms.

TORONTO.CA/COVID19

HOW LONG SHOULD YOU SELF-ISOLATE FOR?

You have symptoms* of COVID-19 or tested positive

If:

- Fully vaccinated**, OR
- 11 years or younger, regardless of vaccination status

Stay home & Self-isolate:

- Must self-isolate for at least 5 days from the day symptoms started and until symptoms have been improving for 24 hours (or 48 hours if nausea/vomiting/diarrhea), whichever is longer
- Use test date if no symptoms
- Wear a mask in public places, including while exercising, and do not visit higher risk settings from days 6 to 10.

If:

- 12 years of age or older AND not fully vaccinated** OR
- Immune compromised

Stay home & Self-isolate:

- Must self-isolate for 10 days from the day their symptoms started or longer if symptoms last longer than 10 days
- Use test date if no symptoms

Someone in the household has symptoms* of COVID-19 or a positive test AND you did not have a confirmed COVID-19 infection within 90 days***

You must self-isolate for the duration of the household member's isolation period

If the household member is:

- Fully vaccinated**, OR
- 11 years or younger, regardless of vaccination status

Stay home & Self-isolate:

- You must self-isolate for at least 5 days from the day the household member's symptoms started and until their symptoms have been improving for 24 hours (or 48 hours if nausea/vomiting/diarrhea)
- Use test date if no symptoms

If the household member is:

- 12 years of age or older AND not fully vaccinated**, OR
- Immune compromised

Stay home & Self-isolate:

- You must self-isolate for 10 days from the day the household member's symptoms started

You were notified as a close contact of a positive case in the community

If:

- Fully vaccinated** AND no symptoms, Do not need to self-isolate
- Monitor for symptoms for 10 days and self-isolate immediately if symptoms develop
- Wear a mask in public places, including while exercising, and do not visit higher risk settings for 10 days from last exposure.

If:

- 12+ years AND not fully vaccinated** OR
- Immune compromised

Stay home & Self-isolate:

- Must self-isolate for 10 days from last exposure unless you had a confirmed COVID-19 infection within 90 days***

If:

- 11 years and under AND not fully vaccinated**

Stay home & Self-isolate:

- Must self-isolate for 5 days from last exposure unless you had a confirmed COVID-19 infection within 90 days***
- Wear a mask in public places, including while exercising, and do not visit higher risk settings from days 6 to 10.

***Symptoms include 1 or more symptom from 1.A or 2 or more symptoms from 1.B on the screening tool**

- If you have one symptom from 1.B, other household members do not have to self-isolate.
- If you have one symptom from 1.B AND were a close contact of someone in the community, then self-isolate consistent with a COVID-19 infection.
- If your household member's symptoms are improving for 24 hours AND the person with symptoms never had a positive test AND tests negative on a PCR test OR 2 rapid antigen tests taken 24 to 48 hours apart, self-isolation ends.
- When the person with symptoms completes their self-isolation, they do not need to self-isolate against other household members become ill.
- Cleanse testing is not required. A positive test requires completion of the isolation period even if symptoms are improving.
- For counting isolation days: the day symptoms start (or test date if no symptoms) is Day 0.
- Being in the same classroom/school/child care cohort is not considered a close contact because preventive and protective measures are in place.

If you travelled outside of Canada in the last 14 days:

- Follow federal requirements for quarantine and testing after returning from international travel.

This tool is consistent with provincial guidance: COVID-19 School and Childcare Screening and COVID-19 Integrated Testing & Case Contact and Outbreak Management Interim Guidance. Ontario Science Advisory Group

TORONTO.CA/COVID19

English TPH [School Screening Questionnaire](#) (English [Poster](#))

[French TPH School Screening Questionnaire](#) (French [Poster](#))

TPH Screening Tool Updates

1. A) Do you or anyone in the household have 1 or more of these new or worsening symptoms, today, or in the last 5 or 10 days*?



Fever > 37.8°C and/or chills



Cough



Difficulty breathing



Decrease or loss of taste/smell

B) Do you or anyone in the household have 2 or more of these new or worsening symptoms today, or in the last 5 or 10 days*?



Sore throat



Headache



Feeling very tired



Runny nose/
nasal congestion



Muscle aches/
joint pain



Nausea/vomiting/
diarrhea

- If the symptom is from a known health condition that gives you the symptom, select "No". If the symptom is new, different or getting worse, select "Yes".
- If there is mild tiredness, sore muscles or joints within 48 hours after a vaccine, select "No".
- Anyone who is sick or has any symptoms of illness, should stay home. Seek assessment from their health provider if needed.



If "YES": Stay home & self-isolate.



Your household must self-isolate***



If you have one symptom from Part B, stay home until symptoms improve for at least 24 hours or 48 hours if nausea/vomiting/diarrhea.

***Confirmed COVID-19 infection within 90 days means: if tested positive within 90 days on a Rapid Antigen, or a PCR test AND completed self-isolation. Then, do not need to self-isolate if someone in the home has symptoms.

COVID-19 School Screening tool updates

2. Have you or anyone in the household had a positive COVID-19 test in the last 5 or 10 days*, or been told to stay home and self-isolate?

Yes

No

- If you had a positive test or live with someone who is isolating or awaiting test results select "Yes"
- If you had a confirmed COVID-19 infection within 90 days*** select "No"



If "YES": Stay home & self-isolate.

3. In the last 5 or 10 days* have you been notified as a close contact of someone with COVID-19 in the community?

Yes

No

- If the person is not a household member AND you are fully vaccinated** OR had a confirmed COVID-19 infection within 90 days*** select "No"
- If the person was in the same classroom/school/child care cohort select "No".



If "YES": Stay home & self-isolate.

4. In the last 14 days, have you travelled outside of Canada?

Yes

No



If "YES": Follow federal quarantine [travel rules](#).



*Use 5 days: If the person is fully vaccinated or 11 years or younger. Use 10 days: If they are 12 years or older and not fully vaccinated; or immune compromised.

**Fully vaccinated means 14 days or more after a second dose of a COVID-19 vaccine series, or as defined by the Ontario Ministry of Health.

***Confirmed COVID-19 infection within 90 days means: if tested positive within 90 days on a Rapid Antigen, or a PCR test AND completed self-isolation. Then, do not need to self-isolate if someone in the home has symptoms.



How to Count Self-Isolation Days If You Have COVID-19



If fully vaccinated or 11 years or younger:
Self-isolate for 5 days.

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
	DAY 0 first day of symptoms	DAY 1 ¹	DAY 2 ²	DAY 3 ³	DAY 4 ⁴	DAY 5 ⁵ last day of isolation
DAY 6 ⁶ self-isolation is over	7	8	9	10	11	12
13	14	15	16	17	18	19

- You can end your self-isolation after the end of your last day & symptoms are improving for 24 hours (or 48 hours if nausea/vomiting/diarrhea).
- Testing negative does not clear you from self-isolation early.



If 12 + years & not fully vaccinated, or a weak immune system:
Self-isolate for 10 days.

If you cannot safely isolate from others, find out if you qualify for the Toronto Voluntary Isolation Centre at 416-338-7600.

I had close contact with someone who has COVID-19 & I am fully vaccinated, now what?

Do you live with the person who has symptoms or tested positive for COVID-19?

YES

- Self-isolate for the same amount of time as the household member & monitor for symptoms.
- You don't need to isolate if you tested positive for COVID-19 in the last 90 days.
- Get tested if eligible.

Do you have symptoms?

NO **YES**

End self-isolation when the last household member who has symptoms/ tests positive finishes their isolation.

Self-isolate for 5 days. End isolation when symptoms improving for 24 hours (48 for gastrointestinal symptoms).

- Wear a mask in public places, including while exercising, and do not visit higher risk settings for 10 days from the last time you were exposed.

NO

- Self-monitor for symptoms for 10 days*.
- Get tested if eligible.

Do you have symptoms?

YES **NO**

Wear a mask in public places, including while exercising, and do not visit higher risk settings for 10 days from the last time you were exposed.

* Self-isolate for 10 days if you have a weak immune system

Note: being in the same classroom as someone with COVID-19 is not considered close contact.

I HAVE COVID-19

→ NOW WHAT? ←

Fully vaccinated **OR**
11 years & under

self-isolate for **5 days*** AND

Partial/unvaccinated **OR**
weak immune system **OR**
hospitalized because of COVID-19

self-isolate for **10 days*** AND

SYMPTOMS BETTER AND NO FEVER FOR AT LEAST 24 HOURS

(If nausea, vomiting or diarrhea, wait 48 hours)

End self-isolation. Keep wearing a mask & follow public health measures

← **YES**

NO →

Stay in self-isolation until symptoms are better. Get medical attention, if needed.

*Day 0 of isolation begins when symptoms started. All household members need to stay home for the same isolation period. Negative tests not required to end self-isolation, or to go back to work or school.

STAY HOME AND SELF-ISOLATE IF YOU HAVE:

One or more of these new or
worsening symptoms:

OR

Two or more of these
symptoms:



Fever over 37°C
and/or chills



Cough



Difficulty
breathing



Sore throat



Headache



Feeling very
tired



Decrease or loss
of taste/smell



Runny nose/
nasal congestion



Muscle aches/
joint pain



Nausea, vomiting
or diarrhea

Everyone in your household will also have to stay home and self-isolate with you.