



RJ LeeGroup, Inc. | Columbia Basin Analytical Laboratories

2710 North 20th Avenue, Pasco WA 99301

Tel: (509) 545-4989 | Fax: (509) 544-6010

Fulcrum Environmental
406 N. 2nd St.
Yakima, WA 98901

Subject: Chemical Analysis Report

Columbia Basin Analytical Laboratories received 41 sample(s) on 12/22/16 for analysis. These sample(s) have been assigned a login order number of W612121. Enclosed is the final report that consists of a summary report of the sample(s), and a copy of the chain of custody.

General Lab Comments

The results provided in this report relate only to the items tested. Sample(s) were received in acceptable conditions unless otherwise noted in the comments above. Sample(s) have not been field blank corrected unless otherwise noted in the general set comments above. The sample(s) were prepared in accordance with EPA 200.8 and analyzed in compliance with EPA 200.8. This test report shall not be reproduced, except in full, without written approval of Columbia Basin Analytical Laboratories. Any questions, please contact our office.

All samples were diluted 1:10. Samples that exceeded the instrument calibration range were rerun at a 1:100 dilution, necessitating a 10-fold increase in the PQL. Each is noted with an "X" qualifier.

Matrix spike recovery failures are attributed to calibration exceedance and matrix effects and qualified per method prescription.

Release of the data contained in the hard copy report has been authorized by the Laboratory Director or a designee as verified by the following signature. This report has been administratively reviewed by the following individual:

02/10/17

Project Coordinator II, M. Fernanda Pincheira

Date

If you have any questions please feel free to contact Fernanda Pincheira at MPincheira@rjleegroup.com.



Laboratory Report

Ryan Mathews
Fulcrum Environmental
406 N. 2nd St.
Yakima, WA 98901

RJ Lee Group No.: W612121
COC No.: Kennewick
Samples Received: 12/22/16
Analysis/Prep Date: 02/10/17
Report Date: 02/10/17

Client Project:

Fulcrum Kennewick

Sample Name: SHS122216-P-KF-01 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-01 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	1.7	0.1	X
Lead	EPA 200.8	0.003	0.001	

Sample Name: SHS122216-P-KF-02 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-02 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.89	0.01	
Lead	EPA 200.8	0.002	0.001	

Sample Name: SHS122216-P-KF-03 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-03 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.71	0.01	
Lead	EPA 200.8	0.005	0.001	

Sample Name: SHS122216-P-KF-04 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-04 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.17	0.01	
Lead	EPA 200.8	0.006	0.001	

Sample Name: SHS122216-P-CDF-05 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-05 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	1.5	0.1	X
Lead	EPA 200.8	< 0.0010	0.001	

Columbia Basin Analytical Laboratories | 2710 North 20th Avenue, Pasco WA 93301 | 509.545.4989

WWW.RJLEEGROUP.COM

Report Template: GenMetalReportFull_v12.rpt

Approved: 02/10/17 16:16
Report Time Stamp: 02/10/17 16:44



Sample Name: SHS122216-P-WC-06 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-06 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	2.0	0.1	X
Lead	EPA 200.8	< 0.0010	0.001	

Sample Name: SHS122216-P-WC-07 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-07 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	1.4	0.1	X
Lead	EPA 200.8	< 0.0010	0.001	

Sample Name: SHS122216-P-WC-08 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-08 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	2.0	0.1	X
Lead	EPA 200.8	< 0.0010	0.001	

Sample Name: SHS122216-P-WC-09 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-09 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	2.2	0.1	X
Lead	EPA 200.8	< 0.0010	0.001	

Sample Name: SHS122216-P-WC-10 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-10 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	2.0	0.1	X
Lead	EPA 200.8	< 0.0010	0.001	

Sample Name: SHS122216-P-OF-11 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-11 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	1.5	0.1	X
Lead	EPA 200.8	< 0.0010	0.001	



Sample Name: SHS122216-P-WC-12 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-12 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.87	0.01	
Lead	EPA 200.8	0.002	0.001	

Sample Name: SHS122216-P-WC-13 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-13 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	1.6	0.1	X
Lead	EPA 200.8	< 0.0010	0.001	

Sample Name: SHS122216-P-CF-14 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-14 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	1.6	0.1	X
Lead	EPA 200.8	< 0.0010	0.001	

Sample Name: SHS122216-P-WC-15 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-15 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	1.8	0.1	X
Lead	EPA 200.8	< 0.0010	0.001	

Sample Name: SHS122216-P-WC-16 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-16 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	1.8	0.1	X
Lead	EPA 200.8	0.001	0.001	

Sample Name: SHS122216-P-WC-17 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-17 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	2.1	0.1	X
Lead	EPA 200.8	< 0.0010	0.001	



Sample Name: SHS122216-P-OF-18 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-18 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.88	0.01	
Lead	EPA 200.8	< 0.0010	0.001	

Sample Name: SHS122216-P-WC-19 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-19 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	2.1	0.1	X
Lead	EPA 200.8	< 0.0010	0.001	

Sample Name: SHS122216-P-CF-20 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-20 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.91	0.01	
Lead	EPA 200.8	0.009	0.001	

Sample Name: SHS122216-P-WC-21 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-21 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.80	0.01	
Lead	EPA 200.8	< 0.0010	0.001	

Sample Name: SHS122216-P-OF-22 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-22 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.88	0.01	
Lead	EPA 200.8	< 0.0010	0.001	

Sample Name: SHS122216-P-OF-23 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-23 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	1.7	0.1	X
Lead	EPA 200.8	< 0.0010	0.001	



Sample Name: SHS122216-P-WC-24 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-24 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	1.5	0.1	X
Lead	EPA 200.8	< 0.0010	0.001	

Sample Name: SHS122216-P-WC-25 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-25 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	1.6	0.1	X
Lead	EPA 200.8	< 0.0010	0.001	

Sample Name: SHS122216-P-CF-26 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-26 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	1.4	0.1	X
Lead	EPA 200.8	< 0.0010	0.001	

Sample Name: SHS122216-P-OF-27 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-27 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	1.0	0.1	X
Lead	EPA 200.8	0.002	0.001	

Sample Name: SHS122216-P-CF-28 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-28 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	1.2	0.1	X
Lead	EPA 200.8	0.002	0.001	

Sample Name: SHS122216-P-WC-29 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-29 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	2.0	0.1	X
Lead	EPA 200.8	< 0.0010	0.001	



Sample Name: SHS122216-P-WC-30 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-30 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	1.9	0.1	X
Lead	EPA 200.8	< 0.0010	0.001	

Sample Name: SHS122216-P-WC-31 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-31 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	2.5	0.1	X
Lead	EPA 200.8	< 0.0010	0.001	

Sample Name: SHS122216-P-OF-32 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-32 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.95	0.01	
Lead	EPA 200.8	< 0.0010	0.001	

Sample Name: SHS122216-P-CF-33 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-33 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	1.3	0.1	X
Lead	EPA 200.8	0.012	0.001	

Sample Name: SHS122216-P-NF-34 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-34 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	1.5	0.1	X
Lead	EPA 200.8	0.012	0.001	

Sample Name: SHS122216-P-OF-35 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-35 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	1.9	0.1	X
Lead	EPA 200.8	0.002	0.001	



Sample Name: SHS122216-P-WC-36 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-36 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	2.4	0.1	X
Lead	EPA 200.8	< 0.0010	0.001	

Sample Name: SHS122216-P-OF-37 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-37 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	1.6	0.1	X
Lead	EPA 200.8	< 0.0010	0.001	

Sample Name: SHS122216-P-WC-38 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-38 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	2.0	0.1	X
Lead	EPA 200.8	< 0.0010	0.001	

Sample Name: SHS122216-P-WC-39 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-39 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	2.0	0.1	X
Lead	EPA 200.8	< 0.0010	0.001	

Sample Name: SHS122216-P-CF-40 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-40 **Date Analyzed:** 02/10/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	1.6	0.1	X
Lead	EPA 200.8	0.015	0.001	

Sample Name: SHS122216-P-CF-41 **Matrix:** Potable Water **Date Received:** 12/22/16
RJ Lee Grp. ID: W612121-41 **Date Analyzed:** 02/09/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	< 0.010	0.01	
Lead	EPA 200.8	< 0.0010	0.001	



Report Qualifiers:

A = Target Analyte media breakthrough suspect, see analytical report

D = Analyte analyzed in a dilution

E = Report concentration was above the instrument calibration range

J = Analyte detected below quantitation limits, concentration is estimated

P = Library spectrum match, $rsd > 90\%$ w RT match

Q = Result out of method specific acceptance QC criteria

S = Spike Recovery outside accepted recovery limits

Z = Not ELAP accredited analyte

ND = Not Detected

B = Analyte detected in the associated blank

d = Data that exceeds the RSD criteria set by the SOP

H = Holding times for preparation or analysis exceeded

L = Sample condition at receipt out of compliance with method defined conditions

R = RPD (relative percent difference) outside accepted recovery limits

U = Analyte analyzed for but not detected

N/A = Not Applicable

Scientist II DeNomy Dage

These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which the results are used or interpreted. Unless notified in writing to return the samples covered by this report, RJ Lee Group will store the samples for a period of ninety (90) days before discarding. A shipping and handling fee will be assessed for the return of any samples. Unless otherwise noted, samples were received in an acceptable condition. This laboratory operates in accordance with ISO 17025 guidelines, and holds limited scopes of accreditation under ORELAP Lab Code 4061 AIHA-LAP, LLC Lab ID 178656 EPA ID WA01195 and WA DOE Lab ID C859. This report may not be used to claim product endorsement by any laboratory accrediting agency. The results contained in this report relate only to the items tested or to the sample(s) as received by the laboratory. Any reproduction of this document must be in full for the report to be valid. Quality control data is available upon request.

Request for Environmental and IH Laboratory Analytical Services

W612121

ATTENTION TO: **RYAN MATHEWS** Client Job No.: **162017**

Lab Use Only: Project No.: Client No.: Date Logged In: Logged In By: Turnaround Request: Standard: **Yes** No If 'No', No. of Business Days: **162017**

Report Results To: Name: Amanda Embysk, Ryan Mathews Company: Fulcrum Environmental Consulting Address: 406 North 2nd Street City, State, Zip: Yakima, WA, 98901 Phone: (509) 574-0839 Fax: (509) 575-8453

Call with Verbal Results: Email Results To: aembysk@fulcrum.net, CC: rmathews@fulcrum.net Fax Results To:

Name: Lorraine Bouillier Company: Fulcrum Environmental Email: lbouillier@fulcrum.net Address: 406 North 2nd Street City, State, Zip: Yakima, WA, 98901 Phone: (509) 574-0839 Fax: (509) 575-8453

Send Invoice To: Name: Lorraine Bouillier Company: Fulcrum Environmental Email: lbouillier@fulcrum.net Address: 406 North 2nd Street City, State, Zip: Yakima, WA, 98901 Phone: (509) 574-0839 Fax: (509) 575-8453

Special Instructions: EPA 200.8: Pb, Cu

Client Sample ID	Sample Description	Sample Date	Sample Time		Wipe Area / Air Volume	Analysis Requested	Pres. Upon Receipt (Y/N)	Preservation	Matrix	Container Type	pH	No. Containers
			Start	Stop								
SHS122216-P-KF-01	North partition, food prep east	12/21/16										144
SHS122216-P-KF-02	North partition, food prep west											154
SHS122216-P-KF-03	West wall food prep											167
SHS122216-P-KF-04	Kitchen vent #11											167
SHS122216-P-COF-06	Air Instrumental music											174
SHS122216-P-WC-06	Music hallway of Ai wing											174
SHS122216-P-WC-07	Cafeteria, wall center											164
SHS122216-P-WC-08	"A" area, main hallway,											144
SHS122216-P-WC-09	"B" area, 1st floor North											147
SHS122216-P-WC-10	"B" area 1st floor South											148
SHS122216-P-OT-11	"B" wing 10A teaching lab											148

Chain of Custody: Relinquished By (Signature): [Signature] Date: 12/21/16 Time: 1340

Chain of Custody: Relinquished By (Print Name): [Name] Date: 12/22/2016 Time: 1340

Chain of Custody: Relinquished By (Signature): [Signature] Date: [Date] Time: [Time]

Chain of Custody: Relinquished By (Print Name): [Name] Date: [Date] Time: [Time]

Chain of Custody: Relinquished By (Signature): [Signature] Date: [Date] Time: [Time]

Chain of Custody: Relinquished By (Print Name): [Name] Date: [Date] Time: [Time]

Chain of Custody: Relinquished By (Signature): [Signature] Date: [Date] Time: [Time]

Chain of Custody: Relinquished By (Print Name): [Name] Date: [Date] Time: [Time]

Chain of Custody: Relinquished By (Signature): [Signature] Date: [Date] Time: [Time]

Chain of Custody: Relinquished By (Print Name): [Name] Date: [Date] Time: [Time]

RJ LEE GROUP
DELIVERING SCIENTIFIC RESOLUTION

Pennsylvania - HQ
350 Hochberg Road
Monroeville, PA 15146

Washington
Columbia Basin Analytical Laboratories
2710 North 20th Avenue
Pasco, WA 99301

724.325.1776 Phone
724.733.1799 Fax

509.545.4989 Phone
509.544.6010 Fax

R4_12032015

Request for Environmental and IH Laboratory Analytical Services

ATTENTION TO:		RYAN MATHEWS		Purchase Order No.:		Client Job No.:		162017			
Lab Use Only	Project No.:	Client No.:	Date Logged In:	Logged In By:	Turnaround Request	Standard: Yes No	If 'No', No. of Business Days:				
Report Results To	Name: Amanda Embysk, Ryan Mathews		Company: Fulcrum Environmental Consulting		Drinking Water Sample Only	Sample Purpose: Information X Regulatory <input type="checkbox"/> Accreditation (please list below):					
	Address: 406 North 2nd Street		City, State, Zip: Yakima, WA, 98901		System ID #:	DOH Source #:					
	Phone: (509) 574-0839		Fax: (509) 575-8453		Multiple Sources #s:						
	Call with Verbal Results:				Sample Purpose: <input type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> Other <input type="checkbox"/>						
	Email Results To: aembysk@fulcrum.net, CC: rmathews@fulcrum.net				Preservation: Unpres H ₂ SO ₄	Matrix: WW=Wastewater GW=Groundwater S=Soil/Sludge E=Extract	Container: P=Plastic G=Glass W=Wipe A=Air (filter or tube)				
	Fax Results To:				4°C HCl NaOH Na ₂ SO ₄	SW=Surface Water DW=Drinking Water O=Oil X=Other					
Send Invoice To	Name: Lorrie Boutillier		Company: Fulcrum Environmental	Email: lboutillier@fulcrum.net	Analysis Requested						
	Address: 406 North 2nd Street		City, State, Zip: Yakima, WA, 98901								
	Phone: (509) 574-0839		Fax: (509) 575-8453								
Special Instructions											
Client Sample ID	Sample Description	Sample Date	Sample Time		Wipe Area / Air Volume	Pres. Upon Receipt (Y/N)	Preservation	Matrix	Container Type	pH	No. Containers
SHS122016-P-WC-12	8" area, upstairs N	10/24/16					UNPR	DW			17.2
SHS122016-P-WC-15	Classroom 210, 6" ring										17.1
SHS122016-P-CF-14	Upstairs hallway between 60C										17.4
SHS122016-P-WC-15	Upstairs hallway between 60C										14.3
SHS122016-P-WC-16	6" area, N fixture										13.3
SHS122016-P-WC-17	6" area, S fixture										13.3
SHS122016-P-DF-18	6" area, 500 workroom										14.1
SHS122016-P-WC-19	6" area downstairs N										13.3
SHS122016-P-CF-20	6" area, Classroom 125										14.1
SHS122016-P-WC-21	6" area, Classroom 125										15.8
SHS122016-P-DF-22	6" area, 1st floor teacher										15.2
Chain of Custody	Relinquished By (Signature): <i>[Signature]</i>	Date: 10/25/16	Time: 1340								
Chain of Custody	Relinquished By (Print Name):	Method of Shipment:									
Chain of Custody	Received By (Signature): <i>[Signature]</i>	Date: DEC 22 2016	Time: 1340								
Chain of Custody	Received By (Print Name): <i>[Signature]</i>	Method of Shipment:									
Chain of Custody	Received By (Signature):	Date:	Time:								
Chain of Custody	Received By (Print Name):	Relinquished To:									
Chain of Custody	Company Name:	Method of Shipment:									

Pennsylvania - HQ
350 Hochberg Road
Monroeville, PA 15146
724.325.1776 Phone
724.733.1799 Fax

Washington
Columbia Basin Analytical Laboratories
2710 North 20th Avenue
Pasco, WA 99301
509.545.4989 Phone
509.544.6010 Fax



Request for Environmental and IH Laboratory Analytical Services

ATTENTION TO:		RYAN MATHEWS		Purchase Order No.:		Client Job No.:		162017	
Lab Use Only	Project No.:	Client No.:		Turnaround Request	Standard: Yes No	If 'No', No. of Business Days:			
	Date Logged In:	Logged In By:		Drinking Water Sample Only	Sample Purpose: Information X Regulatory <input type="checkbox"/> Accreditation (please list below):				
Report Results To	Name: Amanda Ebyusk, Ryan Mathews	Company: Fulcrum Environmental Consulting		Chemistry Analysis Key	Preservation: <input type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> Other <input type="checkbox"/> Matrix: <input type="checkbox"/> P=Plastic <input type="checkbox"/> G=Glass <input type="checkbox"/> W=Wipe <input type="checkbox"/> A=Air (filter or tube) Unpres H ₂ SO ₄ <input type="checkbox"/> WW=Wastewater <input type="checkbox"/> SW=Surface Water 4°C HCl <input type="checkbox"/> GW=Groundwater <input type="checkbox"/> DW=Drinking Water HNO ₃ <input type="checkbox"/> S=Soil/Sludge <input type="checkbox"/> O=Oil Other NaOH <input type="checkbox"/> E=Extract <input type="checkbox"/> X=Other				
Send Invoice To	Name: Lorrie Boutillier	Company: Fulcrum Environmental		Analysis Requested					
	Address: 406 North 2nd Street	City, State, Zip: Yakima, WA, 98901		EPA 200.8: Pb, Cu		Pres. Upon Receipt (Y/N)		Preservation	
	Phone: (509) 574-0839	Fax: (509) 575-8453		UNPR		Matrix		Container Type	
Special Instructions				DW		pH		No. Containers	
Client Sample ID	Sample Description	Sample Date	Sample Time	Wipe Area / Air Volume					
SHK122016-P-05-23	Library workroom	12/21/16							
SHK122016-P-WC-24	"D" area, 1st floor N								
SHK122016-P-WC-25	"D" area, 1st floor S								
SHK122016-P-CF-210	Classroom A10 P109								
SHK122016-P-DF-27	"O" area, 1st floor teacher								
SHK122016-P-CF-208	"D" area, 2nd floor room 208								
SHK122016-P-WC-29	"D" area, upstairs N								
SHK122016-P-WC-30	"D" area, upstairs S								
SHK122016-P-WC-31	Upstairs hallway bet. C10								
SHK122016-P-DF-32	"D" area, 2nd floor planning								
SHK122016-P-CF-33	"D" area, Classroom 125								
Chain of Custody	Relinquished By (Signature): <i>Clum</i>	Date: 12/21/16	Time: 1345						
Chain of Custody	Relinquished By (Print Name):	Method of Shipment:							
Chain of Custody	Relinquished By (Signature):	Date: DEC 22 2016	Time: 1340						
Chain of Custody	Relinquished By (Print Name):	Method of Shipment:							
Chain of Custody	Received By (Signature): <i>Kyle</i>	Date:	Time:						
Chain of Custody	Received By (Print Name):	Relinquished To:							
Chain of Custody	Company Name:	Method of Shipment:							

Pennsylvania - HQ
 350 Hochberg Road
 Monroeville, PA 15146
 724.325.1776 Phone
 724.733.1799 Fax

Washington
 Columbia Basin Analytical Laboratories
 2710 North 20th Avenue
 Pasco, WA 99301
 509.545.4989 Phone
 509.544.6010 Fax



Request for Environmental and IH Laboratory Analytical Services

ATTENTION TO: RYAN MATHEWS		Purchase Order No.:		Client Job No.:		162017	
Lab Use Only		Project No.:		Client No.:		Logged In By:	
Report Results To		Name: Amanda Embysk, Ryan Mathews		Company: Fulcrum Environmental Consulting		Address: 406 North 2nd Street City, State, Zip: Yakima, WA, 98901	
Send Invoice To		Phone: (509) 574-0839		Fax: (509) 575-8453		Call with Verbal Results: Email Results To: aembysk@fulcrum.net, CC: rmathews@fulcrum.net	
Special Instructions		Name: Lorie Bouillier		Company: Fulcrum Environmental		Email: lbouillier@fulcrum.net	
Client Sample ID		Sample Description		Sample Date		Sample Time	
Chain of Custody		Relinquished By (Signature): <i>[Signature]</i>		Date: 12/22/16		Time: 1:30	
Chain of Custody		Relinquished By (Print Name):		Relinquished To:		Method of Shipment:	
Chain of Custody		Relinquished By (Signature):		Date:		Time:	
Chain of Custody		Relinquished By (Print Name):		Relinquished To:		Method of Shipment:	
Chain of Custody		Relinquished By (Signature):		Date:		Time:	
Chain of Custody		Relinquished By (Print Name):		Relinquished To:		Method of Shipment:	

Client Sample ID	Sample Description	Sample Date	Start	Stop	Wipe Area / Air Volume	Analysis Requested	Pres. Upon Receipt (Y/N)	Preservation	Matrix	Container Type	pH	No. Containers
SHS122116-R-DF-34	Nurse's office	12/22/16				Chemistry Analysis Key		UNPR	DW	P=Plastic		138
SHS122116-R-DF-35	1st floor, main gym entrance W					Chemistry Analysis Key				G=Glass		124
SHS122116-R-DF-36	1st floor, main gym entrance E					Chemistry Analysis Key				W=Wipe		117
SHS122116-R-DF-37	wrestling/gymnastics					Chemistry Analysis Key				A=Air (filter or tube)		148
SHS122116-R-WC-38	Lower level gym hallway					Chemistry Analysis Key						126
SHS122116-R-WC-39	Worman's PE Locker					Chemistry Analysis Key						124
SHS122116-R-CF-40	Area G Classroom 1st					Chemistry Analysis Key						135
SHS122116-R-CF-41	Area H Classroom 209					Chemistry Analysis Key						137

Pennsylvania - HQ
350 Hochberg Road
Monroeville, PA 15146
724.325.1776 Phone
724.733.1799 Fax

Washington
Columbia Basin Analytical Laboratories
2710 North 20th Avenue
Pasco, WA 99301
509.545.4989 Phone
509.544.6010 Fax

