



Fulcrum Environmental

Ryan Mathews
406 N. 2nd Street
Yakima, WA 98901

RE: Kennewick SD Drinking Water - Sunset View Elementary
Work Order Number: 1703042

March 13, 2017

Attention Ryan Mathews:

Fremont Analytical, Inc. received 18 sample(s) on 3/6/2017 for the analyses presented in the following report.

Drinking Water Metals by EPA Method 200.8

This report consists of the following:

- Case Narrative
- Analytical Results
- Applicable Quality Control Summary Reports
- Chain of Custody

All analyses were performed consistent with the Quality Assurance program of Fremont Analytical, Inc. Please contact the laboratory if you should have any questions about the results.

Thank you for using Fremont Analytical.

Sincerely,

Chelsea Ward
Project Manager

CC:
Amanda Enbysk



Date: 03/13/2017

CLIENT: Fulcrum Environmental
Project: Kennewick SD Drinking Water - Sunset Vie
Work Order: 1703042

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date/Time Collected	Date/Time Received
1703042-001	SVE3417-P-OF-02	03/04/2017 8:30 AM	03/06/2017 8:43 AM
1703042-002	SVE3417-S-OF-02	03/04/2017 8:30 AM	03/06/2017 8:43 AM
1703042-003	SVE3417-T-OF-02	03/04/2017 8:30 AM	03/06/2017 8:43 AM
1703042-004	SVE3417-P-OF-03	03/04/2017 8:30 AM	03/06/2017 8:43 AM
1703042-005	SVE3417-P-KF-06	03/04/2017 8:30 AM	03/06/2017 8:43 AM
1703042-006	SVE3417-P-KF-07	03/04/2017 8:30 AM	03/06/2017 8:43 AM
1703042-007	SVE3417-S-KF-07	03/04/2017 8:30 AM	03/06/2017 8:43 AM
1703042-008	SVE3417-T-KF-07	03/04/2017 8:30 AM	03/06/2017 8:43 AM
1703042-009	SVE3417-P-KF-08	03/04/2017 8:30 AM	03/06/2017 8:43 AM
1703042-010	SVE3417-P-KF-10	03/04/2017 8:30 AM	03/06/2017 8:43 AM
1703042-011	SVE3417-S-KF-10	03/04/2017 8:30 AM	03/06/2017 8:43 AM
1703042-012	SVE3417-T-KF-10	03/04/2017 8:30 AM	03/06/2017 8:43 AM
1703042-013	SVE3417-P-CDF-18	03/04/2017 8:30 AM	03/06/2017 8:43 AM
1703042-014	SVE3417-P-CF-30	03/04/2017 8:30 AM	03/06/2017 8:43 AM
1703042-015	SVE3417-P-CDF-35	03/04/2017 8:30 AM	03/06/2017 8:43 AM
1703042-016	SVE3417-P-OF-42	03/04/2017 8:30 AM	03/06/2017 8:43 AM
1703042-017	SVE3417-P-BF-52	03/04/2017 8:30 AM	03/06/2017 8:43 AM
1703042-018	SVE3417-P-DF-53	03/04/2017 8:30 AM	03/06/2017 8:43 AM

CLIENT: Fulcrum Environmental**Project:** Kennewick SD Drinking Water - Sunset View Elementary

WorkOrder Narrative:

I. SAMPLE RECEIPT:

Samples receipt information is recorded on the attached Sample Receipt Checklist.

II. GENERAL REPORTING COMMENTS:

Results are reported on a wet weight basis unless dry-weight correction is denoted in the units field on the analytical report ("mg/kg-dry" or "ug/kg-dry").

Matrix Spike (MS) and MS Duplicate (MSD) samples are tested from an analytical batch of "like" matrix to check for possible matrix effect. The MS and MSD will provide site specific matrix data only for those samples which are spiked by the laboratory. The sample chosen for spike purposes may or may not have been a sample submitted in this sample delivery group. The validity of the analytical procedures for which data is reported in this analytical report is determined by the Laboratory Control Sample (LCS) and the Method Blank (MB). The LCS and the MB are processed with the samples and the MS/MSD to ensure method criteria are achieved throughout the entire analytical process.

III. ANALYSES AND EXCEPTIONS:

Exceptions associated with this report will be footnoted in the analytical results page(s) or the quality control summary page(s) and/or noted below.

Prep Sample Comments:

1703042-001A 209751: Prep Comments for EPA200.8, Sample 1703042-001A: Turbidity: 0.00 NTU
1703042-004A 209755: Prep Comments for EPA200.8, Sample 1703042-004A: Turbidity: 0.01 NTU
1703042-005A 209756: Prep Comments for EPA200.8, Sample 1703042-005A: Turbidity: 0.27 NTU
1703042-006A 209757: Prep Comments for EPA200.8, Sample 1703042-006A: Turbidity: 0.11 NTU
1703042-009A 209758: Prep Comments for EPA200.8, Sample 1703042-009A: Turbidity: 0.00 NTU
1703042-010A 209759: Prep Comments for EPA200.8, Sample 1703042-010A: Turbidity: 0.00 NTU
1703042-013A 209760: Prep Comments for EPA200.8, Sample 1703042-013A: Turbidity: 0.01 NTU
1703042-014A 209761: Prep Comments for EPA200.8, Sample 1703042-014A: Turbidity: 0.01 NTU
1703042-015A 209762: Prep Comments for EPA200.8, Sample 1703042-015A: Turbidity: 0.00 NTU
1703042-016A 209763: Prep Comments for EPA200.8, Sample 1703042-016A: Turbidity: 0.01 NTU
1703042-017A 209764: Prep Comments for EPA200.8, Sample 1703042-017A: Turbidity: 0.00 NTU
1703042-018A 209765: Prep Comments for EPA200.8, Sample 1703042-018A: Turbidity: 0.00 NTU

Qualifiers:

- * - Flagged value is not within established control limits
- B - Analyte detected in the associated Method Blank
- D - Dilution was required
- E - Value above quantitation range
- H - Holding times for preparation or analysis exceeded
- I - Analyte with an internal standard that does not meet established acceptance criteria
- J - Analyte detected below Reporting Limit
- N - Tentatively Identified Compound (TIC)
- Q - Analyte with an initial or continuing calibration that does not meet established acceptance criteria (<20%RSD, <20% Drift or minimum RRF)
- S - Spike recovery outside accepted recovery limits
- ND - Not detected at the Reporting Limit
- R - High relative percent difference observed

Acronyms:

- %Rec - Percent Recovery
- CCB - Continued Calibration Blank
- CCV - Continued Calibration Verification
- DF - Dilution Factor
- HEM - Hexane Extractable Material
- ICV - Initial Calibration Verification
- LCS/LCSD - Laboratory Control Sample / Laboratory Control Sample Duplicate
- MB or MBLANK - Method Blank
- MDL - Method Detection Limit
- MS/MSD - Matrix Spike / Matrix Spike Duplicate
- PDS - Post Digestion Spike
- Ref Val - Reference Value
- RL - Reporting Limit
- RPD - Relative Percent Difference
- SD - Serial Dilution
- SGT - Silica Gel Treatment
- SPK - Spike
- Surr - Surrogate



CLIENT: Fulcrum Environmental
Project: Kennewick SD Drinking Water - Sunset View Elementary

Lab ID: 1703042-001 **Collection Date:** 3/4/2017 8:30:00 AM
Client Sample ID: SVE3417-P-OF-02 **Matrix:** Drinking Water

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Drinking Water Metals by EPA Method 200.8

Batch ID: 16429 Analyst: TN

Copper	990	0.500		µg/L	1	3/10/2017 6:33:18 PM
--------	-----	-------	--	------	---	----------------------

Lab ID: 1703042-004 **Collection Date:** 3/4/2017 8:30:00 AM
Client Sample ID: SVE3417-P-OF-03 **Matrix:** Drinking Water

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Drinking Water Metals by EPA Method 200.8

Batch ID: 16429 Analyst: TN

Copper	1,320	0.500		µg/L	1	3/10/2017 6:49:25 PM
--------	-------	-------	--	------	---	----------------------

Lab ID: 1703042-005 **Collection Date:** 3/4/2017 8:30:00 AM
Client Sample ID: SVE3417-P-KF-06 **Matrix:** Drinking Water

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Drinking Water Metals by EPA Method 200.8

Batch ID: 16429 Analyst: TN

Copper	1,030	0.500		µg/L	1	3/10/2017 6:53:26 PM
--------	-------	-------	--	------	---	----------------------



CLIENT: Fulcrum Environmental
Project: Kennewick SD Drinking Water - Sunset View Elementary

Lab ID: 1703042-006 **Collection Date:** 3/4/2017 8:30:00 AM
Client Sample ID: SVE3417-P-KF-07 **Matrix:** Drinking Water

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Drinking Water Metals by EPA Method 200.8

Batch ID: 16429 Analyst: TN

Copper	1,050	0.500		µg/L	1	3/10/2017 6:57:28 PM
--------	-------	-------	--	------	---	----------------------

Lab ID: 1703042-009 **Collection Date:** 3/4/2017 8:30:00 AM
Client Sample ID: SVE3417-P-KF-08 **Matrix:** Drinking Water

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Drinking Water Metals by EPA Method 200.8

Batch ID: 16429 Analyst: TN

Copper	955	0.500		µg/L	1	3/10/2017 7:01:30 PM
--------	-----	-------	--	------	---	----------------------

Lab ID: 1703042-010 **Collection Date:** 3/4/2017 8:30:00 AM
Client Sample ID: SVE3417-P-KF-10 **Matrix:** Drinking Water

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Drinking Water Metals by EPA Method 200.8

Batch ID: 16429 Analyst: TN

Lead	7.75	1.00		µg/L	1	3/10/2017 7:05:32 PM
------	------	------	--	------	---	----------------------



CLIENT: Fulcrum Environmental
Project: Kennewick SD Drinking Water - Sunset View Elementary

Lab ID: 1703042-013 **Collection Date:** 3/4/2017 8:30:00 AM
Client Sample ID: SVE3417-P-CDF-18 **Matrix:** Drinking Water

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Drinking Water Metals by EPA Method 200.8

Batch ID: 16429 Analyst: TN

Copper	1,110	0.500		µg/L	1	3/10/2017 7:17:39 PM
--------	-------	-------	--	------	---	----------------------

Lab ID: 1703042-014 **Collection Date:** 3/4/2017 8:30:00 AM
Client Sample ID: SVE3417-P-CF-30 **Matrix:** Drinking Water

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Drinking Water Metals by EPA Method 200.8

Batch ID: 16429 Analyst: TN

Copper	1,040	0.500		µg/L	1	3/10/2017 7:21:41 PM
--------	-------	-------	--	------	---	----------------------

Lab ID: 1703042-015 **Collection Date:** 3/4/2017 8:30:00 AM
Client Sample ID: SVE3417-P-CDF-35 **Matrix:** Drinking Water

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Drinking Water Metals by EPA Method 200.8

Batch ID: 16429 Analyst: TN

Copper	1,000	0.500		µg/L	1	3/10/2017 7:25:42 PM
--------	-------	-------	--	------	---	----------------------



CLIENT: Fulcrum Environmental
Project: Kennewick SD Drinking Water - Sunset View Elementary

Lab ID: 1703042-016 **Collection Date:** 3/4/2017 8:30:00 AM
Client Sample ID: SVE3417-P-OF-42 **Matrix:** Drinking Water

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Drinking Water Metals by EPA Method 200.8

Batch ID: 16429 Analyst: TN

Copper	1,030	0.500		µg/L	1	3/10/2017 7:29:44 PM
--------	-------	-------	--	------	---	----------------------

Lab ID: 1703042-017 **Collection Date:** 3/4/2017 8:30:00 AM
Client Sample ID: SVE3417-P-BF-52 **Matrix:** Drinking Water

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Drinking Water Metals by EPA Method 200.8

Batch ID: 16429 Analyst: TN

Copper	ND	0.500		µg/L	1	3/10/2017 7:33:46 PM
Lead	ND	1.00		µg/L	1	3/10/2017 7:33:46 PM

Lab ID: 1703042-018 **Collection Date:** 3/4/2017 8:30:00 AM
Client Sample ID: SVE3417-P-DF-53 **Matrix:** Drinking Water

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Drinking Water Metals by EPA Method 200.8

Batch ID: 16429 Analyst: TN

Copper	1,260	0.500		µg/L	1	3/10/2017 7:37:47 PM
Lead	16.8	1.00		µg/L	1	3/10/2017 7:37:47 PM



Date: 3/13/2017

Work Order: 1703042
CLIENT: Fulcrum Environmental
Project: Kennewick SD Drinking Water - Sunset Vie

QC SUMMARY REPORT
Drinking Water Metals by EPA Method 200.8

Sample ID MB-16429	SampType: MBLK	Units: µg/L				Prep Date: 3/6/2017	RunNo: 34876				
Client ID: MBLKW	Batch ID: 16429					Analysis Date: 3/10/2017	SeqNo: 665941				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Copper	ND	0.500									
Lead	ND	1.00									

Sample ID LCS-16429	SampType: LCS	Units: µg/L				Prep Date: 3/6/2017	RunNo: 34876				
Client ID: LCSW	Batch ID: 16429					Analysis Date: 3/10/2017	SeqNo: 665944				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Copper	89.6	0.500	100.0	0	89.6	85	115				
Lead	53.2	1.00	50.00	0	106	85	115				

Sample ID 1703042-001ADUP	SampType: DUP	Units: µg/L				Prep Date: 3/6/2017	RunNo: 34876				
Client ID: SVE3417-P-OF-02	Batch ID: 16429					Analysis Date: 3/10/2017	SeqNo: 665946				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Copper	962	0.500						990.4	2.93	30	
Lead	4.43	1.00						4.498	1.61	30	

Sample ID 1703042-001AMS	SampType: MS	Units: µg/L				Prep Date: 3/6/2017	RunNo: 34876				
Client ID: SVE3417-P-OF-02	Batch ID: 16429					Analysis Date: 3/10/2017	SeqNo: 665947				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Copper	1,170	0.500	200.0	990.4	89.8	70	130				
Lead	109	1.00	100.0	4.498	105	70	130				

Sample ID 1703042-001AMSD	SampType: MSD	Units: µg/L				Prep Date: 3/6/2017	RunNo: 34876				
Client ID: SVE3417-P-OF-02	Batch ID: 16429					Analysis Date: 3/10/2017	SeqNo: 665948				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Copper	1,110	0.500	200.0	990.4	59.2	70	130	1,170	5.37	30	S
--------	-------	-------	-------	-------	------	----	-----	-------	------	----	---

Work Order: 1703042
CLIENT: Fulcrum Environmental
Project: Kennewick SD Drinking Water - Sunset Vie

QC SUMMARY REPORT
Drinking Water Metals by EPA Method 200.8

Sample ID	1703042-001AMSD	SampType:	MSD	Units:	µg/L	Prep Date:	3/6/2017	RunNo:	34876		
Client ID:	SVE3417-P-OF-02	Batch ID:	16429	Analysis Date:	3/10/2017	SeqNo:	665948				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	110	1.00	100.0	4.498	105	70	130	109.2	0.480	30	

NOTES:

S - Outlying spike recovery(ies) observed. A duplicate analysis was performed and recovered within range.

Client Name: **FE**

 Work Order Number: **1703042**

 Logged by: **Clare Griggs**

 Date Received: **3/6/2017 8:43:00 AM**

Chain of Custody

1. Is Chain of Custody complete? Yes No Not Present
2. How was the sample delivered? FedEx

Log In

3. Coolers are present? Yes No NA
4. Shipping container/cooler in good condition? Yes No
5. Custody Seals present on shipping container/cooler?
(Refer to comments for Custody Seals not intact) Yes No Not Required
6. Was an attempt made to cool the samples? Yes No NA
7. Were all items received at a temperature of >0°C to 10.0°C* Yes No NA
8. Sample(s) in proper container(s)? Yes No
9. Sufficient sample volume for indicated test(s)? Yes No
10. Are samples properly preserved? Yes No
11. Was preservative added to bottles? Yes No NA
12. Is there headspace in the VOA vials? Yes No HNO3 NA
13. Did all samples containers arrive in good condition(unbroken)? Yes No
14. Does paperwork match bottle labels? Yes No
15. Are matrices correctly identified on Chain of Custody? Yes No
16. Is it clear what analyses were requested? Yes No
17. Were all holding times able to be met? Yes No

Special Handling (if applicable)

18. Was client notified of all discrepancies with this order? Yes No NA

Person Notified:	<input type="text"/>	Date:	<input type="text"/>
By Whom:	<input type="text"/>	Via:	<input type="checkbox"/> eMail <input type="checkbox"/> Phone <input type="checkbox"/> Fax <input type="checkbox"/> In Person
Regarding:	<input type="text"/>		
Client Instructions:	<input type="text"/>		

19. Additional remarks:

Item Information

Item #	Temp °C
Cooler	5.4
Sample	2.4

* Note: DoD/ELAP and TNI require items to be received at 4°C +/- 2°C



Fremont Analytical

Chain of Custody Record and Laboratory Services Agreement

3600 Fremont Ave N.
Seattle, WA 98103

Tel: 206-352-3790
Fax: 206-352-7178

Client: Fulcrum Environmental Consulting
Address: 406 North Second Street
City, State, Zip: Yakima, WA, 98901
Telephone: 509.574.0839

Project Name: Kennewick SD Drinking Water - Sunset View Elementary
Project No: 162017.11
Location: Sunset View Elementary, Kennewick, WA
Report To (PM): Ryan Mathews
PM Email: mathews@fulcrum.net; ce.aenbysk@fulcrum.net

Date: 3/4/2017

Laboratory Project No (Internal):
Page: 1 of 2

1703042

*Matrix Codes: A = Air, AQ = Aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)*	Analytes											Comments				
				VOCS (EPA 8260 / 624)	GV/BTEX	BTEX	Gasoline Range Organics (GX)	Hydrocarbon Identification (HCD)	Diesel/Heavy Oil Range Organics (DX)	SVOCs (EPA 8270 / 625)	PAHs (EPA 8270 - SIM)	PCBs (EPA 8082 / 608)	Metals** (EPA 6020 / 200.8)	Total (T) Dissolved (D)		Anions (IC)***	EDB (8011)		
1. SVE3417-R-OF-02	3/4/2017	0836	DW																HNO ₃ pres; analyze for Cu only
2. SVE3417-S-OF-02																			HNO ₃ pres; analyze for Cu only
3. SVE3417-T-OF-02																			HNO ₃ pres; analyze for Cu only
4. SVE3417-R-OF-03																			HNO ₃ pres; analyze for Cu only
5. SVE3417-R-KF-06																			HNO ₃ pres; analyze for Pb only
6. SVE3417-P-KF-07																			HNO ₃ pres; analyze for Pb only
7. SVE3417-S-KF-04																			HNO ₃ pres; analyze for Pb only
8. SVE3417-T-KF-01																			HNO ₃ pres; analyze for Pb only
9. SVE3417-P-KF-08																			HNO ₃ pres; analyze for Pb only
10. SVE3417-R-KF-10																			HNO ₃ pres; analyze for Pb only

***Anions (Circle): Nitrate Nitrite Chloride Sulfate Bromide O-Phosphate Fluoride Nitrate+Nitrite
 Sample Disposal: Return to Client Disposal by Lab (Samples will be held for 30 days unless otherwise noted. A fee may be assessed if samples are retained after 30 days.)
 I represent that I am authorized to enter into this Agreement with Fremont Analytical on behalf of the Client named above, that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Relinquished: [Signature] Date/Time: 3/4/17 1300
 Received: [Signature] Date/Time: 3/6/17 0842

TAT → SameDay^ NextDay^ 2 Day 3 Day STD
 *Please coordinate with the lab in advance



3600 Fremont Ave N.
Seattle, WA 98103

Tel: 206-352-3790
Fax: 206-352-7178

Chain of Custody Record and Laboratory Services Agreement

Date: 3/4/2017

Laboratory Project No (Internal):

Page: 2 of 2

Client: Fulcrum Environmental Consulting

Project Name: Kennewick SD Drinking Water - Sunset View Elementary

Address: 406 North Second Street

Project No: 162017.11
Collected by: *Amada Ebyck*

City, State, Zip: Yakima, WA, 98901

Location: Sunset View Elementary, Kennewick, WA

Telephone: 509.574.0839

Fax: 509.575.8453

Report To (PM): Ryan Mathews

PM Email: rmathews@fulcrum.net

*Matrix Codes: A = Air, AQ = Aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)*	Analytical Parameters											Comments				
				VOCs (EPA 8260 / 624)	GW/BTEX	BTEX	Gasoline Range Organics (GX)	Hydrocarbon Identification (HCD)	Diesel/Heavy Oil Range Organics (DX)	SVOCs (EPA 8270 / 625)	PAHs (EPA 8270 - SIM)	PCBs (EPA 8082 / 608)	Metals** (EPA 6020 / 200.8)	Total (T) Dissolved (D)		Anions (IC)**	ED8 (8011)		
1 SVE3477-S-KE-10	3/4/2017	0830	DW																HOLD; imp.
2 SVE3477-T-KE-10																			
3 SVE3477-P-COF-18																			HNO3 preserved; analyze for Cu only
4 SVE3477-P-CF-30																			
5 SVE3477-P-CDF-35																			
6 SVE3477-P-OF-42																			
7 SVE3477-P-BF-52																			HNO3 preserved; analyze Pb-Cu
8 SVE3477-P-DF-53																			
9																			
10																			

Metals Analysis (Circle): MTCA-5 RCRA-8 Priority Pollutants TAL Individual: Ag Al As B Ba Be Ca Cd Co Cr **Cu Fe Hg K Mg Mn Mo Na **Ni** **Pb** Sb Se Sr Sn Tl U V Zn

***Anions (Circle): Nitrate Nitrite Chloride Sulfate Bromide O-Phosphate Fluoride Nitrate+Nitrite Turn-around times for samples received after 4:00pm will begin on the following business day.

Sample Disposal: Return to Client Disposal by Lab (Samples will be held for 30 days unless otherwise noted. A Fee may be assessed if samples are retained after 30 days.)

I represent that I am authorized to enter into this Agreement with Fremont Analytical on behalf of the Client named above, that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Relinquished *Amada Ebyck* 3/4/17, 1300 Date/Time Received *DK* 3/9/17 0843 Date/Time