



RJ LeeGroup, Inc. | Columbia Basin Analytical Laboratories

2710 North 20th Avenue, Pasco WA 99301

Tel: (509) 545-4989 | Fax: (509) 544-6010

Fulcrum Environmental
406 N. 2nd St.
Yakima, WA 98901

Subject: Chemical Analysis Report

Columbia Basin Analytical Laboratories received 38 sample(s) on 12/21/16 for analysis. These sample(s) have been assigned a login order number of W612108. Enclosed is the final report that consists of a summary report of the sample(s), and a copy of the chain of custody.

General Lab Comments

The results provided in this report relate only to the items tested. Sample(s) were received in acceptable conditions unless otherwise noted in the comments above. Sample(s) have not been field blank corrected unless otherwise noted in the general set comments above. The sample(s) were prepared in accordance with EPA 200.8 and analyzed in compliance with EPA 200.8. This test report shall not be reproduced, except in full, without written approval of Columbia Basin Analytical Laboratories. Any questions, please contact our office.

All samples were diluted 1:10.

X - Samples that exceeded the instrument calibration range were rerun at a 1:100 dilution, necessitating a 10-fold increase in the PQL.

Release of the data contained in the hard copy report has been authorized by the Laboratory Director or a designee as verified by the following signature. This report has been administratively reviewed by the following individual:

01/18/17

Project Coordinator II, M. Fernanda Pincheira

Date

If you have any questions please feel free to contact Fernanda Pincheira at MPincheira@rjleegroup.com.



Laboratory Report

Ryan Mathews
Fulcrum Environmental
406 N. 2nd St.
Yakima, WA 98901

RJ Lee Group No.: W612108
COC No.: Kennewick
Samples Received: 12/21/16
Analysis/Prep Date: 01/17/17
Report Date: 01/18/17

Client Project:

Fulcrum Kennewick

Sample Name: TTS122116-P-KF-01 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-01 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.08	0.01	
Lead	EPA 200.8	0.006	0.001	

Sample Name: TTS122116-P-KF-02 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-02 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.10	0.01	
Lead	EPA 200.8	0.009	0.001	

Sample Name: TTS122116-P-KF-03 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-03 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.64	0.01	
Lead	EPA 200.8	0.002	0.001	

Sample Name: TTS122116-P-KF-04 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-04 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.85	0.01	
Lead	EPA 200.8	0.005	0.001	

Sample Name: TTS122116-P-KF-05 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-05 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.31	0.01	
Lead	EPA 200.8	0.023	0.001	

Columbia Basin Analytical Laboratories | 2710 North 20th Avenue, Pasco WA 93301 | 509.545.4989

WWW.RJLEEGROUP.COM

Report Template: GenMetalReportFull_v12.rpt

Approved: 01/18/17 8:26
Report Time Stamp: 01/18/17 11:54



Sample Name: TTS122116-P-KF-06 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-06 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.40	0.01	
Lead	EPA 200.8	0.001	0.001	

Sample Name: TTS122116-P-KF-07 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-07 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.18	0.01	
Lead	EPA 200.8	0.004	0.001	

Sample Name: TTS122116-P-DF-08 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-08 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.05	0.01	
Lead	EPA 200.8	0.005	0.001	

Sample Name: TTS122116-P-KF-09 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-09 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.84	0.01	
Lead	EPA 200.8	0.001	0.001	

Sample Name: TTS122116-P-KF-10 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-10 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.91	0.01	
Lead	EPA 200.8	0.002	0.001	

Sample Name: TTS122116-P-WC-11 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-11 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.32	0.01	
Lead	EPA 200.8	0.003	0.001	



Sample Name: TTS122116-P-DF-12 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-12 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.75	0.01	
Lead	EPA 200.8	0.002	0.001	

Sample Name: TTS122116-P-DF-13 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-13 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	1.2	0.1	X
Lead	EPA 200.8	0.004	0.001	

Sample Name: TTS122116-P-WC-14 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-14 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.85	0.01	
Lead	EPA 200.8	< 0.0010	0.001	

Sample Name: TTS122116-P-DF-15 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-15 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.34	0.01	
Lead	EPA 200.8	0.015	0.001	

Sample Name: TTS122116-P-WC-16 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-16 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.73	0.01	
Lead	EPA 200.8	0.002	0.001	

Sample Name: TTS122116-P-DF-17 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-17 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.83	0.01	
Lead	EPA 200.8	0.003	0.001	



Sample Name: TTS122116-P-WC-18 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-18 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.96	0.01	
Lead	EPA 200.8	0.009	0.001	

Sample Name: TTS122116-P-OF-19 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-19 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.41	0.01	
Lead	EPA 200.8	0.008	0.001	

Sample Name: TTS122116-P-WC-20 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-20 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.36	0.01	
Lead	EPA 200.8	< 0.0010	0.001	

Sample Name: TTS122116-P-WC-21 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-21 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.52	0.01	
Lead	EPA 200.8	< 0.0010	0.001	

Sample Name: TTS122116-P-KF-22 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-22 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	1.1	0.1	X
Lead	EPA 200.8	< 0.0010	0.001	

Sample Name: TTS122116-P-KF-23 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-23 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.93	0.01	
Lead	EPA 200.8	< 0.0010	0.001	



Sample Name: TTS122116-P-KF-24 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-24 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	1.0	0.1	X
Lead	EPA 200.8	0.003	0.001	

Sample Name: TTS122116-P-WC-25 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-25 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.56	0.01	
Lead	EPA 200.8	< 0.0010	0.001	

Sample Name: TTS122116-P-KF-26 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-26 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.41	0.01	
Lead	EPA 200.8	0.030	0.001	

Sample Name: TTS122116-P-KF-27 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-27 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.69	0.01	
Lead	EPA 200.8	0.025	0.001	

Sample Name: TTS122116-P-KF-28 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-28 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.33	0.01	
Lead	EPA 200.8	0.041	0.001	

Sample Name: TTS122116-P-KF-29 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-29 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	1.1	0.1	X
Lead	EPA 200.8	0.001	0.001	



Sample Name: TTS122116-P-KF-30 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-30 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.89	0.01	
Lead	EPA 200.8	< 0.0010	0.001	

Sample Name: TTS122116-P-CF-31 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-31 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	1.1	0.1	X
Lead	EPA 200.8	0.001	0.001	

Sample Name: TTS122116-P-CDF-32 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-32 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.17	0.01	
Lead	EPA 200.8	0.004	0.001	

Sample Name: TTS122116-P-WC-33 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-33 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.43	0.01	
Lead	EPA 200.8	0.008	0.001	

Sample Name: TTS122116-P-CF-34 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-34 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	1.1	0.1	X
Lead	EPA 200.8	0.028	0.001	

Sample Name: TTS122116-P-KF-35 **Matrix:** Potable Water **Date Received:** 12/21/16
RJ Lee Grp. ID: W612108-35 **Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.60	0.01	
Lead	EPA 200.8	0.002	0.001	

**Sample Name:** TTS122116-P-KF-36**Matrix:** Potable Water**Date Received:** 12/21/16**RJ Lee Grp. ID:** W612108-36**Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	0.66	0.01	
Lead	EPA 200.8	< 0.0010	0.001	

Sample Name: TTS122116-P-CF-37**Matrix:** Potable Water**Date Received:** 12/21/16**RJ Lee Grp. ID:** W612108-37**Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	< 0.010	0.01	
Lead	EPA 200.8	< 0.0010	0.001	

Sample Name: TTS122116-P-DF-38**Matrix:** Potable Water**Date Received:** 12/21/16**RJ Lee Grp. ID:** W612108-38**Date Analyzed:** 01/17/17

Analyte	Method	Result (mg/L)	PQL (mg/L)	Qualifiers
Copper	EPA 200.8	1.2	0.1	X
Lead	EPA 200.8	0.014	0.001	

Report Qualifiers:*A = Target Analyte media breakthrough suspect, see analytical report**D = Analyte analyzed in a dilution**E = Report concentration was above the instrument calibration range**J = Analyte detected below quantitation limits, concentration is estimated**P = Library spectrum match, rsd >90% w RT match**Q = Result out of method specific acceptance QC criteria**S = Spike Recovery outside accepted recovery limits**Z = Not ELAP accredited analyte**ND = Not Detected**B = Analyte detected in the associated blank**d = Data that exceeds the RSD criteria set by the SOP**H = Holding times for preparation or analysis exceeded**L = Sample condition at receipt out of compliance with method defined conditions**R = RPD (relative percent difference) outside accepted recovery limits**U = Analyte analyzed for but not detected**N/A = Not Applicable*

QA Officer/Organic Analytical SME John Coddington

These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which the results are used or interpreted. Unless notified in writing to return the samples covered by this report, RJ Lee Group will store the samples for a period of ninety (90) days before discarding. A shipping and handling fee will be assessed for the return of any samples. Unless otherwise noted, samples were received in an acceptable condition. This laboratory operates in accordance with ISO 17025 guidelines, and holds limited scopes of accreditation under ORELAP Lab Code 4061 AIHA-LAP, LLC Lab ID 178656 EPA ID WA01195 and WA DOE Lab ID C859. This report may not be used to claim product endorsement by any laboratory accrediting agency. The results contained in this report relate only to the items tested or to the sample(s) as received by the laboratory. Any reproduction of this document must be in full for the report to be valid. Quality control data is available upon request.

Columbia Basin Analytical Laboratories | 2710 North 20th Avenue, Pasco WA 93301 | 509.545.4989

WWW.RJLEEGROUP.COM

Report Template: GenMetalReportFull_v12.rpt

Approved: 01/18/17 8:26
Report Time Stamp: 01/18/17 11:54

Request for Environmental and IH Laboratory Analytical Services

W612108

ATTENTION TO: RYAN MATHEWS			Client Job No.: 162017		
Lab Use Only			Turnaround Request		
Project No.: _____			Standard: Yes No If 'No,' No. of Business Days: _____		
Date Logged In: _____			Sample Purpose: Information X Regulatory <input type="checkbox"/> Accreditation (please list below): _____		
Logged In By: _____			System ID #: _____		
Report Results To			Sample Only		
Name: Amanda Ebyusk, Ryan Mathews			DOH Source #: _____		
Company: Fulcrum Environmental Consulting			Multiple Sources #: _____		
Address: 406 North 2nd Street			Sample Purpose: <input type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> Other <input type="checkbox"/>		
City, State, Zip: Yakima, WA, 98901			Preservation: _____		
Phone: (509) 574-0839			Matrix: _____		
Fax: (509) 575-8453			Container: _____		
Call with Verbal Results: _____			E-Extract <input type="checkbox"/>		
Email Results To: aenbyusk@fulcrum.net, CC: rmathews@fulcrum.net			SW=Surface Water P=Plastic		
Fax Results To: _____			DW=Drinking Water G-Glass		
Name: Lorrie Boutillier			O=Oil W=Wipe		
Company: Fulcrum Environmental			X=Other A=Air (filter or tube)		
Address: 406 North 2nd Street			Analysis Requested		
City, State, Zip: Yakima, WA, 98901			EPA 200.8: Pb, Cu		
Phone: (509) 574-0839			Pres. Upon Receipt (Y/N)		
Fax: (509) 575-8453			UNPR		
Special Instructions			OW		
Client Sample ID			Sample Description		
Sample Date			Sample Time		
Start			Stop		
Wipe Area / Volume					
TTS12a116-P-KF-01			Kitchen, handwash inside, 12/21/16		
TTS12a116-P-KF-02			Kitchen, the southern window		
TTS12a116-P-KF-03			Kitchen, southern main kitchen		
TTS12a116-P-KF-04			South Island Kitchen, in wood		
TTS12a116-P-KF-05			West Island Kitchen, food prep		
TTS12a116-P-KF-06			Kitchen, S. center island S		
TTS12a116-P-KF-07			Kitchen, N. center island N		
TTS12a116-P-KF-08			Kitchen, west wall sink		
TTS12a116-P-KF-09			Classroom 205, N sink		
TTS12a116-P-KF-10			Classroom 205, S sink		
Chain of Custody			Chain of Custody		
Relinquished By (Signature): _____			Received By (Signature): _____		
Relinquished By (Print Name): _____			Received By (Print Name): _____		
Company Name: _____			Company Name: _____		
Date: 12/21/16			Date: 12/21/16		
Time: 1730			Time: 1430		
Method of Shipment: _____			Method of Shipment: _____		
Relinquished To: _____			Relinquished To: _____		
Method of Shipment: _____			Method of Shipment: _____		

Pennsylvania - HQ
350 Hochberg Road
Monroeville, PA 15146

Washington
Columbia Basin Analytical Laboratories
2710 North 20th Avenue
Pasco, WA 99301



Request for Environmental and IH Laboratory Analytical Services

W612108

Page 2 of 4

ATTENTION TO: RYAN MATHEWS		Purchase Order No.: 162017		Client Job No.: 162017	
Lab Use Only	Project No.: Date Logged In: Logged In By:	Client No.:	Standard: Yes No	If 'No', No. of Business Days:	Accreditation (please list below):
Name: Amanda Enbysk, Ryan Mathews Company: Fulcrum Environmental Consulting Address: 406 North 2nd Street City, State, Zip: Yakima, WA, 98901 Phone: (509) 574-0839 Fax: (509) 575-8453 Call with Verbal Results: Email Results To: aenbysk@fulcrum.net, CC: rmathews@fulcrum.net Fax Results To:		Name: Lorrie Boutilier Company: Fulcrum Environmental Address: 406 North 2nd Street City, State, Zip: Yakima, WA, 98901 Phone: (509) 574-0839 Fax: (509) 575-8453		Sample Purpose: Information X Regulatory System ID #: DOH Source #: Multiple Sources #:	
Report Results To:		Chemistry Analysis Key Unpres 4°C HNO ₃ Other H ₂ SO ₄ HCl NaOH Na ₂ SO ₄ Matrix: WM=Wastewater GW=Groundwater S=Soil/Sludge E=Extract Container: P=Plastic G=Glass W=Wipe A=Air (filter or tube)		Preservation: A B Other SW=Surface Water DW=Drinking Water O=Oil X=Other	
Send Invoice To:		Analysis Requested		Pres. Upon Receipt (Y/N)	
Special Instructions		EPA 200.8: Pb, Cu		Preservation Matrix Container Type pH No. Containers	
Client Sample ID	Sample Description	Sample Date	Start	Stop	Wipe Area / Air Volume
TTS12A116-P-WC-11	South Highway Escape	12/21/16			
TTS12A116-P-DF-12	Diesel/Highway 5 wall				
TTS12A116-P-DF-13	Welding 310				
TTS12A116-P-WC-14	Commons, E wall				
TTS12A116-P-DF-15	Commons, W wall				
TTS12A116-P-WC-16	Highway N of Commons				
TTS12A116-P-DF-17	Welding 310B				
TTS12A116-WC-18	Entrance, opposite office				
TTS12A116-P-DF-19	Staff Kitchenette				
TTS12A116-P-WC-20	Entrance adj. Highway E				
TTS12A116-P-WC-21	Entrance adj. Highway W				
Chain of Custody Relinquished By (Signature): Relinquished By (Print Name): Company Name:		Date: 12/21/16 Time: 1430 Relinquished To: Method of Shipment:		Chain of Custody Received By (Signature): Received By (Print Name): Company Name:	
Chain of Custody Relinquished By (Signature): Relinquished By (Print Name): Company Name:		Date: Time: Relinquished To: Method of Shipment:		Chain of Custody Received By (Signature): Received By (Print Name): Company Name:	

Pennsylvania - HQ
350 Hochberg Road
Monroeville, PA 15146
724.325.1776 Phone
724.733.1799 Fax

Washington
Columbia Basin Analytical Laboratories
2710 North 20th Avenue
Pasco, WA 99301
509.545.4989 Phone
509.544.6010 Fax



Request for Environmental and IH Laboratory Analytical Services

W612108

Page 3 of 4

ATTENTION TO: RYAN MATHEWS		Client Job No.: 162017	
Lab Use Only	Project No.: Date Logged In: Logged In By:	Turnaround Request	Standard: Yes No <input type="checkbox"/> If 'No,' No. of Business Days:
Report Results To	Name: Amanda Enbysk, Ryan Mathews Company: Fulcrum Environmental Consulting Address: 406 North 2nd Street City, State, Zip: Yakima, WA, 98901 Phone: (509) 574-0839 Fax: (509) 575-8453 Call with Verbal Results: Email Results To: aenbysk@fulcrum.net, CC: rmathews@fulcrum.net Fax Results To:	Drinking Water Sample Only	Sample Purpose: Information X Regulatory <input type="checkbox"/> Accreditation (please list below): System ID #: DOH Source #: Multiple Sources #:
Send Invoice To	Name: Lorrie Boutilier Company: Fulcrum Environmental Address: 406 North 2nd Street City, State, Zip: Yakima, WA, 98901 Phone: (509) 574-0839 Fax: (509) 575-8453	Chemistry Analysis Key	Preservation: <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> HCl <input type="checkbox"/> NaOH <input type="checkbox"/> Na ₂ SO ₄ <input type="checkbox"/> Other <input type="checkbox"/> Matrix: <input type="checkbox"/> WW=Wastewater <input type="checkbox"/> GW=Groundwater <input type="checkbox"/> S=Soil/Sludge <input type="checkbox"/> E=Extract Container: <input type="checkbox"/> P=Plastic <input type="checkbox"/> G=Glass <input type="checkbox"/> W=Wipe <input type="checkbox"/> A=Air (filter or tube)
Special Instructions		Analysis Requested	Pres. Upon Receipt (Y/N)
Client Sample ID	Sample Description	EPA 200.8: Pb, Cu	Preservation
TS1202116-P-KF-22	Dental 105, central and E		Matrix
TS1202116-P-KF-23	Dental 105, central and W	X	Container Type
TS1202116-P-KF-24	Dental 105, wall		pH
TS1202116-P-KF-25	NW Hallway, adj. 110		No. Containers
TS1202116-P-KF-26	Nursing 120, S fixture		
TS1202116-P-KF-27	Nursing 120, S fixture		
TS1202116-P-KF-28	Nursing 120, N fixture		
TS1202116-P-KF-29	Nursing 115, W fixture		
TS1202116-P-KF-30	Nursing 115, E fixture		
TS1202116-P-CF-31	RVT 125, E wall, Sink		
TS1202116-P-CF-32	140B, Art school		
Chain of Custody	Relinquished By (Signature): <i>Amanda Enbysk</i> Relinquished By (Print Name): Company Name:	Chain of Custody	Date: 12/21/16 Time: 1430
Chain of Custody	Relinquished By (Signature): Relinquished By (Print Name): Company Name:	Chain of Custody	Date: 12/21/16 Time: 1430
Chain of Custody	Relinquished By (Signature): Relinquished By (Print Name): Company Name:	Chain of Custody	Date: 12/21/16 Time: 1430

Pennsylvania - HQ
350 Hochberg Road
Monroeville, PA 15146
724.325.1776 Phone
724.733.1799 Fax

Washington
Columbia Basin Analytical Laboratories
2710 North 20th Avenue
Pasco, WA 99301
509.545.4989 Phone
509.544.6010 Fax



Request for Environmental and IH Laboratory Analytical Services

W612108

ATTENTION TO:		RYAN MATHEWS		Purchase Order No.:		162017		Client Job No.:		162017					
Lab Use Only	Project No.:	Client No.:	Logged In By:	Turnaround Request	Standard:	Yes	No	If 'No', No. of Business Days:	Drinking Water	Sample Purpose:	Information	Regulatory	Accreditation (please list below):		
Name: Amanda Enbysk, Ryan Mathews Company: Fulcrum Environmental Consulting Address: 406 North 2nd Street City, State, Zip: Yakima, WA, 98901 Phone: (509) 574-0839 Fax: (509) 575-8453 Call with Verbal Results: aenbysk@fulcrum.net, CC: rmathews@fulcrum.net Email Results To: aenbysk@fulcrum.net, CC: rmathews@fulcrum.net Fax Results To: Fulcrum Environmental Name: Lorie Boutiller Company: Fulcrum Environmental Email: lboutiller@fulcrum.net Address: 406 North 2nd Street City, State, Zip: Yakima, WA, 98901 Phone: (509) 574-0839 Fax: (509) 575-8453				<input checked="" type="checkbox"/> EPA <input type="checkbox"/> 200.8: <input type="checkbox"/> Pb, Cu											
Send Invoice To	Special Instructions	Client Sample ID	Sample Description	Sample Date	Start	Stop	Wipe Area / Air Volume	Analysis Requested	Pres. Upon Receipt (Y/N)	Preservation	Matrix	Container Type	pH	No. Containers	
Name: Lorie Boutiller Company: Fulcrum Environmental Address: 406 North 2nd Street City, State, Zip: Yakima, WA, 98901 Phone: (509) 574-0839 Fax: (509) 575-8453		TT512A116-P-WL-33 TT612A116-P-CF-34 TT512A116-P-KF-36 TT512A116-P-KF-36 TT512A116-P-CF-37 TT512A116-P-DF-38	Hallway adj. 160 Digipen 150, center sink P-202, center bottle P-203, kitchen Gymnasium Digital video, 180	12/21/16 ↓ ↓ ↓ ↓ ↓										16.9 17.4 16.8 16.8 16.2 17.0	
Chain of Custody	Relinquished By (Signature):	Relinquished By (Print Name):	Date:	Time:	Chain of Custody	Received By (Signature):	Received By (Print Name):	Date:	Time:						
	<i>Amanda Enbysk</i>	Amanda Enbysk	12/21/16	1430		<i>Amanda Enbysk</i>	Amanda Enbysk	DEC 21 2016	1430						
Chain of Custody	Relinquished By (Signature):	Relinquished By (Print Name):	Date:	Time:	Chain of Custody	Received By (Signature):	Received By (Print Name):	Date:	Time:						

Pennsylvania - HQ
 350 Hochberg Road
 Monroeville, PA 15146
 724.325.1776 Phone
 724.733.1799 Fax

Washington
 Columbia Basin Analytical Laboratories
 2710 North 20th Avenue
 Pasco, WA 99301
 509.545.4989 Phone
 509.544.6010 Fax

