

## Dustin Fisk

---

**From:** Keith Colee  
**Sent:** Thursday, December 22, 2016 12:16 PM  
**To:** Dustin Fisk  
**Subject:** FW: Fulcrum-Drinking Water Sampling Scope of Work  
**Attachments:** Fulcrum-KSD Drinking Water Sampling.pdf; Fulcrum-KSD Sampling Schedule.pdf

FYI

---

**From:** Ryan Mathews [mailto:rmathews@efulcrum.net]  
**Sent:** Thursday, December 15, 2016 12:03 PM  
**To:** Keith Colee <keith.colee@ksd.org>  
**Cc:** Amanda Enbysk <aenbysk@efulcrum.net>  
**Subject:** Fulcrum-Drinking Water Sampling Scope of Work

Keith,

Attached is a scope of work and fee proposal to accomplish the discussed drinking water sampling. Please review and let me know if you have any questions.

Our plan continues to be to begin flushing next Tuesday afternoon (20<sup>th</sup>) and collect samples on the 21<sup>st</sup> and 22<sup>nd</sup>.


Rough project costs – sampling, plans, etc. is \$38,500 to \$44,500 (T&M as shown in the proposal).  
Laboratory analysis is \$40 per sample for 1,061 samples or \$42,440 in analysis. (this is a separate P.O. direct to Columbia Basin Analytical Laboratory at the CBC campus)

We will need to coordinate a meeting between you (or your assigned District lead), myself, and Amanda (our team lead). Intent is to have five independent samplers during the sampling process. Each would need to have key & badge access. Generally we need to be in the buildings by 6 am and will leave buildings by 10 pm.

Please let me know if you have any questions and if there is a time Friday or Monday we can get together for a final pre-sampling meeting.

Thank you,

Ryan



*Disclaimer: The information contained in this message, including any attachments and correspondence may be privileged, confidential, and protected from disclosure. If you are not the intended recipient, please be advised that you are legally prohibited from retaining, using, copying, distributing, or otherwise disclosing this information in any manner. If you have received this email message in error, please reply immediately to the sender and delete all copies of this message and any attachments. Thank you.*

*Electronic Attachments: The attached electronic documents have been provided for Fulcrum Environmental Consulting, Inc's client's express use for informational purposes. While every effort has been made to ensure the accuracy of the attached documents, only the final printed and signed document is considered valid. Use of the attached electronic document carries the potential for unintentional absence of pages, appendices, etc. that may be necessary to understand the breadth of the work product and Fulcrum Environmental Consulting, Inc. cannot be held responsible for decisions based on the electronic document.*