

PULASKI COUNTY SCHOOLS – 2019 PAVING BUDGET ADVERTISEMENT

The Pulaski County School District is seeking bids for asphalt paving and repairs at various locations throughout the district (see list below). Bids shall include all costs to furnish material, labor, equipment and any other items necessary to complete the scope of work as identified. All asphalt mix and stone materials must be supplied by producers who are approved and qualified through the Kentucky Transportation Cabinet (KYTC). All asphalt materials must be placed in accordance with the current KYTC Specifications for Road and Bridge Construction. All bidders must be prequalified contractors with KYTC to complete paving work in compliance with the Standard Specifications for Road and Bridge Construction. The bidder must draw conclusions as to the conditions to be encountered. The School District does not give any guarantee as to the condition of existing pavements and will not consider any claim for additional compensation if the materials encountered are not in accord with the classification bid.

The following list displays general information about the location of each work area. Both size and scope of work may vary. The areas given below are not to be assumed as contiguous relative to each other, nor as a contiguous segment on each individual campus.

- 1. Northern Middle School:** Asphalt paving of 3,403 square yards of area using 1.5" of Class 2 Binder 0.50D PG64-22 with various areas of Base Failure Repair. Pavement markings to be included.
- 2. Southern Middle School:** Asphalt paving of 12,900 square yards of area using 1.5" of Class 2 Binder 0.50D PG64-22 with various areas of Base Failure Repair. Pavement markings to be included.
- 3. Southwestern High School A:** Asphalt paving of 13,723 square yards of area using 1.5" of Class 2 Binder 0.50D PG64-22 with various areas of Base Failure Repair. Pavement markings to be included.
- 4. Southwestern High School B:** Construction of new parking area (1,463 square yards) using 6" DGA Base, 2" Class 2 Base 0.75D PG64-22, 1.5" of Class 2 Binder 0.50D PG64-22. New paved areas shall provide positive drainage of runoff into PC Schools' stormwater system. Pavement markings to be included.
- 5. Shopville Elementary School:** Asphalt paving of 854 square yards of area using 1.5" of Class 2 Binder 0.50D PG64-22 with various areas of Base Failure Repair. Pavement markings to be included.
- 6. Area Technology Center:** Asphalt milling and paving of 2,444 square yards of area using 1.5" of Class 2 Binder 0.50D PG64-22 with various areas of Base Failure Repair. Pavement markings to be included.