


**KEYED NOTES:**

- 1 STANDARD CURB & GUTTER. SEE DETAIL A/SD2.1.
- 2 SIDEWALK CURB & GUTTER. SEE DETAIL C/SD2.1.
- 3 6" VERTICAL CURB. SEE DETAIL B/SD2.1.
- 4 REMOVE EXISTING WALK, REGRADE AS REQUIRED & INSTALL 4" THICK X 6' SIDEWALK OVER 4" AGGREGATE BASE.
- 5 4' DIA CONCRETE CATCH BASIN WITH TRAFFIC RATED STEEL GRATE (CITY STANDARD DRAWING PSD-602). PROVIDE 140 LF OF 12" ADS N12 STORM PIPE TO SOUTH EXISTING RETENTION POND.
- 6 REMOVE EXISTING WALK, REGRADE AS REQUIRED & INSTALL ADA CURB CUT AND RAMP. SEE DETAIL E/SD2.1 & N/SD2.1.
- 7 HEAVY DUTY PAVEMENT SECTION. SEE DETAIL K/SD2.1.
- 8 PAVEMENT MARKING - 4" WIDE STRIPE.
- 9 6' WIDE LANDSCAPE REPAIR AREA. INSTALL SOD AND TAPER TO EXISTING LANDSCAPE ELEVATION.
- 10 EXISTING LIGHT STANDARD - PROTECT AND PRESERVE.
- 11 12' WIDE LANDSCAPE REPAIR AREA. INSTALL SOD AND TAPER TO EXISTING LANDSCAPE ELEVATION.
- 12 EXISTING WALK - PROTECT AND PRESERVE.
- 13 EXISTING CURB - PROTECT AND PRESERVE.
- 14 REMOVE EXISTING CURB & GUTTER, REGRADE AS REQUIRED & INSTALL CURB & GUTTER OVER 4" AGGREGATE BASE. PROVIDE SMOOTH TRANSITION.
- 15 PATCH / REPAIR DISTURBED LANDSCAPE WITH NEW SOD.

**NH**  
**B** Architecture  
 Planning  
 Interiors

Nick H. Barnard  
 Architect LLC  
 697 West 175 North  
 Blackfoot, Idaho 83221  
 Phone: 208.242.6564  
 Email: nhb@cablone.net



Mark	Date	Description
	3.15.16	Replace Entire Sheet

**FRANKLIN MIDDLE SCHOOL**  
 Parking Lot Renovation  
 Building Address 2271 East Terry  
 School District No. 25 Pocatello, Idaho

Project for:  
 School District 25  
 Pocatello/Chubbuck  
 3115 Pole Line Road  
 Pocatello, Idaho

Date: March 2016

Sheet Title:  
**SITE PLAN  
 CONSTRUCTION**

Sheet Number:  
**SD1.1R**

**SITE PLAN - CONSTRUCTION**  
 SCALE: 1" = 20'