

**POCATELLO/CHUBBUCK
SCHOOL DISTRICT NO. 25
Bannock County, Idaho**

**Administration Offices
3115 Pole Line Road
Pocatello, Idaho**

**SPECIFICATIONS
FOR**

**DOOR REPLACEMENT AT
VARIOUS DISTRICT BUILDINGS**

<u>Project</u>	<u>School</u>	<u>Address</u>
No. 1	Gate City Elementary	2288 Hiskey
No. 2	Jefferson Elementary	1455 Gwen
No. 3	Syringa Elementary	388 E. Griffith
No. 4	Tyhee Elementary	12743 W. Tyhee Rd
No. 5	Century High School	7801 Diamondback Dr
No. 6	Highland High School	1800 Bench Rd
No. 7	Pocatello High School	325 No. Arthur
No. 8	Alameda Middle School	845 McKinley Ave
No. 9	Franklin Middle School	2271 E. Terry
No. 10	Irving Middle School	911 No. Grant Ave

BIDS WITH CONDITIONS WILL NOT BE ACCEPTED

BID OPENING

**March 1, 2018
9:00 A.M.**

**POCATELLO/CHUBBUCK
SCHOOL DISTRICT NO. 25
Bannock County, Idaho**

INVITATION TO BID

DOOR REPLACEMENT AT VARIOUS SCHOOLS

Sealed bids will be received by a Representative of the Board of Trustees of School District No.25, Bannock County, Idaho at 3115 Poleline Road, Pocatello, Idaho, 83201, until Thursday, March 1, 2018 at 9:00 AM for Door Replacement at Various School Buildings.

A pre-bid conference and walk-thru to review projects will be held on Thursday, February 15, 2018 at 1:00 PM at the Maintenance Office, 185 East Maple, Pocatello, Idaho.

Specifications or additional details, (including bid forms), may be secured at 3115 Poleline Road, Pocatello, Idaho, 83201. All bids must be on the forms furnished, all blank spaces filled in, and signed with the name and address of the Bidder. No unqualified bids will be read.

Each bid shall be accompanied by a certified check, cashier's check, or a bidder's bond, (executed by a qualified surety company with the power to do business in the State of Idaho) in the sum of not less than five percent, (5%) of the total bid, made payable to School District No. 25, Bannock County, Pocatello, Idaho. This surety shall be forfeited by the bidder in the event of failure to enter into a contract. Personal or company checks will not be accepted. Compliance with Idaho Public Works Law is required.

The Board of Trustees reserves the right to reject any/or all bids or to waive any informalities, or to accept the bid or bids deemed best for School District No. 25, Bannock County, Pocatello, Idaho.

Jacob Gertsch, Clerk
School District No. 25

To be published on the dates of:

February 8, 2018
February 15, 2018

IDAHO STATE JOURNAL

INSTRUCTIONS TO BIDDERS

BIDS:

Sealed "BIDS" will be received on or before the time and date set forth under "INVITATION TO BID".

The owner reserves the right to accept or reject any part or all bids.

Bidders submitting a "Bid" on this work will be required to figure and furnish everything as called for by these specifications and the requirements of the Bid sheet.

All bids shall be in a sealed envelope addressed to the Board of Trustees of School District No. 25, 3115 Pole Line Road, Pocatello, Idaho. The following shall be written on the exterior of the envelope:

"BIDS FOR DOOR REPLACEMENT AT VARIOUS SCHOOL BUILDINGS
TO BE OPENED ON MARCH 1, 2018 AT 9:00 AM"

Bids not delivered by contractors at time of bid opening must be received in mail or no later than 4:00PM on February 28, 2018, the day before the bid opening.

EXAMINATION OF THE SITE AND DOCUMENTS: *Pre-Bid Walk through.*

Refer all questions to Mr. Alan Spidell, School Plant Coordinator, at (208)233-2604. Contact with other district staff, Board of Trustees, or Administration, will be by written permission only.

A pre-bid conference and walk through will be held at 1:00 p.m. on Thursday, February 15, 2018 at Maintenance and Operations, 185 Maple, Pocatello, Idaho.

The purpose of the pre-bid conference and prior to submitting a proposal, the bidder shall:

1. Carefully examine the specifications.
2. Visit the worksite.
3. Be fully informed of existing conditions and limitations.
4. Include in the bid sums sufficient to cover all items required by the contract, which shall rely entirely upon your own examinations in making this proposal.

INTERPRETATIONS:

Should a bidder find discrepancies in, or omissions from the specifications, or be in doubt as to their meaning, he should at once notify the Owner, who will send written instructions or addenda to all bidders. The owner will not be responsible for oral interpretations. Questions received less than 48 hours before time for bid opening cannot be answered. All addenda issued during the time of bidding will be incorporated in the contract.

BID GUARANTEE:

As a guarantee, each bid will be accompanied by a Certified Check, Cashier's Check, or Bid Bond for not less than five percent (5%) of the base bid payable to Owner. NO PERSONAL OR COMPANY CHECKS WILL BE ACCEPTED

OBJECTIONS:

Written objections to specifications or bid procedures must be received by the clerk, secretary, or other authorized official of the District at least one (1) business day before the date and time upon which bids are scheduled to be received, per Idaho Code Section 68-2806(c).

EVIDENCE OF QUALIFICATIONS:

Upon request of Owner, a bidder whose bid is under consideration for award of the contract shall submit, promptly, satisfactory evidence of his financial resources, his experiences, and the organization and equipment he has available for performance of the contract.

LAWS AND ORDINANCES:

The contractor hereby binds himself to protect and save harmless the owner from all damages arising from the violation of any and all Federal, State, County, City, and all other laws, rules, regulations, in the performance of the terms of the contract.

HOLD HARMLESS AGREEMENTS:

The District expects your work to conform to professional standards. The contractor is expected to hold the District harmless for all damages or claims arising out of the work performed by the contractor. The District will not agree to hold the contractor harmless for damages or claims.

EQUIPMENT:

The contractor shall provide all labor, materials, tools, and equipment, etc. necessary for the complete and substantial execution of everything described in the specifications.

STORAGE OF MATERIALS:

The contractor shall make arrangement and coordinate with the Maintenance Department for delivery and storing of materials. Any damages of life or property caused by storage of materials on the above-indicated place shall be paid for by the contractor, who shall hold the owner harmless for any damages concerning the same.

SUPERVISION:

The supervision of this work will be done by School District No. 25's Maintenance Department.

EMPLOYMENT OF RESIDENTS OF IDAHO:

In compliance with Idaho Laws, Section 44-1001 and 44-1002 Idaho Code, the contractor must employ ninety-five percent 95% bona fide Idaho residents as employees on any such contracts except where under such contracts fifty (50) or less persons are employed the contractor may employ ten percent (10%) nonresidents, provided however, in all cases such employers must give preference to the employment of bona fide Idaho residents in the performance of such work.

CONTRACTOR'S LICENSE:

In compliance with Idaho Laws, the contractor must be registered with the State of Idaho, and hold the required ***Public Works Contractor's License*** before obtaining the contract documents and before submitting a bid for this work.

INSURANCE:

All contractors who provide goods or services to the District are required to provide the District with certificates of insurance for General Liability, Auto Liability, Workers Compensation, and Professional Liability if applicable.

The General Liability and/or Professional Liability certificate must name the District as an additional insured under the contractor's policy. Certificates are to be provided to the District prior to any work commencing on District property. This would include the placement of any equipment or materials at the work site.

Minimum Insurance Limits

General Liability	\$1,000,000 per occurrence \$1,000,000 products and completed operations \$1,000,000 annual aggregate
Auto Liability	\$1,000,000 per occurrence
Workers Compensation	Statutory
Professional Liability	\$1,000,000 per occurrence \$1,000,000 annual aggregate

OWNER/CONTRACTOR AGREEMENT:

The Agreement for the work will be written on a District provided Form of Agreement between Owner and Contractor where the basis of payment is a stipulated sum.

The District will award the Door Replacement bid by project(s) to the vendor with the lowest responsible bid.

PERFORMANCE BOND:

The successful bidder will be required to furnish a 100% performance bond when entering into the contract work, per Idaho Code Section 54-1926, "...conditioned upon the faithful performance of the contract in accordance with the plans, specifications and conditions thereof."

PAYMENT BOND:

The successful bidder will be required to furnish a 100% payment bond when entering into the contract work, per Idaho Code Section 54-1926, "solely for the protection of persons supplying labor or materials, or renting, leasing, or otherwise supplying equipment to the contractor or his subcontractors in the prosecution of the work provided for in such contract."

5% RETAINAGE:

The Owner will retain 5% of the Contractor's earned sum to ensure faithful performance. This 5% will be released to the Contractor upon receipt of tax release from State of Idaho.

LIQUIDATED DAMAGES:

Contractor shall be required to pay Owner as liquidated damages the sum of \$200 for each day, after the scheduled completion date, that the project is unfinished.

CHANGES IN THE WORK:

The owner, without invalidating the contract, may order extra work or make changes by altering, adding to, or deducting from the work; the contract sum being adjusted accordingly. All such work shall be executed under the conditions of the original contract, except that any claim for extension of the time caused thereby shall be adjusted at the time of ordering such change.

The total allowance for combined overhead and profit for changes shall be included in the total cost to the owner and shall be based on the following schedule:

- (A.) For the Contractor, 10% over cost;
- (B.) For the Sub-Contractor, 15% over cost to be divided 10% for Sub-Contractor and 5% for Contractor; and
- (C.) For any Sub-Subcontractor, 15% over cost to be divided 5% for Contractor, 5% for Sub-Contractor, and 5% for Sub-Subcontractor.

FORM WH5:

Per Idaho Code Section 54-1904A, within thirty (30) days of award of bid, the contractor shall file with the State Tax Commission a form WH-5, Public Works Contract Report.

INSPECTION OF WORK:

The representative of the owner shall at all times have access to the work wherever it is in preparation or progress and the contractor shall provide facilities for such access and for inspection.

WARRANTY:

Manufacturer shall warrant products under normal use and service to be free from defects in materials and workmanship for a period of one year from date of delivery.

Warranty shall cover repair or replacement of such parts determined defective upon inspection. Warranty does not cover any product or part of a product subject to accident, negligence, alteration, abuse or misuse. Warranty does not cover any accessories or parts not supplied by the manufacturer.

Warranty shall not cover any labor expended or materials used to repair any equipment without manufacturer's prior written authorization.

CLEAN UP:

The contractor shall at all times keep the premises free from accumulations of waste material or rubbish caused by his employees or work, and at the completion of the work he shall remove all his rubbish from and about the building and all tools and surplus materials and shall leave his work clean. In case of dispute, the owner shall remove the rubbish and surplus materials and charge the cost to the contractor. At no time shall the School District Dumpsters be used to remove the Contractor's waste, garbage and carpet scraps.

IDAHO EMPLOYER ALCOHOL AND DRUG-FREE WORKPLACE ACT: Include with your bid sheet a contractor's affidavit pursuant to Idaho Code Section 72-1717.

BIDDER CERTIFICATION FORM: All bidders must complete and submit the Bidder Certification Form included with this bid request.

PAYMENTS:

Prices must remain firm as quoted by supplier until quantity awarded is received. Application for payment dated on or before the 25th of the month, shall be paid by the 15th of the following month. Application for payment dated after the 25th of the month, shall be paid within 30 days. Delivery may be accepted any time, however, payment for the 2018-2019 fiscal year cannot be made until after July 5, 2018 when those funds have been released.

Invoices must break down work by school and then totaled by secondary schools, elementary schools, and other District buildings.

BID:

The following universal specifications are being used as a guideline. Alternate bids for equal equipment will be considered (equipment not carpet). Substitutions or major alternations must be indicated upon the proposal sheet at the time of the bid submission. Bids must be based upon conditions at the site and these specifications. Bids shall be submitted in accordance with the requirements shown on the bid form.

BID EVALUATION CRITERIA:

Contractor selection on this project will be evaluated based on the following:

- 1) Price
- 2) Contractor reputation for quality of work with current customers or past performance with District 25. (please list all jobs/contracts greater than \$10,000 performed in the past two years if contractor has not performed one for the District in past 5 years)
- 3) Vendor ability to best match the listed criteria as specified.

DELIVERY AND START OF WORK:

The time frame for door replacement to be completed is between **May 29, 2018 and July 31, 2018.**

REQUIREMENT FOR REPLACEMENT OF DOORS PRELIMINARY REQUIREMENTS:

- A. Obtain permit from the City Building Department.
- B. Be familiar with these requirements.
- C. Contractor is responsible for the cost of any permits, or engineering needed.
- D. Contractor is responsible for implementing and complying with proper procedures for handling any lead based paint that may be encountered while performing tasked within the scope of this project.

CONSTRUCTION REQUIREMENTS:

- A. Remove all old frames and doors. **Owner will determine if parts are salvageable and will become property of the owner.**
- B. Areas shall be cleaned of miscellaneous debris, etc. and hauled away ready for new construction.
- C. Door Frames and Doors shall be primed and painted to School District Specifications.
- D. Removable Mullions are to be ordered with a prime finish and then painted to specifications by contractor.
- E. All areas around door frames, and window frames shall be caulked.
- F. **All Schools shall be kept secured though out the construction project.**
- G. Each project will be bid as an individual project. Contractors may elect to bid one or all projects.
- H. No smoking on school property.

CONSTRUCTION SPECIFICATIONS:

- A. Selective Demolition:
 - 1. Removal of existing frames, doors as required accommodating new construction.
 - 2. Protection of existing structure, materials, and equipment items indicated to remain.
 - 3. Protect floors with suitable covering when necessary.
 - 4. Provide temporary weather protection, during removal of exterior doors to ensure that no water leakage or damage occurs to structure or interior areas.
 - 5. Remove existing hardware from doors and **offer to Owner for first rights of refusal.** Properly dispose of any remaining hardware not taken by owner.
 - 6. Upon completion of demolition work, remove tools, equipment, and demolished materials from site.
 - 7. Repair demolition performed in excess of that required. Return elements of construction and surfaces to remain to condition prior to start of operations.
- B. Veneer Panels:
 - 1. Veneer Panels shall be as manufactured by Mapes Industries, Inc. Lincoln, Nebraska, and shall consist of a laminated sandwich of tempered hardboard with stucco pattern aluminum skins both sides. Panels shall be bonded under heat and pressure with top quality, permanently elastic neoprene contact adhesive. Panel thickness shall be 1” nominal. Panels shall be installed in extruded aluminum moldings. Panels shall be sealed into moldings with permanently elastic sealants to protect panel edges against water and allow thermal expansion and contraction of the pane.
- C. Joint Sealants:
 - 1. Elastomeric Sealant Standard: Provide manufacture’s standard chemically curing, electrometric sealant of base polymer indicated which complies with ASTM C 920 requirements, including those referenced for Type, Grade, Class, and Uses.
 - 2. One-Part Nonacid-Curing Silicone Sealant: Type S, Grade NS, Class 50, and complying with the following requirements for uses and additional joint movement capability.
 - a. One Part Nonacid-Curing Silicone Sealant:
 - (1). Dow Corning 791, Dow Corning Corp
 - (2). Silfruf SCS 2000, General Electric Co.
- D. Joint Sealant Backing:
 - 1. Provide sealant backing of material and type which are non-staining; are compatible with joint substrates, sealants, primers and other joint fillers; approved for application indicated by sealant manufacturer based on field experience and laboratory testing.

E. Steel Doors and Frames:

1. Doors: Flush, hollow or composite construction standard doors for exterior locations.
2. Frames: Pressed steel frames for doors, transoms, sidelights, mullions, and other interior and exterior openings shall be welded unit type.
3. Provide factory primed doors and frames to be field painted.
4. All frames to be factory welded.
5. Prior to ordering frames, doors, accessories, the Contractor shall personally go to each door opening to field measure and verify all existing conditions, noting jamb and head conditions and their trueness, existing masonry condition, and all existing conditions.
6. Contractor shall take into account tolerances necessary for shimming of frames, door closing clearances, expansion of frames, and all other pertinent information.
7. No allowances shall be made for frames, windows or doors of an incorrect size, which are shipped to the project.
8. Manufacturer:
 - a. Amweld Building Products
 - b. Ceco Corp.
 - c. Curries Company
 - d. Fenestra Corp.
 - e. Kewancee Corp
 - f. Mesker Door Co.
 - g. Republic Builders Products
 - h. Steelcraft Manufacturing Co
9. Materials:
 - a. Hot rolled steel sheets and strip: commercial quality carbon steel, pickled and oiled, complying with ASTM A 569 and ASTM A 568.
 - b. Cold Rolled Sheets: Commercial Carbon Steel, complying with ASTM 366 and ASTM A 568.
 - c. Supports and anchors: Fabricate of not less than 18-gauge sheet steel.
 - d. Inserts, Bolts, and Fasteners: Manufacture's standard units. Where items are to be built into exterior walls, hot-dip galvanized in compliance with ASTM A 153, class C or D as applicable.
10. Provide metal doors of SDI grades and models specified below.
 - a. Exterior doors: ANSI/SDI-100, Grade II, heavy-duty, Model 2, seamless design, minimum 0.042 inch (18gauge) steel faces.
11. Provide metal frames with mitered welded corners.
12. Thermal-rated (insulating) assemblies: At exterior locations and elsewhere. Provide doors fabricated as thermal insulating door and frame assemblies and tested accordance with ASTM C 236 or ASTM C 976 on fully operated door assemblies. (U factor of 0.41Btu/(hr x sq ft x deg F) or better.)
13. Reinforce all doors and frames to receive surface applied hardware as per manufacture specifications. Note: Reinforcement in door and frame shall be 10 gauge. Method of attachment shall be drill and tap as per manufacturer's specifications. Reinforcement will include the top of the frame where the top mount for removable mullions will be installed. The doors shall be under sized and reinforced for Roton Hinges as per manufactories specifications. All exterior doors shall have weather proof top cap.
14. Frames are to be anchored with concealed anchors that are welded to the frame and bolted into the jambs.
15. Exterior frames, and frames with Roton Hinges shall be grouted solid, with the exception of channels where wire runs are necessary for electronic card access doors. Contractor to make sure to reinforce jamb prior to placing grout.

16. Contractor shall anchor removable mullion base plates to a flat surface of the concrete floor by lead type expansion (3) anchors not plastic. Contractor shall cut the thresholds around the removable mullions base mount.
17. Contractor shall anchor top mullion mount by drilling and tapping for 1/4 inch bolts.
18. Lower Frame Replacements will need to be welded to existing frame, bonded finished, painted, and attached to the jam with lag bolt and dimpling.
19. Upon completion of installation of new door frame(s), All gaps and seams will be caulked with a rubber silicone caulking.

F. Door Hardware:

1. All doors shall be installed with ALL NEW hardware complete as per the specifications below:

Hardware	Manufacturer	Approved Equals
a. Hinges	McKinney	Lawrence Stanley, Hager
b. Locksets	Marks RAB/26D-F19	No Substitutes
c. Closers	LCN 4040XPHPADKBZ	No Substitutes
d. Exit Devices	Sargent 3828 F EB (Bronze)	No Substitutes
e. Wall Bumpers	Quality	Ives, Glen Johnson, Hager
f. Cylinders	Schlage 20-057-1467-626	No Substitutes
g. Thresholds	Pemko	Reese, Zero, Hager
h. Smoke Seals	Pemko	Reese, Zero, Hager
i. Weather Stripping	Pemko	Reese, Zero, Hager
j. Kickplates	Pemko	Reese, Zero, Hager
k. Closure (Hold Open) Dark Bronze	LCN 4041 SHCUSHEB	No Substitutes
l. Exterior Hinges Flush Mount	Roton by Hager (SL1183BRHD))	Select
m. Automatic Door Holder and Stop	Rockwood	Or Equal
n. Keyed Pull Trim	Sargent 814HTB EB	No Substitutes
o. Dummy Pull Trim	Sargent 810HTB EB	No Substitutes
p. Flush Bolts	Rockwood 26D	No Substitutes
q. Door Mag. Holder 2100	ABH 2100	No Substitutes
r. Exit Devices	Sargent 8888 F 32D	No Substitutes
s. Pull Trim Keyed	Sargent 814PSB 26D	No Substitutes
t. Pull Trim Dummy	Sargent 810PSB 26D	No Substitutes
u. Floor Bumpers		
v. Mortise Cylinder for Mullions	Schlage 20-061 626 1467	No Substitutes
w. Removable Cylinder Core	Schlage 23-030 626 1467	No Substitutes
x. Door Mag Holder Floor Mount	ABH 2600	No Substitutes
y. Closure Dark Bronze	LCN 4111 EDA RH TB WMS EB	No Substitutes
z. Closure Dark Bronze	LCN 4111 EDA LH TB WMS EB	No Substitutes
aa. Mullion (Keyed Removable Kit Only)	Von Duprin VON KR 4954-7SP28	No Substitutes
bb. Steel Mullion	Von Duprin ON KR 4954-7SP28	No Substitutes
cc. Concealed Vertical Rod Exit Device	Sargent WD8613FETL	No Substitutes

dd. Closure	LCN 4414 ME REG RH WMS EB	No Substitutes
ee. Closure	LCN 4414 ME REG LH WMS EB	No Substitutes
ff. Closure	LCN 4041 HPA EB	No Substitutes
gg. Exit Device	Sargent 3828G-EB	No Substitutes
hh. Door sweep		
ii. 4x20 Window Kit w/laminate glass.	Rockwood	Or Equal
jj. 3.5X15 Push Plate 26D	Rockwood	Or Equal
kk. 3.5X15 Pull Plate 26D	Rockwood	Or Equal
ll. Roton Hinges (surface mount)	Roton by Hager (SL5783BRHD)	Select
mm. Small Core IC Core Rim Cylinder	Arrow 16RCR27-26D	Or Equal

G. Glass and Glazing:

1. Provide glass and glazing that has been produced, fabricated and installed to withstand normal thermal movement, wind loading, and impact loading (where applicable), without failure including loss or breakage of glass, failure of sealants or gaskets to remain watertight and airtight, deterioration of glass and glazing materials and other defects or performance. Glazing shall be 1" overall thickness with minimum 3/16" panes tempered.
2. Warranty Period: Manufacturers standard but not less than (10) years after date of substantial completion.
3. Manufacturers of Clear Float Glass:
 - a. Ford Glass Company
 - b. Guardian Industries Corp.
 - c. PPG Industries, Inc.
 - d. Pilkington Libbey-Owens-Ford
 - e. AFG Industries
4. Manufacturers of Heat-Treated and Insulating Glass:
 - a. Cardinal IG
 - b. Ford Glass Division
 - c. Guardian Industries Corp
 - d. HGP Industries
 - e. Pilkington Libbey-Owens-Ford
 - f. PPG Industries, Inc.
 - g. Saint-Gobain/Euroglass

H. Painting:

1. Acceptable Manufacturers: Sherwin Williams
2. Finish exterior doors on tops, bottoms, and side edges same as exterior faces.
3. Sand slightly between each succeeding coat.
4. Provide "wet paint" signs as required to protect newly painted surfaces.
5. Ferrous Metal: Polyurethane Finish (2) finish coats over primer. Primer not required on factory primed items.
6. Color of all metal doors and frames to be "Duct Tape" supplied by Sherwin Williams unless otherwise determined by Owner.

PROJECTS:

Each school/location will have its own individual project number.

Project No. 1 – Gate City Elementary School

Exterior Door #3: Mullion Replacement.

Cut out and remove rusted mullion and replace with new mullion.

Project No. 2 – Jefferson Elementary School

Exterior Doors #1: Replace Door Slabs. Lower Frame Replacement

Replace Door Slabs only with metal doors.

1 each of f, n, o. 2 each of c, d, g, i, j, l, hh, ii.
Glass for windows above doors

Project No. 3 –Syringa Elementary School

Exterior Door and Frame Replacement #9: Exterior Door and Frame Replacement #10

Metal Doors, frame replacement.

c, d, f, g, i, j, l, n, hh,

Project No. 4 – Tyhee Elementary School

Exterior Doors #3

Lower Frame Replacement.

Project No. 5 – Century High School

Interior Doors Large and Small Gyms Coming off of Hallway

Replace wooden doors with metal door slabs and install removable mullions on all 4 doors.

d, g, j, k, l, n (4), o (4), aa, bb, ii, mm (4)

Exterior Door #33 Loading Dock Entrance

Replace existing door slab and lower frame.

d, g, I, j, k, l, n, gg, hh, ii, mm

Exterior Door #34 Kitchen Entrance

Replace existing door slab and lower frame.

d, g, I, j, k, l, n, gg, hh, ii, mm

Project No. 6 – Highland High School

Exterior Door #6 D Building North Entrance

Replace Door Slabs only with metal doors.

1 each of n, o, mm. 2 each of c, d, g, i, j, l, hh, ii.
Glass for windows above doors

Interior Boys Locker Room South Door

Replace metal door slab

c, d, e, j, l, n, mm

Exterior Door #23 E Building South West Entrance

Replace lower frame and install a keyed removable mullion
aa, bb

Project No. 7 – Pocatello High School

Exterior Doors #2 Unit 1 Center Southwest Entrance

Replace with metal doors and frame (Doors and windows to match existing architecture)

c (2), d (2), f (1), g, i, j, l, n, o, hh

Exterior Door #7 Unit 1 West Corridor, Southwest Entrance

Replace metal door slab and lower frame

c, d, f, g, l, j, n, ii

Project No. 8 – Alameda Middle School

Exterior Doors #4 West Gym South Entrance

Lower frame replacement

Exterior Doors #8 East Gym North Entrance

Lower frame replacement

Project No. 9 Franklin Middle School

Exterior Door #12 West Stair Entrance

Replace lower frame and install a keyed removable mullion

aa, bb

Project No. 10 Irving Middle School

Exterior Door #1 Southeast Main Entrance

Replace entire entrance frames, doors and windows (Doors and Frames to be painted red)

c, d, f, g, i, j, l, n (1), o (3), ii

Exterior Door #11 West Cafeteria Kitchen Entrance

Replace lower frame

Exterior Door East Handicap Entrance off of Main Entrance #1 Vestibule

Replace lower frame

BID SHEET
DOOR REPLACEMENT AT VARIOUS DISTRICT BUILDINGS

To be Opened March 1, 2018 at 9:00 AM

Board of Trustees
School District No. 25
3115 Pole Line Road
Pocatello, ID 83201-6119

Date: _____

We _____ propose to furnish all labor, materials, tools, and equipment to complete work called for by these specifications for Door Replacement at Various Schools.

The District will award the Door Replacement bid by project(s) to the vendor with the lowest responsible bid. Each school/location will have its own individual project number for the total bid amount listed below.

<u>PROJECT</u>	<u>AMOUNT</u>
No. 1 – Gate City Elementary School	\$ _____
No. 2 – Jefferson Elementary School	\$ _____
No. 3 – Syringa Elementary School	\$ _____
No. 4 – Tyhee Elementary School	\$ _____
No. 5 – Century High School	\$ _____
No. 6 – Highland High School	\$ _____
No. 7 – Pocatello High School	\$ _____
No. 8 – Alameda Middle School	\$ _____
No. 9 – Franklin Middle School	\$ _____
No. 10 – Irving Middle School	\$ _____

We encourage work to begin as soon as possible after **May 29, 2018 and completed by July 31, 2018**

The School Board of Trustees reserves the right to reject any or all bids, likewise, to reject any item or items in any such bids and the right to waive any technicality.

Respectfully submitted,

- Attached, if applicable, is a listing of subcontractors names and addresses for this project.
- Attached is our Affidavit of Alcohol and Drug-Free Worksite, as pursuant to Idaho Code 72-1717.
- Attached is Bidder Certification Form.

Company Name

Authorized Signature / Date

Address

Title

City, State, Zip

Public Works License Number

Phone / Fax Number

Worker's Comp & Liability Insurance Exp. Date

CONTRACTOR'S AFFIDAVIT
CONCERNING ALCOHOL AND DRUG-FREE WORKPLACE

STATE OF _____

COUNTY OF _____

Pursuant to the Idaho Code, Section 72-1717, I, the undersigned, being duly sworn, depose and certify that named contractor is in compliance with the provisions of Idaho Code section 72-1717; that named contractor provides a drug-free workplace program that complies with the provisions of Idaho Code, title 72, chapter 17 and will maintain such program throughout the life of a state construction contract and that named contractor shall subcontract work only to subcontractors meeting the requirements of Idaho Code, section 72-1717(1)(a).

Name of Contractor

Address


City and State

By: _____
(Signature)

Subscribed and sworn to before me this _____ day of _____, 2018.

Commission expires:

NOTARY PUBLIC, residing at



BIDDER CERTIFICATION FORM

1. **Debarment and Suspension** – In submitting this bid proposal, we hereby certify that we have not been suspended or in any way excluded from Federal procurement actions by any Federal Agency. We fully understand that if information contrary to this certification subsequently becomes available, such evidence may be grounds for non-award or nullification of a bid contract.
2. **Anti-Collusion** – In submitting this bid proposal, we hereby certify this proposal was developed and prepared without any collusion with any competing bidder or District employee. The content of this proposal has not been disclosed to any competing or potentially competing bidder prior to the proposal due date and time. Furthermore, no action to persuade any person, partnership or corporation to submit or withhold a bid has been made.
3. **Anti-Lobbying** – In submitting this bid proposal, we hereby certify that to the best of our knowledge and belief, no appropriated Federal funds have been paid or will be paid by or on behalf of person associated with this proposal to any person for influencing or attempting to influence and officer or employee of any agency, a member of Congress, an office or employee of Congress or an employee of a member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement and the extension, continuation, renewal, amendment or modification of any Federal contract, grant, loan or cooperative agreement.
4. **National Sexual Offender Registry** – In submitting this bid proposal, you certify to the District that your company will prohibit any persons in your employ who are registered or required to register under the Idaho Sex Offender Registration Act from participation in company business with the District if such participation would require them to be present on school property. You certify further that you have cross checked such employees against the National Sex Offender Registry found at the following web link: <http://www.nsopr.gov/>

Signed: _____

Name & Title: _____

Company: _____

Address: _____

City & State: _____

Date: _____