# SCHOOL DISTRICT NO. 25 Bannock County Pocatello, Idaho

Administrative Offices 3115 Pole Line Road Pocatello, Idaho

# SCHOOL BUS SPECIFICATIONS

## 54 PASSENGER CONVENTIONAL STYLE SCHOOL BUS With WHEELCHAIR LIFT

Bids with conditions will not be accepted

Bid Opening:

March 5, 2019 10:00 A.M.

### SCHOOL DISTRICT NO. 25 Bannock County Pocatello, Idaho

#### **INVITATION TO BID: SCHOOL BUSES**

Sealed bids will be received by Representatives of the Board of Trustees of School District No. 25, Bannock County, Pocatello, Idaho, at 3115 Pole Line Road, Pocatello, Idaho 83201, until 10:00 A.M., March 5, 2019.

Bids are being called for the following:

One (1) 54 Passenger Conventional School Buses with Wheelchair Lift.

Specifications or additional details may be secured at 3115 Pole Line Road, Pocatello, Idaho, 83201.

All bids must be on the forms furnished in this bid invitation. All blank spaces must be filled in and signed with the name and address of the Bidder.

Each bid shall be accompanied by a <u>certified check, cashier's check, or a bidder's bond</u> (executed by a qualified surety company with the power to do business in the State of Idaho) in the sum of not less than five percent (5%) of the total bid, made payable to School District No. 25, Bannock County, Pocatello, Idaho. This surety shall be forfeited by the bidder in the event of failure to fulfill provisions of bid on which purchase order award is based. <u>Personal or company checks will not be accepted.</u>

The Board of Trustees reserves the right to reject any or all bids or to waive any informalities, or to accept the bid or bids deemed best for School District No. 25, Bannock County, Pocatello, Idaho.

Renae Johnson, Clerk School District No. 25

Publication Dates: February 12, 2019 February 19, 2019

Idaho State Journal

#### **GENERAL TERMS AND CONDITIONS**

The complete units must meet all National and State of Idaho construction standards and specifications pertaining to school buses. Omission of any part of the National or State of Idaho specifications in the bid request shall not relieve the bidder of the responsibility of meeting these required standards and specifications.

It shall be the responsibility of the successful bidder to establish a definite date for delivery. Factory invoices shall be submitted with delivery of each bus, listing a breakdown of component parts.

#### Required delivery date: As soon as possible, no later than August 1, 2019.

Payment shall be made when complete school bus units are delivered F.O.B. Pocatello, Idaho and are deemed acceptable by School District No. 25.

The dealer shall submit complete specifications and descriptive data as published by the manufacturer. Also submitted shall be such photographs, charts, and drawings as may be necessary to enable the Board of Trustees to understand clearly and readily the mechanical features of the proposed body and complete units or chassis.

The dealer will provide the school district with a copy of the order to the factory showing date of the order and the factory's acknowledgment and scheduled date of production.

All bids must be submitted in duplicate.

Refer all questions to Mr. Craig Leiby, Transportation Coordinator, at (208) 235-3226. Contact with other district staff, Board of Trustees, or Administration, will be by written permission only.

#### **BID EVALUATION**

Bids will be evaluated and awarded based on the following three areas:

- A. Price.
- B. Past performance with service and minimal down-time.
- C. Warranty Issues.

Written objections to specifications or bid procedures must be received by the clerk, secretary, or other authorized official of the District at least one (1) business day before the date and time upon which bids are scheduled to be received, per Idaho Code Section 68-2806(c).

#### SPECIFICATIONS: 54 PASSENGER CONVENTIONAL SCHOOL BUS WITH A WHEELCHAIR LIFT

Specifications that follow are minimum basic requirements. Any deviations from these specifications must be noted in the space provided under each specification listing. Failure to do so will result in rejection of your bid and/or product for noncompliance.

#### <u>General</u>

The vehicles to be provided per these specifications will be conventional, diesel powered school buses. The bus bodies, chassis and major chassis components shall be designed, manufactured and assembled to provide a projected service life of 15 years with minimal maintenance.

Bidder must be licensed as a dealer to do business within the State of Idaho.

Bidder is required to have a substantial in-state inventory of body and chassis parts with toll a free number and field service available.

Vehicles shall meet all current Federal FMVSS and Idaho standards.

Engine:	<ul> <li>- 240 minimum horsepower in-line six cylinder turbo charged Cummins Diesel Engine.</li> <li>- 750 minimum watt engine block heater List all exceptions:</li> </ul>			
Transmission:	- Allison 3000 PTS List all exceptions:			
Differential	- Limited slip List all exceptions:			
Brakes	- Hydraulic - Front disc - Rear disc - Parking brake: air, electric or foot application <i>List all exceptions:</i>			
Tires	- Size 225/R70-22.5 - Front: highway - Rear: traction - Spare: highway <i>List all exceptions:</i>			
Steering	- Tilt List all exceptions:			

Electrical	- 200 amp minimum alternator - Bosch - Two twelve volt batteries, minimum 1300 CCA. <i>List all exceptions:</i>
Gauges	<ul> <li>Voltmeter</li> <li>Temperature</li> <li>Oil</li> <li>Tachometer</li> <li>Transmission</li> <li>List all exceptions:</li> </ul>
Fuel Tank	<ul> <li>- 60 gallon mounted left rear of bus</li> <li>- Fuel door with lock on right side</li> <li>- Interior fuel tank sender unit access panel</li> <li><i>List all exceptions:</i></li> </ul>
Tow Hooks	- Front - Rear <i>List all exceptions:</i>
Radiator	<ul> <li>Low level warning system</li> <li>Filter system</li> <li>Transmission cooler</li> <li>Coolant recovery system</li> <li>List all exceptions:</li> </ul>
Mirrors	<ul> <li>Exterior side view: heated, electronically adjustable, additional convex right and left side</li> <li>Crossover mirrors: elliptical (cat-eyed), heated, mounted front left and front right</li> <li>Interior student mirror: 8" X 30" minimum <i>List all exceptions:</i></li> </ul>
Passenger Area	- Minimum interior height of 77 inches from finished floor List all exceptions:
Bus Identification	<ul> <li>Bus numbering: 20-21</li> <li>Number locations: behind service door, rear of bus below right tail light, below driver's window, front bumper right side</li> <li>Identification: <u>School District No. 25 Pocatello, Idaho</u>, printed mid-ship on both sides of bus List all exceptions:</li> </ul>

Seats	<ul> <li>Passenger Seats - 11 full size</li> <li>Saf-T-Anchor Removable Seat Mounting System integrated Child Seat/Two Position Lap/Shoulder Belt</li> <li>Brown or grey color</li> </ul>		
	<ul> <li>Driver seat: <ul> <li>brown or grey color</li> <li>suspension seat</li> <li>inertia reel retractor shoulder belt</li> </ul> </li> <li>Color: All seats brown or grey to match color of flooring List all exceptions:</li> </ul>		
Floor	<ul> <li>Flat flooring entire bus</li> <li>Minimum of 5/8" marine plywood floor</li> <li>Tan or grey to match color of seats</li> <li>List all exceptions:</li> </ul>		
Window Glass	<ul> <li>Double sliding window on left of driver</li> <li>Shaded top windshield</li> <li>Visors located on driver's windshield and driver's side window</li> <li>Tinted passenger windows</li> <li>List all exceptions:</li> </ul>		
Doors	- Passenger entry door: electric locking system - Rear emergency door: locking system <i>List all exceptions:</i>		
Insulation	- Throughout ceiling and walls List all exceptions:		
Fans	- Two, two speed six inch auxiliary fans located upper center and left of the driver area List all exceptions:		
Suspension	- Air ride suspension on rear. List all exceptions:		
Electrical	<ul> <li>All external lighting L.E.D.</li> <li>Accessories may only operate with the key in the "on" position</li> <li>Solenoid switch for body accessories</li> <li>List all exceptions:</li> </ul>		

Heaters	<ul> <li>Front heater and defrost: standard chassis</li> <li>One mid-ship heater: 32,000 btu</li> <li>One rear heater: 50,000 btu</li> <li>Two speed fan motors</li> <li>Each heater separately controlled</li> <li>Heater booster pump for rear and mid-ship heaters</li> <li>Service door defroster, separate heating core: 36,000 btu</li> <li>List all exceptions:</li> </ul>					
Two-Way Radio	<ul> <li>Motorola XPR-5550e</li> <li>Wired to work on accessory</li> <li>Wired to shut off with noise control switch</li> <li>Digital but will work properly on LTR trunked system</li> <li>List all exceptions:</li> </ul>					
Radio	- AM/FM radio/PA with four inside and one outside speaker - Hand microphone <i>List all exceptions:</i>					
Stop Arm	<ul> <li>Electric with L.E.D. strobe lights located on top and bottom of stop sign</li> <li>Operation via 8-way overhead system</li> <li>Manual deactivation switch</li> <li>List all exceptions:</li> </ul>					
Equipment Compartment	- Located front above driver area List all exceptions:					
Surveillance	<ul> <li>Angeltrax Vulcan V-12 Series</li> <li>Twelve channel</li> <li>WC4G Antenna</li> <li>One HD3600V camera head mounted front facing the rear</li> <li>Four HD1700V camera heads side wall mounted to view all seats including driver's compartment.</li> <li>Stop arm cameras: two HD8000V mounted to view traffic in both directions <i>List all exceptions</i>:</li> </ul>					
Safety Equipment	<ul> <li>First aid kit</li> <li>Body fluid kit</li> <li>Seatbelt cutter</li> <li>Five pound inspected fire extinguisher to include inspection tag</li> <li>Reflective triangles</li> <li>List all exceptions:</li> </ul>					
Seat Check Reminder	r - OEM or No Child Left Behind system - Key activated - Button in left rear of bus <i>List all exceptions:</i>					

Entrance Steps	<ul> <li>Three or four steps</li> <li>Nine inches maximum height per step</li> <li>Heated bottom step</li> <li>List all exceptions:</li> </ul>			
Painting	- White roof - Reflective tape: front, rear and both sides <i>List all exceptions:</i>			
Mud Flaps	- Rear independent flexible rubber - Front independent flexible rubber <i>List all exceptions:</i>			
Additional Rear Brake Light	- Driver Alert Octagon Style - Mounted center of rear emergency door <i>List all exceptions:</i>			
Rear Wind Deflector	- Mounted top rear of bus - "See 2" brand or equivalent <i>List all exceptions:</i>			
Interior Lighting	<ul> <li>Inset dome lights: clear lenses</li> <li>Separate switches to activate driver dome lights, front passenger do and rear passenger dome lights</li> <li>List all exceptions:</li> </ul>	ome lights		
Locks and keys	<ul> <li>Side luggage compartment</li> <li>Service door, exterior actuated door lock</li> <li>Rear emergency door</li> <li>Fuel tank</li> <li>All locks are master keyed to be locked and unlocked with one key <i>List all exceptions:</i></li> </ul>			
Wheelchair Lift	- Ricon – K Series K5510 - Installed rear right side of bus <i>List all exceptions:</i>			
Tie-down Systems	<ul> <li>- 3 Wheelchair tie-down systems</li> <li>- Q-Straint 8300A1 Slide and Click</li> <li>- Complete with storage bags</li> <li><i>List all exceptions:</i></li> </ul>			

Automated External Defibrillator	- Philips Heartstart Kit List all exceptions:	
Luggage Compartments	- Minimum of 100 inches long X 25 inches deep X 20 inches high - Mounted between the front and rear wheels on the right side of the <i>List all exceptions:</i>	bus
Winter Front	- Radiator grill cover List all exceptions:	
Maintenance Manuals	<b>s</b> - Wiring diagrams: - chassis - body - engine - Service/parts manual or CD <i>List all exceptions:</i>	
Auxiliary Engine Heater	<ul> <li>Webasto Engine Pre-heater DBW2013 or newer</li> <li>OEM installed with compartment, side access door and timer</li> <li>Timer mounted in the driver compartment area</li> <li>List all exceptions:</li> </ul>	
Construction Standards	<ul> <li>Each unit shall meet all National and State of Idaho minimum cons standards for conventional full sized school buses. The dealer cert will provide the units as specified in these bid specifications; with an exceptions noted on this form. <i>List all exceptions:</i></li> </ul>	ifies that it
Warranty	<ul> <li>Body and chassis warranty to be a minimum of 3 years/36,000 mile</li> <li>Powertrain warranty to be a minimum of 3 years/36,000 miles</li> <li>Copies of warranty to be submitted with bid</li> <li>List all exceptions:</li> </ul>	es
Requirements of Bidder	<ul> <li>Bidder must be licensed as a dealer to do business within the state</li> <li>Bidder is required to have a shop service facility with a full-time ser technician</li> <li>Bidder is required to have an established adequate inventory for paservice</li> <li>Bidder is required to have an 800 number for parts and a full-time pavailable during normal business hours</li> <li>Bidder is required to have a field service person available for warra the school district facility</li> <li>List all exceptions:</li> </ul>	vice arts and parts person

## **BID PROPOSAL**

### 54 PASSENGER WHEELCHAIR BUS(ES)

	School Board of T School District No 3115 Pole Line Ro Pocatello, ID 8320	o. 25 oad				
appro	We, the undersigned, propose to deliver to your authorized representative, subject to acceptance and approval of the School Board of Trustees, buses, as ordered, as per terms and specifications listed in this request for bid, with the exceptions as noted.					
All identification or symbols representing Pocatello School District No. 25 will be removed on all of the buses accepted as trade-in for this bid by the undersigned. The removal of School District No. 25 identification on the buses shall be within one week after possession by the undersigned company.						
Bus	orand name:			Model: _		
	Price per unit (F.O.B. Pocatello): \$ Total price for all complete unit(s) (F.O.B. Pocatello) before trade-in: \$					
					Ψ	
	S TRADE-IN ALLC		_			
<u>No</u> .	Bus Model	<u>Year</u>	VIN Number		Trade-in Allowance per Bus	
02-2	1 Thomas	2002	4UZAAWBW02CK153	16	\$	
			Total Trade-in Allowan	ice	\$	
Tota	Bid Price F.O.B	. Pocate	llo - less trade-in allow	ance	\$	
Com	pany Name			Authori	zed Signature / Date	
Addr	ess			Title		
City,	State, Zip			Phone	/ Fax Number	