



**POCATELLO/CHUBBUCK SCHOOL DISTRICT 25**  
**LEARNING TODAY FOR THE POSSIBILITIES OF TOMORROW**

**Administration Offices  
3115 Pole Line Road  
Pocatello, Idaho 83201**

**Addendum No. 1**

April 1, 2021

RE: Invitation to Bid, 2021 Lighting Replacement

FROM: Business Services  
(208) 235-3270

This Addendum becomes a part of the Contract Documents and modifies the original Bidding Specifications, as noted below.

CLARIFICATION of the highlighted are as attached: Page 9, Project Specifications

Kitchen: New Fixture Type: PAN24-60WLED-U-40 With Surface Mount Kit

Classrooms 1-6, 10, 13-18: Existing Fixture: 20 Per Room

Acknowledge Addendum No 1 on the Bid Proposal, Page 1. Failure to acknowledge Addendum No. 1 may subject the bidder to disqualification.

NO OTHER CHANGES  
END OF ADDENDUM No.1 – April 1, 2021, rlb

**LIGHT FIXTURE INFORMATION – See the attached Specifications for the Controls listed**

Room	Existing Fixture	New Fixtures	New Fixture Type	Controls	Notes
Exterior Wall Pack	8	8	WPMO-70WLED-UNIV-40	N/A	
Exterior Poles	3	3	AL-90W-U-40-T5S	N/A	
Multi Purpose Room	24	24	PAN24-60WLED-U-40 With Surface Mount Kit	N/A	
Stage	4	4	PAN22-30WLED-U-40	N/A	
Kitchen	3	3	PAN24-60WLED-U-40 With Surface Mount Kit	Lutron Part #s PD-5WS-DV-WH LRF2-OCR2B-P-WH	No Dimming Needed
Main Office	4	4	PAN22-30WLED-U-40	Lutron Part #s PD-5WS-DV-WH LRF2-OCR2B-P-WH	No Dimming Needed
Principal's Office	3	3	PAN22-30WLED-U-40	Lutron Part #s PD-5WS-DV-WH LRF2-OCR2B-P-WH	No Dimming Needed
Work Room	6	4	PAN22-30WLED-U-40	Lutron Part #s PD-5WS-DV-WH LRF2-OCR2B-P-WH	Remove 3 way switches and install occupancy-sensing switch on switch leg, install blank cover on unused switch box.
Teacher's Lounge	6	4	PAN22-30WLED-U-40	Lutron Part #s PD-5WS-DV-WH LRF2-OCR2B-P-WH	Remove 3 way switches and install occupancy-sensing switch on switch leg, install blank cover on unused switch box.
Classrooms 1-6, 10, 13-18	20 Per Room	8	PAN22-30WLED-U-40	Lutron Part #s RMJS-8T-DV-BPJ2-3BRL-GWH-L01 pico-wbx-adapt LRF2-OCR2B-P-WH	