



November 27, 2017

Steven Lee  
Alameda Unified School District MOF  
2060 Challenger Drive  
Alameda, CA 94501

*transmitted via email to stlee@alameda.k12.ca.us*

Re: **Drinking Water Lead Sampling Results**  
**Alameda Unified School District (AUSD) – Bay Farm Elementary School Drinking Fountains**  
**200 Aughinbaugh Way, Alameda, CA**  
*ACC Project No. 3007-119.00*

Dear Mr. Lee:

Enclosed please find the laboratory test results for the drinking water sampling performed at the above-referenced site on November 5, 2017. The sampling was performed to determine lead concentrations in drinking water at drinking fountain locations throughout the school.

The intent of the testing was to collect drinking water samples to determine if lead concentrations at drinking water locations exceed the EPA and California Lead Action Levels. The EPA and State of California Lead Action Levels for lead in drinking water are concentrations exceeding 15 parts per billion (ppb). ACC collected drinking water samples from thirty-one (31) locations at the school. At each location, ACC collected water samples as “first-draw” and “post-flush” samples. First-draw samples were collected after non-use for a minimum of eight (8) continuous hours. Post-flush samples were collected after running the tap for at least thirty (30) seconds. The samples were collected in 125 milliliter bottles preserved with nitric acid and were submitted under standard chain of custody protocols to Forensic Analytical of Hayward, California, an American Industrial Hygiene Association (AIHA) accredited laboratory, for analysis. Samples were analyzed for lead in accordance with the EPA SM3113B Test Method.

ACC collected a total of 62 drinking water samples at 31 drinking fountain locations for analysis. Copies of the laboratory results are attached.

### **Drinking Water Sample Results**

The water samples were obtained from drinking fountain locations as listed herein. The sample numbers, locations, type of draw and lead concentrations are listed below. ACC collected drinking water samples from the main drinking water sources. Not all water sources were sampled.

Sample Number	Location	Type of Draw	Lead Concentration in Parts Per Billion (PPB)
WS-159-FD	Room P-05D	First Draw	<5
WS-159-PF		Post-Flush	<5
WS-160-FD	Room P-04	First Draw	<5
WS-160-PF		Post-Flush	<5
WS-161-FD	Room P-03	First Draw	<5
WS-161-PF		Post-Flush	<5
WS-163-FD	Room P-2	First Draw	<5
WS-163-PF		Post-Flush	<5
WS-164-FD	Room P-01	First Draw	<5
WS-164-PF		Post-Flush	<5
WS-165-FD	East Campus Outside Drinking Fountain Adjacent to Power Room Entrance	First Draw	<5
WS-165-PF		Post-Flush	<5
WS-166-FD	East Campus Outside Drinking Fountain Adjacent to Custodian Room Across Walkway from Power Room	First Draw	<5
WS-166-PF		Post-Flush	<5
WS-167-FD	Room 112	First Draw	<5
WS-167-PF		Post-Flush	<5
WS-168-FD	Room 114-A	First Draw	<5
WS-168-PF		Post-Flush	<5
WS-169-FD	Room 101-A	First Draw	<5
WS-169-PF		Post-Flush	<5
WS-170-FD	Room 102	First Draw	<5
WS-170-PF		Post-Flush	<5
WS-171-FD	Room 104	First Draw	<5
WS-171-PF		Post-Flush	<5
WS-172-FD	Room 115	First Draw	<5
WS-172-PF		Post-Flush	<5
WS-173-FD	Room 202	First Draw	<5
WS-173-PF		Post-Flush	<5
WS-174-FD	Room 201	First Draw	<5
WS-174-PF		Post-Flush	<5
WS-175-FD	Room 200	First Draw	<5
WS-175-PF		Post-Flush	<5

Sample Number	Location	Type of Draw	Lead Concentration in Parts Per Billion (PPB)
WS-176-FD	Room 205	First Draw	<5
WS-176-PF		Post-Flush	<5
WS-177-FD	Room 204	First Draw	<5
WS-177-PF		Post-Flush	<5
WS-178-FD	Room 203	First Draw	<5
WS-178-PF		Post-Flush	<5
WS-179-FD	West Campus Outside Stand Alone Fountain Adjacent to Room 210 Entrance	First Draw	<5
WS-179-PF		Post-Flush	<5
WS-180-FD	West Campus Outside Fountain Across Walkway from Room 210s Entrance	First Draw	<5
WS-180-PF		Post-Flush	<5
WS-182-FD	Room 301	First Draw	<5
WS-182-PF		Post-Flush	<5
WS-183-FD	Room 302	First Draw	<5
WS-183-PF		Post-Flush	<5
WS-184-FD	Room 304	First Draw	<5
WS-184-PF		Post-Flush	<5
WS-185-FD	Room 310	First Draw	<5
WS-185-PF		Post-Flush	<5
WS-186-FD	Room 312	First Draw	<5
WS-186-PF		Post-Flush	<5
WS-187-FD	Southeast Campus Outside Fountain Shared Wall with Room 310	First Draw	<5
WS-187-PF		Post-Flush	<5
WS-188-FD	Room P-06	First Draw	<5
WS-188-PF		Post-Flush	<5
WS-189-FD	Room P-07	First Draw	<5
WS-189-PF		Post-Flush	<5
WS-190-FD	Room P-08	First Draw	<5
WS-190-PF		Post-Flush	<5
WS-191-FD	Multi-Purpose Room	First Draw	<5
WS-191-PF		Post-Flush	<5

All first-draw and post-flush water sample concentrations were below the EPA and California Lead Action Level of 15 ppb. When the first-draw and post-flush samples are both elevated this may indicate leaching of lead from the fixture and distribution water lines in the building. When the pre-flush only is elevated, this usually indicates localized corrosion issues within the faucet, fittings and/or connections.

The EPA and California Lead Action Levels are used to protect the public from metals that can adversely affect their health. These laws require water systems to monitor lead levels at the consumers' taps. If Action Levels for lead (15 ppb) are exceeded, installation or modifications to corrosion control treatment is required. In addition, if the action level for lead is exceeded, public notification is required.

### **Recommendations**

Based on the results of the drinking water investigation, ACC makes the following recommendations:

- ACC recommends performing periodic water sampling to ensure lead in drinking water concentrations remain below the action level.

### **Limitations**

ACC shall not be responsible for claims that may arise out of failure to correct problems or to identify problems that may exist at this location. ACC assumes no responsibility for damages for work performed or errors in documentation or missing information. ACC does not guarantee the accuracy of information provided by other parties. All statements and/or recommendations are based on conditions observed and tested at the time of the inspection. The scope of the investigation for this report was to collect representative drinking water samples from several locations at the school. ACC has not investigated and does not possess any opinion regarding other drinking water locations within the building. This report does not intend to identify all hazards or unsafe conditions, or to indicate that other hazards or unsafe conditions do not exist at the subject site.


Please contact me at (510) 638-8400 ext. 109 if you have any questions.

Sincerely,

ACC ENVIRONMENTAL CONSULTANTS, INC.



Ben Schulte-Bisping  
Project Manager  
California Department of Public Health Lead I/A/M #24564



Mark A. Sanchez, CHMM  
President  
California Department of Public Health Lead I/A/M/S #5150

Attachments: Forensic Analytical Metals Analysis of Drinking Water Report #M191467, dated 11/16/17.

# Metals Analysis of Drinking Water

ACC Environmental Consultants

Ben Schulte Bisping

7977 Capwell Dr., Suite 100

Oakland, CA 94621

**Client ID:** 1117

**Report Number:** M191467

**Date Received:** 11/09/17

**Date Analyzed:** 11/15/17

**Date Printed:** 11/16/17

**First Reported:** 11/16/17

**Job ID / Site:** 3007-119.00, AUSD Water Sampling, Bay Farm Elementary, 200 Aughinbaugh Way, Alameda, CA 94502

**FALI Job ID:** 1117-1506

**Date(s) Collected:** 11/5/17

**Total Samples Submitted:** 62

**Total Samples Analyzed:** 62

Sample Number	Lab Number	Analyte	Result	Result Units	Reporting Limit*	Method Reference
WS-159-FD	30784070	Pb	< 5	ppb	5	SM 3113B
WS-159-PF	30784071	Pb	< 5	ppb	5	SM 3113B
WS-160-FD	30784072	Pb	< 5	ppb	5	SM 3113B
WS-160-PF	30784073	Pb	< 5	ppb	5	SM 3113B
WS-161-FD	30784074	Pb	< 5	ppb	5	SM 3113B
WS-161-PF	30784075	Pb	< 5	ppb	5	SM 3113B
WS-163-FD	30784076	Pb	< 5	ppb	5	SM 3113B
WS-163-PF	30784077	Pb	< 5	ppb	5	SM 3113B
WS-164-FD	30784078	Pb	< 5	ppb	5	SM 3113B
WS-164-PF	30784079	Pb	< 5	ppb	5	SM 3113B
WS-165-FD	30784080	Pb	< 5	ppb	5	SM 3113B
WS-165-PF	30784081	Pb	< 5	ppb	5	SM 3113B
WS-166-FD	30784082	Pb	< 5	ppb	5	SM 3113B
WS-166-PF	30784083	Pb	< 5	ppb	5	SM 3113B
WS-167-FD	30784084	Pb	< 5	ppb	5	SM 3113B
WS-167-PF	30784085	Pb	< 5	ppb	5	SM 3113B
WS-168-FD	30784086	Pb	< 5	ppb	5	SM 3113B
WS-168-PF	30784087	Pb	< 5	ppb	5	SM 3113B
WS-169-FD	30784088	Pb	< 5	ppb	5	SM 3113B
WS-169-PF	30784089	Pb	< 5	ppb	5	SM 3113B
WS-170-FD	30784090	Pb	< 5	ppb	5	SM 3113B
WS-170-PF	30784091	Pb	< 5	ppb	5	SM 3113B
WS-171-FD	30784092	Pb	< 5	ppb	5	SM 3113B
WS-171-PF	30784093	Pb	< 5	ppb	5	SM 3113B
WS-172-FD	30784094	Pb	< 5	ppb	5	SM 3113B
WS-172-PF	30784095	Pb	< 5	ppb	5	SM 3113B

# Metals Analysis of Drinking Water

ACC Environmental Consultants

Ben Schulte Bisping

7977 Capwell Dr., Suite 100

Oakland, CA 94621

**Client ID:** 1117

**Report Number:** M191467

**Date Received:** 11/09/17

**Date Analyzed:** 11/15/17

**Date Printed:** 11/16/17

**First Reported:** 11/16/17

**Job ID / Site:** 3007-119.00, AUSD Water Sampling, Bay Farm Elementary, 200 Aughinbaugh Way, Alameda, CA 94502

**FALI Job ID:** 1117-1506

**Date(s) Collected:** 11/5/17

**Total Samples Submitted:** 62

**Total Samples Analyzed:** 62

Sample Number	Lab Number	Analyte	Result	Result Units	Reporting Limit*	Method Reference
WS-173-FD	30784096	Pb	< 5	ppb	5	SM 3113B
WS-173-PF	30784097	Pb	< 5	ppb	5	SM 3113B
WS-174-FD	30784098	Pb	< 5	ppb	5	SM 3113B
WS-174-PF	30784099	Pb	< 5	ppb	5	SM 3113B
WS-175-FD	30784100	Pb	< 5	ppb	5	SM 3113B
WS-175-PF	30784101	Pb	< 5	ppb	5	SM 3113B
WS-176-FD	30784102	Pb	< 5	ppb	5	SM 3113B
WS-176-PF	30784103	Pb	< 5	ppb	5	SM 3113B
WS-177-FD	30784104	Pb	< 5	ppb	5	SM 3113B
WS-177-PF	30784105	Pb	< 5	ppb	5	SM 3113B
WS-178-FD	30784106	Pb	< 5	ppb	5	SM 3113B
WS-178-PF	30784107	Pb	< 5	ppb	5	SM 3113B
WS-179-FD	30784108	Pb	< 5	ppb	5	SM 3113B
WS-179-PF	30784109	Pb	< 5	ppb	5	SM 3113B
WS-180-FD	30784110	Pb	< 5	ppb	5	SM 3113B
WS-180-PF	30784111	Pb	< 5	ppb	5	SM 3113B
WS-182-FD	30784112	Pb	< 5	ppb	5	SM 3113B
WS-182-PF	30784113	Pb	< 5	ppb	5	SM 3113B
WS-183-FD	30784114	Pb	< 5	ppb	5	SM 3113B
WS-183-PF	30784115	Pb	< 5	ppb	5	SM 3113B
WS-184-FD	30784116	Pb	< 5	ppb	5	SM 3113B
WS-184-PF	30784117	Pb	< 5	ppb	5	SM 3113B
WS-185-FD	30784118	Pb	< 5	ppb	5	SM 3113B
WS-185-PF	30784119	Pb	< 5	ppb	5	SM 3113B
WS-186-FD	30784120	Pb	< 5	ppb	5	SM 3113B
WS-186-PF	30784121	Pb	< 5	ppb	5	SM 3113B



## Metals Analysis of Drinking Water

ACC Environmental Consultants

Ben Schulte Bisping

7977 Capwell Dr., Suite 100

Oakland, CA 94621

**Client ID:** 1117

**Report Number:** M191467

**Date Received:** 11/09/17

**Date Analyzed:** 11/15/17

**Date Printed:** 11/16/17

**First Reported:** 11/16/17

**Job ID / Site:** 3007-119.00, AUSD Water Sampling, Bay Farm Elementary, 200 Aughinbaugh Way, Alameda, CA 94502

**FALI Job ID:** 1117-1506

**Date(s) Collected:** 11/5/17

**Total Samples Submitted:** 62

**Total Samples Analyzed:** 62

Sample Number	Lab Number	Analyte	Result	Result Units	Reporting Limit*	Method Reference
WS-187-FD	30784122	Pb	< 5	ppb	5	SM 3113B
WS-187-PF	30784123	Pb	< 5	ppb	5	SM 3113B
WS-188-FD	30784124	Pb	< 5	ppb	5	SM 3113B
WS-188-PF	30784125	Pb	< 5	ppb	5	SM 3113B
WS-189-FD	30784126	Pb	< 5	ppb	5	SM 3113B
WS-189-PF	30784127	Pb	< 5	ppb	5	SM 3113B
WS-190-FD	30784128	Pb	< 5	ppb	5	SM 3113B
WS-190-PF	30784129	Pb	< 5	ppb	5	SM 3113B
WS-191-FD	30784130	Pb	< 5	ppb	5	SM 3113B
WS-191-PF	30784131	Pb	< 5	ppb	5	SM 3113B

\* The Reporting Limit represents the lowest amount of analyte that the laboratory can confidently detect in the sample, and is not a regulatory level. The Units for the Reporting Limit are the same as the Units for the Final Results.

*Daniele Siu*

Daniele Siu, Laboratory Supervisor, Hayward Laboratory

Analytical results and reports are generated by Forensic Analytical at the request of and for the exclusive use of the person or entity (client) named on such report. Results, reports or copies of same will not be released by Forensic Analytical to any third party without prior written request from client. This report applies only to the sample(s) tested. Supporting laboratory documentation is available upon request. This report must not be reproduced except in full, unless approved by Forensic Analytical. The client is solely responsible for the use and interpretation of test results and reports requested from Forensic Analytical. Forensic Analytical is not able to assess the degree of hazard resulting from materials analyzed. Forensic Analytical reserves the right to dispose of all samples after a period of thirty (30) days, according to all state and federal guidelines, unless otherwise specified. Any modifications that have been made to referenced test methods are documented in Forensic Analytical's Standard Operating Procedures Manual. Quality control and sample receipt condition were acceptable unless otherwise noted.



97x 62



# BULK SAMPLE CHAIN-OF-CUSTODY

Report to:	Ben Schulte Bisping	Email:	Bshulte@accenv.com	Phone:	510.773.0708
Project Name:	AUSD Water Sampling				
Project Address:	Bay Farm Elementary, 200 Aughinbaugh Way, Alameda, CA 94502			Project Number:	3007-119.00
Collected by:	Gus Valerian			Date Collected:	11/5/2017
Sample Analysis:	PLM	<input checked="" type="checkbox"/> Lead	GFAA	Stop at 1 <sup>st</sup> Positive Layer	Turnaround Time: 5 Day
Comments:	ANALYZE WATER SAMPLES FOR LEAD VIA GFAA				
Sample ID	Material Size-Color-Pattern-Material-Post Description	Material Location [Quantity] Building or Floor: Area(s) - Component	Sample Location Area - Component	Size	
WS-159-FD	POTABLE WATER- FIRST DRAW	Room P-05D	Fountain		
WS-159-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE		
WS-160-FD	POTABLE WATER- FIRST DRAW	Room P-04	Fountain Note: low water flow		
WS-160-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE		
WS-161-FD	POTABLE WATER- FIRST DRAW	Room P-03	Fountain		
WS-161-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE		
WS-163-FD	POTABLE WATER- FIRST DRAW	Room P-2	Fountain		
WS-163-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE		
WS-164-FD	POTABLE WATER- FIRST DRAW	Room P-01	Fountain		
WS-164-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE		
WS-165-FD	POTABLE WATER- FIRST DRAW	East campus, Outside fountain adjacent to power room entrance	Solo silver fountain		
WS-165-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE		
Released:	Signature:		Date:	Time:	
Received:	Signature: <i>S. Hollister</i>		Date:	Time: <i>NOV 09 2017</i>	
Lab Info:	<b>EMSL Analytical, Inc. (EMSL):</b> 464 McCormick Street, San Leandro, California 94577, (510) 895-3675 <input checked="" type="checkbox"/> <b>Forensic Analytical Laboratories, Inc. (FALI):</b> 3777 Depot Road # 409, Hayward, California 94545, (510) 887-8828				






# BULK SAMPLE CHAIN-OF-CUSTODY

Report to:	Ben Schulte Bisping	Email:	Bshulte@accenv.com	Phone:	510.773.0708
Project Name:	AUSD Water Sampling				
Project Address:	Bay Farm Elementary, 200 Aughinbaugh Way, Alameda, CA 94502			Project Number:	3007-119.00
Collected by:	Gus Valerian			Date Collected:	11/5/2017
Sample Analysis:	PLM	<input checked="" type="checkbox"/> Lead	GFAA	Stop at 1 <sup>st</sup> Positive Layer	Turnaround Time: 5 Day
Comments:	ANALYZE WATER SAMPLES FOR LEAD VIA GFAA				
Sample ID	Material Size-Color-Pattern-Material-Post Description	Material Location [Quantity] Building or Floor: Area(s) - Component	Sample Location Area - Component	Size	
WS-166-FD	POTABLE WATER- FIRST DRAW	East campus, Outside fountain adjacent to custodian room, across walkway from powerroom	Solo silver fountain		
WS-166-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE		
WS-167-FD	POTABLE WATER- FIRST DRAW	Room 112	Fountain		
WS-167-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE		
WS-168-FD	POTABLE WATER- FIRST DRAW	Room 114-A	Fountain		
WS-168-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE		
WS-169-FD	POTABLE WATER- FIRST DRAW	Room 101-A	Fountain		
WS-169-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE		
WS-170-FD	POTABLE WATER- FIRST DRAW	Room 102	Fountain		
WS-170-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE		
WS-171-FD	POTABLE WATER- FIRST DRAW	Room 104	Fountain		
WS-171-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE		
Released:	Signature:		Date:	Time:	
Received:	Signature: <i>S. Hollister</i>		Date:	Time: <i>NOV 09 2017</i>	
Lab Info:	<b>EMSL Analytical, Inc. (EMSL):</b> 464 McCormick Street, San Leandro, California 94577, (510) 895-3675 <b>Forensic Analytical Laboratories, Inc. (FALI):</b> 3777 Depot Road # 409, Hayward, California 94545, (510) 887-8828				



# BULK SAMPLE CHAIN-OF-CUSTODY

Report to:	Ben Schulte Bisping	Email:	Bshulte@accenv.com	Phone:	510.773.0708
Project Name:	AUSD Water Sampling				
Project Address:	Bay Farm Elementary, 200 Aughinbaugh Way, Alameda, CA 94502			Project Number:	3007-119.00
Collected by:	Gus Valerian			Date Collected:	11/5/2017
Sample Analysis:	PLM	<input checked="" type="checkbox"/> Lead	GFAA	Stop at 1 <sup>st</sup> Positive Layer	Turnaround Time: 5 Day
Comments:	ANALYZE WATER SAMPLES FOR LEAD VIA GFAA				
Sample ID	Material Size-Color-Pattern-Material-Post Description	Material Location [Quantity] Building or Floor: Area(s) - Component	Sample Location Area - Component	Size	
WS-172-FD	POTABLE WATER- FIRST DRAW	Room 115	Fountain		
WS-172-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE		
WS-173-FD	POTABLE WATER- FIRST DRAW	Room 202	Fountain		
WS-173-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE		
WS-174-FD	POTABLE WATER- FIRST DRAW	Room 201	Fountain		
WS-174-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE		
WS-175-FD	POTABLE WATER- FIRST DRAW	Room 200	Fountain		
WS-175-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE		
WS-176-FD	POTABLE WATER- FIRST DRAW	Room 205	Fountain		
WS-176-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE		
WS-177-FD	POTABLE WATER- FIRST DRAW	Room 204	Fountain		
WS-177-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE		
Released:	Signature:		Date:	Time:	
Received:	Signature:		Date:	Time:	
Lab Info:	<b>EMSL Analytical, Inc. (EMSL):</b> 464 McCormick Street, San Leandro, California 94577, (510) 895-3675 <input checked="" type="checkbox"/> <b>Forensic Analytical Laboratories, Inc. (FALI):</b> 3777 Depot Road # 409, Hayward, California 94545, (510) 887-8828				



# BULK SAMPLE CHAIN-OF-CUSTODY

Report to:	Ben Schulte Bisping	Email:	Bshulte@accenv.com	Phone:	510.773.0708
Project Name:	AUSD Water Sampling				
Project Address:	Bay Farm Elementary, 200 Aughinbaugh Way, Alameda, CA 94502			Project Number:	3007-119.00
Collected by:	Gus Valerian			Date Collected:	11/5/2017
Sample Analysis:	PLM	<input checked="" type="checkbox"/> Lead	GFAA	Stop at 1 <sup>st</sup> Positive Layer	Turnaround Time: 5 Day
Comments:	ANALYZE WATER SAMPLES FOR LEAD VIA GFAA				
Sample ID	Material Size-Color-Pattern-Material-Post Description	Material Location [Quantity] Building or Floor: Area(s) - Component	Sample Location Area - Component	Size	
WS-178-FD	POTABLE WATER- FIRST DRAW	Room 203	Fountain		
WS-178-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE		
WS-179-FD	POTABLE WATER- FIRST DRAW	West campus. Outside stand alone fountain adjacent to room 210 entrance	Silver fountain w/ brown stand		
WS-179-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE		
WS-180-FD	POTABLE WATER- FIRST DRAW	West campus, Outside fountain across walkway from room 210s entrance	Silver wall mount fountain		
WS-180-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE		
WS-181-FD	POTABLE WATER- FIRST DRAW	Room 203	Fountain		
WS-181-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE		
WS-182-FD	POTABLE WATER- FIRST DRAW	Room 301	Fountain		
WS-182-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE		
WS-183-FD	POTABLE WATER- FIRST DRAW	Room. 302	Fountain		
WS-183-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE		
Released:	Signature:		Date:	Time:	
Received:	Signature:		Date:	Time:	
Lab Info:	<b>EMSL Analytical, Inc. (EMSL):</b> 464 McCormick Street, San Leandro, California 94577, (510) 895-3675 <input checked="" type="checkbox"/> <b>Forensic Analytical Laboratories, Inc. (FALI):</b> 3777 Depot Road # 409, Hayward, California 94545, (510) 887-8828				





# BULK SAMPLE CHAIN-OF-CUSTODY

Report to:	Ben Schulte Bisping	Email:	Bshulte@accenv.com	Phone:	510.773.0708
Project Name:	AUSD Water Sampling				
Project Address:	Bay Farm Elementary, 200 Aughinbaugh Way, Alameda, CA 94502			Project Number:	3007-119.00
Collected by:	Gus Valerian			Date Collected:	11/5/2017
Sample Analysis:	PLM	<input checked="" type="checkbox"/> Lead	GFAA	Stop at 1 <sup>st</sup> Positive Layer	Turnaround Time: 5 Day
Comments:	ANALYZE WATER SAMPLES FOR LEAD VIA GFAA				
Sample ID	Material Size-Color-Pattern-Material-Post Description	Material Location [Quantity] Building or Floor: Area(s) - Component	Sample Location Area - Component	Size	
WS-184-FD	POTABLE WATER- FIRST DRAW	Room 304	Fountain		
WS-184-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE		
WS-185-FD	POTABLE WATER- FIRST DRAW	Room 310	Fountain		
WS-185-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE		
WS-186-FD	POTABLE WATER- FIRST DRAW	Room 312	Fountain		
WS-186-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE		
WS-187-FD	POTABLE WATER- FIRST DRAW	SE Campus,outside fountains, shared wall with room 310	Dual white wall mounted fountains, right side		
WS-187-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE		
WS-188-FD	POTABLE WATER- FIRST DRAW	Room P-06	Fountain		
WS-188-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE		
WS-189-FD	POTABLE WATER- FIRST DRAW	Room P-07	Fountain		
WS-189-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE		
Released:	Signature:		Date:		
Received:	Signature: <i>S. Hollister</i>		Date:		
Lab Info:	<b>EMSL Analytical, Inc. (EMSL):</b> 464 McCormick Street, San Leandro, California 94577, (510) 895-3675 <input checked="" type="checkbox"/> <b>Forensic Analytical Laboratories, Inc. (FALI):</b> 3777 Depot Road # 409, Hayward, California 94545, (510) 887-8828				



## BULK SAMPLE CHAIN-OF-CUSTODY

