

November 27, 2017

Steven Lee Alameda Unified School District MOF 2060 Challenger Drive Alameda, CA 94501 transmitted via email to stlee@alameda.k12.ca.us

### Re: Drinking Water Lead Sampling Results Alameda Unified School District (AUSD) – Lincoln Middle School Drinking Fountains 1250 Fernside Blvd, Alameda, CA ACC Project No. 3007-119.00

Dear Mr. Lee:

Enclosed please find the laboratory test results for the drinking water sampling performed at the above-referenced site on November 4, 2017. The sampling was performed to determine lead concentrations in drinking water at drinking fountain locations throughout the school.

The intent of the testing was to collect drinking water samples to determine if lead concentrations at drinking water locations exceed the EPA and California Lead Action Levels. The EPA and State of California Lead Action Levels for lead in drinking water are concentrations exceeding 15 parts per billion (ppb). ACC collected drinking water samples from thirty-two (32) locations at the school. At each location, ACC collected water samples as "first-draw" and "post-flush" samples. First-draw samples were collected after non-use for a minimum of eight (8) continuous hours. Post-flush samples were collected after running the tap for at least thirty (30) seconds. The samples were collected in 125 milliliter bottles preserved with nitric acid and were submitted under standard chain of custody protocols to Forensic Analytical of Hayward, California, an American Industrial Hygiene Association (AIHA) accredited laboratory, for analysis. Samples were analyzed for lead in accordance with the EPA SM3113B Test Method.

ACC collected a total of 64 drinking water samples at 32 drinking fountain locations for analysis. Copies of the laboratory results are attached.

### **Drinking Water Sample Results**

The water samples were obtained from drinking fountain locations as listed herein. The sample numbers, locations, type of draw and lead concentrations are listed below. ACC collected drinking water samples from the main drinking water sources. Not all water sources were sampled.

AUSD Lincoln Middle School Drinking Fountains Water Sampling 1205 Fernside Blvd, Alameda, CA November 27, 2017 Page 2

Sample Number	Location	Type of Draw	Lead Concentration in Parts Per Billion (PPB)
WS-82-FD		First Draw	15
WS-82-PF	<ul> <li>Health Room Silver Faucet</li> </ul>	Post-Flush	7
WS-83-FD		First Draw	<5
WS-83-PF	<ul> <li>Staff Lounge Silver Faucet</li> </ul>	Post-Flush	<5
WS-84-FD	Main Office West Deem	First Draw	<5
WS-84-PF	Main Office Work Room	Post-Flush	<5
WS-85-FD	Under Portico Adjacent to Media	First Draw	<5
WS-85-PF	Center/Conference Room and Boys Restroom     Entrances	Post-Flush	<5
WS-86-FD	Under Portico Adjacent to Boys Restroom	First Draw	<5
WS-86-PF	Entrance across from Room 202	Post-Flush	<5
WS-87-FD	Dec. 201	First Draw	<5
WS-87-PF	- Room 201	Post-Flush	<5
WS-88-FD	Dam 202	First Draw	9
WS-88-PF	- Rom 202	Post-Flush	<5
WS-89-FD	Under Portico adjacent to Girls Bathroom across	First Draw	<5
WS-89-PF	from Staff Room	Post-Flush	<5
WS-90-FD	- Room 714	First Draw	17
WS-90-PF	- Koom / 14	Post-Flush	<5
WS-91-FD	- Room 713	First Draw	<5
WS-91-PF		Post-Flush	<5
WS-92-FD	- Room 712	First Draw	<5
WS-92-PF		Post-Flush	<5
WS-93-FD	Beem 711	First Draw	<5
WS-93-PF	- Room 711	Post-Flush	<5
WS-94-FD	- Room 710	First Draw	<5
WS-94-PF		Post-Flush	<5
WS-95-FD	Multi numero Deem Hydration Station	First Draw	<5
WS-95-PF	<ul> <li>Multi-purpose Room Hydration Station</li> </ul>	Post-Flush	<5
WS-96-FD	Multi numeno Deem Silver Drinking Feyntain	First Draw	<5
WS-96-PF	<ul> <li>Multi-purpose Room Silver Drinking Fountain</li> </ul>	Post-Flush	<5
WS-97-FD	Outside South Side Exterior Wall of Multi-	First Draw	<5
WS-97-PF	purpose Room	Post-Flush	<5
WS-98-FD	Under Portico adjacent to Girls Restroom and	First Draw	<5

AUSD Lincoln Middle School Drinking Fountains Water Sampling 1205 Fernside Blvd, Alameda, CA November 27, 2017 Page 3

Sample Number	Location	Type of Draw	Lead Concentration in Parts Per Billion (PPB)
WS-98-PF	Outside of Special Services Room	Post-Flush	<5
WS-99-FD	Room 402	First Draw	<5
WS-99-PF	- Room 402	Post-Flush	<5
WS-100-FD	D	First Draw	<5
WS-100-PF	- Room 401	Post-Flush	<5
WS-101-FD	Outdoor Exterior West Well of CDO Office	First Draw	<5
WS-101-PF	Outdoor Exterior West Wall of SRO Office	Post-Flush	<5
WS-102-FD	D	First Draw	<5
WS-102-PF	- Room 901	Post-Flush	<5
WS-103-FD	D	First Draw	10
WS-103-PF	- Room 301	Post-Flush	<5
WS-104-FD	D	First Draw	<5
WS-104-PF	- Room 302	Post-Flush	<5
WS-105-FD	D	First Draw	<5
WS-105-PF	- Room 304	Post-Flush	<5
WS-106-FD	D	First Draw	<5
WS-106-PF	- Room 303	Post-Flush	<5
WS-107-FD	Dec. 201	First Draw	<5
WS-107-PF	- Room 801	Post-Flush	<5
WS-108-FD	Doran Doolittle Courtyard Northeast Wall	First Draw	6
WS-108-PF	Outdoor Fountain	Post-Flush	<5
WS-109-FD	Room 204	First Draw	<5
WS-109-PF	- Room 204	Post-Flush	<5
WS-110-FD	- Room 203	First Draw	<5
WS-110-PF		Post-Flush	<5
WS-111-FD	D	First Draw	<5
WS-111-PF	- Room 708	Post-Flush	<5
WS-112-FD	Linder Dertice corose from Doom 200	First Draw	<5
WS-112-PF	<ul> <li>Under Portico across from Room 806</li> </ul>	Post-Flush	<5
WS-113-FD	2 <sup>nd</sup> Floor Outdoor Drinking Fountain adjacent to	First Draw	<5
WS-113-PF	Room 826 Entrance	Post-Flush	<5

One of the first-draw water sample concentrations at Room 714 Drinking Fountain was above the EPA and California Lead Action Level of 15 PPB. When the first-draw and post-flush samples are both elevated this may

AUSD Lincoln Middle School Drinking Fountains Water Sampling 1205 Fernside Blvd, Alameda, CA November 27, 2017 Page 4

indicate leaching of lead from the fixture and distribution water lines in the building. When the pre-flush only is elevated, this usually indicates localized corrosion issues within the faucet, fittings and/or connections.

The EPA and California Lead Action Levels are used to protect the public from metals that can adversely affect their health. These laws require water systems to monitor lead levels at the consumers' taps. If Action Levels for lead (15 ppb) are exceeded, installation or modifications to corrosion control treatment is required. In addition, if the action level for lead is exceeded, public notification is required.

### Recommendations

Based on the results of the drinking water investigation, ACC makes the following recommendations:

• ACC recommends disconnecting/replacing the fixture at the Room 714 Drinking Fountain location where the first-draw water sampling concentration exceeded the action level and subsequent re-sampling at this location.

#### Limitations

ACC shall not be responsible for claims that may arise out of failure to correct problems or to identify problems that may exist at this location. ACC assumes no responsibility for damages for work performed or errors in documentation or missing information. ACC does not guarantee the accuracy of information provided by other parties. All statements and/or recommendations are based on conditions observed and tested at the time of the inspection. The scope of the investigation for this report was to collect representative drinking water samples from several locations at the school. ACC has not investigated and does not possess any opinion regarding other drinking water locations within the building. This report does not intend to identify all hazards or unsafe conditions, or to indicate that other hazards or unsafe conditions do not exist at the subject site.

Please contact me at (510) 638-8400 ext. 109 if you have any questions.

Sincerely,

ACC ENVIRONMENTAL CONSULTANTS, INC.

Solulti bisping

Ben Schulte-Bisping Project Manager California Department of Public Health Lead I/A/M #24564

Plante. 13-

Mark A. Sanchez, CHMM President California Department of Public Health Lead I/A/M/S #5150

Attachments: Forensic Analytical Metals Analysis of Drinking Water Report #M191461, dated 11/16/17.



30784002

30784003

30784004

30784005

30784006

30784007

30784008

30784009

30784010

30784011

30784012

30784013

30784014

30784015

30784016

30784017

30784018

30784019

30784020

30784021

30784022

30784023

WS-84-FD

WS-84-PF

WS-85-FD

WS-85-PF

WS-86-FD

WS-86-PF

WS-87-FD

WS-87-PF

**WS-88-FD** 

WS-88-PF

WS-89-FD

**WS-89-PF** 

WS-90-FD

WS-90-PF

WS-91-FD

WS-91-PF

WS-92-FD

WS-92-PF

WS-93-FD

WS-93-PF

WS-94-FD

WS-94-PF

# Metals Analysis of Drinking Water

ACC Environmental C Ben Schulte Bisping	Clien Repo	t ID: rt Number:	1117 M191461						
7977 Capwell Dr., Sui	ite 100				-	Received:	11/09/17		
					Date	Analyzed:	11/14/17		
Oakland, CA 94621					Date	Printed:	11/16/17		
					First	<b>Reported:</b>	11/16/17		
Job ID / Site: 3007-119.00, AUSD Water Sampling, Lincoln Middle Schol, 1250 Fernside       FALI Job ID: 1117-1506         Blvd, Alameda 94501       Total Samples Submitted: 64         Date(s) Collected: 10/4/17       Total Samples Analyzed: 64									
Sample Number	Lab Number	Analyte	Result	Result Units	Reporting Limit*		lethod ference		
WS-82-FD	30783998	Pb	15	ppb	5	SM	3113B		
WS-82-PF	30783999	Pb	7	ppb	5	SM	3113B		
WS-82-PF WS-83-FD	30783999 30784000	Pb Pb	7 < 5	ppb ppb	5 5		3113B 3113B		

< 5

< 5

< 5

< 5

< 5

< 5

< 5

< 5

9

< 5

< 5

< 5

17

< 5

< 5

< 5

< 5

< 5

< 5

< 5

< 5

< 5

ppb

Pb

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

SM 3113B



WS-103-PF

WS-104-FD

WS-104-PF

WS-105-FD

WS-105-PF

WS-106-FD

WS-106-PF

WS-107-FD

WS-107-PF

30784041

30784042

30784043

30784044

30784045

30784046

30784047

30784048

30784049

# Metals Analysis of Drinking Water

		•			U	
ACC Environmental C	Consultants				Cli	ent ID: 1117
Ben Schulte Bisping					Re	port Number: M191461
7977 Capwell Dr., Sui	ite 100				Da	te Received: 11/09/17
					Da	te Analyzed: 11/14/17
Oakland, CA 94621						<b>te Printed:</b> 11/16/17
						<b>est Reported:</b> 11/16/17
	19.00, AUSD Water Sam	pling, Lincoln M	liddle Schol,	1250 Fernsi	de FA	<b>LI Job ID:</b> 1117-1506
Blvd, A Date(s) Collected: 10	Alameda 94501				Та	tal Samples Submitted: 64
Date(s) Confected: 10	// 4/ 1 /					tal Samples Analyzed: 64
				D I		
Sample Number	Lab Number	Analyte	Result	Result Units	Reporting Limit*	Method Reference
WS-95-FD	30784024	Pb	< 5	ppb	5	SM 3113B
WS-95-PF	30784025	Pb	< 5	ppb	5	SM 3113B
WS-96-FD	30784026	Pb	< 5	ppb	5	SM 3113B
WS-96-PF	30784027	Pb	< 5	ppb	5	SM 3113B
WS-97-FD	30784028	Pb	< 5	ppb	5	SM 3113B
WS-97-PF	30784029	Pb	< 5	ppb	5	SM 3113B
WS-98-FD	30784030	Pb	< 5	ppb	5	SM 3113B
WS-98-PF	30784031	Pb	< 5	ppb	5	SM 3113B
WS-99-FD	30784032	Pb	< 5	ppb	5	SM 3113B
WS-99-PF	30784033	Pb	< 5	ppb	5	SM 3113B
WS-100-FD	30784034	Pb	< 5	ppb	5	SM 3113B
WS-100-PF	30784035	Pb	< 5	ppb	5	SM 3113B
WS-101-FD	30784036	Pb	< 5	ppb	5	SM 3113B
WS-101-PF	30784037	Pb	< 5	ppb	5	SM 3113B
WS-102-FD	30784038	Pb	< 5	ppb	5	SM 3113B
WS-102-PF	30784039	Pb	< 5	ppb	5	SM 3113B
WS-103-FD	30784040	Pb	10	ppb	5	SM 3113B
WC 102 DE	20704041	DL	- 5		5	CM 2112D

< 5

< 5

< 5

< 5

< 5

< 5

< 5

< 5

< 5

ppb

ppb

ppb

ppb

ppb

ppb

ppb

ppb

ppb

5

5

5

5

5

5

5

5

5

Pb

Pb

Pb

Pb

Pb

Pb

Pb

Pb

Pb

SM 3113B



WS-113-PF

30784061

# Metals Analysis of Drinking Water

ACC Environmental C	onsultants				Clien	
Ben Schulte Bisping					-	ort Number: M191461
7977 Capwell Dr., Suit	e 100					<b>Received:</b> 11/09/17
						<b>Analyzed:</b> 11/14/17
Oakland, CA 94621						<b>Printed:</b> 11/16/17
					First	<b>Reported:</b> 11/16/17
	19.00, AUSD Water Sam lameda 94501	pling, Lincoln M	liddle Schol,	1250 Fernsi	de <b>FAL</b>	<b>I Job ID:</b> 1117-1506
Date(s) Collected: 10/						Samples Submitted: 64
					Total	Samples Analyzed: 64
Sample Number	Lab Number	Analyte	Result	Result Units	Reporting Limit*	Method Reference
WS-108-FD	30784050	Pb	6	ppb	5	SM 3113B
WS-108-PF	30784051	Pb	< 5	ppb	5	SM 3113B
WS-109-FD	30784052	Pb	< 5	ppb	5	SM 3113B
WS-109-PF	30784053	Pb	< 5	ppb	5	SM 3113B
WS-110-FD	30784054	Pb	< 5	ppb	5	SM 3113B
WS-110-PF	30784055	Pb	< 5	ppb	5	SM 3113B
WS-111-FD	30784056	Pb	< 5	ppb	5	SM 3113B
WS-111-PF	30784057	Pb	< 5	ppb	5	SM 3113B
WS-112-FD	30784058	Pb	< 5	ppb	5	SM 3113B
WS-112-PF	30784059	Pb	< 5	ppb	5	SM 3113B
WD 112 11				11		

\* The Reporting Limit represents the lowest amount of analyte that the laboratory can confidently detect in the sample, and is not a regulatory level. The Units for the Reporting Limit are the same as the Units for the Final Results.

Pb

amele Sile

< 5

ppb

5

SM 3113B

Daniele Siu, Laboratory Supervisor, Hayward Laboratory

Analytical results and reports are generated by Forensic Analytical at the request of and for the exclusive use of the person or entity (client) named on such report. Results, reports or copies of same will not be released by Forensic Analytical to any third party without prior written request from client. This report applies only to the sample(s) tested. Supporting laboratory documentation is available upon request. This report must not be reproduced except in full, unless approved by Forensic Analytical. The client is solely responsible for the use and interpretation of test results and reports requested from Forensic Analytical. Forensic Analytical is not able to assess the degree of hazard resulting from materials analyzed. Forensic Analytical reserves the right to dispose of all samples after a period of thirty (30) days, according to all state and federal guidelines, unless otherwise specified. Any modifications that have been made to referenced test methods are documented in Forensic Analytical's Standard Operating Procedures Manual. Quality control and sample receipt condition were acceptable unless otherwise noted.

### 97 64



Report to:		Ben Schulte Bisping		Email: Bshult	e@accenv.com		Phone: 510.773.070	8	
Project Na	me:	AUSD Water Sampling							
Project Ad	dress:	Lincoln Middle School	l, 1250 Fer	nside Blvd, Alame	da 94501		Project Number: 300	7-119.00	
Collected I	by:	Gus Valerian					Date Collected: 10/	4/2017	
Sample An	alysis:	PLM 🖌 Lead	GFAA		Stop at 1 <sup>st</sup> Positio	re Layer	Turnaround Time: 5 D	ау	
Comment	s:	ANALYZE WATER SAME	PLES FOR L	EAD VIA GFAA					
ample ID	Materia Size-Color-	Pattern-Material-Post Descr	iption		Location [Quantity] loor: Area(s) - Component		Sample Lo Area - Con		Size
WS-82-FD	POTABLE	WATER- FIRST DRAW			Health room		Silver Note: drinking cups next to	r faucet o faucet	
WS-82-PF	POTABLE	WATER- POST FLUSH			SAME AS ABOVE		SAME AS	ABOVE	
WS-83-FD	POTABLE	WATER- FIRST DRAW			Staff lounge kitchenette		Silver Note: drinking cups next to	r faucet o faucet	
WS-83-PF	POTABLE	WATER- POST FLUSH			SAME AS ABOVE		SAME AS	ABOVE	
WS-84-FD	POTABLE	WATER- FIRST DRAW		Main Office, Work Room		Silver faucet Note: drinking supplies next to faucet			
WS-84-PF	POTABLE	WATER- POST FLUSH		SAME AS ABOVE			SAME AS	ABOVE	
WS-85-FD	POTABLE	WATER- FIRST DRAW		Under portico adjacent to media center/ conference room and boys restroom entrances		ountain			
WS-85-PF	POTABLE	WATER- POST FLUSH			SAME AS ABOVE		SAME AS	ABOVE	
WS-86-FD	POTABLE	WATER- FIRST DRAW		Under portico ac	ljacent to boys restroom, across from room 202		Solo silver f	ountain	
WS-86-PF	POTABLE	WATER- POST FLUSH		SAME AS ABOVE SAME AS ABOV		ABOVE			
WS-87-FD	POTABLE	WATER- FIRST DRAW			Room 201		F	ountain	
WS-87-PF	POTABLE	WATER- POST FLUSH		×2	SAME AS ABOVE		SAME AS	ABOVE	
Released:			:	Signature:	ECEIVEB 400	Dat	e:	Time:	
Received:			:	Signature: NO	V 0 9 2017	Dat	te:	Time:	
Lab Info:					n Leandro, California 94 t Road # 409, Hayward,		0) 895-3675 a 94545, (510) 887-8828	1	



Report to:	Ben Schulte Bisping	Email: Bshulte@accenv.com	Phone: 510.773.0708				
Project Na	me: AUSD Water Sampling						
Project Address: Lincoln Middle School 1250 Fernside Blvd, Alameda 94501 Project Number: 3007-119.00							
Collected	by: Gus Valerian		Date Collected: 10/4/2017				
Sample An	alysis: PLM 🖌 Lead GFAA	Stop at 1 <sup>st</sup> Positiv	tayer Turnaround Time: 5 Day				
Comment	S: ANALYZE WATER SAMPLES FOR	LEAD VIA GFAA					
Sample ID	Material Size-Color-Pattern-Material-Post Description	Material Location [Quantity] Building or Floor: Area(s) - Component	Sample Location Area - Component	Size			
WS-88-FD	POTABLE WATER- FIRST DRAW	Room 202	Fountain				
WS-88-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE				
WS-89-FD	POTABLE WATER- FIRST DRAW	Under portico, adjacent to girls bathroom, across from staff room	Dual silver fountains, right side				
WS-89-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE				
WS-90-FD	POTABLE WATER- FIRST DRAW	Room 714	Fountain				
WS-90-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE				
WS-91-FD	POTABLE WATER- FIRST DRAW	Room 713	Fountain				
WS-91-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE				
WS-92-FD	POTABLE WATER- FIRST DRAW	Room 712	Fountain				
WS-92-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE				
WS-93-FD	POTABLE WATER- FIRST DRAW	Room 711	Fountain				
WS-93-PF	POTABLE WATER- POST FLUSH	SAME AS ABOVE	SAME AS ABOVE				
Released:		Signature:	Date: Time:				
Received:		Signature: 2 NOV 0 9 2017	12 Date: Time:				
Lab Info:		Cormick Street, San Leandro, California 94 . (FALI): 3777 Depot Read # 409, Hayward					
		8499782					



Report to:	Ben Schulte Bisping	Email: Bshulte@acc	cenv.com	Phone: 510.773.0708	
Project Na	Me: AUSD Water Sampling				
Project Ad	dress: Lincoln Middle School 1250	ernside Blvd, Alameda 94	501	Project Number: 3007	-119.00
Collected	by: Gus Valerian			Date Collected: 10/4	/2017
Sample An	nalysis: PLM 🖌 Lead GFAA		Stop at 1 <sup>st</sup> Positive La	yer Turnaround Time: 5 Da	у
Comment	s: ANALYZE WATER SAMPLES FO	R LEAD VIA GFAA			
Sample ID	Material Size-Color-Pattern-Material-Post Description	Material Locat Building or Floor: Ar		Sample Loc Area - Comp	1 5128
WS-94-FD	POTABLE WATER- FIRST DRAW		Room 710	For	untain
WS-94-PF	POTABLE WATER- POST FLUSH		SAME AS ABOVE	SAME AS A	BOVE
WS-95-FD	POTABLE WATER- FIRST DRAW		Multi use room	Hydration s	tation
WS-95-PF	POTABLE WATER- POST FLUSH		SAME AS ABOVE	SAME AS A	BOVE
WS-96-FD	POTABLE WATER- FIRST DRAW		Multi use room	Dual silver fountain, rigi	nt side
WS-96-PF	POTABLE WATER- POST FLUSH		SAME AS ABOVE	SAME AS A	BOVE
WS-97-FD	POTABLE WATER- FIRST DRAW	Outside, south side exterio	r wall of Multi use room	Dual silver fountain, rigl	nt side
WS-97-PF	POTABLE WATER- POST FLUSH		SAME AS ABOVE	SAME AS A	ABOVE
WS-98-FD	POTABLE WATER- FIRST DRAW	Under portico, adjacent to outside of spe	o girls restroom & ecial services room	Dual silver fountains, rigi	nt side
WS-98-PF	POTABLE WATER- POST FLUSH		SAME AS ABOVE	SAME AS A	ABOVE
WS-99-FD	POTABLE WATER- FIRST DRAW		Room 402	Fo	untain
WS-99-PF	POTABLE WATER- POST FLUSH		SAME AS ABOVE	SAME AS A	ABOVE
Released:	1	Signature:	RECEIVED 6	Date:	Time:
Received:		Signature: 21	NOTOPLON	Date:	Time:
Lab lafa	EMSL Analytical, Inc. (EMSL): 464	AcCormick Street, San Lean	ndro, California 94577	(510) 895-3675	
Lab Into:	<ul> <li>Forensic Analytical Laboratories, I</li> </ul>	c. (PALI): STIT Depot Road	8 1 405, naywaru, can	01118 34343, (310) 007-0020	



Report to:	Ben Schulte Bisping	Email: Bshulte@accenv.com	Phone: 510.773.0708		
Project Na	me: AUSD Water Sampling				
Project Ad	dress: Lincoln Middle School 1250 Fer	nside Blvd, Alameda 94501		Project Number: 3007-	119.00
Collected b	oy: Gus Valerian			Date Collected: 10/4/	2017
Sample An	alysis: PLM 🖌 Lead GFAA	Stop at 1	* Positive Layer	Turnaround Time: 5 Day	
Comments	ANALYZE WATER SAMPLES FOR	EAD VIA GFAA			
Sample ID	Material Size-Color-Pattern-Material-Post Description	Material Location [Qua Building or Floor: Area(s) - Com		Sample Locat Area - Compo	
WS-100-FD	POTABLE WATER- FIRST DRAW	Roc	om 401	Four	tain
WS-100-PF	POTABLE WATER- POST FLUSH	SAME AS	ABOVE	SAME AS AB	OVE
WS-101-FD	POTABLE WATER- FIRST DRAW	Outdoor, exterior West wall of SRC	) office	Solo green painted four	itain
WS-101-PF	POTABLE WATER- POST FLUSH	SAME AS	ABOVE	SAME AS AB	OVE
WS-102-FD	POTABLE WATER- FIRST DRAW	Rot	om 901	Four	itain
WS-102-PF	POTABLE WATER- POST FLUSH	SAME AS	ABOVE	SAME AS AB	OVE
WS-103-FD	POTABLE WATER- FIRST DRAW	Roo	m 301	Four	ntain
WS-103-PF	POTABLE WATER- POST FLUSH	SAME AS	ABOVE	SAME AS AB	OVE
WS-104-FD	POTABLE WATER- FIRST DRAW	Ro	om 302	Four	ntain
WS-104-PF	POTABLE WATER- POST FLUSH	SAME AS	ABOVE	SAME AS AB	OVE
WS-105-FD	POTABLE WATER- FIRST DRAW	Ro	om 304	Four	ntain
WS-105-PF	POTABLE WATER- POST FLUSH	SAME AS	ABOVE	SAME AS AE	BOVE
Released:		Signature:	ED Da	te: T	ime:
Received:		Signature: P NOV 0 9	00 31		ime:
Lab info:	EMSL Analytical, Inc. (EMSL): 464 Mc	Cormick Street, San Leanero, Calif	ornia 94577, (51	0) 895-3675 ia 94545, (510) 887-8828	
Lab mo:	· Porensic Analytical Laboratories, Inc.	17 all 3111 Depot data # 403, H	1		



.

Report to:	Ben Schulte Bisping	Email: Bshulte@accenv.com			Phone: 510.773.0708		
Project Na	me: AUSD Water Sampling						
Project Ad	dress: Lincoln Middle School 1250 Fer	nside Blvd, Alameda	94501		Project Number: 3007	7-119.00	
Collected b	oy: Gus Valerian				Date Collected: 10/4	/2017	
Sample An	alysis: PLM 🖌 Lead GFAA		Stop at 1 <sup>st</sup> Positiv	ve tayer	Turnaround Time: 5 Da	Ŷ	
Comments	ANALYZE WATER SAMPLES FOR	LEAD VIA GFAA					
Sample ID	Material Size-Color-Pattern-Material-Post Description		ocation [Quantity] or: Area(s) - Component		Sample Loc Area - Com		
WS-106-FD	POTABLE WATER- FIRST DRAW		Room 303		For	untain	
WS-106-PF	POTABLE WATER- POST FLUSH		SAME AS ABOVE		SAME AS A	ABOVE	
WS-107-FD	POTABLE WATER- FIRST DRAW		Room 801		For	untain	
WS-107-PF	POTABLE WATER- POST FLUSH		SAME AS ABOVE		SAME AS A	ABOVE	
WS-108-FD	POTABLE WATER- FIRST DRAW	Doran Doolittle cour	rtyard, NE wall outdoor fountain		Silver Fo	untain	
WS-108-PF	POTABLE WATER- POST FLUSH		SAME AS ABOVE		SAME AS A	ABOVE	
WS-109-FD	POTABLE WATER- FIRST DRAW		Room 204		Fo	untain	
WS-109-PF	POTABLE WATER- POST FLUSH		SAME AS ABOVE		SAME AS /	ABOVE	
WS-110-FD	POTABLE WATER- FIRST DRAW		Room 203		Fo	untain	
WS-110-PF	POTABLE WATER- POST FLUSH		SAME AS ABOVE		SAME AS A	ABOVE	
WS-111-FD	POTABLE WATER- FIRST DRAW		Room 708		Fo	ountain	
WS-111-PF	POTABLE WATER- POST FLUSH		SAME AS ABOVE		SAME AS	ABOVE	
Released:		Signature:	RECEIVED	9 Dat	e:	Time:	
Received:		Signature:	NOV 0 0 2017	Dat	te:	Time:	
Lab Info:	EMSL Analytical, Inc. (EMSL): 464 Mo	Cormick Street, San . (FALI): 3777 Depor	Road # 409, Hayward	4577 (S10 , California	0) 895-3675 a 94545, (510) 887-8828		
			95782	7			



 $e^{-4}$ 

Report to:	Ben Schulte Bisping	Email: Bshulte	@accenv.com		Phone: 510.773.0708	}
Project Na	AUSD Water Sampling					
Project Ad	Idress: Lincoln Middle School 1250 Fe	ernside Blvd, Alameda	a 94501		Project Number: 300	7-119.00
Collected	by: Gus Valerian		Date Collected: 10/4	4/2017		
Sample Ar	nalysis: PLM 🖌 Lead GFAA		Stop at 1 <sup>st</sup> Positi	ive Layer	Turnaround Time: 5 Da	у
Comment	s: ANALYZE WATER SAMPLES FO	R LEAD VIA GFAA				
Sample ID	Material Size-Color-Pattern-Material-Post Description		ocation [Quantity] oor: Area(s) - Component		Sample Loc Area - Com	
WS-112-FD	POTABLE WATER- FIRST DRAW	Under portico,	across from Room 806		Dual silver right side fo	untain
WS-112-PF	POTABLE WATER- POST FLUSH		SAME AS ABOVE		SAME AS A	ABOVE
WS-113-FD	POTABLE WATER- FIRST DRAW	2nd floor, outdo	or fountain adjacent to Room 826 entrance		Dual silver left side fo	untain
WS-113-PF	POTABLE WATER- POST FLUSH		SAME AS ABOVE		SAME AS A	ABOVE
Released:	1	Signature:	APA QO	Dat	e:	Time:
Received:		Signature: NF 21	NOV/0 9 2017	II Dat	e:	Time:
Lab Info:	EMSL Analytical, Inc. (EMSL): 464 M					
			6	N/		
			60295782	\$ <u></u>		