



Inspire....Innovate....Engage

1936 Green Bay Road
Highland Park, Illinois 60035
Phone: 224-765-3000
www.nssd112.org

HEAD LICE TREATMENT CHECKLIST

Your child has a case of head lice. Items in your home and other members of your household may also be infested with head lice. In order to get rid of this problem and to prevent your child from getting head lice again from infested items or persons in your home, please complete the following checklist:

		YES	NO
1.	Treat all infested household members, including your child with a special shampoo for killing head lice (Did you follow directions for use of the shampoo?)		
2.	All household members found to have lice should manually remove nits with fingers by sliding egg off hair shaft following the special shampoo treatments (This helps to remove lice eggs called nits.)		
3.	All household members should put on clean, laundered clothes immediately after the shampoo treatment.		
4.	All clothes which had been worn prior to the shampoo treatment should be cleaned by being: a. laundered in hot, soapy water (130 degrees) and dried in a very hot dryer; or b. dry cleaned; or c. sealed in an airtight plastic bag for a minimum of 2 weeks.		
5.	Bath towels and washcloths, which were used before or during shampoo treatment, should be thoroughly washed using detergent, hot water and dried in a hot dryer.		
6.	The bedding (used before treatment shampoo) including pillows, pillowcases, sheets, blankets, bedspreads, and stuffed animals should be cleaned in one of the following manners: a. hot, soapy water and dried in a hot dryer; or b. dry cleaned; or c. sealed in an airtight plastic bag for a minimum of 2 weeks.		



Inspire....Innovate....Engage

1936 Green Bay Road
Highland Park, Illinois 60035
Phone: 224-765-3000
www.nssd112.org

7.	Hats, headgear and coats which were worn before treatment, should be cleaned by being: a. washed in hot, soapy water and dried in a hot dryer; or b. dry cleaned; or c. sealed in an airtight plastic bag for a minimum of 2 weeks.		
8.	All hair brushes, combs and wigs should be cleaned using: a. hot, soapy water, and soaked in Lysol solution for at least 20 minutes; or b. sealed in an airtight plastic bag for a minimum of 2 weeks.		
9.	The entire house should be thoroughly vacuumed including: a. fabric covered furniture b. removable cushions c. pillows d. mattresses e. carpeting f. car upholstery		
10.	Everyone in your household should understand not to share clothing, hair combs, bands, brushes and hair accessories.		
11.	Plan to conduct a second treatment in 7 – 10 days for all persons treated for head lice (This is to make sure that any lice that may have hatched will be treated.)		
12.	Plan to do a daily inspection at home of all family members for at least 2 – 3 weeks. If lice free, make it a habit to routinely check your child's hair for lice.		

If you've checked "yes" to all questions above, you have done your part to control the spread of head lice in your home. It is also important to share with close contacts that your child has had a case of lice so they can check their child and family as well.



Inspire....Innovate....Engage

1936 Green Bay Road
Highland Park, Illinois 60035
Phone: 224-765-3000
www.nssd112.org

LISTA DE CONTROL DE TRATAMIENTO DE PIOJOS

Su hijo tiene un caso de piojos de la cabeza. Los artículos en su hogar y otros miembros de su hogar también pueden estar infestados con piojos. Con el fin de deshacerse de este problema y evitar que su hijo vuelva a tener piojos de la cabeza de artículos infestados o personas en su casa, por favor complete la siguiente lista de verificación:

		Si	No
1.	Trate a todos los miembros infestados del hogar, incluyendo a su hijo con un champú especial para matar piojos (¿Siguió las instrucciones para el uso del champú?)		
2.	Todos los miembros del hogar que se ha encontrado que tienen piojos deben tener el pelo peinado con un peine de dientes finos después de los tratamientos especiales con champú (Esto ayuda a eliminar los huevos de piojos llamados liendres.)		
3.	Todos los miembros del hogar deben ponerse ropa limpia y lavada inmediatamente después del tratamiento con champú.		
4.	Toda la ropa que se había usado antes del tratamiento con champú debe limpiarse siendo: a. lavada con agua jabonosa caliente (130 grados) y se secó en un secador muy caliente; o b. tintorería; o c. sellado en una bolsa de plástico durante un mínimo de 2 semanas.		
5.	Toallas de baño, que se utilizaron antes o durante el tratamiento de champú, deben lavarse a fondo con detergente, agua caliente y secarse en una secadora caliente.		
6.	La ropa de cama (usada antes del champú de tratamiento) incluyendo almohadas, fundas de almohada, sábanas, mantas, colchas y animales de peluche deben limpiarse de una de las siguientes maneras: a. caliente, agua jabonosa y secado en un secador caliente; o b. tintorería; o c. sellado en una bolsa de plástico durante un mínimo de 2 semanas.		



Inspire....Innovate....Engage

1936 Green Bay Road
Highland Park, Illinois 60035
Phone: 224-765-3000
www.nssd112.org

7.	Sombreros, gorros y abrigos, que se usaban antes del tratamiento, se deben limpiar por ser: a. caliente, agua jabonosa y secado en un secador caliente; o b. tintorería; o c. sellado en una bolsa de plástico durante un mínimo de 2 semanas.		
8.	Todos los cepillos de pelo, peines y pelucas se deben limpiar usando: a. agua caliente y jabón, y se sumergen en una solución desinfectante Lysol durante al menos 20 minutos; o b. sellado en una bolsa de plástico durante un mínimo de 2 semanas.		
9.	Toda la casa debe ser completamente aspirado, incluyendo: a. muebles de tela b. cojines desmontables c. almohadas d. colchones e. alfombras f. tapicería del carro		
10.	Todos en su hogar deben entender no compartir la ropa, los peines del pelo, las vendas, los cepillos y los accesorios del pelo.		
11.	Planifique realizar un segundo tratamiento en 7 a 10 días para todas las personas tratadas por piojos de la cabeza (Esto es para asegurarse de que cualquier piojo que pueda haber nacido será tratado.)		
12.	Planifique hacer una inspección diaria en casa de todos los miembros de la familia por lo menos 2 - 3 semanas.		

Si ha marcado "sí" en todas las preguntas anteriores, ha hecho su parte para controlar la propagación de los piojos en su hogar. También es importante compartir con los contactos cercanos que su hijo ha tenido un caso de piojos para que puedan revisar a su hijo y su familia también.