









# When Should I Stay Home?

I HAVE A FEVER		Temperature of 100° F or higher
I AM VOMITING		Within the past 24 hours
I HAVE DIARRHEA		Within the past 24 hours
I HAVE A RASH		Body rash with oozing, drainage or fever
I HAVE A COUGH OR IT IS DIFFICULT TO BREATHE		Within the past 24 hours **DO NOT delay medical treatment if you are struggling to breathe**
I HAVE AN EYE INFECTION		Redness, itching, and/or pus draining from eye
I HAVE BEEN IN THE HOSPITAL		Hospital stay and/or emergency room visit
I CANNOT TASTE OR SMELL		Within the past 24 hours

# I am ready to go back to school when I am...

Fever free without assistance of medication for 24 hours (i.e. Tylenol, Motrin, Advil)	Free from vomiting for 24 hours.	Free from diarrhea for 24 hours.	Free from rash or fever and have been evaluated by my doctor if needed.	Evaluated by my doctor if needed.	Free from drainage and/or have been evaluated by my doctor if needed.	Released by my medical provider to return to school.	Evaluation by my doctor before returning to school
--	----------------------------------	----------------------------------	---	-----------------------------------	---	--	--

If your child has strep throat or another bacterial infection, he/she should stay home until the antibiotic has been given for at least 24 hours and your health care provider has given permission for your child to return to school. We encourage you to seek medical attention when your child is sick and to follow your health care provider's recommendations about returning to school and other activities.