

Table of Contents for the DRAFT Special Education Plan

<u>Sections</u>	<u>Page(s)</u>
Profile and Plan Essentials <i>(Contact information and Enrollment)</i>	1
Steering Committee Members	2
School District Areas of Improvement and Planning Indicators <i>(Identifies any areas that the District is flagged for Improvement and Planning through Cyclical Monitoring for Continuous Improvement (CMCI) process.)</i>	3-4
Identification Method <i>(Describes the District’s method for identifying students with Specific Learning Disabilities.)</i>	5
Significant Disproportionality <i>(Identifies if the District has significant disproportionality to ensure that children with disabilities are properly identified for services, receive necessary services in the least restrictive environment, and are not disproportionately removed from their educational placements by disciplinary removals. LMSD is not flagged for significant disproportionality in any of these areas.)</i>	5-6
Non-Resident Students Oversight <i>(PA School Code Section 1306 requires the host district to allow nonresident students in children’s institutions, including detention homes, drug and alcohol treatment centers and others, located within their borders, to attend the public schools of the host school district. LMSD is not the host district for any 1306 facilities at this time.)</i>	6
Incarcerated Students Oversight <i>(A system of oversight is required to ensure that all incarcerated students who may be eligible for special education are located, identified, evaluated, and when deemed eligible, are offered a free appropriate public education (FAPE). There are no correctional facilities located within LMSD at this time.)</i>	7
Least Restrictive Environment (LRE) <i>(Each district must ensure that, to the maximum extent appropriate, students with disabilities are educated with children who are nondisabled; and IEP teams begin with the general education setting, with use of Supplementary Aids and Services, before considering a more restrictive environment.)</i>	8-13
Positive Behavior Support <i>(Positive Behavior Interventions and Supports is a proactive, multi-tiered approach to support behavior that promotes appropriate student behavior and increased learning.)</i>	14-17

<u>Sections</u>	<u>Page(s)</u>
Intensive Interagency <i>(Addresses any areas of concern with students who are placed on Instruction Conducted in the Home or who are at substantial risk of waiting more than 30 days for an appropriate educational placement.)</i>	18
Education Program (Caseload FTE) <i>(Description of Caseloads for Special Education teachers in compliance with PA School Code.)</i>	19-160
Special Education Facilities <i>(Description of Special Education classrooms/facilities in compliance with PA School Code.)</i>	161-276
Special Education Support Services <i>(Lists school district employees and contractors who support students with disabilities but do not carry a caseload.)</i>	277
Special Education Personnel Development <i>(Description of training and professional learning provided that supports with the education of students with disabilities.)</i>	278-293
Signatures and Affirmations	294

Profile and Plan Essentials

301 E. Montgomery
Ardmore, PA 19003

Director of Special Education Name

Kimberly Fraser

Director of Special Education Email

fraserk@lmsd.org

Director of Special Education Phone Number

610.645.1933

Superintendent/CEO Name

Dr Khalid Mumin

Superintendent/CEO Email

drmumin@lmsd.org

Special Education Students

Total Number of Students Receiving Special Education 1558

School District Total Student Enrollment 8685

Percent of Students Receiving Special Education 17.9

Steering Committee

Name	Position/Role	Building	Email
Kimberly Fraser	Director of Special Education	Lower Merion SD	fraserk@lmsd.org
Melissa Sinapi-Gibson	Other	Lower Merion SD	gibsonme@lmsd.org
Dr. Stefani Doyle	Other	Lower Merion SD	DoyleSt@lmsd.org
Elizabeth Cavalier	Other	Lower Merion SD	CavaliE@lmsd.org
Gwen Nartowicz	Other	Lower Merion SD	nartowg@lmsd.org
Gina Virkler	Special Education Teacher	Lower Merion SD	VIRKLEG@lmsd.org
Shannon Bassett	Special Education Teacher	Lower Merion SD	BassetS@lmsd.org
Denise Grimley	Special Education Teacher	Lower Merion SD	GrimleD@lmsd.org
Helene Scott	Special Education Teacher	Lower Merion SD	scotth@lmsd.org
Sarah Stout	Building Principal	Bala-Cynwyd MS	StoutS@lmsd.org
Jaime Bassman	Parent	Lower Merion HS	
Lauren Higgins	Parent	Bala-Cynwyd MS	
Kyrie Michaud	General Education Teacher	Lower Merion HS	MichauK@lmsd.org
Karyn Flocco	Special Education Teacher	Welsh Valley MS	FloccoK@lmsd.org
Kelly Peterson	General Education Teacher	Bala-Cynwyd MS	PetersK@lmsd.org
Hamirah Mobley	Other	Lower Merion SD	MobleyH@lmsd.org
Patrick Snyder	Special Education Teacher	Lower Merion HS	SnyderPa@lmsd.org
Dave Clark	Special Education Teacher	Penn Wynne Sch	ClarkDa@lmsd.org

School District Areas of Improvement and Planning - Indicators

Suspension/Expulsion by Race/Ethnicity (Indicator 4B)

Indicator not flagged at this time.

Disproportionate Representation by Race/Ethnicity (Indicator 9)

Indicator not flagged at this time.

Disproportionate Representation by Race/Ethnicity/Disability (Indicator 10)

Indicator not flagged at this time.

Timely Initial Evaluations (Indicator 11)

Indicator not flagged at this time.

Secondary Transition (Indicator 13)

Indicator not flagged at this time.

Graduation (Indicator 1)

Indicator not flagged at this time.

Drop Out (Indicator 2)

Indicator not flagged at this time.

Assessment (Indicator 3)

Indicator not flagged at this time.

Education Environments (Indicator 5)

Indicator not flagged at this time.

Parent Involvement (Indicator 8)

Indicator not flagged at this time.

Early Childhood Transition (Indicator 12)

Indicator not flagged at this time.

Post-School Outcomes (Indicator 14)

Indicator not flagged at this time.

Resolution Sessions (Indicator 15)

Indicator not flagged at this time.

Mediation (Indicator 16)

Indicator not flagged at this time.

School District Areas of Improvement and Planning - Monitoring

Corrective Action	Improvement and Planning Activities
Professional development (Staff Survey)	<i>In process</i> Staff Survey Development of Professional Development Plan to address areas of need identified within staff survey

Identification Method

Identify the District's method for identifying students with specific learning disabilities

Discrepancy Model

Building Name	AUN	Branch Number	RTI	Approved RTI Use
---------------	-----	---------------	-----	------------------

Significant Disproportionality - Placement

Significant Disproportionality

District Not Flagged for Significant Disproportionality in this area.

Identify Trends	Improvement Planning and Activities
	District Not Flagged for Significant Disproportionality in this area – no corrective action required.

Significant Disproportionality - Discipline

Significant Disproportionality

District Not Flagged for Significant Disproportionality in this area.

Identify Trends/Notable Observations	Improvement Planning and Activities
	District Not Flagged for Significant Disproportionality in this area – no corrective action required.

Significant Disproportionality - Identification

Significant Disproportionality

District Not Flagged for Significant Disproportionality in this area.

Identify Trends/Notable Observations	Improvement Planning and Activities
	District Not Flagged for Significant Disproportionality in this area – no corrective action required.

Non-Resident Students Oversight

1. Is your district currently a host district for a 1306 facility?

No

1. Describe the host's educational oversight to ensure students with disabilities are educated in the least restrictive environment while in the 1306 facility? (If not a host, answer as if you were.)

When the Lower Merion School District serves as a host District for students residing in children's institutions. If the student is a child with a disability or a qualified handicapped student who will be educated in the District, the District endeavors to meet the student's needs through the Individualized Education Plan (IEP) or Section 504 Service Agreement processes, respectively. The District provides educational programming for the student and ensures the provisions of a free appropriate public education (FAPE) in the Least Restrictive Environment (LRE) for students residing in children's institutions through appropriate case management. As a host district, the District works closely with the home district and also interfaces with involved agencies, to the extent allowed by law, to exchange information. As a host district, the District also upholds its "child find" responsibilities for students residing in children's institutions. The District complies with relevant state and Federal law regarding its "child find" responsibilities and the provisions of FAPE in the LRE by adhering to procedural and substantive requirements and collaborating with the home District, parents/guardians and appropriate agencies during the evaluation, IEP and 504 processes.

2. Describe the district's procedures for communicating with 1306 facilities and how the district ensures a successful transition back to school?

The Lower Merion School District's Office of Student Services and Special Education works closely with 1306 facilities and continues to be directly involved through students' IEP meetings. This active participation in the ongoing IEP process allows the District to ensure a successful transition back to LMSD when the student is ready.

Incarcerated Students Oversight

1. Does the district have an adult correctional facility that houses juveniles within its geographical boundaries?

No

2. Describe the system of oversight the District would implement to ensure that all incarcerated students who may be eligible for special education are located, identified, evaluated and when deemed eligible, are offered a free appropriate public education (FAPE).

Currently, there are no correctional facilities located within the Lower Merion School District; however, at times, the District has students who are incarcerated or adjudicated delinquent and subsequently placed by courts. The District works with the Intermediate Unit or host district that operates the educational program in the relevant facilities to provide appropriate educational records relating to such students. As the resident District, the District also works collaboratively with the Intermediate Unit or host district to provide a FAPE to the student and remain informed regarding the student's education and possible return to the District.

Least Restrictive Environment

1. Review the district's data for Least Restrictive Environment. Highlight areas of improvement.

Data analyzed from over the last six years shows a consistent trend toward an increasing number of students receiving the majority of their education (80% or more) within the general education setting. While this is not the appropriate placement for all students, and individual needs must always be the basis for decision making, this trend demonstrates the emphasis placed on consideration of the least restrictive environment to the greatest extent possible.

2016-2017: 62.4% within the general ed setting for 80% or more, 4.5% within the regular education setting for less than 40%

2017-2018: 66.4% within the general ed setting for 80% or more, 4.5% within the regular education setting for less than 40%

2018-2019: 67.6% within the general ed setting for 80% or more, 3.2% within the regular education setting for less than 40%

2019-2020: 67.3% within the general ed setting for 80% or more, 3.0% within the regular education setting for less than 40%

2020-2021: 68.7% within the general ed setting for 80% or more, 2.9% within the regular education setting for less than 40%

2021-2022: 69.9% within the general ed setting for 80% or more, 3.9% within the regular education setting for less than 40%

(Special Education Data Reporting, PDE; Special Education December 1 Child Count)

2. What universal practices does the district utilize to address the academic and social/emotional needs of all students in need of accommodations to their learning environments?

There are resources available to all students in the district with regard to academic supports. The professional staff is highly qualified and knowledgeable in their provision of evidenced based instruction, however, additional resources are available to students when academic benchmarks are not met.

Achievement teams, consisting of building administrators, guidance counselors, instructional support coordinators, psychologists, and regular education teachers, as well as reading and math specialists meet weekly to review student data and determine if intervention is necessary for a student within the general education setting. School counselors are critical to supporting the social/emotional health of all learners. This support is provided through whole group instructional lessons in research-based curriculum to promote the social-emotional development, safety, and well-being of children, as well as small group and individual time with students who may need that support. The General Education setting is always the first option for all students with disabilities

that require specially designed instruction and support. The teams make sure that inclusion is the priority when it comes to decision making for services and placement, as well as scheduling the student's classes.

When a student is identified with a disability, the team will review the evaluation report and the present educational levels to determine the need for supports on the goals and objectives of the IEP. The IEP team takes a backward mapping approach to placement for the children in district. With the general education teacher present at the IEP meeting, we start with the general education classes and make sure the supports are in place in that setting and that the data collection will support success for that child. Then the team will identify the student's needs and determine where those needs can best be supported. We use the guiding questions provided on the IEP that address supports in the general education setting as a checklist to assure we are making the appropriate placement choices for the student. Each of the questions address supports in the general education setting and will determine what the team needs to consider for success in that setting. The Supplementary Aids and Services (SAS) Tool Kit is a valuable resource often used by our IEP teams to guide this discussion. Each of our Special Education Coordinators (4) have been trained to facilitate the SAS Tool Kit process.

3. Describe the academic programming and training efforts the LEA utilizes to ensure meaningful participation of students with disabilities in the general education curriculum.

The resources the district offers to all children in the district are extensive. The teachers and paraprofessionals are trained in how to support the curriculum needs of our students with special education needs within the general education setting. The related services provided to children in the district also play a large role in the success of our students. Occupational Therapists, Physical Therapists and Speech and Language Therapists as well as the Board-Certified Behavioral Analysts push into the classrooms to ensure the students are generalizing skills acquired after group or individual sessions and support carryover of skills through consultation within the general education setting. Ongoing consultation to facilitate collaboration of the team to support the student is an essential component to IEP implementation across the educational environment. Professional learning sessions and workshops are offered by providers as well to all team members in order to better understand how to support these students in their classes. Additionally, LMSD has many trained paraprofessionals within the district that support the students in the special education classes as well as in the general education setting.

4. Describe the supplementary aids and services the LEA utilizes to ensure meaningful participation of students with disabilities in extracurricular activities.

The IEP team carefully reviews the needs of the students and how the child can be supported within the general education setting before there is a discussion of pulling the child for support in a more restrictive setting. We look first at Universal Design and what is good practice for all children in the classroom. The district has approximately 205 paraprofessionals (instructional assistants, behavior aides, and job coaches) to support students across settings, frequently within the general education setting. These paraprofessionals receive extensive training throughout the school year to further develop their skills in supporting students within the least restrictive setting. The district uses the SETT process (Student Environment Tools and Tasks) to determine the level of Assistive Technology needed to meet an individual student's needs. The process is facilitated by the IEP team with support from the District's

Assistive Technology Coordinator when necessary. Supplementary aids and services used in the general education setting may include but are certainly not limited to: eBooks, oral reporting of an assignment or a presentation, a scribe for note taking in the classroom, copy of the notes taken during the lecture, computer access for note taking with guided notes/skeleton notes to fill in during lecture time, graphic organizers, quiet space provided in the room for test or quizzes taken, worksheets with fewer math problems to help with focus and organization, extended time on tests, oral and picture presentation of directions, timers set for time management, computer access for all students, instruction in keyboarding, etc.

Support for student's education will span a variety of environments during the day. Opportunities for instruction, practice and mastery of the skills looks very different for each child. General education classrooms, special education classrooms with smaller instructional groups, during transitions, in cafeteria, on playgrounds, in sensory rooms, and in community settings are just a few examples where education takes place for our students.

Learning is not a place as much as it is an opportunity to provide meaningful practice of the targeted skill to enable success in that area of need. This would occur in any and all settings as appropriate for each child. Within the Lower Merion School District, we utilize every opportunity for teaching in a broad definition of "classroom". Supports that enable a student to access the curriculum are provided for students when participating in extracurricular activities.

All students in the District are afforded the same opportunities to participate in academic, nonacademic and extracurricular activities. The District has provided paraprofessional support and nursing services as needed for children who are participating in the school play or concerts, athletic teams/events, and for evening activities and competitions across the district are provided. We are very sensitive to the needs of our students and support is provided for them to be active members of their school community. The Best Buddies Program has been a very successful program that has helped the student make friends with same age peers as well as helping the peers understand the needs of the children with disabilities. Best Buddies is an organization dedicated to establishing a volunteer movement that creates opportunities for one-to-one friendships, integrated employment, leadership development and inclusive living for individuals with intellectual and developmental disabilities. At the school level, students involved in Best Buddies participate in a variety of activities that support inclusion and foster belonging for all students through friendship. This has helped to encourage participation in extracurricular activities to build school community. We are a very community-based district which is very evident in our Strategic Plan for the district.

5. Describe the District procedures, which ensure that, to the maximum extent appropriate, children with disabilities placed in private institutions are educated with non-disabled children and have the opportunity to participate in district lead extracurricular activities?

Lower Merion takes pride in the fact that the district has a full continuum of services in order to maintain the students in their home school to the greatest extent possible. Students within the low incidence population, in particular autistic support and life skills support, are located in one of the buildings in the

district. There is a life skills program in one elementary school, one middle school, and one high school. There is an emotional support program with one full time teacher at one elementary school and an emotional support program at each middle and high school with at least two full time emotional support teachers per program. In all elementary schools, there are emotional support services provided, so in only rare cases would student needs rise to the level of support in which placement in the Emotional Support Program would be necessary. Similarly, the District has Autistic Support teachers in every school with some schools having as many as 3-5 teachers to support our extensive services offered. There is a program for students with complex needs who may need placement in our Autistic Support Program. There are 3 elementary teachers, 3 middle school teachers, and 5 high school teachers that work in one designated building at each level to support these small groups of students. Even within these programs, students access general education environment to the greatest extent possible. When necessary, the IEP team, with support of the administration, may determine that a student needs a placement not available within in-district resources. While this is not common, this is a necessary step for a small number of students for whom this level of support is required, at this time less than 3% of the students in special education (Special Education December 1 Child Count 2021). The IEP is reviewed at least annually to revisit placement decisions to ensure LRE is reconsidered in the best interest of the student. Our District is proud of the continuum of services offered for our students with disabilities. Students who are placed within out of district placements have access to extracurricular activities within their home school.

6. Discuss the district's need to build capacity and expand programs and services in an effort to provide a continuum of services. (Consider the out of district placement chart)

LMSD continually monitors student needs and develop programming as needs arise. A recent example of program development is at the elementary level. Our district welcomes approximately 50-60 kindergarten students transitioning from Early Intervention Programming each year. LMSD is always thoughtful of ways to support students' needs to the greatest extent possible. In 2019, after an extensive amount of planning and gathering of resources, LMSD opened our full day Kindergarten program for students with Autism who needed more support than what could be provided within the half day regular education classroom. To maximize the opportunity to participate in the kindergarten programming, students receive supplementary aids and services within regular education for the entire AM kindergarten, and spend the other half of the day working towards targeted needs within the special education classroom. This provides our youngest learners with Autism consistent opportunity to participate meaningfully with typical peers, while still providing the necessary supports for these students to grow their skills related to their special education needs. This is an example of the commitment we hold in LMSD to ensure that we are always re-thinking and re-visiting our programming to ensure that a vast continuum of services is offered to our students with disabilities.

With regard to out of district placements, data trends over the last 6 years indicate a consistent effort to consider programming and supports available within LMSD to the greatest extent possible.

2016-2017: 3.1%

2017-2018: 3.2%

2018-2019: 2.6%

2019-2020: 3.2%

2020-2021: 2.7%

2021-2022: 2.5%

(Special Education Data Reporting, PDE; Special Education December 1 Child Count)

Out of District Placements

Facility Name	Facility Type	Other	Operated By	Service Type	Number of Students Placed
Camphill School	Approved Private School (APS)		Camphill School	Life Skills Support	5
Comprehensive Learning Center	Licensed Private Academic		Comprehensive Learning Center	Autistic Support	1
Devereux	Approved Private School (APS)		Devereux	Autistic Support	3
HMS School	Approved Private School (APS)		HMS School	Multiple Disabilities Support	2
Lakeside School	Licensed Private Academic		Lakeside Educational Network	Emotional Support	1
Lifeworks School	Licensed Private Academic		Lifeworks School	Emotional Support	1
Martin Luther School	Approved Private School (APS)		Martin Luther School	Emotional Support	1
Melmark School	Approved Private School (APS)		Melmark School	Autistic Support	2
Overbrook School for the Blind	Approved Private School (APS)		Overbrook School for the Blind	Blind and Visually Impaired Support	1

PA School of the Deaf	Approved Private School (APS)		PA School of the Deaf	Deaf and Hard of Hearing Support	1
The Pathway School	Approved Private School (APS)		The Pathway School	Emotional Support	1
The Pathway School	Approved Private School (APS)		The Pathway School	Autistic Support	1
Royer-Greaves School for the Blind	Approved Private School (APS)		Royer-Greaves School for the Blind	Blind and Visually Impaired Support	1
Timothy School	Approved Private School (APS)		Timothy School	Autistic Support	3
Vanguard School	Approved Private School (APS)		Vanguard School	Autistic Support	5
CCIU Career & Child Development Center	Other	IU	Chester County Intermediate Unit	Multiple Disabilities Support	1
CCIU Career & Child Development Center	Other	IU	Chester County Intermediate Unit	Emotional Support	1
CCIU Career & Child Development Center	Other	IU	Chester County Intermediate Unit	Autistic Support	1
CCIU TEACH Program	Other	IU	Chester County Intermediate Unit	Emotional Support	2
CCIU TEACH Program	Other	IU	Chester County Intermediate Unit	Autistic Support	1
CCIU Technical College High School	Other	IU	Chester County Intermediate Unit	Learning Support	2
CCIU CHAMP Program	Other	IU	Chester County Intermediate Unit	Autistic Support	1
Woods Services	Approved Private School (APS)		Woods Services	Emotional Support	1

Positive Behavior Support

Date of Approval
2012-06-29

Uploaded Files
LMSD_Policy_P236.pdf
LMSD_Policy_AR236.pdf

1. How does the district support the emotional, social needs of students with disabilities?

The Lower Merion School District's Positive Behavior Support (PBS) practices address all the components listed in 22 Pa. Code 14.133 regarding Behavior Support for Children with IEPs (refer to Exhibit LMSD Policy 236). The District recognizes that it has the primary responsibility for ensuring that PBS programs are in accordance with 22 Pa. Code Chapter 14, including the training of personnel for the use of specific procedures, methods, and techniques, and for having a written policy and procedure on the use of PBS techniques and obtaining parental consent prior to the use of restraints or intrusive procedures as provided in 22 Pa. Code 14.133(c).

2. Describe training provided to staff in the use of positive behavior supports, de-escalation techniques and responses to behavior that may require immediate intervention.

The District's Positive Behavior Support practices include personnel training on the use of PBS, de-escalation techniques, and emergency responses including restraints. The District utilizes the Crisis Prevention Institute Nonviolent Crisis Intervention Training Program and Safety-Care Behavior Safety Training Program by QBS (Quality Behavioral Solutions) to train staff. Currently, special education teachers, administrators, paraprofessionals, campus aides, bus drivers, bus aides, and nurses are being trained and re-certified on an annual basis. The Nonviolent Crisis Intervention Program and Safety-Care Behavior Safety Training Program are used to de-escalate students who may become anxious, self-injurious, or injurious to others through both verbal de-escalation and physical intervention in extreme situations to reduce the risk of injury to staff and students. Each of the schools have qualified trained professionals (i.e., Safety Response Teams) that can be deployed in an emergency situation with a child.

The Lower Merion School District provides staff with access to professional learning provided by the Bureau of Special Education/PaTTAN and the MCIU. Prior to the beginning of each school year, the Director of Student Services and Special Education establishes a plan for the training to be done by persons properly certified or otherwise qualified in the areas of behavior management. The Lower Merion School District considers the services offered by PaTTAN and also utilizes supports received from Board Certified Behavior Analysts (BCBAs) to provide services to the staff and students. The Lower Merion School

District contracts BCBA services through the Montgomery County Intermediate Unit (MCIU) and the Chester County Intermediate Unit (CCIU). A BCBA is assigned to each building to support on an on-going basis. This support and individualized professional learning is provided to staff on site on a weekly basis, as needed.

3. Describe the district positive school wide support programs.

The Lower Merion School District employs Positive Behavior Support as the primary method of addressing problem behaviors. The District recognizes that positive behavior support is comprised of a wide array of evidence-based techniques and procedures and is an integral part of effective educational programming. The use of effective strategies for preventing and reducing inappropriate student behavior and teaching and strengthening pro-social replacement behaviors enhances educational success for students. District team members have been trained in Positive Behavior Support Techniques to be used in all the special education classrooms throughout the District.

4. Describe the district school-based behavior health services.

The Lower Merion School District has many highly qualified professionals working in our schools who provide psychological counseling services to meet the needs of our students. This includes twelve doctoral level certified school psychologists assigned to specific schools, thirty-one certified school counselors, five school social workers, and twenty emotional support teachers across the District. The District also has four mental health counselors at the middle and high school levels to further support the counseling needs of students. The District has a broad continuum of counseling services available to address the varying types and levels of support needed by students. All special education teachers/case managers are trained provide behavioral support to their individual students as required. These special education team members often serve as the first staff member to intervene when a student needs immediate counseling and/or behavioral support.

Emotional support teachers have been trained to provide counseling support to students. Enduring professional learning has focused on the Collaborative for Academic, Social, and Emotional Learning (CASEL) Framework, which fosters knowledge, skills and attitude across five areas of social and emotional competence. These teachers meet with individual students on a regular basis to provide direct instruction in strategies related to self-awareness, self-management, social awareness, relationship skills, and responsible decision-making. These supports and services are provided to students as indicated on their IEP where there is an identified need. The District's school social workers meet with individual students requiring a higher level of behavioral support and co-facilitate counseling groups for students in the Emotional Support programs at the secondary level. Social workers also serve as a liaison between families and community-based counseling services, mental health/behavioral health institutions, the court system and the District. Social workers attend transition meetings at behavioral health settings and hospitals to assist in the transition of students returning to a District educational program from those behavioral health settings and hospitals in an effort to facilitate a smooth transition. Social workers continue to provide support to students and families upon the student's return to the District. The District's psychologists provide counseling services in conjunction with the school counselor and/or school social worker for students who are presenting with the highest level of need in the areas of mental health. Psychologists meet with individual students, co-

facilitate groups for students receiving Emotional Support services at all levels, and conduct risk assessments. This broad continuum of counseling services provides support to all special education students in the District as necessary. All related services, including psychological counseling services, are included in a student's IEP and are provided at no cost to parents.

The District has long standing and effective arrangements with multiple community-based providers. This relationship includes the Montgomery County Base Service Unit (Lower Merion Counseling Services); Montgomery County Mobile Crisis; Carson Valley Children's Aide; mental /behavioral health agencies via our Interagency process; local hospitals for assessment and treatment of immediate, high risk behaviors; mental health/behavioral health treatment centers; and individual providers. A referral system is in place for students who may require a psychiatric assessment. The District maintains a list of community based licensed psychologists and psychiatrists for distribution to parents/guardians seeking services for behavioral health needs manifested at home or in the community. When a student is receiving counseling outside of the school setting, the school-based team will obtain written consent from the parents/guardians and the student (if a child is 14 years of age or older) to collaborate with the outside service provider. With these appropriate consents secured, the school counselor, social worker, and/or school psychologist maintains contact with the community-based provider regarding the student's status and continuing counseling needs. These professional relationships help students with a level of support that extends from home to school. District administrators including the Director of Student Services & Special Education, Lead Supervisor of Clinical Services, Lead Supervisor of Special Education, and the District's Home School Visitor/Lead Social Worker participate in a bi-weekly meeting with community agencies to collaborate on how to best support families residing within the District.

5. Describe the district restraint procedure.

All data pertaining to restraints used in the Lower Merion School District are maintained and documented by the building principal or designee. The data is collected and reported to the state on an annual basis as required. Yes, if a restraint is used in school, parents are notified immediately. After the use of a restraint to control the aggressive behavior of a student, the school notifies the parent, that day if possible, but at least within one school day, of the use of the restraint. The school schedules an IEP team meeting within 10 school days of the inappropriate behavior causing the restraint unless the parent/guardian, after being provided written notice, agrees in writing to waive the meeting. At the IEP meeting, the team considers whether the student needs a functional behavior assessment, reevaluation, a new or revised positive behavior support plan, a manifestation determination, or a change in placement to effectively address the inappropriate behavior.

Students who demonstrate behaviors that interfere with learning have positive behavior support plans as part of their IEPs. If an eligible student exhibits behavior problems that interfere with the student's learning or that of others despite implementation of Stage 1 and Stage 2 interventions, the IEP includes a Positive Behavior Support Plan (PBSP) based on the results of a Functional Behavior Assessment (FBA). Alternatively, the IEP Team may determine that the

frequency or intensity of target behaviors prompts an immediate need to simultaneously conduct an FBA and implement a PBSP. PBSPs include a variety of research-based practices and techniques to develop and maintain skills that will enhance an individual student's opportunity for learning, self-fulfillment, and ability to access the curriculum. The IEP summarizes the FBA in the present education level section. The PBSP is created and included as part of the IEP. The PBSP is reviewed and revised at least once a year along with the goals and objectives.

The use of restraints may be included in a student's IEP only when the following conditions apply: 1) The restraint is utilized with specific component elements of positive behavior support, 2) The restraint is used in conjunction with the teaching of socially acceptable alternative skills to replace the problem behavior, 3) Staff are authorized to use the procedure and have received the staff training required, and 4) There is a plan in place for eliminating the use of restraint through the application of positive behavior support.

The District utilizes the Crisis Prevention Institute Nonviolent Crisis Intervention Training Program and Safety-Care Behavioral Safety Training Program (by QBS) to train staff. Currently, special education teachers, administrators, paraprofessionals, campus aides, bus drivers, bus aides, and nurses are being trained and re-certified on an annual basis. The Nonviolent Crisis Intervention Program and Safety Care Behavioral Safety Training Program is used to de-escalate students that may become anxious, self-injurious, or injurious to others through both verbal de-escalation and physical intervention in extreme situations to reduce the risk of injury to staff and students.

The Positive Behavior Support Policy highlights a hierarchy of interventions and uses a restraint as the last measure implemented (Stage 4). There is careful planning regarding the elimination of restraints used with students by the IEP team. The student's PBSP includes a focus specifically on teaching appropriate coping, anger management, and social skills to empower the student to interact successfully without the need for restraints.

Prone restraints are considered an aversive, dehumanizing, and dangerous technique for handling behavior, and are considered inappropriate at all phases of intervention, and are prohibited according to Lower Merion Behavior Support Policy.

In the event that a student is referred to law enforcement by the District, the IEP team is convened to review the IEP, including the Positive Behavior Support Plan. The team will determine if an FBA needs to be developed or revised with a subsequent development/revision of the PBSP. The team will also determine if a need exists for additional assessments by the District. If additional evaluation is determined to be required, the District will issue a Permission to Reevaluate and upon completion of the updated reevaluation, the IEP team will reconvene to review all updated information and revise the IEP and PBS.

Intensive Interagency

Please address any areas of concern with students who are placed on Instruction Conducted in the Home or who are at a substantial risk of waiting more than 30 days for an appropriate educational placement.

The District continues to successfully ensure FAPE for individual students and for all disability categories included within the IDEA. LMSD has not experienced significant difficulties with ensuring FAPE for hard to place students. This fact is directly attributed to the District's established and successful procedure for evaluating students and providing programs and related services within the least restrictive setting appropriate for the individual. Additionally, our strong collaboration with parents, non-district staff, and community-based agencies working with individuals who have mental health concerns or who are cognitively challenged have contributed to success in placing students appropriately. This collaboration begins long before a referral for an out of District placement. The District continues to expand emotional support services and autistic support services. Program expansion and development, personnel training, and expansion of behavioral supports is ongoing as the District continues to work diligently to ensure a continuum of services can be provided within the least restrictive environment at all grade levels.

Education Program (Caseload FTE)

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
GL010/ BH013	Elementary	Full-time (1.0)	10/07/2021 11:19 AM

Building Name		
Gladwyne Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	7 to 7
Age Range Justification		FTE %
		0.05

Building Name		
Belmont Hills El Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 8
Age Range Justification		FTE %
		0.12

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
LM025/ WV022	Secondary	Full-time (1.0)	10/07/2021 11:15 AM

Building Name		
Lower Merion HS		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Itinerant (20% or Less)		2
Identify Classroom	Classroom Location	Age Range
School District	Secondary	16 to 17
Age Range Justification		FTE %
		0.04

Building Name		
Welsh Valley MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Secondary	13 to 13
Age Range Justification		FTE %
		0.02

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
--------	--------------------	----------------------------------	---------

PV012	Elementary	Full-time (1.0)	10/07/2021 11:10 AM
-------	------------	-----------------	---------------------

Building Name		
Penn Valley Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support	Case Load	
Supplemental (Less Than 80% but More Than 20%)	1	
Identify Classroom	Classroom Location	Age Range
School District	Elementary	10 to 10
Age Range Justification	FTE %	
	0.12	

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
PV011	Elementary	Full-time (1.0)	10/07/2021 11:08 AM

Building Name		
Penn Valley Sch		
Support Type		
Speech And Language Support		
Support Sub-Type		
Speech And Language Support		
Level of Support	Case Load	
Itinerant (20% or Less)	2	
Identify Classroom	Classroom Location	Age Range

School District	Elementary	11 to 12
Age Range Justification		FTE %
		0.03

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
LM024	Secondary	Full-time (1.0)	10/07/2021 10:20 AM

Building Name		
Lower Merion HS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		2
Identify Classroom	Classroom Location	Age Range
School District	Secondary	15 to 16
Age Range Justification		FTE %
		0.04

Building Name		
Lower Merion HS		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Itinerant (20% or Less)		7
Identify Classroom	Classroom Location	Age Range
School District	Secondary	15 to 17

Age Range Justification	FTE %
	0.14

Building Name		
Lower Merion HS		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		6
Identify Classroom	Classroom Location	Age Range
School District	Secondary	15 to 17
Age Range Justification		FTE %
		0.5

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
LM023	Secondary	Full-time (1.0)	10/07/2021 11:20 AM

Building Name		
Lower Merion HS		
Support Type		
Speech And Language Support		
Support Sub-Type		
Speech And Language Support		
Level of Support		Case Load
Itinerant (20% or Less)		34
Identify Classroom	Classroom Location	Age Range
School District	Secondary	14 to 20
Age Range Justification		FTE %

At any given time, the age range of students in the classroom at the same time fall within age requirements.	0.52
--	------

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
LM022	Secondary	Full-time (1.0)	10/07/2021 10:14 AM

Building Name		
Lower Merion HS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		3
Identify Classroom	Classroom Location	Age Range
School District	Secondary	14 to 15
Age Range Justification		FTE %
		0.15

Building Name		
Lower Merion HS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		4
Identify Classroom	Classroom Location	Age Range
School District	Secondary	15 to 15
Age Range Justification		FTE %
		0.08

Building Name		
Lower Merion HS		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Itinerant (20% or Less)		6
Identify Classroom	Classroom Location	Age Range
School District	Secondary	14 to 15
Age Range Justification		FTE %
		0.12

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
LM021	Secondary	Full-time (1.0)	10/07/2021 10:10 AM

Building Name		
Lower Merion HS		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		2
Identify Classroom	Classroom Location	Age Range
School District	Secondary	18 to 19
Age Range Justification		FTE %
		0.25

Building Name		
Lower Merion HS		
Support Type		
Life Skills Support		
Support Sub-Type		
Life Skills Support (Grades 7-12)		
Level of Support		Case Load
Full-Time (80% or More)		2
Identify Classroom	Classroom Location	Age Range
School District	Secondary	15 to 17
Age Range Justification		FTE %
		0.13

Building Name		
Lower Merion HS		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Full-Time (80% or More)		1
Identify Classroom	Classroom Location	Age Range
School District	Secondary	15 to 15
Age Range Justification		FTE %
		0.12

Building Name		
Lower Merion HS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		1

Identify Classroom	Classroom Location	Age Range
School District	Secondary	20 to 20
Age Range Justification	FTE %	
	0.05	

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
LM020	Secondary	Full-time (1.0)	10/07/2021 10:05 AM

Building Name		
Lower Merion HS		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		3
Identify Classroom	Classroom Location	Age Range
School District	Secondary	14 to 15
Age Range Justification	FTE %	
	0.38	

Building Name		
Lower Merion HS		
Support Type		
Life Skills Support		
Support Sub-Type		
Life Skills Support (Grades 7-12)		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		4
Identify Classroom	Classroom Location	Age Range

School District	Secondary	14 to 19
Age Range Justification		FTE %
At any given time, the age range of students in the classroom at the same time fall within age requirements.		0.2

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
LM018	Secondary	Full-time (1.0)	10/07/2021 10:01 AM

Building Name		
Lower Merion HS		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		12
Identify Classroom	Classroom Location	Age Range
School District	Secondary	14 to 16
Age Range Justification		FTE %
		1

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
LM017	Secondary	Full-time (1.0)	10/07/2021 09:59 AM

Building Name		
Lower Merion HS		
Support Type		

Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		5
Identify Classroom	Classroom Location	Age Range
School District	Secondary	16 to 18
Age Range Justification		FTE %
		0.62

Building Name		
Lower Merion HS		
Support Type		
Life Skills Support		
Support Sub-Type		
Life Skills Support (Grades 7-12)		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		3
Identify Classroom	Classroom Location	Age Range
School District	Secondary	14 to 16
Age Range Justification		FTE %
		0.15

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
LM016	Secondary	Full-time (1.0)	10/07/2021 09:57 AM

Building Name	
Lower Merion HS	
Support Type	
Learning Support	

Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		17
Identify Classroom	Classroom Location	Age Range
School District	Secondary	15 to 16
Age Range Justification		FTE %
		0.34

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
LM015	Secondary	Full-time (1.0)	10/07/2021 09:55 AM

Building Name		
Lower Merion HS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		16
Identify Classroom	Classroom Location	Age Range
School District	Secondary	16 to 17
Age Range Justification		FTE %
		0.32

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
LM014	Secondary	Full-time (1.0)	10/07/2021 09:53 AM

Building Name		
Lower Merion HS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		8
Identify Classroom	Classroom Location	Age Range
School District	Secondary	15 to 16
Age Range Justification		FTE %
		0.16

Building Name		
Lower Merion HS		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Secondary	15 to 15
Age Range Justification		FTE %
		0.02

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
LM013	Secondary	Full-time (1.0)	10/07/2021 09:49 AM

Building Name		
Lower Merion HS		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Itinerant (20% or Less)		19
Identify Classroom	Classroom Location	Age Range
School District	Secondary	16 to 18
Age Range Justification		FTE %
		0.38

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
LM012	Secondary	Full-time (1.0)	10/07/2021 09:43 AM

Building Name		
Lower Merion HS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		4
Identify Classroom	Classroom Location	Age Range
School District	Secondary	16 to 21
Age Range Justification		FTE %
At any given time, the age range of students in the classroom at the same time fall within age requirements.		0.2

Building Name

Lower Merion HS		
Support Type		
Life Skills Support		
Support Sub-Type		
Life Skills Support (Grades 7-12)		
Level of Support	Case Load	
Supplemental (Less Than 80% but More Than 20%)	4	
Identify Classroom	Classroom Location	Age Range
School District	Secondary	16 to 18
Age Range Justification	FTE %	
	0.2	

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
LM011	Secondary	Full-time (1.0)	10/07/2021 09:41 AM

Building Name		
Lower Merion HS		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support	Case Load	
Itinerant (20% or Less)	8	
Identify Classroom	Classroom Location	Age Range
School District	Secondary	16 to 18
Age Range Justification	FTE %	
	0.67	

Building Name		
Lower Merion HS		

Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		8
Identify Classroom	Classroom Location	Age Range
School District	Secondary	16 to 18
Age Range Justification		FTE %
		0.16

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
LM010	Secondary	Full-time (1.0)	10/07/2021 09:38 AM

Building Name		
Lower Merion HS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		13
Identify Classroom	Classroom Location	Age Range
School District	Secondary	16 to 17
Age Range Justification		FTE %
		0.26

Building Name		
Lower Merion HS		
Support Type		

Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		3
Identify Classroom	Classroom Location	Age Range
School District	Secondary	16 to 17
Age Range Justification		FTE %
		0.15

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
LM009	Secondary	Full-time (1.0)	10/07/2021 09:36 AM

Building Name		
Lower Merion HS		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		4
Identify Classroom	Classroom Location	Age Range
School District	Secondary	19 to 21
Age Range Justification		FTE %
		0.5

Building Name		
Lower Merion HS		
Support Type		
Learning Support		

Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		4
Identify Classroom	Classroom Location	Age Range
School District	Secondary	18 to 20
Age Range Justification		FTE %
		0.2

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
LM008	Secondary	Full-time (1.0)	10/07/2021 09:33 AM

Building Name		
Lower Merion HS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		7
Identify Classroom	Classroom Location	Age Range
School District	Secondary	14 to 15
Age Range Justification		FTE %
		0.14

Building Name		
Lower Merion HS		
Support Type		
Learning Support		
Support Sub-Type		

Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		7
Identify Classroom	Classroom Location	Age Range
School District	Secondary	14 to 15
Age Range Justification		FTE %
		0.35

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
LM007	Secondary	Full-time (1.0)	10/07/2021 09:30 AM

Building Name		
Lower Merion HS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		6
Identify Classroom	Classroom Location	Age Range
School District	Secondary	14 to 15
Age Range Justification		FTE %
		0.12

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
LM006	Secondary	Full-time (1.0)	10/07/2021 09:27 AM

Building Name		
Lower Merion HS		
Support Type		
Speech And Language Support		
Support Sub-Type		
Speech And Language Support		
Level of Support		Case Load
Itinerant (20% or Less)		37
Identify Classroom	Classroom Location	Age Range
School District	Secondary	14 to 21
Age Range Justification		FTE %
At any given time, the age range of students in the classroom at the same time fall within age requirements.		0.57

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
LM005	Secondary	Full-time (1.0)	10/07/2021 09:23 AM

Building Name		
Lower Merion HS		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		3
Identify Classroom	Classroom Location	Age Range
School District	Secondary	14 to 15
Age Range Justification		FTE %
		0.15

Building Name		
Lower Merion HS		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Itinerant (20% or Less)		13
Identify Classroom	Classroom Location	Age Range
School District	Secondary	14 to 16
Age Range Justification		FTE %
		0.26

Building Name		
Lower Merion HS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Secondary	14 to 14
Age Range Justification		FTE %
		0.02

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
LM004	Secondary	Full-time (1.0)	10/07/2021 09:19 AM

Building Name

Lower Merion HS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		18
Identify Classroom	Classroom Location	Age Range
School District	Secondary	15 to 16
Age Range Justification		FTE %
		0.36

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
LM003	Secondary	Full-time (1.0)	10/07/2021 09:17 AM

Building Name		
Lower Merion HS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		1
Identify Classroom	Classroom Location	Age Range
School District	Secondary	17 to 17
Age Range Justification		FTE %
		0.05

Building Name
Lower Merion HS

Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		17
Identify Classroom	Classroom Location	Age Range
School District	Secondary	17 to 17
Age Range Justification		FTE %
		0.34

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
LM002	Secondary	Full-time (1.0)	10/07/2021 09:15 AM

Building Name		
Lower Merion HS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		18
Identify Classroom	Classroom Location	Age Range
School District	Secondary	13 to 15
Age Range Justification		FTE %
		0.36

Building Name		
Lower Merion HS		
Support Type		

Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Secondary	14 to 14
Age Range Justification		FTE %
		0.08

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
LM001	Secondary	Full-time (1.0)	10/07/2021 08:58 AM

Building Name		
Lower Merion HS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		16
Identify Classroom	Classroom Location	Age Range
School District	Secondary	17 to 18
Age Range Justification		FTE %
		0.32

Building Name		
Lower Merion HS		
Support Type		
Learning Support		

Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		2
Identify Classroom	Classroom Location	Age Range
School District	Secondary	18 to 19
Age Range Justification		FTE %
		0.1

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
HH017	Secondary	Full-time (1.0)	10/07/2021 08:55 AM

Building Name		
Harriton SHS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		8
Identify Classroom	Classroom Location	Age Range
School District	Secondary	14 to 14
Age Range Justification		FTE %
		0.16

Building Name		
Harriton SHS		
Support Type		
Learning Support		
Support Sub-Type		

Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		6
Identify Classroom	Classroom Location	Age Range
School District	Secondary	14 to 14
Age Range Justification		FTE %
		0.3

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
HH016	Secondary	Full-time (1.0)	10/07/2021 09:00 AM

Building Name		
Harriton SHS		
Support Type		
Speech And Language Support		
Support Sub-Type		
Speech And Language Support		
Level of Support		Case Load
Itinerant (20% or Less)		51
Identify Classroom	Classroom Location	Age Range
School District	Secondary	14 to 20
Age Range Justification		FTE %
At any given time, the age range of students in the classroom at the same time fall within age requirements.		0.78

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
HH015	Secondary	Full-time (1.0)	10/07/2021 08:51 AM

Building Name		
Harriton SHS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		15
Identify Classroom	Classroom Location	Age Range
School District	Secondary	14 to 17
Age Range Justification		FTE %
		0.3

Building Name		
Harriton SHS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		1
Identify Classroom	Classroom Location	Age Range
School District	Secondary	16 to 16
Age Range Justification		FTE %
		0.05

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
HH014	Secondary	Full-time (1.0)	10/07/2021 08:49 AM

Building Name		
Harriton SHS		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		7
Identify Classroom	Classroom Location	Age Range
School District	Secondary	16 to 20
Age Range Justification		FTE %
		0.88

Building Name		
Harriton SHS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		1
Identify Classroom	Classroom Location	Age Range
School District	Secondary	17 to 17
Age Range Justification		FTE %
		0.05

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
HH013	Secondary	Full-time (1.0)	10/07/2021 08:47 AM

Building Name

Harriton SHS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		4
Identify Classroom	Classroom Location	Age Range
School District	Secondary	16 to 18
Age Range Justification		FTE %
		0.2

Building Name		
Harriton SHS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		10
Identify Classroom	Classroom Location	Age Range
School District	Secondary	16 to 17
Age Range Justification		FTE %
		0.2

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
HH012	Secondary	Full-time (1.0)	10/07/2021 08:38 AM

Building Name		
Harriton SHS		

Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		17
Identify Classroom	Classroom Location	Age Range
School District	Secondary	15 to 16
Age Range Justification		FTE %
		0.34

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
HH011	Secondary	Full-time (1.0)	10/07/2021 08:36 AM

Building Name		
Harriton SHS		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		3
Identify Classroom	Classroom Location	Age Range
School District	Secondary	18 to 19
Age Range Justification		FTE %
		0.25

Building Name		
Harriton SHS		
Support Type		

Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Secondary	17 to 17
Age Range Justification		FTE %
		0.02

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
HH010	Secondary	Full-time (1.0)	10/07/2021 08:34 AM

Building Name		
Harriton SHS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		16
Identify Classroom	Classroom Location	Age Range
School District	Secondary	15 to 16
Age Range Justification		FTE %
		0.32

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
HH009	Secondary	Full-time (1.0)	10/07/2021 08:33 AM

Building Name		
Harriton SHS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		14
Identify Classroom	Classroom Location	Age Range
School District	Secondary	16 to 18
Age Range Justification		FTE %
		0.28

Building Name		
Harriton SHS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		1
Identify Classroom	Classroom Location	Age Range
School District	Secondary	16 to 16
Age Range Justification		FTE %
		0.05

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
HH008	Secondary	Full-time (1.0)	10/07/2021 08:31 AM

Building Name		
Harriton SHS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		9
Identify Classroom	Classroom Location	Age Range
School District	Secondary	15 to 17
Age Range Justification		FTE %
		0.18

Building Name		
Harriton SHS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		4
Identify Classroom	Classroom Location	Age Range
School District	Secondary	15 to 17
Age Range Justification		FTE %
		0.2

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
HH007	Secondary	Full-time (1.0)	10/07/2021 08:29 AM

Building Name		
Harriton SHS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		17
Identify Classroom	Classroom Location	Age Range
School District	Secondary	14 to 16
Age Range Justification		FTE %
		0.34

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
HH006	Secondary	Full-time (1.0)	10/07/2021 08:28 AM

Building Name		
Harriton SHS		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Itinerant (20% or Less)		16
Identify Classroom	Classroom Location	Age Range
School District	Secondary	14 to 17

Age Range Justification	FTE %
	0.32

Building Name		
Harriton SHS		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		2
Identify Classroom	Classroom Location	Age Range
School District	Secondary	15 to 17
Age Range Justification		FTE %
		0.1

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
HH005	Secondary	Full-time (1.0)	10/07/2021 08:26 AM

Building Name		
Harriton SHS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		12
Identify Classroom	Classroom Location	Age Range
School District	Secondary	16 to 18
Age Range Justification		FTE %

	0.24
--	------

Building Name		
Harriton SHS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		2
Identify Classroom	Classroom Location	Age Range
School District	Secondary	17 to 19
Age Range Justification		FTE %
		0.1

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
HH004	Secondary	Full-time (1.0)	10/07/2021 08:24 AM

Building Name		
Harriton SHS		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Itinerant (20% or Less)		21
Identify Classroom	Classroom Location	Age Range
School District	Secondary	14 to 18
Age Range Justification		FTE %
		0.42

Building Name		
Harriton SHS		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		1
Identify Classroom	Classroom Location	Age Range
School District	Secondary	14 to 14
Age Range Justification		FTE %
		0.05

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
HH003	Secondary	Full-time (1.0)	10/07/2021 08:21 AM

Building Name		
Harriton SHS		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		3
Identify Classroom	Classroom Location	Age Range
School District	Secondary	14 to 17
Age Range Justification		FTE %
		0.38

Building Name		
Harriton SHS		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		7
Identify Classroom	Classroom Location	Age Range
School District	Secondary	14 to 17
Age Range Justification		FTE %
		0.58

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
HH002	Secondary	Full-time (1.0)	10/07/2021 08:19 AM

Building Name		
Harriton SHS		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		7
Identify Classroom	Classroom Location	Age Range
School District	Secondary	14 to 16
Age Range Justification		FTE %
		0.58

Building Name

Harriton SHS		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		1
Identify Classroom	Classroom Location	Age Range
School District	Secondary	14 to 14
Age Range Justification		FTE %
		0.12

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
HH001	Secondary	Full-time (1.0)	10/07/2021 08:17 AM

Building Name		
Harriton SHS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		18
Identify Classroom	Classroom Location	Age Range
School District	Secondary	15 to 18
Age Range Justification		FTE %
		0.36

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
--------	--------------------	----------------------------------	---------

WV021	Secondary	Full-time (1.0)	10/07/2021 08:06 AM
-------	-----------	-----------------	---------------------

Building Name		
Welsh Valley MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		11
Identify Classroom	Classroom Location	Age Range
School District	Secondary	13 to 14
Age Range Justification		FTE %
		0.22

Building Name		
Welsh Valley MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		3
Identify Classroom	Classroom Location	Age Range
School District	Secondary	13 to 14
Age Range Justification		FTE %
		0.15

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
WV020	Secondary	Full-time (1.0)	10/07/2021 08:04 AM

Building Name		
Welsh Valley MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		6
Identify Classroom	Classroom Location	Age Range
School District	Secondary	12 to 14
Age Range Justification		FTE %
		0.3

Building Name		
Welsh Valley MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		7
Identify Classroom	Classroom Location	Age Range
School District	Secondary	13 to 14
Age Range Justification		FTE %
		0.14

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
WV019	Secondary	Full-time (1.0)	10/07/2021 08:02 AM

Building Name		
Welsh Valley MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		5
Identify Classroom	Classroom Location	Age Range
School District	Secondary	13 to 14
Age Range Justification		FTE %
		0.25

Building Name		
Welsh Valley MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		9
Identify Classroom	Classroom Location	Age Range
School District	Secondary	13 to 15
Age Range Justification		FTE %
		0.18

Building Name		
Welsh Valley MS		
Support Type		
Emotional Support		

Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Secondary	13 to 13
Age Range Justification		FTE %
		0.02

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
WV018	Secondary	Full-time (1.0)	10/07/2021 08:00 AM

Building Name		
Welsh Valley MS		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		5
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 12
Age Range Justification		FTE %
		0.42

Building Name		
Welsh Valley MS		
Support Type		
Autistic Support		
Support Sub-Type		

Autistic Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		4
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 12
Age Range Justification		FTE %
		0.5

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
WV017	Secondary	Full-time (1.0)	10/07/2021 07:58 AM

Building Name		
Welsh Valley MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		4
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 12
Age Range Justification		FTE %
		0.2

Building Name		
Welsh Valley MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		

Level of Support		Case Load
Itinerant (20% or Less)		5
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 12
Age Range Justification		FTE %
		0.1

Building Name		
Welsh Valley MS		
Support Type		
Deaf And Hearing Impaired Support		
Support Sub-Type		
Deaf And Hearing Impaired Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 11
Age Range Justification		FTE %
		0.02

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
WV016	Secondary	Full-time (1.0)	11/10/2021 05:18 PM

Building Name	
Welsh Valley MS	
Support Type	
Learning Support	
Support Sub-Type	
Learning Support	
Level of Support	Case Load

Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Secondary	12 to 12
Age Range Justification		FTE %
		0.02

Building Name		
Welsh Valley MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		1
Identify Classroom	Classroom Location	Age Range
School District	Secondary	12 to 12
Age Range Justification		FTE %
		0.05

Building Name		
Welsh Valley MS		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Itinerant (20% or Less)		8
Identify Classroom	Classroom Location	Age Range
School District	Secondary	12 to 13
Age Range Justification		FTE %
		0.16

Building Name		
Welsh Valley MS		

Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		3
Identify Classroom	Classroom Location	Age Range
School District	Secondary	12 to 13
Age Range Justification		FTE %
		0.15

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
WV015	Secondary	Full-time (1.0)	10/07/2021 07:53 AM

Building Name		
Welsh Valley MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		6
Identify Classroom	Classroom Location	Age Range
School District	Secondary	12 to 13
Age Range Justification		FTE %
		0.3

Building Name		
Welsh Valley MS		
Support Type		

Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		7
Identify Classroom	Classroom Location	Age Range
School District	Secondary	12 to 13
Age Range Justification		FTE %
		0.14

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
WV014	Secondary	Full-time (1.0)	10/07/2021 07:51 AM

Building Name		
Welsh Valley MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		8
Identify Classroom	Classroom Location	Age Range
School District	Secondary	12 to 13
Age Range Justification		FTE %
		0.16

Building Name		
Welsh Valley MS		
Support Type		
Learning Support		

Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		4
Identify Classroom	Classroom Location	Age Range
School District	Secondary	12 to 13
Age Range Justification		FTE %
		0.2

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
WV013	Secondary	Full-time (1.0)	10/07/2021 07:50 AM

Building Name		
Welsh Valley MS		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		6
Identify Classroom	Classroom Location	Age Range
School District	Secondary	12 to 14
Age Range Justification		FTE %
		0.5

Building Name		
Welsh Valley MS		
Support Type		
Emotional Support		
Support Sub-Type		

Emotional Support		
Level of Support		Case Load
Itinerant (20% or Less)		5
Identify Classroom	Classroom Location	Age Range
School District	Secondary	12 to 14
Age Range Justification		FTE %
		0.1

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
WV012	Secondary	Full-time (1.0)	10/07/2021 07:48 AM

Building Name		
Welsh Valley MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		6
Identify Classroom	Classroom Location	Age Range
School District	Secondary	12 to 13
Age Range Justification		FTE %
		0.3

Building Name		
Welsh Valley MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		

Level of Support		Case Load
Itinerant (20% or Less)		7
Identify Classroom	Classroom Location	Age Range
School District	Secondary	12 to 13
Age Range Justification		FTE %
		0.14

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
WV011	Secondary	Full-time (1.0)	10/07/2021 07:46 AM

Building Name		
Welsh Valley MS		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		4
Identify Classroom	Classroom Location	Age Range
School District	Secondary	12 to 14
Age Range Justification		FTE %
		0.5

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
WV010	Secondary	Full-time (1.0)	10/07/2021 07:45 AM

Building Name		
Welsh Valley MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		7
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 12
Age Range Justification		FTE %
		0.14

Building Name		
Welsh Valley MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		2
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 12
Age Range Justification		FTE %
		0.1

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
WV009	Secondary	Full-time (1.0)	10/07/2021 07:44 AM

Building Name

Welsh Valley MS		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Itinerant (20% or Less)		7
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 11
Age Range Justification		FTE %
		0.14

Building Name		
Welsh Valley MS		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		5
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 11
Age Range Justification		FTE %
		0.25

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
WV008	Secondary	Full-time (1.0)	10/07/2021 07:43 AM

Building Name		
Welsh Valley MS		

Support Type		
Speech And Language Support		
Support Sub-Type		
Speech And Language Support		
Level of Support		Case Load
Itinerant (20% or Less)		49
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 14
Age Range Justification		FTE %
		0.75

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
WV007	Secondary	Full-time (1.0)	10/07/2021 07:42 AM

Building Name		
Welsh Valley MS		
Support Type		
Speech And Language Support		
Support Sub-Type		
Speech And Language Support		
Level of Support		Case Load
Itinerant (20% or Less)		36
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 14
Age Range Justification		FTE %
		0.55

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
WV006	Secondary	Full-time (1.0)	10/07/2021 07:41 AM

Building Name		
Welsh Valley MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		6
Identify Classroom	Classroom Location	Age Range
School District	Secondary	10 to 11
Age Range Justification		FTE %
		0.12

Building Name		
Welsh Valley MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		2
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 11
Age Range Justification		FTE %
		0.1

Building Name		
Welsh Valley MS		
Support Type		
Deaf And Hearing Impaired Support		

Support Sub-Type		
Deaf And Hearing Impaired Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 11
Age Range Justification		FTE %
		0.02

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
WV005	Secondary	Full-time (1.0)	10/07/2021 07:39 AM

Building Name		
Welsh Valley MS		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Itinerant (20% or Less)		8
Identify Classroom	Classroom Location	Age Range
School District	Secondary	13 to 14
Age Range Justification		FTE %
		0.16

Building Name		
Welsh Valley MS		
Support Type		
Emotional Support		
Support Sub-Type		

Emotional Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		3
Identify Classroom	Classroom Location	Age Range
School District	Secondary	13 to 14
Age Range Justification		FTE %
		0.15

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
WV004	Secondary	Full-time (1.0)	10/07/2021 07:37 AM

Building Name		
Welsh Valley MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		5
Identify Classroom	Classroom Location	Age Range
School District	Secondary	13 to 13
Age Range Justification		FTE %
		0.1

Building Name		
Welsh Valley MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		

Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		3
Identify Classroom	Classroom Location	Age Range
School District	Secondary	13 to 14
Age Range Justification		FTE %
		0.15

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
WV003	Secondary	Full-time (1.0)	10/07/2021 07:36 AM

Building Name		
Welsh Valley MS		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		2
Identify Classroom	Classroom Location	Age Range
School District	Secondary	12 to 13
Age Range Justification		FTE %
		0.25

Building Name	
Welsh Valley MS	
Support Type	
Autistic Support	
Support Sub-Type	
Autistic Support	
Level of Support	Case Load

Itinerant (20% or Less)		6
Identify Classroom	Classroom Location	Age Range
School District	Secondary	13 to 14
Age Range Justification		FTE %
		0.5

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
WV002	Secondary	Full-time (1.0)	10/07/2021 07:33 AM

Building Name		
Welsh Valley MS		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		5
Identify Classroom	Classroom Location	Age Range
School District	Secondary	12 to 13
Age Range Justification		FTE %
		0.42

Building Name		
Welsh Valley MS		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		4

Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 13
Age Range Justification	FTE %	
	0.5	

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
WV001	Secondary	Full-time (1.0)	10/07/2021 07:33 AM

Building Name		
Welsh Valley MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		7
Identify Classroom	Classroom Location	Age Range
School District	Secondary	12 to 13
Age Range Justification	FTE %	
	0.14	

Building Name		
Welsh Valley MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		6
Identify Classroom	Classroom Location	Age Range

School District	Secondary	12 to 13
Age Range Justification		FTE %
		0.3

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
BC015	Secondary	Full-time (1.0)	10/07/2021 07:30 AM

Building Name		
Bala-Cynwyd MS		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		9
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 12
Age Range Justification		FTE %
		0.75

Building Name		
Bala-Cynwyd MS		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		1
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 11

Age Range Justification	FTE %
	0.12

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
BC014	Secondary	Full-time (1.0)	10/07/2021 07:29 AM

Building Name		
Bala-Cynwyd MS		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		3
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 12
Age Range Justification		FTE %
		0.25

Building Name		
Bala-Cynwyd MS		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		3
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 12
Age Range Justification		FTE %

	0.38
--	------

Building Name		
Bala-Cynwyd MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		3
Identify Classroom	Classroom Location	Age Range
School District	Secondary	12 to 13
Age Range Justification		FTE %
		0.15

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
BC013	Secondary	Full-time (1.0)	10/07/2021 07:27 AM

Building Name		
Bala-Cynwyd MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		5
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 15
Age Range Justification		FTE %
		0.25

Building Name		
Bala-Cynwyd MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		10
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 12
Age Range Justification		FTE %
		0.2

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
BC012	Secondary	Full-time (1.0)	10/07/2021 07:26 AM

Building Name		
Bala-Cynwyd MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		7
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 12
Age Range Justification		FTE %
		0.14

Building Name		
Bala-Cynwyd MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		6
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 12
Age Range Justification		FTE %
		0.3

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
BC011	Secondary	Full-time (1.0)	10/07/2021 07:25 AM

Building Name		
Bala-Cynwyd MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		6
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 12
Age Range Justification		FTE %
		0.12

Building Name

Bala-Cynwyd MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		7
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 12
Age Range Justification		FTE %
		0.35

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
BC010	Secondary	Full-time (1.0)	10/07/2021 07:24 AM

Building Name		
Bala-Cynwyd MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		4
Identify Classroom	Classroom Location	Age Range
School District	Secondary	12 to 12
Age Range Justification		FTE %
		0.2

Building Name
Bala-Cynwyd MS

Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		8
Identify Classroom	Classroom Location	Age Range
School District	Secondary	12 to 13
Age Range Justification		FTE %
		0.16

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
BC009	Secondary	Full-time (1.0)	10/07/2021 07:22 AM

Building Name		
Bala-Cynwyd MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		6
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 12
Age Range Justification		FTE %
		0.3

Building Name		
Bala-Cynwyd MS		
Support Type		

Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		8
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 12
Age Range Justification		FTE %
		0.16

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
BC008	Secondary	Full-time (1.0)	10/07/2021 07:21 AM

Building Name		
Bala-Cynwyd MS		
Support Type		
Speech And Language Support		
Support Sub-Type		
Speech And Language Support		
Level of Support		Case Load
Itinerant (20% or Less)		53
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 14
Age Range Justification		FTE %
		0.82

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
BC007	Secondary	Full-time (1.0)	10/07/2021 07:20 AM

Building Name		
Bala-Cynwyd MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		11
Identify Classroom	Classroom Location	Age Range
School District	Secondary	13 to 14
Age Range Justification		FTE %
		0.22

Building Name		
Bala-Cynwyd MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		6
Identify Classroom	Classroom Location	Age Range
School District	Secondary	13 to 14
Age Range Justification		FTE %
		0.3

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
BC006	Secondary	Full-time (1.0)	10/07/2021 07:19 AM

Building Name		
Bala-Cynwyd MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		2
Identify Classroom	Classroom Location	Age Range
School District	Secondary	13 to 13
Age Range Justification		FTE %
		0.1

Building Name		
Bala-Cynwyd MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		13
Identify Classroom	Classroom Location	Age Range
School District	Secondary	13 to 14
Age Range Justification		FTE %
		0.26

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
BC005	Secondary	Full-time (1.0)	10/07/2021 07:18 AM

Building Name		
Bala-Cynwyd MS		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		3
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 14
Age Range Justification		FTE %
		0.38

Building Name		
Bala-Cynwyd MS		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		7
Identify Classroom	Classroom Location	Age Range
School District	Secondary	12 to 14
Age Range Justification		FTE %
		0.58

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
BC004	Secondary	Full-time (1.0)	10/07/2021 07:17 AM

Building Name		
Bala-Cynwyd MS		
Support Type		
Speech And Language Support		
Support Sub-Type		
Speech And Language Support		
Level of Support		Case Load
Itinerant (20% or Less)		40
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 14
Age Range Justification		FTE %
		0.62

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
BC003	Secondary	Full-time (1.0)	10/07/2021 07:16 AM

Building Name		
Bala-Cynwyd MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Full-Time (80% or More)		1
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 11

Age Range Justification	FTE %
	0.08

Building Name		
Bala-Cynwyd MS		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		1
Identify Classroom	Classroom Location	Age Range
School District	Secondary	13 to 13
Age Range Justification		FTE %
		0.05

Building Name		
Bala-Cynwyd MS		
Support Type		
Life Skills Support		
Support Sub-Type		
Life Skills Support (Grades 7-12)		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		7
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 14
Age Range Justification		FTE %
		0.35

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
BC002	Secondary	Full-time (1.0)	10/07/2021 07:14 AM

Building Name		
Bala-Cynwyd MS		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Itinerant (20% or Less)		13
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 14
Age Range Justification		FTE %
		0.26

Building Name		
Bala-Cynwyd MS		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		1
Identify Classroom	Classroom Location	Age Range
School District	Secondary	12 to 12
Age Range Justification		FTE %
		0.05

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
BC001	Secondary	Full-time (1.0)	10/07/2021 07:13 AM

Building Name		
Bala-Cynwyd MS		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Itinerant (20% or Less)		10
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 13
Age Range Justification		FTE %
		0.2

Building Name		
Bala-Cynwyd MS		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		5
Identify Classroom	Classroom Location	Age Range
School District	Secondary	11 to 13
Age Range Justification		FTE %
		0.25

Building Name		
Bala-Cynwyd MS		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		1

Identify Classroom	Classroom Location	Age Range
School District	Secondary	13 to 13
Age Range Justification		FTE %
		0.12

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
PW009	Elementary	Full-time (1.0)	10/06/2021 02:55 PM

Building Name		
Penn Wynne Sch		
Support Type		
Speech And Language Support		
Support Sub-Type		
Speech And Language Support		
Level of Support		Case Load
Itinerant (20% or Less)		46
Identify Classroom	Classroom Location	Age Range
School District	Elementary	5 to 9
Age Range Justification		FTE %
At any given time, the age range of students in the classroom at the same time fall within age requirements.		0.71

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
PW008	Elementary	Full-time (1.0)	10/06/2021 02:54 PM

Building Name
Penn Wynne Sch

Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		6
Identify Classroom	Classroom Location	Age Range
School District	Elementary	5 to 8
Age Range Justification		FTE %
		0.5

Building Name		
Penn Wynne Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	6 to 6
Age Range Justification		FTE %
		0.12

Building Name		
Penn Wynne Sch		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 8

Age Range Justification	FTE %
	0.02

Building Name		
Penn Wynne Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	7 to 7
Age Range Justification		FTE %
		0.02

Building Name		
Penn Wynne Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		2
Identify Classroom	Classroom Location	Age Range
School District	Elementary	6 to 6
Age Range Justification		FTE %
		0.1

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
PW007	Elementary	Full-time (1.0)	10/06/2021 02:51 PM

Building Name		
Penn Wynne Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 8
Age Range Justification		FTE %
		0.08

Building Name		
Penn Wynne Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		2
Identify Classroom	Classroom Location	Age Range
School District	Elementary	9 to 10
Age Range Justification		FTE %
		0.1

Building Name		
Penn Wynne Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load

Itinerant (20% or Less)		9
Identify Classroom	Classroom Location	Age Range
School District	Elementary	7 to 10
Age Range Justification		FTE %
		0.18

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
PW006	Elementary	Full-time (1.0)	10/06/2021 02:50 PM

Building Name		
Penn Wynne Sch		
Support Type		
Speech And Language Support		
Support Sub-Type		
Speech And Language Support		
Level of Support		Case Load
Itinerant (20% or Less)		48
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 11
Age Range Justification		FTE %
		0.74

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
PW005	Elementary	Full-time (1.0)	10/06/2021 02:49 PM

Building Name

Penn Wynne Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		2
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 8
Age Range Justification		FTE %
		0.25

Building Name		
Penn Wynne Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	7 to 7
Age Range Justification		FTE %
		0.08

Building Name		
Penn Wynne Sch		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range

School District	Elementary	7 to 7
Age Range Justification		FTE %
		0.02

Building Name		
Penn Wynne Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 8
Age Range Justification		FTE %
		0.02

Building Name		
Penn Wynne Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		4
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 8
Age Range Justification		FTE %
		0.2

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
PW004	Elementary	Full-time (1.0)	10/06/2021 02:47 PM

Building Name		
Penn Wynne Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		4
Identify Classroom	Classroom Location	Age Range
School District	Elementary	6 to 7
Age Range Justification		FTE %
		0.08

Building Name		
Penn Wynne Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		6
Identify Classroom	Classroom Location	Age Range
School District	Elementary	6 to 8
Age Range Justification		FTE %
		0.3

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
PW003	Elementary	Full-time (1.0)	10/06/2021 02:45 PM

Building Name		
Penn Wynne Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		7
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 10
Age Range Justification		FTE %
		0.58

Building Name		
Penn Wynne Sch		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 8
Age Range Justification		FTE %
		0.02

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
PW002	Elementary	Full-time (1.0)	10/06/2021 02:44 PM

Building Name		
Penn Wynne Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		4
Identify Classroom	Classroom Location	Age Range
School District	Elementary	9 to 10
Age Range Justification		FTE %
		0.2

Building Name		
Penn Wynne Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		9
Identify Classroom	Classroom Location	Age Range
School District	Elementary	9 to 10
Age Range Justification		FTE %
		0.18

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
PW001	Elementary	Full-time (1.0)	10/06/2021 02:43 PM

Building Name		
Penn Wynne Sch		
Support Type		
Life Skills Support		
Support Sub-Type		
Life Skills Support (Grades K-6)		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		2
Identify Classroom	Classroom Location	Age Range
School District	Elementary	9 to 10
Age Range Justification		FTE %
		0.1

Building Name		
Penn Wynne Sch		
Support Type		
Life Skills Support		
Support Sub-Type		
Life Skills Support (Grades K-6)		
Level of Support		Case Load
Full-Time (80% or More)		3
Identify Classroom	Classroom Location	Age Range
School District	Elementary	7 to 10
Age Range Justification		FTE %
		0.25

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
PV010	Elementary	Full-time (1.0)	10/06/2021 02:42 PM

Building Name		
Penn Valley Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		3
Identify Classroom	Classroom Location	Age Range
School District	Elementary	9 to 11
Age Range Justification		FTE %
		0.38

Building Name		
Penn Valley Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		4
Identify Classroom	Classroom Location	Age Range
School District	Elementary	9 to 11
Age Range Justification		FTE %
		0.33

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
PV009	Elementary	Full-time (1.0)	10/06/2021 02:41 PM

Building Name		
Penn Valley Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		4
Identify Classroom	Classroom Location	Age Range
School District	Elementary	7 to 8
Age Range Justification		FTE %
		0.2

Building Name		
Penn Valley Sch		
Support Type		
Physical Support		
Support Sub-Type		
Physical Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	7 to 7
Age Range Justification		FTE %
		0.02

Building Name		
Penn Valley Sch		
Support Type		
Learning Support		

Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		4
Identify Classroom	Classroom Location	Age Range
School District	Elementary	7 to 8
Age Range Justification		FTE %
		0.08

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
PV008	Elementary	Full-time (1.0)	10/06/2021 02:39 PM

Building Name		
Penn Valley Sch		
Support Type		
Speech And Language Support		
Support Sub-Type		
Speech And Language Support		
Level of Support		Case Load
Itinerant (20% or Less)		32
Identify Classroom	Classroom Location	Age Range
School District	Elementary	6 to 11
Age Range Justification		FTE %
At any given time, the age range of students in the classroom at the same time fall within age requirements.		0.49

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
PV007	Elementary	Full-time (1.0)	10/06/2021 02:38 PM

Building Name		
Penn Valley Sch		
Support Type		
Blind And Visually Impaired Support		
Support Sub-Type		
Blind And Visually Impaired Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	9 to 9
Age Range Justification		FTE %
		0.02

Building Name		
Penn Valley Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 8
Age Range Justification		FTE %
		0.05

Building Name	
Penn Valley Sch	
Support Type	
Learning Support	
Support Sub-Type	
Learning Support	
Level of Support	Case Load

Itinerant (20% or Less)		4
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 9
Age Range Justification		FTE %
		0.08

Building Name		
Penn Valley Sch		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	9 to 9
Age Range Justification		FTE %
		0.02

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
PV006	Elementary	Full-time (1.0)	10/06/2021 02:36 PM

Building Name		
Penn Valley Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		5

Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 11
Age Range Justification		FTE %
		0.42

Building Name		
Penn Valley Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		2
Identify Classroom	Classroom Location	Age Range
School District	Elementary	9 to 10
Age Range Justification		FTE %
		0.25

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
PV005	Elementary	Full-time (1.0)	10/07/2021 09:00 AM

Building Name		
Penn Valley Sch		
Support Type		
Speech And Language Support		
Support Sub-Type		
Speech And Language Support		
Level of Support		Case Load
Itinerant (20% or Less)		30
Identify Classroom	Classroom Location	Age Range

School District	Elementary	5 to 9
Age Range Justification		FTE %
At any given time, the age range of students in the classroom at the same time fall within age requirements.		0.46

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
PV004	Elementary	Full-time (1.0)	10/06/2021 02:34 PM

Building Name		
Penn Valley Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		8
Identify Classroom	Classroom Location	Age Range
School District	Elementary	10 to 11
Age Range Justification		FTE %
		0.16

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
PV003	Elementary	Full-time (1.0)	10/06/2021 02:33 PM

Building Name		
Penn Valley Sch		
Support Type		

Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		8
Identify Classroom	Classroom Location	Age Range
School District	Elementary	9 to 10
Age Range Justification		FTE %
		0.16

Building Name		
Penn Valley Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		4
Identify Classroom	Classroom Location	Age Range
School District	Elementary	9 to 10
Age Range Justification		FTE %
		0.2

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
PV002	Elementary	Full-time (1.0)	10/06/2021 02:30 PM

Building Name		
Penn Valley Sch		
Support Type		
Learning Support		

Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	7 to 7
Age Range Justification		FTE %
		0.02

Building Name		
Penn Valley Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	7 to 7
Age Range Justification		FTE %
		0.12

Building Name		
Penn Valley Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		2
Identify Classroom	Classroom Location	Age Range
School District	Elementary	6 to 7
Age Range Justification		FTE %
		0.17

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
PV001	Elementary	Full-time (1.0)	10/06/2021 01:53 PM

Building Name		
Penn Valley Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		2
Identify Classroom	Classroom Location	Age Range
School District	Elementary	5 to 7
Age Range Justification		FTE %
		0.04

Building Name		
Penn Valley Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		2
Identify Classroom	Classroom Location	Age Range
School District	Elementary	5 to 7
Age Range Justification		FTE %
		0.1

Building Name		
Penn Valley Sch		
Support Type		
Deaf And Hearing Impaired Support		
Support Sub-Type		
Deaf And Hearing Impaired Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	7 to 7
Age Range Justification		FTE %
		0.02

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
ME007	Elementary	Full-time (1.0)	10/06/2021 01:47 PM

Building Name		
Merion El Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		4
Identify Classroom	Classroom Location	Age Range
School District	Elementary	5 to 7
Age Range Justification		FTE %
		0.33

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
ME006	Elementary	Full-time (1.0)	10/06/2021 01:45 PM

Building Name		
Merion El Sch		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	9 to 9
Age Range Justification		FTE %
		0.02

Building Name		
Merion El Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 8
Age Range Justification		FTE %
		0.05

Building Name		
Merion El Sch		

Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		2
Identify Classroom	Classroom Location	Age Range
School District	Elementary	9 to 10
Age Range Justification		FTE %
		0.04

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
ME005	Elementary	Full-time (1.0)	10/06/2021 01:38 PM

Building Name		
Merion El Sch		
Support Type		
Speech And Language Support		
Support Sub-Type		
Speech And Language Support		
Level of Support		Case Load
Itinerant (20% or Less)		26
Identify Classroom	Classroom Location	Age Range
School District	Elementary	5 to 12
Age Range Justification		FTE %
At any given time, the age range of students in the classroom at the same time fall within age requirements.		0.4

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
ME004	Elementary	Full-time (1.0)	10/06/2021 01:36 PM

Building Name		
Merion El Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		4
Identify Classroom	Classroom Location	Age Range
School District	Elementary	9 to 10
Age Range Justification		FTE %
		0.2

Building Name		
Merion El Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Full-Time (80% or More)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	10 to 10
Age Range Justification		FTE %
		0.08

Building Name		
Merion El Sch		
Support Type		
Learning Support		

Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		3
Identify Classroom	Classroom Location	Age Range
School District	Elementary	9 to 10
Age Range Justification		FTE %
		0.06

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
ME003	Elementary	Full-time (1.0)	10/06/2021 01:30 PM

Building Name		
Merion El Sch		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Itinerant (20% or Less)		3
Identify Classroom	Classroom Location	Age Range
School District	Elementary	6 to 8
Age Range Justification		FTE %
		0.06

Building Name		
Merion El Sch		
Support Type		
Learning Support		
Support Sub-Type		

Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		3
Identify Classroom	Classroom Location	Age Range
School District	Elementary	5 to 8
Age Range Justification		FTE %
		0.06

Building Name		
Merion El Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		2
Identify Classroom	Classroom Location	Age Range
School District	Elementary	6 to 6
Age Range Justification		FTE %
		0.1

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
ME002	Elementary	Full-time (1.0)	10/06/2021 01:29 PM

Building Name		
Gladwyne Sch		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		

Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		3
Identify Classroom	Classroom Location	Age Range
School District	Elementary	7 to 8
Age Range Justification		FTE %
		0.15

Building Name		
Merion El Sch		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Itinerant (20% or Less)		5
Identify Classroom	Classroom Location	Age Range
School District	Elementary	7 to 9
Age Range Justification		FTE %
		0.1

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
ME001	Elementary	Full-time (1.0)	10/06/2021 01:27 PM

Building Name	
Merion El Sch	
Support Type	
Autistic Support	
Support Sub-Type	
Autistic Support	
Level of Support	Case Load

Supplemental (Less Than 80% but More Than 20%)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	11 to 11
Age Range Justification		FTE %
		0.12

Building Name		
Merion El Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		4
Identify Classroom	Classroom Location	Age Range
School District	Elementary	9 to 11
Age Range Justification		FTE %
		0.33

Building Name		
Merion El Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	10 to 10
Age Range Justification		FTE %
		0.02

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
---------------	---------------------------	---	----------------

GL009	Elementary	Full-time (1.0)	10/06/2021 01:23 PM
-------	------------	-----------------	---------------------

Building Name		
Gladwyne Sch		
Support Type		
Speech And Language Support		
Support Sub-Type		
Speech And Language Support		
Level of Support		Case Load
Itinerant (20% or Less)		43
Identify Classroom	Classroom Location	Age Range
School District	Elementary	5 to 11
Age Range Justification		FTE %
At any given time, the age range of students in the classroom at the same time fall within age requirements.		0.66

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
GL008	Elementary	Full-time (1.0)	10/06/2021 01:21 PM

Building Name		
Gladwyne Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		8
Identify Classroom	Classroom Location	Age Range

School District	Elementary	8 to 9
Age Range Justification		FTE %
		0.4

Building Name		
Gladwyne Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		2
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 9
Age Range Justification		FTE %
		0.04

Building Name		
Gladwyne Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		4
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 9
Age Range Justification		FTE %
		0.5

Building Name		
Gladwyne Sch		
Support Type		
Emotional Support		

Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 8
Age Range Justification		FTE %
		0.02

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
GL007	Elementary	Full-time (1.0)	10/06/2021 12:39 PM

Building Name		
Gladwyne Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		5
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 9
Age Range Justification		FTE %
		0.25

Building Name		
Gladwyne Sch		
Support Type		
Autistic Support		
Support Sub-Type		

Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	9 to 9
Age Range Justification		FTE %
		0.08

Building Name		
Gladwyne Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		8
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 9
Age Range Justification		FTE %
		0.16

Building Name		
Gladwyne Sch		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	9 to 9
Age Range Justification		FTE %
		0.02

Building Name		
Gladwyne Sch		
Support Type		
Blind And Visually Impaired Support		
Support Sub-Type		
Blind And Visually Impaired Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 8
Age Range Justification		FTE %
		0.02

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
GL006/ ME008	Elementary	Full-time (1.0)	11/10/2021 05:20 PM

Building Name		
Gladwyne Sch		
Support Type		
Speech And Language Support		
Support Sub-Type		
Speech And Language Support		
Level of Support		Case Load
Itinerant (20% or Less)		27
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 11
Age Range Justification		FTE %
At any given time, the age range of students in the classroom at the same time fall within age requirements.		0.42

Building Name

Merion El Sch		
Support Type		
Speech And Language Support		
Support Sub-Type		
Speech And Language Support		
Level of Support		Case Load
Itinerant (20% or Less)		15
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 11
Age Range Justification		FTE %
At any given time, the age range of students in the classroom at the same time fall within age requirements.		0.23

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
GL005	Elementary	Full-time (1.0)	10/06/2021 11:40 AM

Building Name		
Gladwyne Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		2
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 8
Age Range Justification		FTE %
		0.17

Building Name
Gladwyne Sch

Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		3
Identify Classroom	Classroom Location	Age Range
School District	Elementary	7 to 8
Age Range Justification		FTE %
		0.15

Building Name		
Gladwyne Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		6
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 9
Age Range Justification		FTE %
		0.12

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
GL004	Elementary	Full-time (1.0)	10/06/2021 11:37 AM

Building Name		
Gladwyne Sch		
Support Type		

Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		6
Identify Classroom	Classroom Location	Age Range
School District	Elementary	10 to 11
Age Range Justification		FTE %
		0.12

Building Name		
Gladwyne Sch		
Support Type		
Deaf And Hearing Impaired Support		
Support Sub-Type		
Deaf And Hearing Impaired Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	10 to 10
Age Range Justification		FTE %
		0.02

Building Name		
Gladwyne Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		3
Identify Classroom	Classroom Location	Age Range
School District	Elementary	10 to 11
Age Range Justification		FTE %

	0.25
--	------

Building Name		
Gladwyne Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		3
Identify Classroom	Classroom Location	Age Range
School District	Elementary	10 to 11
Age Range Justification		FTE %
		0.15

Building Name		
Gladwyne Sch		
Support Type		
Blind And Visually Impaired Support		
Support Sub-Type		
Blind And Visually Impaired Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	10 to 10
Age Range Justification		FTE %
		0.02

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
GL003	Elementary	Full-time (1.0)	10/06/2021 11:28 AM

Building Name		
Gladwyne Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		7
Identify Classroom	Classroom Location	Age Range
School District	Elementary	5 to 6
Age Range Justification		FTE %
		0.88

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
GL002	Elementary	Full-time (1.0)	10/06/2021 11:27 AM

Building Name		
Gladwyne Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		4
Identify Classroom	Classroom Location	Age Range
School District	Elementary	9 to 11
Age Range Justification		FTE %
		0.08

Building Name		
Gladwyne Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	11 to 11
Age Range Justification		FTE %
		0.12

Building Name		
Gladwyne Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		2
Identify Classroom	Classroom Location	Age Range
School District	Elementary	10 to 10
Age Range Justification		FTE %
		0.1

Building Name		
Gladwyne Sch		
Support Type		
Multiple Disabilities Support		
Support Sub-Type		
Multiple Disabilities Support		
Level of Support		Case Load
Itinerant (20% or Less)		1

Identify Classroom	Classroom Location	Age Range
School District	Elementary	10 to 10
Age Range Justification		FTE %
		0.08

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
GL001	Elementary	Full-time (1.0)	10/06/2021 11:25 AM

Building Name		
Gladwyne Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		3
Identify Classroom	Classroom Location	Age Range
School District	Elementary	6 to 7
Age Range Justification		FTE %
		0.15

Building Name		
Gladwyne Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		2
Identify Classroom	Classroom Location	Age Range

School District	Elementary	6 to 7
Age Range Justification		FTE %
		0.17

Building Name		
Gladwyne Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		4
Identify Classroom	Classroom Location	Age Range
School District	Elementary	6 to 8
Age Range Justification		FTE %
		0.08

Building Name		
Gladwyne Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	6 to 6
Age Range Justification		FTE %
		0.12

Building Name		
Gladwyne Sch		
Support Type		
Emotional Support		

Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	6 to 6
Age Range Justification		FTE %
		0.02

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
CY008	Elementary	Full-time (1.0)	10/06/2021 11:10 AM

Building Name		
Cynwyd Sch		
Support Type		
Speech And Language Support		
Support Sub-Type		
Speech And Language Support		
Level of Support		Case Load
Itinerant (20% or Less)		28
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 11
Age Range Justification		FTE %
		0.43

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
CY007	Elementary	Full-time (1.0)	10/06/2021 11:09 AM

Building Name		
Cynwyd Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		7
Identify Classroom	Classroom Location	Age Range
School District	Elementary	5 to 6
Age Range Justification		FTE %
		0.35

Building Name		
Cynwyd Sch		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	6 to 6
Age Range Justification		FTE %
		0.02

Building Name		
Cynwyd Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load

Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	5 to 5
Age Range Justification		FTE %
		0.02

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
CY006	Elementary	Full-time (1.0)	10/06/2021 11:01 AM

Building Name		
Cynwyd Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		5
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 10
Age Range Justification		FTE %
		0.42

Building Name		
Cynwyd Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		3

Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 10
Age Range Justification		FTE %
		0.38

Building Name		
Cynwyd Sch		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Itinerant (20% or Less)		3
Identify Classroom	Classroom Location	Age Range
School District	Elementary	9 to 11
Age Range Justification		FTE %
		0.06

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
CY005	Elementary	Full-time (1.0)	10/06/2021 10:59 AM

Building Name		
Cynwyd Sch		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range

School District	Elementary	7 to 7
Age Range Justification		FTE %
		0.02

Building Name		
Cynwyd Sch		
Support Type		
Deaf And Hearing Impaired Support		
Support Sub-Type		
Deaf And Hearing Impaired Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		2
Identify Classroom	Classroom Location	Age Range
School District	Elementary	6 to 7
Age Range Justification		FTE %
		0.13

Building Name		
Cynwyd Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		3
Identify Classroom	Classroom Location	Age Range
School District	Elementary	6 to 7
Age Range Justification		FTE %
		0.06

Building Name		
Cynwyd Sch		
Support Type		
Autistic Support		

Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	6 to 6
Age Range Justification		FTE %
		0.08

Building Name		
Cynwyd Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		4
Identify Classroom	Classroom Location	Age Range
School District	Elementary	6 to 7
Age Range Justification		FTE %
		0.2

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
CY004	Elementary	Full-time (1.0)	10/06/2021 10:57 AM

Building Name		
Cynwyd Sch		
Support Type		
Speech And Language Support		
Support Sub-Type		

Speech And Language Support		
Level of Support		Case Load
Itinerant (20% or Less)		29
Identify Classroom	Classroom Location	Age Range
School District	Elementary	5 to 10
Age Range Justification		FTE %
At any given time, the age range of students in the classroom at the same time fall within age requirements.		0.45

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
CY003	Elementary	Full-time (1.0)	10/06/2021 10:56 AM

Building Name		
Cynwyd Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		6
Identify Classroom	Classroom Location	Age Range
School District	Elementary	9 to 10
Age Range Justification		FTE %
		0.3

Building Name		
Cynwyd Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		

Level of Support		Case Load
Itinerant (20% or Less)		2
Identify Classroom	Classroom Location	Age Range
School District	Elementary	9 to 10
Age Range Justification		FTE %
		0.04

Building Name		
Cynwyd Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	10 to 10
Age Range Justification		FTE %
		0.12

Building Name		
Cynwyd Sch		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	9 to 9
Age Range Justification		FTE %
		0.02

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
CY002	Elementary	Full-time (1.0)	10/06/2021 10:54 AM

Building Name		
Cynwyd Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support	Case Load	
Supplemental (Less Than 80% but More Than 20%)	6	
Identify Classroom	Classroom Location	Age Range
School District	Elementary	9 to 10
Age Range Justification	FTE %	
	0.3	

Building Name		
Cynwyd Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support	Case Load	
Itinerant (20% or Less)	7	
Identify Classroom	Classroom Location	Age Range
School District	Elementary	9 to 10
Age Range Justification	FTE %	
	0.14	

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
--------	--------------------	----------------------------------	---------

CY001	Elementary	Full-time (1.0)	11/10/2021 05:19 PM
-------	------------	-----------------	---------------------

Building Name		
Cynwyd Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		3
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 8
Age Range Justification		FTE %
		0.15

Building Name		
Gladwyne Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		8
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 9
Age Range Justification		FTE %
		0.16

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
BH012	Elementary	Full-time (1.0)	10/06/2021 10:50 AM

Building Name		
Belmont Hills El Sch		
Support Type		
Speech And Language Support		
Support Sub-Type		
Speech And Language Support		
Level of Support		Case Load
Itinerant (20% or Less)		22
Identify Classroom	Classroom Location	Age Range
School District	Elementary	5 to 11
Age Range Justification		FTE %
At any given time, the age range of students in the classroom at the same time fall within age requirements.		0.34

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
BH011	Elementary	Full-time (1.0)	10/06/2021 10:49 AM

Building Name		
Belmont Hills El Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		3
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 11

Age Range Justification	FTE %
	0.38

Building Name		
Belmont Hills El Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Full-Time (80% or More)		2
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 11
Age Range Justification		FTE %
		0.25

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
BH010/ HH018/ LM019	Multiple	Full-time (1.0)	10/06/2021 11:13 AM

Building Name		
Belmont Hills El Sch		
Support Type		
Speech And Language Support		
Support Sub-Type		
Speech And Language Support		
Level of Support		Case Load
Itinerant (20% or Less)		26
Identify Classroom	Classroom Location	Age Range
School District	Elementary	5 to 11
Age Range Justification		FTE %

At any given time, the age range of students in the classroom at the same time fall within age requirements.	0.4
--	-----

Building Name		
Harriton SHS		
Support Type		
Speech And Language Support		
Support Sub-Type		
Speech And Language Support		
Level of Support		Case Load
Itinerant (20% or Less)		9
Identify Classroom	Classroom Location	Age Range
School District	Secondary	14 to 17
Age Range Justification		FTE %
		0.14

Building Name		
Lower Merion HS		
Support Type		
Speech And Language Support		
Support Sub-Type		
Speech And Language Support		
Level of Support		Case Load
Itinerant (20% or Less)		20
Identify Classroom	Classroom Location	Age Range
School District	Secondary	14 to 19
Age Range Justification		FTE %
At any given time, the age range of students in the classroom at the same time fall within age requirements.		0.31

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
BH009	Elementary	Full-time (1.0)	10/06/2021 10:46 AM

Building Name		
Belmont Hills El Sch		
Support Type		
Speech And Language Support		
Support Sub-Type		
Speech And Language Support		
Level of Support		Case Load
Itinerant (20% or Less)		25
Identify Classroom	Classroom Location	Age Range
School District	Elementary	5 to 11
Age Range Justification		FTE %
At any given time, the age range of students in the classroom at the same time fall within age requirements.		0.38

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
BH008	Elementary	Full-time (1.0)	10/06/2021 10:45 AM

Building Name		
Belmont Hills El Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		2
Identify Classroom	Classroom Location	Age Range
School District	Elementary	7 to 10
Age Range Justification		FTE %
		0.17

Building Name		
Belmont Hills El Sch		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		2
Identify Classroom	Classroom Location	Age Range
School District	Elementary	10 to 10
Age Range Justification		FTE %
		0.1

Building Name		
Belmont Hills El Sch		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Itinerant (20% or Less)		3
Identify Classroom	Classroom Location	Age Range
School District	Elementary	9 to 11
Age Range Justification		FTE %
		0.06

Building Name		
Belmont Hills El Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		1

Identify Classroom	Classroom Location	Age Range
School District	Elementary	10 to 10
Age Range Justification		FTE %
		0.05

Building Name		
Belmont Hills El Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 8
Age Range Justification		FTE %
		0.02

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
BH007	Elementary	Full-time (1.0)	10/07/2021 09:01 AM

Building Name		
Belmont Hills El Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		2
Identify Classroom	Classroom Location	Age Range

School District	Elementary	9 to 9
Age Range Justification		FTE %
		0.17

Building Name		
Belmont Hills El Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		5
Identify Classroom	Classroom Location	Age Range
School District	Elementary	9 to 10
Age Range Justification		FTE %
		0.25

Building Name		
Belmont Hills El Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		3
Identify Classroom	Classroom Location	Age Range
School District	Elementary	9 to 10
Age Range Justification		FTE %
		0.06

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
BH006	Elementary	Full-time (1.0)	10/06/2021 10:42 AM

Building Name		
Belmont Hills El Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		5
Identify Classroom	Classroom Location	Age Range
School District	Elementary	5 to 6
Age Range Justification		FTE %
		0.42

Building Name		
Belmont Hills El Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	6 to 6
Age Range Justification		FTE %
		0.12

Building Name		
Belmont Hills El Sch		
Support Type		
Learning Support		

Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		2
Identify Classroom	Classroom Location	Age Range
School District	Elementary	6 to 6
Age Range Justification		FTE %
		0.04

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
BH005	Elementary	Full-time (1.0)	10/06/2021 10:40 AM

Building Name		
Belmont Hills El Sch		
Support Type		
Blind And Visually Impaired Support		
Support Sub-Type		
Blind And Visually Impaired Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	7 to 7
Age Range Justification		FTE %
		0.02

Building Name		
Belmont Hills El Sch		
Support Type		
Learning Support		
Support Sub-Type		

Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		4
Identify Classroom	Classroom Location	Age Range
School District	Elementary	7 to 8
Age Range Justification		FTE %
		0.2

Building Name		
Belmont Hills El Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	7 to 7
Age Range Justification		FTE %
		0.02

Building Name		
Belmont Hills El Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Itinerant (20% or Less)		2
Identify Classroom	Classroom Location	Age Range
School District	Elementary	7 to 8
Age Range Justification		FTE %
		0.17

Building Name		
Belmont Hills El Sch		
Support Type		
Emotional Support		
Support Sub-Type		
Emotional Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		1
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 8
Age Range Justification		FTE %
		0.05

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
BH004	Elementary	Full-time (1.0)	10/06/2021 10:35 AM

Building Name		
Belmont Hills El Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Full-Time (80% or More)		2
Identify Classroom	Classroom Location	Age Range
School District	Elementary	6 to 9
Age Range Justification		FTE %
		0.25

Building Name

Belmont Hills El Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		5
Identify Classroom	Classroom Location	Age Range
School District	Elementary	6 to 8
Age Range Justification		FTE %
		0.62

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
BH003	Elementary	Full-time (1.0)	10/06/2021 10:34 AM

Building Name		
Belmont Hills El Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		8
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 9
Age Range Justification		FTE %
		0.4

Building Name
Belmont Hills El Sch

Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		3
Identify Classroom	Classroom Location	Age Range
School District	Elementary	8 to 9
Age Range Justification		FTE %
		0.06

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
BH002	Elementary	Full-time (1.0)	10/06/2021 02:55 PM

Building Name		
Belmont Hills El Sch		
Support Type		
Autistic Support		
Support Sub-Type		
Autistic Support		
Level of Support		Case Load
Full-Time (80% or More)		7
Identify Classroom	Classroom Location	Age Range
School District	Elementary	5 to 7
Age Range Justification		FTE %
		0.88

FTE ID	Classroom Location	Full-time or Part-time Position?	Revised
BH001	Elementary	Full-time (1.0)	10/06/2021 09:42 AM

Building Name		
Belmont Hills El Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Itinerant (20% or Less)		5
Identify Classroom	Classroom Location	Age Range
School District	Elementary	10 to 10
Age Range Justification		FTE %
		0.1

Building Name		
Belmont Hills El Sch		
Support Type		
Learning Support		
Support Sub-Type		
Learning Support		
Level of Support		Case Load
Supplemental (Less Than 80% but More Than 20%)		10
Identify Classroom	Classroom Location	Age Range
School District	Elementary	10 to 10
Age Range Justification		FTE %
		0.5

DRAFT

Special Education Facilities

Building Name		Room #
Welsh Valley MS		A101
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
18 feet, 0 inches x 26 feet, 0 inches	468sqft	16
Implementation Date		
2022-05-16		
Uploaded Files		

1Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Harriton SHS		115
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
26 feet, 0 inches x 26 feet, 0 inches	676sqft	24
Implementation Date		
2022-05-16		
Uploaded Files		

2Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Harriton SHS		224
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
25 feet, 0 inches x 30 feet, 0 inches	750sqft	26
Implementation Date		
2022-05-16		
Uploaded Files		

3Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Welsh Valley MS		D206
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
27 feet, 0 inches x 25 feet, 0 inches	675sqft	24
Implementation Date		
2022-05-16		
Uploaded Files		

4Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Lower Merion HS		23
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
16 feet, 5 inches x 14 feet, 0 inches	229sqft	8
Implementation Date		
2022-05-16		

Uploaded Files

5 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Lower Merion HS		24
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
17 feet, 0 inches x 13 feet, 5 inches	228sqft	8
Implementation Date		
2022-05-16		
Uploaded Files		

6 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Lower Merion HS		101
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
27 feet, 5 inches x 27 feet, 5 inches	751sqft	26
Implementation Date		
2022-05-16		
Uploaded Files		

7Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Lower Merion HS		103
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
27 feet, 5 inches x 27 feet, 5 inches	751sqft	26
Implementation Date		
2022-05-16		

Uploaded Files

8 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Lower Merion HS		109
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
25 feet, 0 inches x 19 feet, 0 inches	475sqft	16
Implementation Date		
2022-05-16		
Uploaded Files		

9 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Lower Merion HS		110
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
29 feet, 0 inches x 47 feet, 0 inches	1363sqft	48
Implementation Date		
2022-05-16		
Uploaded Files		

10Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Lower Merion HS		111
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
27 feet, 0 inches x 27 feet, 0 inches	729sqft	26
Implementation Date		
2022-05-16		

Uploaded Files

11Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Lower Merion HS		120
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
29 feet, 0 inches x 28 feet, 0 inches	812sqft	29
Implementation Date		
2022-05-16		
Uploaded Files		

12Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Lower Merion HS		121
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
22 feet, 0 inches x 28 feet, 0 inches	616sqft	22
Implementation Date		
2022-05-16		
Uploaded Files		

13Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Lower Merion HS		124
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
27 feet, 5 inches x 27 feet, 5 inches	751sqft	26
Implementation Date		
2022-05-16		

Uploaded Files

14Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Lower Merion HS		146
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
37 feet, 5 inches x 27 feet, 5 inches	1025sqft	36
Implementation Date		
2022-05-16		
Uploaded Files		

15Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Lower Merion HS		209
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
25 feet, 0 inches x 19 feet, 0 inches	475sqft	16
Implementation Date		
2022-05-16		
Uploaded Files		

16Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Lower Merion HS		211
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
27 feet, 0 inches x 27 feet, 0 inches	729sqft	26
Implementation Date		
2022-05-16		

Uploaded Files

17Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Lower Merion HS		219
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
25 feet, 0 inches x 27 feet, 0 inches	675sqft	24
Implementation Date		
2022-05-16		
Uploaded Files		

18Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student		No

Building Name		Room #
Lower Merion HS		222
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
18 feet, 0 inches x 30 feet, 0 inches	540sqft	19
Implementation Date		
2022-05-16		
Uploaded Files		

19 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Lower Merion HS		223
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
27 feet, 0 inches x 25 feet, 0 inches	675sqft	24
Implementation Date		
2022-05-16		

Uploaded Files

20Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Lower Merion HS		322
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
18 feet, 0 inches x 30 feet, 0 inches	540sqft	19
Implementation Date		
2022-05-16		
Uploaded Files		

21Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Lower Merion HS		325
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
27 feet, 0 inches x 25 feet, 0 inches	675sqft	24
Implementation Date		
2022-05-16		
Uploaded Files		

22Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Lower Merion HS		328
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
27 feet, 0 inches x 24 feet, 0 inches	648sqft	23
Implementation Date		
2022-05-16		

Uploaded Files

23Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Lower Merion HS		337
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
29 feet, 0 inches x 21 feet, 5 inches	621sqft	22
Implementation Date		
2022-05-16		
Uploaded Files		

24Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student		No

Building Name		Room #
Lower Merion HS		338
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
29 feet, 0 inches x 21 feet, 5 inches	621sqft	22
Implementation Date		
2022-05-16		
Uploaded Files		

25Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Harriton SHS		117
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
25 feet, 0 inches x 28 feet, 0 inches	700sqft	25
Implementation Date		
2022-05-16		

Uploaded Files

26 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Harriton SHS		154
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
14 feet, 0 inches x 10 feet, 0 inches	140sqft	5
Implementation Date		
2022-05-16		
Uploaded Files		

27 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Harriton SHS		201
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
32 feet, 0 inches x 25 feet, 0 inches	800sqft	28
Implementation Date		
2022-05-16		
Uploaded Files		

28 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Harriton SHS		215
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
25 feet, 0 inches x 18 feet, 0 inches	450sqft	16
Implementation Date		
2022-05-16		

Uploaded Files

29 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Harriton SHS		217
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
25 feet, 0 inches x 25 feet, 0 inches	625sqft	22
Implementation Date		
2022-05-16		
Uploaded Files		

30 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Harriton SHS		246
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
28 feet, 0 inches x 25 feet, 0 inches	700sqft	25
Implementation Date		
2022-05-16		
Uploaded Files		

31 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Harriton SHS		301
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
32 feet, 0 inches x 25 feet, 0 inches	800sqft	28
Implementation Date		
2022-05-16		

Uploaded Files

32Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Harriton SHS		302
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
17 feet, 0 inches x 25 feet, 0 inches	425sqft	15
Implementation Date		
2022-05-16		
Uploaded Files		

33Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Harriton SHS		315
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
25 feet, 0 inches x 25 feet, 0 inches	625sqft	22
Implementation Date		
2022-05-16		
Uploaded Files		

34 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Harriton SHS		317
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
25 feet, 0 inches x 25 feet, 0 inches	625sqft	22
Implementation Date		
2022-05-16		

Uploaded Files

35Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Bala-Cynwyd MS		100B
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
18 feet, 6 inches x 22 feet, 6 inches	416sqft	14
Implementation Date		
2022-05-16		
Uploaded Files		

36Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Bala-Cynwyd MS		101
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
8 feet, 0 inches x 14 feet, 6 inches	116sqft	4
Implementation Date		
2022-05-16		
Uploaded Files		

37 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Bala-Cynwyd MS		112
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
21 feet, 0 inches x 30 feet, 0 inches	630sqft	22
Implementation Date		
2022-05-16		

Uploaded Files

38Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Bala-Cynwyd MS		113
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
23 feet, 0 inches x 23 feet, 0 inches	529sqft	18
Implementation Date		
2022-05-16		
Uploaded Files		

39Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Bala-Cynwyd MS		120
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
31 feet, 0 inches x 23 feet, 0 inches	713sqft	25
Implementation Date		
2022-05-16		
Uploaded Files		

40Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Bala-Cynwyd MS		125
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
22 feet, 6 inches x 35 feet, 0 inches	787sqft	28
Implementation Date		
2022-05-16		

Uploaded Files

41 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Bala-Cynwyd MS		201
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
24 feet, 0 inches x 35 feet, 0 inches	840sqft	30
Implementation Date		
2022-05-16		
Uploaded Files		

42 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Bala-Cynwyd MS		204
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
23 feet, 0 inches x 41 feet, 0 inches	943sqft	33
Implementation Date		
2022-05-16		
Uploaded Files		

43Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Bala-Cynwyd MS		205
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
31 feet, 6 inches x 22 feet, 6 inches	708sqft	25
Implementation Date		
2022-05-16		

Uploaded Files

44Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Bala-Cynwyd MS		207
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
28 feet, 0 inches x 18 feet, 0 inches	504sqft	18
Implementation Date		
2022-05-16		
Uploaded Files		

45Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Bala-Cynwyd MS		208
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
32 feet, 0 inches x 25 feet, 0 inches	800sqft	28
Implementation Date		
2022-05-16		
Uploaded Files		

46Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Bala-Cynwyd MS		209B
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
20 feet, 0 inches x 22 feet, 0 inches	440sqft	15
Implementation Date		
2022-05-16		

Uploaded Files

47Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Bala-Cynwyd MS		210B (210)
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
54 feet, 0 inches x 26 feet, 0 inches	1404sqft	50
Implementation Date		
2022-05-16		
Uploaded Files		

48Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Bala-Cynwyd MS		217
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
26 feet, 0 inches x 32 feet, 0 inches	832sqft	29
Implementation Date		
2022-05-16		
Uploaded Files		

49Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Bala-Cynwyd MS		218
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
23 feet, 0 inches x 23 feet, 0 inches	529sqft	18
Implementation Date		
2022-05-16		

Uploaded Files

50Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Bala-Cynwyd MS		226
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
22 feet, 6 inches x 49 feet, 0 inches	1102sqft	39
Implementation Date		
2022-05-16		
Uploaded Files		

51Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Bala-Cynwyd MS		228
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
22 feet, 0 inches x 35 feet, 0 inches	770sqft	27
Implementation Date		
2022-05-16		
Uploaded Files		

52Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Bala-Cynwyd MS		230
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
13 feet, 0 inches x 12 feet, 0 inches	156sqft	5
Implementation Date		
2022-05-16		

Uploaded Files

53 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Bala-Cynwyd MS		301
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
19 feet, 0 inches x 23 feet, 0 inches	437sqft	15
Implementation Date		
2022-05-16		
Uploaded Files		

54 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Bala-Cynwyd MS		308
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
18 feet, 0 inches x 16 feet, 0 inches	288sqft	10
Implementation Date		
2022-05-16		
Uploaded Files		

55Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Bala-Cynwyd MS		309
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
24 feet, 6 inches x 23 feet, 0 inches	563sqft	20
Implementation Date		
2022-05-16		

Uploaded Files

56 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Bala-Cynwyd MS		310
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
28 feet, 0 inches x 26 feet, 0 inches	728sqft	26
Implementation Date		
2022-05-16		
Uploaded Files		

57 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Welsh Valley MS		A102
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
17 feet, 0 inches x 18 feet, 0 inches	306sqft	10
Implementation Date		
2022-05-16		
Uploaded Files		

58Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Welsh Valley MS		A115
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
16 feet, 0 inches x 10 feet, 0 inches	160sqft	5
Implementation Date		
2022-05-16		

Uploaded Files

59 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Welsh Valley MS		A116
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
16 feet, 0 inches x 17 feet, 0 inches	272sqft	9
Implementation Date		
2022-05-16		
Uploaded Files		

60 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Welsh Valley MS		A117
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
15 feet, 0 inches x 17 feet, 0 inches	255sqft	9
Implementation Date		
2022-05-16		
Uploaded Files		

61Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Welsh Valley MS		A201
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
36 feet, 0 inches x 27 feet, 0 inches	972sqft	34
Implementation Date		
2022-05-16		

Uploaded Files

62Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Welsh Valley MS		D107
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
18 feet, 0 inches x 26 feet, 0 inches	468sqft	16
Implementation Date		
2022-05-16		
Uploaded Files		

63Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Welsh Valley MS		A218
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
18 feet, 0 inches x 17 feet, 0 inches	306sqft	10
Implementation Date		
2022-05-16		
Uploaded Files		

64 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Welsh Valley MS		B116
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
16 feet, 0 inches x 15 feet, 0 inches	240sqft	8
Implementation Date		
2022-05-16		

Uploaded Files

65Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Welsh Valley MS		B117
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
17 feet, 0 inches x 16 feet, 0 inches	272sqft	9
Implementation Date		
2022-05-16		
Uploaded Files		

66Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Welsh Valley MS		D101
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
26 feet, 0 inches x 36 feet, 0 inches	936sqft	33
Implementation Date		
2022-05-16		
Uploaded Files		

67Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Welsh Valley MS		D106
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
27 feet, 0 inches x 34 feet, 0 inches	918sqft	32
Implementation Date		
2022-05-16		

Uploaded Files

68 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Welsh Valley MS		D206
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
27 feet, 0 inches x 25 feet, 0 inches	675sqft	24
Implementation Date		
2022-05-16		
Uploaded Files		

69 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Welsh Valley MS		E101
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
27 feet, 0 inches x 27 feet, 0 inches	729sqft	26
Implementation Date		
2022-05-16		
Uploaded Files		

70Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Welsh Valley MS		E101A
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
20 feet, 0 inches x 14 feet, 0 inches	280sqft	10
Implementation Date		
2022-05-16		

Uploaded Files

71Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Welsh Valley MS		E103
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
24 feet, 0 inches x 16 feet, 0 inches	384sqft	13
Implementation Date		
2022-05-16		
Uploaded Files		

72Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Welsh Valley MS		E119A
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
18 feet, 0 inches x 13 feet, 0 inches	234sqft	8
Implementation Date		
2022-05-16		
Uploaded Files		

73Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Welsh Valley MS		E119B (E119)
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
20 feet, 0 inches x 18 feet, 0 inches	360sqft	12
Implementation Date		
2022-05-16		

Uploaded Files

74Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Welsh Valley MS		E117A (120)
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
29 feet, 0 inches x 20 feet, 0 inches	580sqft	20
Implementation Date		
2022-05-16		
Uploaded Files		

75Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Welsh Valley MS		E201
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
28 feet, 0 inches x 28 feet, 0 inches	784sqft	28
Implementation Date		
2022-05-16		
Uploaded Files		

76Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Welsh Valley MS		E202
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
28 feet, 0 inches x 28 feet, 0 inches	784sqft	28
Implementation Date		
2022-05-16		

Uploaded Files

77Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Welsh Valley MS		E203
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
20 feet, 0 inches x 11 feet, 0 inches	220sqft	7
Implementation Date		
2022-05-16		
Uploaded Files		

78Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Welsh Valley MS		E219
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
19 feet, 0 inches x 20 feet, 0 inches	380sqft	13
Implementation Date		
2022-05-16		
Uploaded Files		

79Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Welsh Valley MS		G136
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
24 feet, 0 inches x 21 feet, 0 inches	504sqft	18
Implementation Date		
2022-05-16		

Uploaded Files

80Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Welsh Valley MS		G138
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
24 feet, 0 inches x 24 feet, 0 inches	576sqft	20
Implementation Date		
2022-05-16		
Uploaded Files		

81Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Belmont Hills El Sch		1
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
31 feet, 0 inches x 28 feet, 0 inches	868sqft	31
Implementation Date		
2022-05-16		
Uploaded Files		

82Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Belmont Hills El Sch		10
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
25 feet, 0 inches x 18 feet, 0 inches	450sqft	16
Implementation Date		
2022-05-16		

Uploaded Files

83Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Belmont Hills El Sch		21
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
25 feet, 0 inches x 18 feet, 0 inches	450sqft	16
Implementation Date		
2022-05-16		
Uploaded Files		

84Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Belmont Hills El Sch		24
School Building		Building Description
Elementary		
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
17 feet, 0 inches x 20 feet, 0 inches	340sqft	12
Implementation Date		
2022-05-16		
Uploaded Files		

85Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Belmont Hills El Sch		25
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
25 feet, 0 inches x 18 feet, 0 inches	450sqft	16
Implementation Date		
2022-05-16		

Uploaded Files

86Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Belmont Hills El Sch		103
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
35 feet, 0 inches x 35 feet, 0 inches	1225sqft	43
Implementation Date		
2022-05-16		
Uploaded Files		

87Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Belmont Hills El Sch		108
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
34 feet, 0 inches x 27 feet, 0 inches	918sqft	32
Implementation Date		
2022-05-16		
Uploaded Files		

88Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Belmont Hills El Sch		109
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
37 feet, 0 inches x 27 feet, 0 inches	999sqft	35
Implementation Date		
2022-05-16		

Uploaded Files

89Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Belmont Hills El Sch		111
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
35 feet, 0 inches x 29 feet, 0 inches	1015sqft	36
Implementation Date		
2022-05-16		
Uploaded Files		

90Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Belmont Hills El Sch		112
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
35 feet, 0 inches x 29 feet, 0 inches	1015sqft	36
Implementation Date		
2022-05-16		
Uploaded Files		

91Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Belmont Hills El Sch		116
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
20 feet, 0 inches x 24 feet, 0 inches	480sqft	17
Implementation Date		
2022-05-16		

Uploaded Files

92Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Belmont Hills El Sch		119
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
62 feet, 0 inches x 45 feet, 0 inches	2790sqft	99
Implementation Date		
2022-05-16		
Uploaded Files		

93Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Belmont Hills El Sch		120
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
29 feet, 0 inches x 32 feet, 0 inches	928sqft	33
Implementation Date		
2022-05-16		
Uploaded Files		

94Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Belmont Hills El Sch		123
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
21 feet, 0 inches x 45 feet, 0 inches	945sqft	33
Implementation Date		
2022-05-16		

Uploaded Files

95Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Belmont Hills El Sch		124
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
10 feet, 0 inches x 24 feet, 0 inches	240sqft	8
Implementation Date		
2022-05-16		
Uploaded Files		

96Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Belmont Hills El Sch		125
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
10 feet, 0 inches x 23 feet, 0 inches	230sqft	8
Implementation Date		
2022-05-16		
Uploaded Files		

97Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Belmont Hills El Sch		126
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
6 feet, 0 inches x 12 feet, 0 inches	72sqft	2
Implementation Date		
2022-05-16		

Uploaded Files

98Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Belmont Hills El Sch		132 (133A)
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
20 feet, 0 inches x 9 feet, 0 inches	180sqft	6
Implementation Date		
2022-05-16		
Uploaded Files		

99Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Belmont Hills El Sch		135B
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
36 feet, 0 inches x 16 feet, 0 inches	576sqft	20
Implementation Date		
2022-05-16		
Uploaded Files		

100Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Belmont Hills El Sch		136
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
19 feet, 0 inches x 12 feet, 0 inches	228sqft	8
Implementation Date		
2022-05-16		

Uploaded Files

101Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Belmont Hills El Sch		200
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
42 feet, 0 inches x 20 feet, 0 inches	840sqft	30
Implementation Date		
2022-05-16		
Uploaded Files		

102Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Belmont Hills El Sch		216
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
37 feet, 0 inches x 27 feet, 0 inches	999sqft	35
Implementation Date		
2022-05-16		
Uploaded Files		

103Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Cynwyd Sch		3A
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
27 feet, 0 inches x 20 feet, 0 inches	540sqft	19
Implementation Date		
2022-05-16		

Uploaded Files

104 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Cynwyd Sch		3B
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
30 feet, 0 inches x 23 feet, 0 inches	690sqft	24
Implementation Date		
2022-05-16		
Uploaded Files		

105 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Cynwyd Sch		11
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
23 feet, 0 inches x 18 feet, 0 inches	414sqft	14
Implementation Date		
2022-05-16		
Uploaded Files		

106Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Cynwyd Sch		20
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
18 feet, 0 inches x 27 feet, 0 inches	486sqft	17
Implementation Date		
2022-05-16		

Uploaded Files

107 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Cynwyd Sch		100
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
26 feet, 0 inches x 25 feet, 0 inches	650sqft	23
Implementation Date		
2022-05-16		
Uploaded Files		

108 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Cynwyd Sch		101
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
24 feet, 0 inches x 23 feet, 0 inches	552sqft	19
Implementation Date		
2022-05-16		
Uploaded Files		

109Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Cynwyd Sch		102
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
30 feet, 0 inches x 20 feet, 0 inches	600sqft	21
Implementation Date		
2022-05-16		

Uploaded Files

110 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Cynwyd Sch		107.3 (107)
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
25 feet, 0 inches x 26 feet, 0 inches	650sqft	23
Implementation Date		
2022-05-16		
Uploaded Files		

111 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Cynwyd Sch		115B (115)
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
18 feet, 0 inches x 27 feet, 0 inches	486sqft	17
Implementation Date		
2022-05-16		
Uploaded Files		

112Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Cynwyd Sch		213
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
22 feet, 0 inches x 24 feet, 0 inches	528sqft	18
Implementation Date		
2022-05-16		

Uploaded Files

113 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Cynwyd Sch		221
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
20 feet, 0 inches x 17 feet, 0 inches	340sqft	12
Implementation Date		
2022-05-16		
Uploaded Files		

114 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Cynwyd Sch		224
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
27 feet, 0 inches x 30 feet, 0 inches	810sqft	28
Implementation Date		
2022-05-16		
Uploaded Files		

115Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Gladwyne Sch		100
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
20 feet, 6 inches x 15 feet, 0 inches	307sqft	10
Implementation Date		
2022-05-16		

Uploaded Files

116 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Gladwyne Sch		101
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
25 feet, 0 inches x 25 feet, 7 inches	639sqft	22
Implementation Date		
2022-05-16		
Uploaded Files		

117 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Gladwyne Sch		102
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
29 feet, 0 inches x 25 feet, 0 inches	725sqft	25
Implementation Date		
2022-05-16		
Uploaded Files		

118Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Gladwyne Sch		110
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
37 feet, 0 inches x 25 feet, 5 inches	940sqft	33
Implementation Date		
2022-05-16		

Uploaded Files

119 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Gladwyne Sch		113
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
33 feet, 0 inches x 26 feet, 0 inches	858sqft	30
Implementation Date		
2022-05-16		
Uploaded Files		

120 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Gladwyne Sch		118A
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
33 feet, 0 inches x 11 feet, 0 inches	363sqft	12
Implementation Date		
2022-05-16		
Uploaded Files		

121Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Gladwyne Sch		118B
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
33 feet, 0 inches x 13 feet, 0 inches	429sqft	15
Implementation Date		
2022-05-16		

Uploaded Files

122Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Gladwyne Sch		119
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
30 feet, 7 inches x 24 feet, 8 inches	754sqft	26
Implementation Date		
2022-05-16		
Uploaded Files		

123Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Gladwyne Sch		131
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
19 feet, 0 inches x 19 feet, 0 inches	361sqft	12
Implementation Date		
2022-05-16		
Uploaded Files		

124Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Gladwyne Sch		146
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
33 feet, 0 inches x 25 feet, 8 inches	847sqft	30
Implementation Date		
2022-05-16		

Uploaded Files

125 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Gladwyne Sch		151
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
33 feet, 1 inches x 25 feet, 1 inches	829sqft	29
Implementation Date		
2022-05-16		
Uploaded Files		

126 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Gladwyne Sch		162
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
22 feet, 1 inches x 22 feet, 1 inches	487sqft	17
Implementation Date		
2022-05-16		
Uploaded Files		

127Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Gladwyne Sch		164
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
26 feet, 5 inches x 31 feet, 0 inches	818sqft	29
Implementation Date		
2022-05-16		

Uploaded Files

128 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Gladwyne Sch		200
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
35 feet, 3 inches x 22 feet, 0 inches	775sqft	27
Implementation Date		
2022-05-16		
Uploaded Files		

129 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Gladwyne Sch		202
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
34 feet, 6 inches x 17 feet, 0 inches	586sqft	20
Implementation Date		
2022-05-16		
Uploaded Files		

130Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Gladwyne Sch		209
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
26 feet, 3 inches x 13 feet, 0 inches	341sqft	12
Implementation Date		
2022-05-16		

Uploaded Files

131 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Merion El Sch		107
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
21 feet, 0 inches x 26 feet, 0 inches	546sqft	19
Implementation Date		
2022-05-16		
Uploaded Files		

132 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Merion El Sch		112 (164)
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
11 feet, 0 inches x 13 feet, 0 inches	143sqft	5
Implementation Date		
2022-05-16		
Uploaded Files		

133Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Merion El Sch		113
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
26 feet, 0 inches x 27 feet, 0 inches	702sqft	25
Implementation Date		
2022-05-16		

Uploaded Files

134 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Merion El Sch		115
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
20 feet, 0 inches x 16 feet, 0 inches	320sqft	11
Implementation Date		
2022-05-16		
Uploaded Files		

135 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Merion El Sch		116B
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
10 feet, 0 inches x 8 feet, 0 inches	80sqft	2
Implementation Date		
2022-05-16		
Uploaded Files		

136Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Merion El Sch		116A
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
16 feet, 0 inches x 30 feet, 0 inches	480sqft	17
Implementation Date		
2022-05-16		

Uploaded Files

137 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Merion El Sch		116B
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
10 feet, 5 inches x 8 feet, 0 inches	83sqft	2
Implementation Date		
2022-05-16		
Uploaded Files		

138 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Merion El Sch		117
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
10 feet, 5 inches x 8 feet, 0 inches	83sqft	2
Implementation Date		
2022-05-16		
Uploaded Files		

139Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Merion El Sch		221
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
26 feet, 0 inches x 30 feet, 0 inches	780sqft	27
Implementation Date		
2022-05-16		

Uploaded Files

140 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Merion El Sch		232
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
21 feet, 0 inches x 15 feet, 0 inches	315sqft	11
Implementation Date		
2022-05-16		
Uploaded Files		

141 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Merion El Sch		230
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
18 feet, 0 inches x 28 feet, 0 inches	504sqft	18
Implementation Date		
2022-05-16		
Uploaded Files		

142Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Valley Sch		108
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
44 feet, 0 inches x 20 feet, 0 inches	880sqft	31
Implementation Date		
2022-05-16		

Uploaded Files

143 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Valley Sch		118
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
59 feet, 0 inches x 14 feet, 5 inches	850sqft	30
Implementation Date		
2022-05-16		
Uploaded Files		

144 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Valley Sch		126
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
15 feet, 6 inches x 10 feet, 4 inches	160sqft	5
Implementation Date		
2022-05-16		
Uploaded Files		

145Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Valley Sch		127
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
20 feet, 0 inches x 6 feet, 6 inches	130sqft	4
Implementation Date		
2022-05-16		

Uploaded Files

146 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Valley Sch		145
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
30 feet, 5 inches x 22 feet, 0 inches	669sqft	23
Implementation Date		
2022-05-16		
Uploaded Files		

147 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Valley Sch		147
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
38 feet, 5 inches x 22 feet, 0 inches	845sqft	30
Implementation Date		
2022-05-16		
Uploaded Files		

148Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Valley Sch		149
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
22 feet, 5 inches x 11 feet, 5 inches	255sqft	9
Implementation Date		
2022-05-16		

Uploaded Files

149 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Valley Sch		162 (162B)
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
24 feet, 0 inches x 20 feet, 0 inches	480sqft	17
Implementation Date		
2022-05-16		
Uploaded Files		

150 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Valley Sch		162A
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
20 feet, 0 inches x 24 feet, 0 inches	480sqft	17
Implementation Date		
2022-05-16		
Uploaded Files		

151Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Valley Sch		172
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
40 feet, 0 inches x 16 feet, 0 inches	640sqft	22
Implementation Date		
2022-05-16		

Uploaded Files

152 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Valley Sch		180
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
50 feet, 0 inches x 16 feet, 0 inches	800sqft	28
Implementation Date		
2022-05-16		
Uploaded Files		

153 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Valley Sch		181
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
31 feet, 0 inches x 25 feet, 5 inches	787sqft	28
Implementation Date		
2022-05-16		
Uploaded Files		

154Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Valley Sch		182B
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
22 feet, 0 inches x 13 feet, 5 inches	295sqft	10
Implementation Date		
2022-05-16		

Uploaded Files

155 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Valley Sch		188
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
49 feet, 0 inches x 12 feet, 0 inches	588sqft	21
Implementation Date		
2022-05-16		
Uploaded Files		

156 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Wynne Sch		105
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
17 feet, 0 inches x 11 feet, 4 inches	192sqft	6
Implementation Date		
2022-05-16		
Uploaded Files		

157Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Wynne Sch		106
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
16 feet, 3 inches x 13 feet, 2 inches	213sqft	7
Implementation Date		
2022-05-16		

Uploaded Files

158 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Wynne Sch		109
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
27 feet, 2 inches x 15 feet, 5 inches	418sqft	14
Implementation Date		
2022-05-16		
Uploaded Files		

159 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Wynne Sch		113
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
24 feet, 0 inches x 37 feet, 0 inches	888sqft	31
Implementation Date		
2022-05-16		
Uploaded Files		

160Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Wynne Sch		116
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
34 feet, 0 inches x 21 feet, 9 inches	739sqft	26
Implementation Date		
2022-05-16		

Uploaded Files

161 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Wynne Sch		121
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
22 feet, 6 inches x 22 feet, 1 inches	496sqft	17
Implementation Date		
2022-05-16		
Uploaded Files		

162 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Wynne Sch		137
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
16 feet, 4 inches x 13 feet, 2 inches	215sqft	7
Implementation Date		
2022-05-16		
Uploaded Files		

163Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Wynne Sch		145
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
29 feet, 5 inches x 31 feet, 6 inches	926sqft	33
Implementation Date		
2022-05-16		

Uploaded Files

164 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Wynne Sch		167
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
26 feet, 11 inches x 20 feet, 1 inches	540sqft	19
Implementation Date		
2022-05-16		
Uploaded Files		

165 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Wynne Sch		206
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
13 feet, 4 inches x 14 feet, 9 inches	196sqft	7
Implementation Date		
2022-05-16		
Uploaded Files		

166Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Wynne Sch		211
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
24 feet, 11 inches x 40 feet, 1 inches	998sqft	35
Implementation Date		
2022-05-16		

Uploaded Files

167 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Wynne Sch		217
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
29 feet, 2 inches x 12 feet, 8 inches	369sqft	13
Implementation Date		
2022-05-16		
Uploaded Files		

168 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Wynne Sch		224
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
14 feet, 11 inches x 14 feet, 6 inches	216sqft	7
Implementation Date		
2022-05-16		
Uploaded Files		

169Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Wynne Sch		226
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
15 feet, 1 inches x 13 feet, 2 inches	198sqft	7
Implementation Date		
2022-05-16		

Uploaded Files

170 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Wynne Sch		200b
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
15 feet, 1 inches x 13 feet, 2 inches	198sqft	7
Implementation Date		
2022-05-16		
Uploaded Files		

171 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Wynne Sch		248
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
26 feet, 1 inches x 23 feet, 6 inches	612sqft	21
Implementation Date		
2022-05-16		
Uploaded Files		

172Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Penn Wynne Sch		259B
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
18 feet, 11 inches x 9 feet, 9 inches	184sqft	6
Implementation Date		
2022-05-16		

Uploaded Files

173Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

Special Education Support Services

Special Education Support Services	Numerical Value	Primary Location	Contractor or District
Director of Special Education	1	District Wide	District
Other	4	District Wide	District
Other	4	District Wide	District
School Psychologist	12	District Wide	District
Physical Therapist	2	District Wide	Contractor
Speech & Language Therapist	19	District Wide	District
Occupational Therapist	7	District Wide	Contractor
Vision Therapist	1	District Wide	IU
Hearing Therapist	1	District Wide	IU
O&M Therapist	1	District Wide	IU
Social Worker	5	District Wide	District
Behavior Specialist	4	District Wide	Contractor
Guidance Counselor	30	District Wide	District
Paraprofessionals	205	District Wide	District

Special Education Personnel Development

Autism

Description of Training	Understanding learner variability within the general education classroom
Year of Training	2022-2023
Lead Person/Position	Special Education Supervisors
Hours Per Training	1.5
Number of Sessions	1
Provider	District and IU
Audience	General education teachers; special education teachers

Description of Training	Universal Design for Learning (UDL) within a Multi-Tiered Systems of Support (MTSS)
Year of Training	2022-2023
Lead Person/Position	Special Education Supervisors
Hours Per Training	1.5
Number of Sessions	1
Provider	District and IU
Audience	General education teachers; special education teachers

Positive Behavior Support

Description of Training	Providing multiple means of engagement and representation through Universal Design for Learning (UDL) within a Multi-Tiered Systems of Support (MTSS)
Year of Training	2022-2023
Lead Person/Position	Special Education Supervisors
Hours Per Training	1-1.5
Number of Sessions	3
Provider	District & IU
Audience	Building Administrators, General Education Teachers, Special Education Teacher

Description of Training	Coaching multiple means of engagement and representation through Universal Design for Learning (UDL) within a Multi-Tiered Systems of Support (MTSS)
Year of Training	2022-2023
Lead Person/Position	Special Education Supervisors
Hours Per Training	1
Number of Sessions	2
Provider	District & IU
Audience	Building Administrators

Description of Training	Supporting multiple means of engagement and representation through Universal Design for Learning (UDL) within a Multi-Tiered Systems of Support (MTSS)
Year of Training	2022-2023
Lead Person/Position	Special Education Supervisors
Hours Per Training	1
Number of Sessions	3
Provider	District & IU
Audience	Paraprofessionals

Description of Training	Providing multiple means of expression and action through Universal Design for Learning (UDL) within a Multi-tiered Systems of Support (MTSS)
Year of Training	2023-2024
Lead Person/Position	Special Education Supervisors
Hours Per Training	1-1.5
Number of Sessions	3
Provider	District & IU
Audience	Building Administrators, General Education Teachers, Special Education Teachers

Description of Training	Coaching multiple means of expression and action through Universal Design for Learning (UDL) within a Multi-tiered Systems of Support (MTSS)
Year of Training	2023-2024
Lead Person/Position	Special Education Supervisors
Hours Per Training	1
Number of Sessions	1
Provider	District & IU
Audience	Building Administrators

Description of Training	Supporting multiple means of expression and action through Universal Design for Learning (UDL) within a Multi-tiered Systems of Support (MTSS)
Year of Training	2023-2024
Lead Person/Position	Special Education Supervisors
Hours Per Training	1
Number of Sessions	3
Provider	District & IU
Audience	Building Administrators, General Education Teachers, Special Education Teachers

Paraprofessional

Description of Training	Supporting transition for students with disabilities ages 14-18 and low incidence disabilities ages 18-21
Year of Training	2022-2023
Lead Person/Position	Special Education Supervisors & Transition Coordinator
Hours Per Training	1
Number of Sessions	3
Provider	District
Audience	Paraprofessionals

Description of Training	Focused topics in Transition Planning: (1) Accommodations versus modification and (2) Work experience class, PAES lab, and community work experiences
Year of Training	2023-2024
Lead Person/Position	Special Education Supervisors & Transition Coordinator
Hours Per Training	1
Number of Sessions	2
Provider	District
Audience	Paraprofessionals

Description of Training	Introduction to Universal Design for Learning (UDL) within a Multi-Tiered Systems of Support (MTSS)
Year of Training	2022-2023
Lead Person/Position	Special Education Supervisors
Hours Per Training	1
Number of Sessions	1
Provider	District & IU
Audience	Paraprofessionals

Description of Training	Supporting multiple means of engagement and representation through Universal Design for Learning (UDL) within a Multi-Tiered Systems of Support (MTSS)
Year of Training	2022-2023
Lead Person/Position	Special Education Supervisors
Hours Per Training	1
Number of Sessions	3
Provider	District & IU
Audience	Paraprofessionals

Description of Training	Supporting multiple means of expression and action through Universal Design for Learning (UDL) within a Multi-tiered Systems of Support (MTSS)
Year of Training	2023-2024
Lead Person/Position	Special Education Supervisors
Hours Per Training	1
Number of Sessions	3
Provider	District & IU
Audience	Building Administrators, General Education Teachers, Special Education Teachers

Transition

Description of Training	Supporting transition for students with disabilities ages 14-18 and low incidence disabilities ages 18-21
Year of Training	2022-2023
Lead Person/Position	Special Education Supervisors & Transition Coordinator
Hours Per Training	1
Number of Sessions	3
Provider	District
Audience	Paraprofessionals

Description of Training	Focused topics in Transition Planning: (1) Accommodations versus modification and (2) Work experience class, PAES lab, and community work experiences
Year of Training	2023-2024
Lead Person/Position	Special Education Supervisors & Transition Coordinator
Hours Per Training	1
Number of Sessions	2
Provider	District
Audience	Paraprofessionals

Description of Training	Evidence Based Practices in transition planning for students with disabilities ages 14-18 and low incidence disabilities ages 18-21
Year of Training	2022-2023
Lead Person/Position	Special Education Supervisors & Transition Coordinator
Hours Per Training	1.5
Number of Sessions	3
Provider	District
Audience	Special Education Teachers

Description of Training	Focused topics in transition planning: 1) Transition assessments 2) Technical high school programs 3) Agency supports
Year of Training	2023-2024
Lead Person/Position	Special Education Supervisors & Transition Coordinator
Hours Per Training	1
Number of Sessions	3
Provider	District & IU
Audience	Special Education Teachers & Parents

Description of Training	School counselor's role in transition planning for students with high incidence disabilities ages 14-18
Year of Training	2022-2023
Lead Person/Position	Special Education Supervisors & Transition Coordinator
Hours Per Training	1.5
Number of Sessions	2
Provider	District
Audience	Other

Description of Training	Focused topics in transition planning for school counselors 1) Transition assessments 2) Agency supports
Year of Training	2023-2024
Lead Person/Position	Special Education Supervisors & Transition Coordinator
Hours Per Training	1
Number of Sessions	2
Provider	District
Audience	Other

Description of Training	Transition planning overview for secondary administrators
Year of Training	2022-2023
Lead Person/Position	Special Education Supervisors & Transition Coordinator
Hours Per Training	1
Number of Sessions	1
Provider	District
Audience	Building Administrators

Description of Training	Focused topics in transition planning for secondary administrators: entitlement versus eligibility; technical high school programs; agency supports
Year of Training	2023-2024
Lead Person/Position	Special Education Supervisors & Transition Coordinator
Hours Per Training	1
Number of Sessions	1
Provider	District
Audience	Building Administrators

Description of Training	Transition training for families: 1) Post-secondary education goals, activities, and services 2) Employment goals, activities, and services 3) Independent living goals, activities, and services
Year of Training	2022-2023
Lead Person/Position	Special Education Supervisors & Transition Coordinator
Hours Per Training	1
Number of Sessions	3
Provider	District
Audience	Parents

Description of Training	Transition Training for families: 1) Agency supports- Office of Developmental Disabilities 2) Agency supports- Office of Vocational Rehabilitation 3) Agency supports- Montcoworks
Year of Training	2023-2024
Lead Person/Position	Special Education Supervisors & Transition Coordinator
Hours Per Training	1
Number of Sessions	3
Provider	District
Audience	Parents

Science of Literacy

Description of Training	Evidence based practices in literacy and Universal Design for Learning within a Multi-Tiered System of Support (includes science of reading training; Tier I instruction and resources, including universal screening, data, assessment of literacy skills; Tier II and III intervention and resources)
Year of Training	2022-2024
Lead Person/Position	Director of Elementary Education and K-12 Professional Development
Hours Per Training	3
Number of Sessions	1
Provider	District & IU
Audience	General Education Teachers & Special Education Teachers

Parent Training

Description of Training	Transition training for families: 1) Post-secondary education goals, activities, and services 2) Employment goals, activities, and services 3) Independent living goals, activities, and services
Year of Training	2022-2023
Lead Person/Position	Special Education Supervisors & Transition Coordinator
Hours Per Training	1
Number of Sessions	3
Provider	District
Audience	Parents

Description of Training	Transition Training for families: 1) Agency supports- Office of Developmental Disabilities 2) Agency supports- Office of Vocational Rehabilitation 3) Agency supports- Montcoworks
Year of Training	2023-2024
Lead Person/Position	Special Education Supervisors & Transition Coordinator
Hours Per Training	1
Number of Sessions	3
Provider	District
Audience	Parents

Description of Training	Self-regulation strategies and sustaining effort and persistence strategies in the home through Universal Design for Learning (UDL) within a Multi-tiered Systems of Support (MTSS)
Year of Training	2022-2023
Lead Person/Position	Special Education Supervisors & Transition Coordinator
Hours Per Training	1
Number of Sessions	3
Provider	District & IU
Audience	Parents

Description of Training	Introduction to Universal Design for Learning (UDL) within a Multi-tiered Systems of Support (MTSS)
Year of Training	2022-2023
Lead Person/Position	Special Education Supervisor
Hours Per Training	1
Number of Sessions	1
Provider	District & IU
Audience	Parents

Description of Training	Supporting planning strategies, monitoring, and goal setting in the home
Year of Training	2023-2024
Lead Person/Position	Special Education Supervisors
Hours Per Training	1
Number of Sessions	2
Provider	District & IU
Audience	Parents

IEP Development

Description of Training	Evidence Based Practices in transition planning for students with disabilities ages 14-18 and low incidence disabilities ages 18-21
Year of Training	2022-23
Lead Person/Position	Special Education Supervisors & Transition Coordinator
Hours Per Training	1.5
Number of Sessions	3
Provider	District
Audience	Special Education Teachers

Description of Training	Focused topics in transition planning: 1) Transition assessments 2) Technical high school programs 3) Agency supports
Year of Training	2023-24
Lead Person/Position	Special Education Supervisors & Transition Coordinator
Hours Per Training	1
Number of Sessions	3
Provider	District
Audience	Special Education Teachers

Description of Training	Best practices in IEP development (District practice; evaluation/re-evaluation process; IEP process; IEP writing; Progress Monitoring; Transition; ESY)
Year of Training	2022-2024
Lead Person/Position	Special Education Supervisors
Hours Per Training	1
Number of Sessions	10
Provider	District
Audience	Special Education Teachers

Signatures & Affirmations

Approval Date

Uploaded Files

- There are a full range of services, programs and alternative placements available to the school district for placement and implementation of the special education programs in the school district.
- The school district has adopted a child find system to locate, identify and evaluate young children and children who are thought to be a child with a disability eligible for special education residing within the school district's jurisdiction. Child find data is collected, maintained, and used in decision-making. Child find process and procedures are evaluated for its effectiveness. The school district implements mechanisms to disseminate child find information to the public, organizations, agencies, and individuals on at least an annual basis.
- The school district has adopted policies and procedures that assure that students with disabilities are included in general education programs and extracurricular and non-academic programs and activities to the maximum extent appropriate in accordance with an Individualized Education Program.
- The school district will comply with the PA Department of Education, Bureau of Special Education's revision notice process.
- The school district follows the state and federal guidelines for participation of students with disabilities in state and district-wide assessments including the determination of participation, the need for accommodations, and the methods of assessing students for whom regular assessment is not appropriate.
- The school district affirms the Pennsylvania Department of Education that funds received through participation in the medical assistance reimbursement program, ACCESS, will be used to enhance or expand the current level of services and programs provided to students with disabilities in this local education agency.

Superintendent/Chief Executive Officer

Date