



HUGH NGUYEN
CLERK-RECORDER

BIRTH AND DEATH RECORDS
FICTITIOUS BUSINESS NAMES
MARRIAGE LICENSES/RECORDS
NOTARY REGISTRATION
ORANGE COUNTY ARCHIVES
PASSPORTS
PROPERTY RECORDS

ORANGE UNIFIED SCHOOL DISTRICT
1401 NORTH HANDY STREET
ORANGE, CA 92867

Office of the Orange County Clerk-Recorder
Memorandum

SUBJECT: NOTICE OF EXEMPTION

The attached notice was received, filed and a copy was posted on 05/12/2022

It remained posted for 30 (thirty) days.

Hugh Nguyen
Clerk - Recorder
In and for the County of Orange

By: Melissa Gomez Deputy

Public Resource Code 21092.3

The notice required pursuant to Sections 21080.4 and 21092 for an environmental impact report shall be posted in the office of the County Clerk of each county *** in which the project will be located and shall remain posted for a period of 30 days. The notice required pursuant to Section 21092 for a negative declaration shall be so posted for a period of 20 days, unless otherwise required by law to be posted for 30 days. The County Clerk shall post notices within 24 hours of receipt.

Public Resource Code 21152

All notices filed pursuant to this section shall be available for public inspection, and shall be posted *** **within 24 hours of receipt** in the office of the County Clerk. Each notice shall remain posted for a period of 30 days.

*** Thereafter, the clerk shall return the notice to the local lead agency *** within a notation of the period it was posted. The local lead agency shall retain the notice for not less than nine months.

Additions or changes by underline; deletions by ***

Orange County
Clerk-Recorder's Office
Hugh Nguyen

601 N. Ross Street
92701

County

Finalization: 20220000176331
5/12/22 12:34 pm
428 NC-3

Item	Title	Count
1	Z01	1
EIR: Exempt or Previously Paid		
Document ID		Amount
DOC# -202285000420		50.00
Time Recorded 12:34 pm		

Total 0.00

Payment Type	Amount
NO FEE	50.00
Amount Due	0.00

THANK YOU
PLEASE RETAIN THIS RECEIPT
FOR YOUR RECORDS

www.ocrecorder.com



* \$ R 0 0 1 3 7 2 8 5 0 4 \$ *
202285000420 12:34 pm 05/12/22
428 NC-3 Z01
0.00 50.00 0.00 0.00 0.00 0.00 0.00 0.00



NO FEE

NOTICE OF EXEMPTION

To: County Clerk, Hugh Nguyen Harper
County of Orange
12 Civic Center Plaza, Room 101
Santa Ana, CA 92701

From: Orange Unified School District
1401 North Handy Street
Orange, CA 92867

Office of Planning and Research
1400 10th Street, Suite 12
Sacramento, CA 95814

Project Title:

Villa Park High School Modernization Project

Project Location - Specific:

18042 Taft Avenue, Villa Park, California 92861

Project Location - City: Orange

Project Location - County: Orange

Description of Nature, Purpose and Beneficiaries of Project:

The proposed project is for the modernization of Villa Park High School. The Phase 1 modernization involved development of a two-story science center with 16 classrooms that would replace the existing one-story 300 Building, as well as reconfiguration of parking lots, student pick-up/drop-off areas, and drive ways. Most of the Phase 1 modifications have been completed. Phase 2 of proposed project consists of: demolition of the existing 500 Building that houses 6 classrooms and the construction of a new 2-story building with 18 classrooms. In addition, renovations to the 100/200 Building are proposed to comply with the ADA requirements, including restroom renovations. Finally, security fencing is being proposed to create a single point of entry to the school site. Construction of Phase 2 is expected to begin in September 2022 and conclude in March 2024.

81h-0-0002/e1/SD-03

Name of Public Agency Approving Project:

Orange Unified School District

FILED

Name of Person or Agency Carrying Out Project:

Orange Unified School District

MAY 12 2022

Exempt Status:

- Ministerial (Sec. 21080(b)(1); 15268)
- Declared Emergency (Sec. 21080(b)(3); 15269(a))
- Emergency Project (Sec. 21080(b)(4); 15269(b)(c))
- Categorical Exemption: State type and section number: CEQA Guidelines Section 15302 and 15314
- Statutory Exemption: (PRC §21080.23, CEQA Guidelines Section 15284)

HUGH NGUYEN, CLERK-RECORDER

BY: M.G. DEPUTY

Reasons why project is exempt:

See the Attachment for a discussion on why the project is exempt from CEQA.

POSTED

Lead Agency Contact Person:

David Rivera, Assistant Superintendent, Chief
Business Officer.

Telephone:

714-628-4479

MAY 12 2022

ORANGE COUNTY CLERK-RECORDER DEPARTMENT

If filed by applicant:

1. Attached certified document of exemption findings
2. Has NOE been filed by the public agency approving the project? Yes No

BY: M.G. DEPUTY

Agency Representative Signature: [Signature]

Date: 5-3-22

Title: ASST. SUPERINTENDENT/CBO

Signed by Lead Agency

Signed by Applicant

Date Received for Filing at OPR _____

CATEGORICAL EXEMPTION

VILLA PARK HIGH SCHOOL MODERNIZATION PROJECT

This document assesses the use of categorical exemptions in the California Environmental Quality Act (CEQA) for the proposed Villa Park High School Modernization Project under California Public Resources Code Section 21084 and CEQA Guidelines Sections 15200, 15302 and 15314 (California Code of Regulations Title 14 Sections 15000 et seq.).

1.0 PROJECT BACKGROUND INFORMATION

The Orange Unified School District (OUSD or District) is proposing improvements to Villa Park High School, located in Villa Park, California (the proposed project). Villa Park High School opened in 1964 and the District has determined that portions of the school are in need of modernization. Phase 1 of the project consists of the following improvements: the development of new science center that would replace the existing one-story 300 Building, and reconfiguration of the parking lots. Construction activities associated with Phase 1 is largely complete. Phase 2 of the project consists of the replacement of the 500 Building with a new, 2-story classroom. In addition, required Americans with Disabilities Act (ADA) modifications and restroom renovations are proposed to 100/200 Building; and security fencing and single point of entry is being added to the school site. A Notice of Exemption (NOE) was prepared for the project in September 2018. The project is being evaluated to determine if it continues to qualify for an NOE, as some modifications have been made to the project.

1.1 PROJECT LOCATION AND ZONING

The proposed project site is located at 18042 Taft Avenue, Villa Park, California. The campus is approximately 38 acres in size, and is located on the south side of Taft Avenue, north of Santiago Boulevard, and west of Center Drive. Regional access to the site is provided by California State Route 55 (55 Freeway) and the school is located east of the 55 Freeway.

Villa Park High School is zoned as "School" by the City of Villa Park. This zoning designation allows the use of the site for school purposes. The proposed project site is located in a suburban area that has been almost entirely developed. Surrounding land uses include residential to the east, north and south, with a neighborhood commercial center and residential area to the west. Cero Villa Middle School is located approximately 700 feet north of the proposed project site.

1.2 EXISTING FACILITIES

The campus contains multiple single- and two-story buildings and portable classrooms as well as tennis courts, basketball courts, athletic fields (including baseball and softball fields), track and football field, gymnasium, pool, library, administration building,

BY: MGA. DEPUTY
ORANGE COUNTY CLERK-RECORDER DEPARTMENT

MAY 12 2022

POSTED

BY: MGA. DEPUTY
HUGH NGUYEN, CLERK-RECORDER

MAY 12 2022

FILED

amphitheater, multi-purpose room, kitchen and food service building, and student quad. The main parking lot is provided on the northwest corner of the site, adjacent to Taft Avenue. A small visitor parking lot is located just north of the administration building, also adjacent to Taft Avenue. A small parking area is provided adjacent to the track and field facilities on the western boundary of the site.

1.3 SCHOOL ENROLLMENT AND CAPACITY

Villa Park High School serves grades 9 through 12 and currently has an enrollment of 2,100 students. Table 1 shows student enrollment at Villa Park High School over the last 10 years averaged approximately 2,394 students per year.

TABLE 1

Villa Park High School Enrollment History

SCHOOL YEAR	ENROLLMENT
2020-2021	2,185
2019-2020	2,254
2018-2019	2,306
2017-2018	2,342
2016-2017	2,429
2015-2016	2,466
2014-2015	2,475
2013-2014	2,483
2012-2013	2,498
2011-2012	2,497
10-Year Average Enrollment	2,394

Source: CDE, 2022.

2.0 PROJECT DESCRIPTION

The proposed project consists primarily of existing building replacement or renovation to existing buildings and replacement of existing classrooms in portable units with new, permanent facilities. The campus, prior to any modifications, included a total of 84 classrooms, including 60 permanent classrooms and 24 portable classrooms. The project is being completed in two phases as described below.

Phase 1 of the project included the demolition of the existing, one-story 300 Building with 10 classrooms and replacing the building with a new, 45,000 square-foot science center with 16 classrooms. Phase 1 also included relocating the main driveway into the school at the Nichols Avenue and Taft intersection, as well as modifications to the student pick-up/drop-off area, and reconfiguration of the parking lots. Construction activities associated with the science center are underway and scheduled to be completed by April 2022.

POSTED

MAY 12 2022

ORANGE COUNTY CLERK-RECORDER DEPARTMENT
BY: M.G. DEPUTY

BY: M.G. DEPUTY
HUGH NGUYEN, CLERK-RECORDER

MAY 12 2022

FILED

Phase 2 of the Project includes the demolition of the existing 500 Building which currently houses six classrooms and the construction of a new 2-story, 45,000 square-foot building with 18 classrooms. In addition, renovations to the 100/200 Building are proposed to comply with ADA requirements, including restroom renovations. Finally, security fencing is being proposed to create a single point of entry to the school site.

Following completion of Phase 2, the portable interim classrooms (and one restroom facility) will be removed from the school site. Therefore, at completion of the project, there would be a total of 84 classrooms, all of which will be in permanent buildings. Therefore, as shown in Table 2, there will be no change in the number of classrooms.

TABLE 2
Number of Classrooms by Project Phase

Project Phase	Permanent Classrooms	Portable Classrooms	Total Classrooms
Pre-Project	60	24	84
Phase 1	66	18	84
Phase 2	84	0	84

Phase 1 of the construction phase is under construction and expected to be completed in April 2022. Phase 2 of the Project is scheduled to begin in September 2022 and be complete in March 2024.

3.0 CEQA EVALUATION

A NOE was prepared for the project in September 2018. Since the completion of the NOE, modifications to Phase 2 have been made, primarily the demolition and reconstruction of Building 500. Therefore, the project is being evaluated to determine if it continues to qualify for an NOE, as some modifications have been made to the project.

3.1 CLASS 2 EXEMPTION – REPLACEMENT OR RECONSTRUCTION

A Class 2 Exemption (CEQA Section 15302 – Replacement or Reconstruction) applies to the “replacement or reconstruction of existing structures and facilities where the new structure will be located on the same site as the structure replaced and will have substantially the same purpose and capacity as the structure replaced, including but not limited to: (a) Replacement or reconstruction of existing schools and hospitals to provide earthquake resistant structures which do not increase capacity more than 50 percent.”

The proposed project aims to modernize, replace and reconstruct portions of the Villa Park High School. This includes the reconstruction and replacement of 24 classrooms, modernization of the other facility classrooms and ancillary facilities, and the removal of 24 portable classrooms. Therefore, the project includes the replacement and reconstruction

FILED
MAY 12 2022
 HUGH NGUYEN, CLERK-RECORDER
 DEPUTY
M.G.

ORANGE COUNTY CLERK-RECORDER DEPARTMENT
 BY: *M.G.*
 DEPUTY
MAY 12 2022

POSTED

STATEMENT OF REASONING FOR VILLA PARK HIGH SCHOOL CEQA EXEMPTION

of existing structures and facilities at the school site. The overall purpose of the new classrooms would not change. The capacity of the school would not increase. The project would not result in any expansion of the existing use and there will be no increase in the number of classrooms or overall student capacity.

Therefore, the proposed modifications to Villa Park High School are considered to be exempt per CEQA Guidelines §15302 Class 2 exemption for the following reasons:

- (1) The proposed project (reconstruction and modernization of classrooms and facilities) will be located on the same site as the existing classrooms and facilities.
- (2) The new classrooms and facilities will not result in a change in purpose and they will continue to be used for educational purposes.
- (3) There will be no increase in classrooms or student capacity; therefore, the capacity of the school would not increase more than 50 percent.

3.2 CLASS 14 EXEMPTION

CEQA guidelines include exemptions for certain types of projects, including school projects. A Class 14 Exemption (CEQA Section 15314 – Minor Additions to Schools) applies to “minor additions to existing schools within existing school grounds where the addition does not increase original student capacity by more than 25% or 10 classrooms, whichever is less.” All of the proposed modifications to Villa Park High School are within the confines of the existing school site. As discussed above and outlined in Table 2, the District is not proposing to increase the number of classrooms at the school site. Since there is no increase in the number of classrooms, there is no increase in student capacity.

Therefore, the proposed modifications to Villa Park High School are considered to be exempt per CEQA Guidelines §15314 Class 14 exemption for the following reasons:

- (1) The proposed project would result in no increase in the number of classrooms which is less than 10 classroom; and
- (2) There would be not increase in student capacity (0%), which is less than 25 percent.

3.2 EXCEPTIONS TO CATEGORICAL EXEMPTIONS

CEQA Guidelines Section 15300.2, Exceptions, identifies conditions under which categorical exemptions would not be applicable. The proposed project has been reviewed under Section 15300.2 for characteristics or circumstances that might invalidate findings that the proposed project is exempt.

FILED

MAY 12 2022

HUGH NGUYEN, CLERK-RECORDER

BY: MG DEPUTY

POSTED

MAY 12 2022

ORANGE COUNTY CLERK-RECORDER DEPARTMENT

BY: MG DEPUTY

STATEMENT OF REASONING FOR VILLA PARK HIGH SCHOOL CEQA EXEMPTION

A. Location

CEQA Guidelines Section 15300.2(a) states that Class 3, 4, 5, 6, and 11 exemptions are qualified by consideration of whether the project is located in a uniquely sensitive environment, such that it impacts an environmental resource of hazardous or critical concern that has been designated, precisely mapped, and officially adopted pursuant to law by federal, state, or local agencies. This exception does not apply to the project as it is a Class 2 and 14 exemption and would be within an existing high school campus in an urban community.

B. Cumulative Impact

Exemptions are not applicable when there is a significant cumulative impact of "successive projects of the same type in the same place over time." Beyond the proposed project, the District has no other planned improvements at Villa Park High School. In fact, this NOE evaluates both Phase 1 (which is largely completed) plus the proposed Phase 2 modifications. The District proposes similar school modernization improvements at other District high schools; however, they are not near Villa Park High School. The nearest high school is El Modena High School, approximately 1.75 miles southeast, and Orange High School, which is approximately two miles southwest of Villa Park High School. Environmental effects caused by the modernization improvements at each high school site would be localized, limited to construction activities, and not within range of project effects at the other school sites, e.g., traffic, noise, etc. Each school's modernization project would comply with applicable local, state, and federal regulations and District best management practices. Therefore, any potential overlap of construction activities would not result in significant adverse impact and would not be cumulatively considerable. Additionally, there are no related projects near Villa Park High School whose environmental effects could be combined with the proposed project's to create cumulatively significant construction and operational impacts. Therefore, this exception does not apply to the proposed project.

C. Significant Effects

A categorical exemption cannot be used for an activity where there is a reasonable possibility that the activity will have a significant effect on the environment due to unusual circumstances (CEQA Guidelines Section 15300.2(c)). The determination whether this exception applies involves two distinct questions: (1) whether the project presents unusual circumstances, and (2) whether there is a reasonable possibility that a significant environmental impact will result from those unusual circumstances. The lead agency considers the second prong of this test only if it first finds that some circumstance of the project is unusual. *Berkeley Hillside Preservation v. City of Berkeley (2015) 60 C4th 1086, 1104.*

The proposed facility improvements at Villa Park High School are not unusual. The proposed project, including new buildings, would be confined to the boundaries of the existing school campus. The height (maximum of two-stories) and architecture of the

BY: M.G. DEPUTY
HUGH NGUYEN, CLERK-RECORDER

MAY 12 2022

FILED

BY: M.G. DEPUTY
ORANGE COUNTY CLERK-RECORDER DEPARTMENT

MAY 12 2022

POSTED

STATEMENT OF REASONING FOR VILLA PARK HIGH SCHOOL CEQA EXEMPTION

buildings would be consistent with the existing campus and surrounding development. The facility improvements and the anticipated construction methods would be common for school facility construction projects, which must adhere to strict standards established by California Code of Regulations Title 5, California Building Code, and California Education Code and are overseen by the California Department of Education and Division of the State Architect.

Villa Park High School opened in 1964. With Measure S bond proceeds, the District will be able to update the campus to current safety standards and meet programming needs. The proposed improvements must adhere to the limits of the voter-approved bond, which allows for improvements within the existing campus, including a new classrooms; replacement of existing classrooms in portable units with new facilities; required ADA and restroom renovations to existing buildings, and security improvements.

Villa Park High School serves an attendance area that is built out, and the District does not forecast substantial enrollment growth at the school or within the District. The proposed project implementation would not result in an increase in students capacity. The proposed project would result in normal construction activities within the confines of the existing campus. The project would improve existing operations and modernize the existing campus, but is not expected to result in significant operational changes or impacts.

There are no known unusual circumstances related to the project site or the proposed project, and there is also no evidence that the project would cause significant direct or indirect environmental effects. The District and its construction manager will comply with all applicable local, state, and federal laws, regulations, and best management practices that would minimize potential environmental impacts caused by construction activities. Therefore, this exception does not apply to the proposed project.

D. Scenic Highways

A categorical exemption cannot be used for a project which may result in damage to scenic resources, including but not limited to trees, historic buildings, rock outcroppings or similar resources, within a highway officially designated as a state scenic highway (CEQA Guidelines Section 15300.2(d)). The closest officially designated scenic highway is State Route 91 from State Route 55 to east of the Anaheim city limits, about 2 miles north of the school (Cal Trans, 2022). Due to the distance, topography (i.e., intervening hills), and structures, the existing school site is not visible to the State Route 91. Further, the new structures would be about the same height (a maximum of two stories) and be within the confines of the existing school site and its existing structures. Therefore, the proposed project would not be visible to any portion of State Route 91 or result in a visual impact to a scenic resource. Therefore, this exception does not apply to the proposed project.

POSTED

MAY 12 2022

ORANGE COUNTY CLERK-RECORDER DEPARTMENT
BY: MG DEPUTY

FILED

MAY 12 2022

HUGH NGUYEN, CLERK-RECORDER
BY: MG DEPUTY

E. Hazardous Waste Sites

A categorical exemption cannot be used for a project on a site that is on any list compiled pursuant to Section 65962.5 of the California Government Code (CEQA Guidelines Section 15300.2(e)). Section 65962.5 of the California Government Code specifies: (1) lists of hazardous materials sites and hazardous waste facilities; (2) hazardous waste discharges for which the State Water Quality Control Board has issued certain types of orders; (3) public drinking water wells containing detectable levels of organic contaminants; (4) underground storage tanks with reported unauthorized releases; and (5) solid waste disposal facilities from which hazardous waste has migrated. A Phase I Environmental Assessment was completed for Villa Park High School by PlaceWorks in 2018 (PlaceWorks, 2018). Environmental Data Resources, Inc. (EDR) was retained to complete a search of available public record database indices for the site in compliance with the American Society for Testing and Materials (ASTM) Standard E1527 – Standard Practice for Environmental Assessments, dated 2013 (ASTM, 2013). The Phase I also included a site walk-through inspection of the school, as well as adjacent properties (PlaceWorks, 2018).

Villa Park High School was identified on the Leaking Underground Storage Tank (LUST) Incident Reports. The school had a waste oil tank that had leaked and impacted local soils. The tank was removed over 31 years ago under the oversight of the Orange County Health Care Agency, the soils were remediated, and the school received regulatory agency closure in 1991. This means that the environmental impacts of the storage tank have been remediated.

Two other LUST facilities were identified within a half-mile of the school site. A gasoline station at 17771 Santiago Boulevard (about 412 feet to the west-southwest of the school site) had a leaking tank. The facility was remediated and received a case closed status in January 2016. In addition, Villa Park Citrus Packing, located at 10121 Santiago Boulevard (approximately 0.21 mile to the west of the school site), had a leaking tank. The site was remediated and received case closed status in 1991.

Based on the Phase 1 Assessment, no recognized hazardous environmental conditions were identified as part of the school site. The school site is not located on a current or former disposal site. Based on the distance from the site, reported groundwater flow direction, substances involved, and/or regulatory status, the two other facilities are not expected to impact Villa Park High School. Therefore, this exception does not apply to the proposed project.

F. Historic Resources

A categorical exemption cannot be used for a project which may cause a substantial adverse change in the significance of a historical resource. Historical resources are defined as buildings, structures, or objects that are more than 50 years old (CCR 4852(d)(2)). Villa Park High School opened in 1964 and meets the minimum age requirement of 50 years to be considered for historical significance. However, the project site is not listed on an

FILED

MAY 12 2022

HUGH NGUYEN, CLERK-RECORDER

M.G.

DEPUTY

POSTED

MAY 12 2022

ORANGE COUNTY CLERK-RECORDER DEPARTMENT

DEPUTY

M.G.

BY:

STATEMENT OF REASONING FOR VILLA PARK HIGH SCHOOL CEQA EXEMPTION

official local register of historical resources, the California Register of Historical Resources, or the National Register of Historic Places (OHP, 2022). The structures at the school are deteriorating and do not embody distinctive characteristics or a type, period, region, or method of construction, or represent the work of an important creative individual or possess high artistic values (CEQA Guidelines §1604.5(a)(3)(C). 300 Building did not meet the definition and the building has been demolished and a new science center has been constructed in its place.

Phase II of the project proposes to demolish 500 Building and construct a two-story new classroom facility in its place. The Villa Park High School site and any of its buildings are not listed on an official local register of historical resources, the California Register of Historical Resources, or the National Register of Historic Places (OHP, 2018). As discussed above, 500 Building is deteriorating and does not embody distinctive characteristics or a type, period, region, or method of construction, or represent the work of an important creative individual or possess high artistic values (CEQA Guidelines §1604.5(a)(3)(C). Therefore, the proposed project would not result in a direct impact to a historical resources and this exception does not apply to the proposed project.

4.0 CONCLUSION

Based on the above discussion, the proposed modifications to Villa Park High School are considered to be exempt per CEQA Guidelines §15302 Class 2 exemption and §15314 Class 14 exemption for the following reasons:

- (1) The proposed project (reconstruction and modernization of classrooms, offices, and facilities) will be located on the same site as the existing classrooms, offices, and facilities.
- (2) The new classrooms, offices, and facilities will not change in purpose.
- (3) There will be no increase in capacity; therefore, the capacity would not increase more than 25 percent.
- (4) The proposed project would not result in an increase in classrooms (which is less than 10 classrooms); and
- (5) None of the exceptions to the exemptions apply to the proposed project.

Therefore, the proposed modifications to Villa Park High School meet the requirements of CEQA Guidelines §15302 Class 2 exemption and §15314 Class 14 exemption, and the proposed project is exempt under CEQA.

POSTED

MAY 12 2022

ORANGE COUNTY CLERK-RECORDER DEPARTMENT

BY: M.G. DEPUTY

FILED

MAY 12 2022

HUGH NGUYEN, CLERK-RECORDER

BY: M.G. DEPUTY

STATEMENT OF REASONING FOR VILLA PARK HIGH SCHOOL CEQA EXEMPTION

5.0 REFERENCES

Placeworks, 2018. Phase 1 Environmental Site Assessment, Villa Park High School Science Center, dated May 2018 (Placeworks, 2018).

American Society for Testing and Materials, "Standard E2600 – 10, Standard Guide for Vapor Encroachment Screening on Property Involved in Real Estate Transactions," dated 2010 (ASTM, 2010).

American Society for Testing and Materials, "Standard E1527 - Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process," dated 2013 (ASTM, 2013).

Department of Toxic Substances Control, "Draft School Environmental Assessment Manual (SEAM), Interim Guidance Document for Environmental Assessments and Investigations of School Sites," dated August 2008 (DTSC, 2008).

California Department of Education (CDE), 2022. Enrollment Report. Accessed 2/27/22, <https://dq.cde.ca.gov/dataquest>

California Department of Transportation (Caltrans), 2022. California Scenic Highway Mapping System. Accessed 1/28/22. <https://dot.ca.gov/programs/design/lap-landscape-architecture-and-community-livability/lap-liv-i-scenic-highways>
<https://www.arcgis.com/apps/webappviewer/index.html?id=465dfd3d807c46cc8e8057116f1aaca>

Office of Historic Preservation (OHP). Listed California Historical Resources. Accessed 1/31/22.
<http://www.ohp.parks.ca.gov/ListedResources/?view=county&criteria=30>

PlaceWorks, 2018. Phase I Environmental Site Assessment, Villa Park High School Science Center. May 2018.

Villa Park, City of. Zoning Map. Accessed 2/27/22.
http://villapark.org/Portals/0/Documents/Departments/Planning/Maps/Zoning%20Map%20.pdf?ver=75nTMRkAV_I4g9Ch839Jiw%3d%3d×tamp=1643332679362

M:\Dbs\3242 Villa Park NOE.docx

FILED

MAY 12 2022

HUGH NGUYEN, CLERK-RECORDER

BY: M.G. DEPUTY

POSTED

MAY 12 2022

ORANGE COUNTY CLERK-RECORDER DEPARTMENT

BY: M.G. DEPUTY



State of California - Department of Fish and Wildlife
2022 ENVIRONMENTAL DOCUMENT FILING FEE
CASH RECEIPT
 DFW 753.5a (REV. 01/01/22) Previously DFG 753.5a

Print

StartOver

Save

RECEIPT NUMBER:
 30 — 05/12/2022 — 0418
 STATE CLEARINGHOUSE NUMBER (If applicable)

SEE INSTRUCTIONS ON REVERSE. TYPE OR PRINT CLEARLY.

LEAD AGENCY ORANGE UNIFIED SCHOOL DISTRICT	LEAD AGENCY EMAIL	DATE 05/12/2022
COUNTY/STATE AGENCY OF FILING Orange		DOCUMENT NUMBER 202285000420

PROJECT TITLE
VILLA PARK HIGH SCHOOL MODERNIZATION PROJECT

PROJECT APPLICANT NAME ORANGE UNIFIED SCHOOL DISTRICT	PROJECT APPLICANT EMAIL	PHONE NUMBER (714)628-4479
PROJECT APPLICANT ADDRESS 1401 NORTH HANDY STREET	CITY ORANGE	STATE CA
		ZIP CODE 92867

PROJECT APPLICANT (Check appropriate box)

Local Public Agency
 School District
 Other Special District
 State Agency
 Private Entity

CHECK APPLICABLE FEES:


<input type="checkbox"/> Environmental Impact Report (EIR)	\$3,539.25	\$	0.00
<input type="checkbox"/> Mitigated/Negative Declaration (MND)(ND)	\$2,548.00	\$	0.00
<input type="checkbox"/> Certified Regulatory Program (CRP) document - payment due directly to CDFW	\$1,203.25	\$	0.00
<input checked="" type="checkbox"/> Exempt from fee			
<input checked="" type="checkbox"/> Notice of Exemption (attach)			
<input type="checkbox"/> CDFW No Effect Determination (attach)			
<input type="checkbox"/> Fee previously paid (attach previously issued cash receipt copy)			

<input type="checkbox"/> Water Right Application or Petition Fee (State Water Resources Control Board only)	\$850.00	\$	0.00
<input type="checkbox"/> County documentary handling fee		\$	0.00
<input type="checkbox"/> Other		\$	

PAYMENT METHOD:

Cash
 Credit
 Check
 Other

TOTAL RECEIVED \$ 0.00

SIGNATURE X 	AGENCY OF FILING PRINTED NAME AND TITLE DEPUTY CLERK, CLAUDIA FRANCO
---	--