



Microbac Laboratories Inc., Pittsburgh Division

CERTIFICATE OF ANALYSIS

9072598

GANNETT FLEMING, INC.

ERIC BUZZA
FOSTER PLAZA III- SUITE 200 601 HOLIDAY DRIVE
PITTSBURGH, PA 15220

Project Name: BASD - McQuiston Elementary

Project / PO Number: N/A
Received: 07/10/2019
Reported: 07/19/2019

Project Special Information

5100445

Analytical Testing Parameters

Client Sample ID: [McQuiston Elementary Faculty RR](#)
Sample Matrix: [Drinking Water](#)
Lab Sample ID: [9072598-01](#)

Collected By: [Client](#)
Collection Date: [07/10/2019 10:04](#)

Analyses Subcontracted to: Microbac Laboratories Inc., - Marietta, OH

Total Metals - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.002	0.015 AL	0.001	mg/L		07/15/19 1213	07/17/19 1605	JYH

Client Sample ID: [McQuiston Elementary Fountain Door 8](#)
Sample Matrix: [Drinking Water](#)
Lab Sample ID: [9072598-02](#)

Collected By: [Client](#)
Collection Date: [07/10/2019 9:34](#)

Analyses Subcontracted to: Microbac Laboratories Inc., - Marietta, OH

Total Metals - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.001	0.015 AL	0.001	mg/L		07/15/19 1213	07/17/19 1618	JYH

Client Sample ID: [McQuiston Elementary Nurse's Office Sink](#)
Sample Matrix: [Drinking Water](#)
Lab Sample ID: [9072598-03](#)

Collected By: [Client](#)
Collection Date: [07/10/2019 9:47](#)

Analyses Subcontracted to: Microbac Laboratories Inc., - Marietta, OH

Total Metals - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.001	0.015 AL	0.001	mg/L		07/15/19 1213	07/17/19 1621	JYH



Microbac Laboratories Inc., Pittsburgh Division

CERTIFICATE OF ANALYSIS

9072598

Client Sample ID: McQuiston Elementary Faculty Lounge
Sample Matrix: Drinking Water
Lab Sample ID: 9072598-04

Collected By: Client
Collection Date: 07/10/2019 9:44

Analyses Subcontracted to: Microbac Laboratories Inc., - Marietta, OH

Total Metals - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.001	0.015 AL	0.001	mg/L		07/15/19 1213	07/17/19 1624	JYH

Client Sample ID: McQuiston Elementary Gym Fountain Left
Sample Matrix: Drinking Water
Lab Sample ID: 9072598-05

Collected By: Client
Collection Date: 07/10/2019 9:45

Analyses Subcontracted to: Microbac Laboratories Inc., - Marietta, OH

Total Metals - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	<0.001	0.015 AL	0.001	mg/L		07/15/19 1213	07/17/19 1640	JYH

Client Sample ID: McQuiston Elementary Gym Fountain Right
Sample Matrix: Drinking Water
Lab Sample ID: 9072598-06

Collected By: Client
Collection Date: 07/10/2019 9:45

Analyses Subcontracted to: Microbac Laboratories Inc., - Marietta, OH

Total Metals - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	<0.001	0.015 AL	0.001	mg/L		07/15/19 1213	07/17/19 1643	JYH

Client Sample ID: McQuiston Elementary Rm 20 Left
Sample Matrix: Drinking Water
Lab Sample ID: 9072598-07

Collected By: Client
Collection Date: 07/10/2019 10:05

Analyses Subcontracted to: Microbac Laboratories Inc., - Marietta, OH

Total Metals - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	<0.001	0.015 AL	0.001	mg/L		07/15/19 1213	07/17/19 1646	JYH



Microbac Laboratories Inc., Pittsburgh Division

CERTIFICATE OF ANALYSIS

9072598

Client Sample ID: McQuiston Elementary Rm 20 Right
Sample Matrix: Drinking Water
Lab Sample ID: 9072598-08

Collected By: Client
Collection Date: 07/10/2019 10:05

Analyses Subcontracted to: Microbac Laboratories Inc., - Marietta, OH

Total Metals - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	<0.001	0.015 AL	0.001	mg/L		07/15/19 1213	07/17/19 1650	JYH

Client Sample ID: McQuiston Elementary LS Room
Sample Matrix: Drinking Water
Lab Sample ID: 9072598-09

Collected By: Client
Collection Date: 07/10/2019 10:02

Analyses Subcontracted to: Microbac Laboratories Inc., - Marietta, OH

Total Metals - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	<0.001	0.015 AL	0.001	mg/L		07/15/19 1213	07/17/19 1653	JYH

Client Sample ID: McQuiston Elementary Vocal Room
Sample Matrix: Drinking Water
Lab Sample ID: 9072598-10

Collected By: Client
Collection Date: 07/10/2019 9:59

Analyses Subcontracted to: Microbac Laboratories Inc., - Marietta, OH

Total Metals - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	<0.001	0.015 AL	0.001	mg/L		07/15/19 1213	07/17/19 1656	JYH

Client Sample ID: McQuiston Elementary Cafe Fountain Right
Sample Matrix: Drinking Water
Lab Sample ID: 9072598-11

Collected By: Client
Collection Date: 07/10/2019 9:40

Analyses Subcontracted to: Microbac Laboratories Inc., - Marietta, OH

Total Metals - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	<0.001	0.015 AL	0.001	mg/L		07/15/19 1213	07/17/19 1659	JYH



Microbac Laboratories Inc., Pittsburgh Division

CERTIFICATE OF ANALYSIS

9072598

Client Sample ID: McQuiston Elementary Cafe Fountain Left

Sample Matrix: Drinking Water

Lab Sample ID: 9072598-12

Collected By: Client

Collection Date: 07/10/2019 9:40

Analyses Subcontracted to: Microbac Laboratories Inc., - Marietta, OH

Total Metals - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	<0.001	0.015 AL	0.001	mg/L		07/15/19 1213	07/18/19 0630	JYH

Client Sample ID: McQuiston Elementary Food Service Sink

Sample Matrix: Drinking Water

Lab Sample ID: 9072598-13

Collected By: Client

Collection Date: 07/10/2019 9:42

Analyses Subcontracted to: Microbac Laboratories Inc., - Marietta, OH

Total Metals - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.007	0.015 AL	0.001	mg/L		07/15/19 1213	07/18/19 0633	JYH

Client Sample ID: McQuiston Elementary Entrance RR Fountain Left

Sample Matrix: Drinking Water

Lab Sample ID: 9072598-14

Collected By: Client

Collection Date: 07/10/2019 9:50

Analyses Subcontracted to: Microbac Laboratories Inc., - Marietta, OH

Total Metals - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	<0.001	0.015 AL	0.001	mg/L		07/15/19 1213	07/18/19 0636	JYH

Client Sample ID: McQuiston Elementary Entrance RR Fountain Right

Sample Matrix: Drinking Water

Lab Sample ID: 9072598-15

Collected By: Client

Collection Date: 07/10/2019 9:50

Analyses Subcontracted to: Microbac Laboratories Inc., - Marietta, OH

Total Metals - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	<0.001	0.015 AL	0.001	mg/L		07/15/19 1213	07/18/19 0639	JYH

Results in **bold** have exceeded a limit defined for this project. Limits are provided for reference but as regulatory limits change frequently, Microbac Laboratories, Inc. advises the recipient of this report to confirm such limits and units of concentration with the appropriate Federal, state or local authorities before acting on the data.

Definitions

AL: US EPA Action Level

RL: Reporting Limit

Microbac Laboratories, Inc.

100 Marshall Drive | Warrendale, PA 15086 | 724-772-0610 p | www.microbac.com

Page 4 of 17



Microbac Laboratories Inc., Pittsburgh Division

CERTIFICATE OF ANALYSIS

9072598

Project Requested Certification(s)

Microbac Laboratories Inc., - Marietta, OH

68-01670

Microbac Laboratories Inc., Pittsburgh Division

02-00257

PA Department of Environmental Protection

PA Department of Environmental Protection

PADEP Accreditation by Rule

Report Comments

Samples were received in proper condition and the reported results conform to applicable accreditation standard unless otherwise noted.


The data and information on this, and other accompanying documents, represents only the sample(s) analyzed. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included.

Reviewed and Approved By:

Carolyn Vollentine

Service Center Manager

Reported: 07/19/2019 12:25




Work Order #. _____

[illegible]

QC270 V6

3 3 4 5 6 7 8 9 10 11 12 13

14 15	Entrance RR Mount Left	950
15 17	Entrance RR Mount Right	950



PM: Carolyn Vollentine



Microbac Laboratories Inc., - Marietta, OH

CERTIFICATE OF ANALYSIS

M9G0873

Microbac Laboratories, Inc. - Pittsburgh

Project Name: 9072598

Carolyn Vollentine
100 Marshall Drive
Pittsburgh, PA 15086

Project / PO Number: N/A
Received: 07/12/2019
Reported: 07/18/2019

Sample Summary Report

<u>Sample Name</u>	<u>Laboratory ID</u>	<u>Client Matrix</u>	<u>Sample Type</u>	<u>Sample Begin</u>	<u>Sample Taken</u>	<u>Lab Received</u>
9072598-01 (McQuiston Elementary Faculty RR)	M9G0873-01	Drinking Water	Grab		07/10/19 10:04	07/12/19 09:50
9072598-02 (McQuiston Elementary Fountain Door 8)	M9G0873-02	Drinking Water	Grab		07/10/19 09:34	07/12/19 09:50
9072598-03 (McQuiston Elementary Nurse's Office Sink)	M9G0873-03	Drinking Water	Grab		07/10/19 09:47	07/12/19 09:50
9072598-04 (McQuiston Elementary Faculty Lounge)	M9G0873-04	Drinking Water	Grab		07/10/19 09:44	07/12/19 09:50
9072598-05 (McQuiston Elementary Gym Fountain Left)	M9G0873-05	Drinking Water	Grab		07/10/19 09:45	07/12/19 09:50
9072598-06 (McQuiston Elementary Gym Fountain Right)	M9G0873-06	Drinking Water	Grab		07/10/19 09:45	07/12/19 09:50
9072598-07 (McQuiston Elementary Rm 20 Left)	M9G0873-07	Drinking Water	Grab		07/10/19 10:05	07/12/19 09:50
9072598-08 (McQuiston Elementary Rm 20 Right)	M9G0873-08	Drinking Water	Grab		07/10/19 10:05	07/12/19 09:50
9072598-09 (McQuiston Elementary LS Room)	M9G0873-09	Drinking Water	Grab		07/10/19 10:02	07/12/19 09:50
9072598-10 (McQuiston Elementary Vocal Room)	M9G0873-10	Drinking Water	Grab		07/10/19 09:59	07/12/19 09:50
9072598-11 (McQuiston Elementary Cafe Fountain Right)	M9G0873-11	Drinking Water	Grab		07/10/19 09:40	07/12/19 09:50
9072598-12 (McQuiston Elementary Cafe Fountain Left)	M9G0873-12	Drinking Water	Grab		07/10/19 09:40	07/12/19 09:50
9072598-13 (McQuiston Elementary Food Service Sink)	M9G0873-13	Drinking Water	Grab		07/10/19 09:42	07/12/19 09:50
9072598-14 (McQuiston Elementary Entrance RR Fountain Left)	M9G0873-14	Drinking Water	Grab		07/10/19 09:50	07/12/19 09:50
9072598-15 (McQuiston Elementary Entrance RR Fountain Right)	M9G0873-15	Drinking Water	Grab		07/10/19 09:50	07/12/19 09:50



Microbac Laboratories Inc., - Marietta, OH

CERTIFICATE OF ANALYSIS

M9G0873

Analytical Testing Parameters

Client Sample ID: 9072598-01 (McQuiston Elementary Faculty RR)
Sample Matrix: Drinking Water
Lab Sample ID: M9G0873-01

Collected By: Client
Collection Date: 07/10/2019 10:04

Total Metals - ICP/MS	Result	MDL	RL	Units	Dilution	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4									
Lead	0.002		0.001	mg/L	1		07/15/19 1213	07/17/19 1605	JYH

Client Sample ID: 9072598-02 (McQuiston Elementary Fountain Door 8)
Sample Matrix: Drinking Water
Lab Sample ID: M9G0873-02

Collected By: Client
Collection Date: 07/10/2019 9:34

Total Metals - ICP/MS	Result	MDL	RL	Units	Dilution	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4									
Lead	0.001		0.001	mg/L	1		07/15/19 1213	07/17/19 1618	JYH

Client Sample ID: 9072598-03 (McQuiston Elementary Nurse's Office Sink)
Sample Matrix: Drinking Water
Lab Sample ID: M9G0873-03

Collected By: Client
Collection Date: 07/10/2019 9:47

Total Metals - ICP/MS	Result	MDL	RL	Units	Dilution	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4									
Lead	0.001		0.001	mg/L	1		07/15/19 1213	07/17/19 1621	JYH

Client Sample ID: 9072598-04 (McQuiston Elementary Faculty Lounge)
Sample Matrix: Drinking Water
Lab Sample ID: M9G0873-04

Collected By: Client
Collection Date: 07/10/2019 9:44

Total Metals - ICP/MS	Result	MDL	RL	Units	Dilution	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4									
Lead	0.001		0.001	mg/L	1		07/15/19 1213	07/17/19 1624	JYH

Client Sample ID: 9072598-05 (McQuiston Elementary Gym Fountain Left)
Sample Matrix: Drinking Water
Lab Sample ID: M9G0873-05

Collected By: Client
Collection Date: 07/10/2019 9:45

Total Metals - ICP/MS	Result	MDL	RL	Units	Dilution	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4									
Lead	<0.001		0.001	mg/L	1		07/15/19 1213	07/17/19 1640	JYH



Microbac Laboratories Inc., - Marietta, OH

CERTIFICATE OF ANALYSIS

M9G0873

Client Sample ID: 9072598-06 (McQuiston Elementary Gym Fountain Right)
Sample Matrix: Drinking Water
Lab Sample ID: M9G0873-06

Collected By: Client
Collection Date: 07/10/2019 9:45

Total Metals - ICP/MS	Result	MDL	RL	Units	Dilution	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4									
Lead	<0.001		0.001	mg/L	1		07/15/19 1213	07/17/19 1643	JYH

Client Sample ID: 9072598-07 (McQuiston Elementary Rm 20 Left)
Sample Matrix: Drinking Water
Lab Sample ID: M9G0873-07

Collected By: Client
Collection Date: 07/10/2019 10:05

Total Metals - ICP/MS	Result	MDL	RL	Units	Dilution	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4									
Lead	<0.001		0.001	mg/L	1		07/15/19 1213	07/17/19 1646	JYH

Client Sample ID: 9072598-08 (McQuiston Elementary Rm 20 Right)
Sample Matrix: Drinking Water
Lab Sample ID: M9G0873-08

Collected By: Client
Collection Date: 07/10/2019 10:05

Total Metals - ICP/MS	Result	MDL	RL	Units	Dilution	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4									
Lead	<0.001		0.001	mg/L	1		07/15/19 1213	07/17/19 1650	JYH

Client Sample ID: 9072598-09 (McQuiston Elementary LS Room)
Sample Matrix: Drinking Water
Lab Sample ID: M9G0873-09

Collected By: Client
Collection Date: 07/10/2019 10:02

Total Metals - ICP/MS	Result	MDL	RL	Units	Dilution	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4									
Lead	<0.001		0.001	mg/L	1		07/15/19 1213	07/17/19 1653	JYH

Client Sample ID: 9072598-10 (McQuiston Elementary Vocal Room)
Sample Matrix: Drinking Water
Lab Sample ID: M9G0873-10

Collected By: Client
Collection Date: 07/10/2019 9:59

Total Metals - ICP/MS	Result	MDL	RL	Units	Dilution	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4									
Lead	<0.001		0.001	mg/L	1		07/15/19 1213	07/17/19 1656	JYH



Microbac Laboratories Inc., - Marietta, OH

CERTIFICATE OF ANALYSIS

M9G0873

Client Sample ID: 9072598-11 (McQuiston Elementary Cafe Fountain Right)

Sample Matrix: Drinking Water

Lab Sample ID: M9G0873-11

Collected By: Client

Collection Date: 07/10/2019 9:40

Total Metals - ICP/MS	Result	MDL	RL	Units	Dilution	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4									
Lead	<0.001		0.001	mg/L	1		07/15/19 1213	07/17/19 1659	JYH

Client Sample ID: 9072598-12 (McQuiston Elementary Cafe Fountain Left)

Sample Matrix: Drinking Water

Lab Sample ID: M9G0873-12

Collected By: Client

Collection Date: 07/10/2019 9:40

Total Metals - ICP/MS	Result	MDL	RL	Units	Dilution	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4									
Lead	<0.001		0.001	mg/L	1		07/15/19 1213	07/18/19 0630	JYH

Client Sample ID: 9072598-13 (McQuiston Elementary Food Service Sink)

Sample Matrix: Drinking Water

Lab Sample ID: M9G0873-13

Collected By: Client

Collection Date: 07/10/2019 9:42

Total Metals - ICP/MS	Result	MDL	RL	Units	Dilution	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4									
Lead	0.007		0.001	mg/L	1		07/15/19 1213	07/18/19 0633	JYH

Client Sample ID: 9072598-14 (McQuiston Elementary Entrance RR Fountain Left)

Sample Matrix: Drinking Water

Lab Sample ID: M9G0873-14

Collected By: Client

Collection Date: 07/10/2019 9:50

Total Metals - ICP/MS	Result	MDL	RL	Units	Dilution	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4									
Lead	<0.001		0.001	mg/L	1		07/15/19 1213	07/18/19 0636	JYH

Client Sample ID: 9072598-15 (McQuiston Elementary Entrance RR Fountain Right)

Sample Matrix: Drinking Water

Lab Sample ID: M9G0873-15

Collected By: Client

Collection Date: 07/10/2019 9:50

Total Metals - ICP/MS	Result	MDL	RL	Units	Dilution	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4									
Lead	<0.001		0.001	mg/L	1		07/15/19 1213	07/18/19 0639	JYH



Microbac Laboratories Inc., - Marietta, OH

CERTIFICATE OF ANALYSIS

M9G0873

Definitions

AL: US EPA Action Level
RL: Reporting Limit

Cooler Receipt Log

Cooler ID: Default Cooler Temp: 22.4°C

Cooler Inspection Checklist

Ice Present or not required?	Yes	Shipping containers sealed or not required?	Yes
Custody seals intact or not required?	Yes	Chain of Custody (COC) Present?	Yes
COC includes customer information?	Yes	Relinquished and received signature on COC?	Yes
Sample collector identified on COC?	Yes	Sample type identified on COC?	Yes
Correct type of Containers Received	Yes	Correct number of containers listed on COC?	Yes
Containers Intact?	Yes	COC includes requested analyses?	Yes
Enough sample volume for indicated tests received?	Yes	Sample labels match COC (Name, Date & Time?)	Yes
Samples arrived within hold time?	Yes	Correct preservatives on COC or not required?	Yes
Chemical preservations checked or not required?	Yes	Preservation checks meet method requirements?	Yes
VOA vials have zero headspace, or not recd.?	Yes		

Project Requested Certification(s)

Microbac Laboratories Inc., - Marietta, OH
68-01670

PA Department of Environmental Protection

Report Comments

Samples were received in proper condition and the reported results conform to applicable accreditation standard unless otherwise noted.

The data and information on this, and other accompanying documents, represents only the sample(s) analyzed. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included.

Reviewed and Approved By:

Jacqueline Parsons
Administrative Assistant - AP
Reported: 07/18/2019 16:35

Microbac Laboratories, Inc.

158 Starlite Drive | Marietta, OH 45750 | 800.373.4071 p | www.microbac.com

Page 12 of 17

**Microbac Laboratories
Inc., Pittsburgh Division**



**SUBCONTRACT ORD
9072598**



M 9 G 0 8 7 3

Microbac - PGH

Rec'd: 07/12/2019 09:50

By: Brenda Gregory

Temp: 22.4

(Signature)

SENDING LABORATORY:

Microbac Laboratories Inc., Pittsburgh Division
100 Marshall Drive
Warrendale, PA 15086
Phone: 724-772-0610
Lab Manager: Carolyn Vollentine
Email: carolyn.vollentine@microbac.com

RECEIVING LABORATORY:

Microbac - OVD (PA DEP# 68-01670)
158 STARLITE DRIVE
MARIETTA, OH 45750
Phone: 740-373-4071

Project Info:

Project Name: BASD Samples	Client: GANNETT FLEMING, INC.	Report TAT: 7
Project No: BASD - McQuiston Elements	Project Type: ENV-DrinkingWaterNonRe	Due: 07/19/2019 00:00
	Project Location: Pennsylvania	

Sample ID: 9072598-01

Sampled: 07/10/2019 10:04

Matrix: Drinking Water

Sampler: Client

Analysis	Method	Analysis Due	Expires	Network \$
Lead by EPA 200.8 Lead	EPA 200.8, Rv. 5.4 0.001 mg/L	07/19/2019 00:00	01/06/2020 10:04	\$ 12.00
Sub 7/11/19				

Containers Supplied:
A: 250 mL Plastic w/ HNO3

Sample ID: 9072598-02

Sampled: 07/10/2019 09:34

Matrix: Drinking Water

Sampler: Client

Analysis	Method	Analysis Due	Expires	Network \$
Lead by EPA 200.8 Lead	EPA 200.8, Rv. 5.4 0.001 mg/L	07/19/2019 00:00	01/06/2020 09:34	\$ 12.00
Sub 7/11/19				

Containers Supplied:
A: 250 mL Plastic w/ HNO3

Sample ID: 9072598-03

Sampled: 07/10/2019 09:47

Matrix: Drinking Water

Sampler: Client

Analysis	Method	Analysis Due	Expires	Network \$
Lead by EPA 200.8 Lead	EPA 200.8, Rv. 5.4 0.001 mg/L	07/19/2019 00:00	01/06/2020 09:47	\$ 12.00
Sub 7/11/19				

Containers Supplied:
A: 250 mL Plastic w/ HNO3



SUBCONTRACT ORDER
9072598

Sample ID: 9072598-04

Sampled: 07/10/2019 09:44

Matrix: Drinking Water

Sampler: Client

Analysis	Method	Analysis Due	Expires	Network \$
Lead by EPA 200.8 Lead	EPA 200.8, Rv. 5.4 0.001 mg/L	07/19/2019 00:00	01/06/2020 09:44	\$ 12.00
Sub 7/11/19				

Containers Supplied:
A: 250 mL Plastic w/ HNO₃

Sample ID: 9072598-05

Sampled: 07/10/2019 09:45

Matrix: Drinking Water

Sampler: Client

Analysis	Method	Analysis Due	Expires	Network \$
Lead by EPA 200.8 Lead	EPA 200.8, Rv. 5.4 0.001 mg/L	07/19/2019 00:00	01/06/2020 09:45	\$ 12.00
Sub 7/11/19				

Containers Supplied:
A: 250 mL Plastic w/ HNO₃

Sample ID: 9072598-06

Sampled: 07/10/2019 09:45

Matrix: Drinking Water

Sampler: Client

Analysis	Method	Analysis Due	Expires	Network \$
Lead by EPA 200.8 Lead	EPA 200.8, Rv. 5.4 0.001 mg/L	07/19/2019 00:00	01/06/2020 09:45	\$ 12.00
Sub 7/11/19				

Containers Supplied:
A: 250 mL Plastic w/ HNO₃

Sample ID: 9072598-07

Sampled: 07/10/2019 10:05

Matrix: Drinking Water

Sampler: Client

Analysis	Method	Analysis Due	Expires	Network \$
Lead by EPA 200.8 Lead	EPA 200.8, Rv. 5.4 0.001 mg/L	07/19/2019 00:00	01/06/2020 10:05	\$ 12.00
Sub 7/11/19				

Containers Supplied:
A: 250 mL Plastic w/ HNO₃



SUBCONTRACT ORDER

9072598

Sample ID: 9072598-08

Sampled: 07/10/2019 10:05

Matrix: Drinking Water

Sampler: Client

Analysis	Method	Analysis Due	Expires	Network \$
Lead by EPA 200.8 Lead	EPA 200.8, Rv. 5.4 0.001 mg/L	07/19/2019 00:00	01/06/2020 10:05	\$ 12.00
Sub 7/11/19				

Containers Supplied:
A: 250 mL Plastic w/ HNO3

Sample ID: 9072598-09

Sampled: 07/10/2019 10:02

Matrix: Drinking Water

Sampler: Client

Analysis	Method	Analysis Due	Expires	Network \$
Lead by EPA 200.8 Lead	EPA 200.8, Rv. 5.4 0.001 mg/L	07/19/2019 00:00	01/06/2020 10:02	\$ 12.00
Sub 7/11/19				

Containers Supplied:
A: 250 mL Plastic w/ HNO3

Sample ID: 9072598-10

Sampled: 07/10/2019 09:59

Matrix: Drinking Water

Sampler: Client

Analysis	Method	Analysis Due	Expires	Network \$
Lead by EPA 200.8 Lead	EPA 200.8, Rv. 5.4 0.001 mg/L	07/19/2019 00:00	01/06/2020 09:59	\$ 12.00
Sub 7/11/19				

Containers Supplied:
A: 250 mL Plastic w/ HNO3

Sample ID: 9072598-11

Sampled: 07/10/2019 09:40

Matrix: Drinking Water

Sampler: Client

Analysis	Method	Analysis Due	Expires	Network \$
Lead by EPA 200.8 Lead	EPA 200.8, Rv. 5.4 0.001 mg/L	07/19/2019 00:00	01/06/2020 09:40	\$ 12.00
Sub 7/11/19				

Containers Supplied:
A: 250 mL Plastic w/ HNO3



SUBCONTRACT ORDER
9072598

Sample ID: 9072598-12

Sampled: 07/10/2019 09:40

Matrix: Drinking Water

Sampler: Client

Analysis	Method	Analysis Due	Expires	Network \$
Lead by EPA 200.8 Lead	EPA 200.8, Rv. 5.4 0.001 mg/L	07/19/2019 00:00	01/06/2020 09:40	\$ 12.00
Sub 7/11/19				

Containers Supplied:
A: 250 mL Plastic w/ HNO3

Sample ID: 9072598-13

Sampled: 07/10/2019 09:42

Matrix: Drinking Water

Sampler: Client

Analysis	Method	Analysis Due	Expires	Network \$
Lead by EPA 200.8 Lead	EPA 200.8, Rv. 5.4 0.001 mg/L	07/19/2019 00:00	01/06/2020 09:42	\$ 12.00
Sub 7/11/19				

Containers Supplied:
A: 250 mL Plastic w/ HNO3

Sample ID: 9072598-14

Sampled: 07/10/2019 09:50

Matrix: Drinking Water

Sampler: Client

Analysis	Method	Analysis Due	Expires	Network \$
Lead by EPA 200.8 Lead	EPA 200.8, Rv. 5.4 0.001 mg/L	07/19/2019 00:00	01/06/2020 09:50	\$ 12.00
Sub 7/11/19				

Containers Supplied:
A: 250 mL Plastic w/ HNO3

Sample ID: 9072598-15

Sampled: 07/10/2019 09:50

Matrix: Drinking Water

Sampler: Client

Analysis	Method	Analysis Due	Expires	Network \$
Lead by EPA 200.8 Lead	EPA 200.8, Rv. 5.4 0.001 mg/L	07/19/2019 00:00	01/06/2020 09:50	\$ 12.00
Sub 7/11/19				

Containers Supplied:
A: 250 mL Plastic w/ HNO3

Released By

Date

Received By

Date

Released By

Date

Received By

Date

