



Alpha

Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 262 Rickenbacker Circle, Livermore, CA 94551 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

ELAP Certificates 1551, 2728, and 2922

05 October 2018

Pleasanton, City of

Attn: Susan Clough

PO Box 520

Pleasanton, CA 94566

RE: Lead In Schools

Work Order: 18I2083

Enclosed are the results of analyses for samples received by the laboratory on 09/20/18 21:47. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jeanette L. Poplin For Robbie C. Phillips

Project Manager



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 262 Rickenbacker Circle, Livermore, CA 94551 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

Pleasanton, City of
PO Box 520
Pleasanton, CA 94566

Project Manager: Susan Clough
Project: Lead In Schools
Project Number: 0110008 / Foothill - 6

Reported:
10/05/18 09:32

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
0110008-AAG-A	18I2083-01	Water	09/20/18 06:23	09/20/18 21:47
0110008-AAG-B	18I2083-02	Water	09/20/18 06:29	09/20/18 21:47
0110008-AAG-C	18I2083-03	Water	09/20/18 06:41	09/20/18 21:47
0110008-AAG-D	18I2083-04	Water	09/20/18 06:49	09/20/18 21:47
0110008-AAG-E	18I2083-05	Water	09/20/18 06:57	09/20/18 21:47
0110008-AAG-F	18I2083-06	Water	09/20/18 06:16	09/20/18 21:47
0110008-AAG-G	18I2083-07	Water	09/20/18 06:34	09/20/18 21:47



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 262 Rickenbacker Circle, Livermore, CA 94551 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

Pleasanton, City of
PO Box 520
Pleasanton, CA 94566

Project Manager: Susan Clough
Project: Lead In Schools
Project Number: 0110008 / Foothill - 6

Reported:
10/05/18 09:32

	Result	Reporting Limit	Dilution	Batch	Prepared	Analyzed	Method	Note
0110008-AAG-A (18I2083-01)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	5.0	1	AI84050	09/25/18 12:33	09/25/18 17:19	EPA 200.8	
0110008-AAG-B (18I2083-02)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	5.0	1	AI84050	09/25/18 12:33	09/25/18 17:25	EPA 200.8	
0110008-AAG-C (18I2083-03)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	5.0	1	AI84050	09/25/18 12:33	09/25/18 17:31	EPA 200.8	
0110008-AAG-D (18I2083-04)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	5.0	1	AI84050	09/25/18 12:33	09/25/18 17:37	EPA 200.8	
0110008-AAG-E (18I2083-05)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	5.0	1	AI84050	09/25/18 12:33	09/25/18 17:43	EPA 200.8	
0110008-AAG-F (18I2083-06)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	5.0	1	AI84050	09/25/18 12:33	09/25/18 17:49	EPA 200.8	
0110008-AAG-G (18I2083-07)								
Metals by EPA Method 200.8 ICP/MS								P-02
Lead	ND ug/L	5.0	1	AI84050	09/25/18 12:33	09/25/18 15:00	EPA 200.8	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha

Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 262 Rickenbacker Circle, Livermore, CA 94551 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

Pleasanton, City of
PO Box 520
Pleasanton, CA 94566

Project Manager: Susan Clough
Project: Lead In Schools
Project Number: 0110008 / Foothill - 6

Reported:
10/05/18 09:32

Notes and Definitions

- P-02 Sample acidified to pH <2 and allowed to sit 24 hours before further processing.
- ND Analyte NOT DETECTED at or above the reporting limit
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference



Corporate Laboratory
208 Mason Street, Ukiah CA 95482
707-468-0401 F) 707-468-5267
email: clientservices@alpha-labs.com

Bay Area Laboratory
262 Rickenbacker Circle, Livermore CA 94551
925-828-6226 F) 925-828-6309

Central Valley Laboratory
9090 Union Park Way #113, Elk Grove CA 95624
916-686-5190 F) 916-686-5192

Chain of Custody - Work Order

Reports and Invoices delivered by email in PDF format

Lab No 18I2083 Pg _____ of _____

ELAP Certifications
Ukiah 1551, Livermore 2728, Elk Grove 2922

Report to		Invoice to (if different)		Project Information			Signature below authorizes work under terms stated on reverse side.																																																																																						
Company: City of Pleasanton		Contact:		Project ID: Foothill - 6 Lead in Schools			<table border="1"> <tr> <th colspan="12">Analysis Request</th> <th>TAT</th> <th>Temp upon Receipt °C</th> </tr> <tr> <td colspan="12" rowspan="3"></td> <td>Standard 10 days <input checked="" type="radio"/></td> <td>Ukiah temp: 1.8°C</td> </tr> <tr> <td>RUSH: 5 days <input type="radio"/></td> <td rowspan="2">Livermore temp: </td> </tr> <tr> <td>48 hours <input type="radio"/></td> </tr> <tr> <td colspan="12" rowspan="2"></td> <td>Other: ____ days <input type="radio"/></td> <td>Livermore temp: </td> </tr> <tr> <td colspan="12" rowspan="2"></td> <td colspan="2">Lab preapproval required</td> <td>Elk Grove temp: </td> </tr> <tr> <td colspan="12" rowspan="2"></td> <td colspan="2">Sample Notes or DDW Source Numbers:</td> <td></td> </tr> </table>												Analysis Request												TAT	Temp upon Receipt °C													Standard 10 days <input checked="" type="radio"/>	Ukiah temp: 1.8°C	RUSH: 5 days <input type="radio"/>	Livermore temp: 	48 hours <input type="radio"/>													Other: ____ days <input type="radio"/>	Livermore temp: 													Lab preapproval required		Elk Grove temp: 													Sample Notes or DDW Source Numbers:		
Analysis Request																			TAT	Temp upon Receipt °C																																																																									
																			Standard 10 days <input checked="" type="radio"/>	Ukiah temp: 1.8°C																																																																									
																			RUSH: 5 days <input type="radio"/>	Livermore temp: 																																																																									
												48 hours <input type="radio"/>																																																																																	
												Other: ____ days <input type="radio"/>	Livermore temp: 																																																																																
																								Lab preapproval required		Elk Grove temp: 																																																																			
																								Sample Notes or DDW Source Numbers:																																																																					
												Attn: Susan Clough		Email address:		Project No:																																																																													
Address: 3333 Busch Road Pleasanton, CA 94566 925-931-5510		Address: PO Box 520		PO Number:																																																																																									
Email Address: sclough@cityofpleasantonca.gov		Phone/Fax:																																																																																											
Field Sampler - Printed Name & Signature: Marque DeBray <i>[Signature]</i>				Container		Preservative			Matrix			Total Number of Containers per Sample ID																																																																																	
Sample Identification		Sampling		40ml Vial	Poly	Glass	Sleeve	Other	HCl	HNO3	H2SO4													Other	None	Water	Soil	Other	Lead																																																																
	Date	Time																																																																																											
0110008-AAG-A	9/20/18	0623	x											x	x			1	x	FH- Building C																																																																									
0110008-AAG-B	9/20/18	0629	x											x	x			1	x	FH- Building D																																																																									
0110008-AAG-C	9/20/18	0641	x											x	x			1	x	FH- Locker Room																																																																									
0110008-AAG-D	9/20/18	0649	x											x	x			1	x	FH- Sports Complex																																																																									
0110008-AAG-E	9/20/18	0657	x											x	x			1	x	FH- Pool																																																																									
0110008-AAG-F	9/20/18	0616	x											x	x			1	x	FH- Main Office																																																																									
0110008-AAG-G	9/20/18	0634	x											x	x			1	x	FH- Cafeteria																																																																									
Relinquished by <i>Susan Clough</i>				Received by <i>[Signature]</i>				Date	Time	DDW Write On EDT Transmission? <input checked="" type="radio"/> Yes <input type="radio"/> No																																																																																			
								9/20/18	11:15	State System Number: <u>0110008</u>																																																																																			
								9-20-18	19:16	If "Y" please enter the Source Number(s) in the column above																																																																																			
								9-20-18	21:47	CA Geotracker EDF Report? <input type="radio"/> Yes <input type="radio"/> No																																																																																			
								Global ID: _____ Sampling Company Log Code: _____																																																																																					
								EDF to (Email Address): _____																																																																																					
								Travel and Site Time:			Mileage:			Misc. Supplies:																																																																															